<u>District I</u> - (505) 393-6161 1625 N. French Dr	Γ
Hobbs, NM 88241-1980	Energy M
District II - (505) 748-1283	
811 S. First (c) (c)	7 7 6
Artesia, NM 88210	(A)
District III - (505) 334-61-78	enter Para San Tari
1000 Rio Brazos Road	1/87
Aztec, NM 87410	17 (i i
District IV - (505) 827-7131 UN 2	5 1999
vontesse teleparen	and the second of the second
ON COMPENIA	MOPPONG HOID
I. Operator and Well	· · · · · · · · · · · · · · · · · · ·
Operator name & address	

VII.

New Mexico

linerals and Natural Resources Department

Oil Conservation Division 2040 South Pacheco Street

2040 South Pacheco Street Santa Fe, New Mexico 87505 (505) 827-7131 Form C-142 Date 06/99

SUBMIT ORIGINAL PLUS 2 COPIES TO THE SANTA FE OFFICE

APPLICATION FOR NEW WELL STATUS

I. Operator and Well				
Operator name & address			OGRID Nu	mber
YATES PETROLEUM CORPORATION				
105 SOUTH FOURTH STREET, ARTESIA,	NM 88210		0:	25575
Contact Party DENNIS P. MAUPIN			Phone (505) 748-4344
Property Name RIVERSIDE ASS STATE COM		Well Number	API Numbe	30-015-30563
	lorth/South Line Feet F		West Line EAST	County EDDY
II. Date/Time Information				
Spud Date 2/25/99 Spud Time Date Complete 3/30/		OW FLATS MO		
III. Attach copies of Form C-103 or Federal Form 31	60-5 showing date/tin	ne of drilling comm	nenced and	Form C-105 or Federal Form
IV. Attach a list of all working interest owners with the V. AFFIDAVIT:	eir percentage interes	ts.		
State of <u>NEW MEXICO</u>) County of <u>EDDY</u>) DENNIS <u>P. MAUPIN</u> , being first duly sworn, upon oat 1. I am the Operator, or authorized represe 2. To the best of my knowledge, this applic Signature <u>New MEXICO</u> Signature Title SUBSCRIBED AND SWORN TO before me this <u>23 rd</u> (entative of the Operat cation is complete and TAX DEPT. AS	icorrect.		vell. /23/99
My Commission expires: 9/6/99	Suzav Notary Públic	rne R.	Pea	130)
FOR OIL CONSERVATION DIVISION USE ONLY:				
VI. CERTIFICATION OF APPROVAL: This Application is hereby approved and the above-reference of the Taxation and Revenue Department of this Approved.	erenced well is designate val.	ed a New Well. By	copy hereof,	the Division notifies the Secretary
Signature Title	of Shod		-	Date 7-1, 99

NOTICE: The operator must notify all working interest owners of this New Well certification.

DATE OF NOTIFICATION TO THE SECRETARY OF THE TAXATION AND REVENUE DEPARTMENT:

PVZV2005848154

Submit to Appropriate District Office State Lease — 6 copies		Energy	y, Mineral:	s and Natur	ral Res	ources	Departr	ment				n C-105 sed 1-1-89
Foe Lease — 5 copies DISTRICT I P.O. Box 1980, Hobbs, I	NM 88240	OIL	CONS	SERVAT P.O. Box			VISIO	NC		-015-3		
DISTRICT II P.O. Drawer DD, Artesia	a, NM 88210 '		Santa Fe,	, New Mex			2088		5. Indicate Ty		TATE X	FEE [
DISTRICT III 1000 Rio Brazos Rd., Az		-							6. State Oil &	Gas Lease	No.	
		22 DE		TON DE	T	4410	•		mmm	VA-15	51 777777	,,,,,,,,,,,
a. Type of Well:	OMPLETION			TION HE	POHI	ANU	LOG		7. Lease Name	//////	/////	<u> </u>
OIL WELL b. Type of Completion:			DRY [OTTIER					, , , , , , , , , , , , , , , , , , , ,	5 CF Can	green	latija:
WELL X OVER	DERPEN	BACK		RESVR OT	nex			`		erside	ASS S	tate Com
2. Name of Operator YATES PETROL	ድ፤ ነነለ <i>ሮ</i> ስዩ ኮ ስዩ፣	ΜΩτሞል		(50)	~` 7 <i>\</i>	0 1/2	~-		8. Well No.	-		
. Address of Operator		ATTON		(305	5) 74	8-14	71		9. Pool name	₩ildcat		
105 South 4th		ala. j	чтм 882°	10	,				Ĭ	row Fla	rea Mor	~ w ∆t.7
. Well Location				10				<u> </u>	<u>.</u>	FOW FIL	ILS ric.	Frow
Unit Letter	I : 1650	0 Feet	Prom The	South		Li	ne and _	660	Foct Fr	rom The _	East	Line
			_				-		····	-		
Section	8	Town			Range		27E		MPM	Eddy		County
0. Date Spudded 1 2-25-99 27 2-26-99	11. Date T.D. Reach 3-16-99		1	ompl. <i>(Ready t</i> 3–30–99	io Proa.j	'	13. Elevi		of a rkb, rt, gi	(, etc.)	14. Elev. (Casinghead
S. Total Depth	16. Plug Bac			17. If Muhiple	Compl.	. Now	18.	Intervale Doilled I		¹ 6	Cable To	ol:
9150'	90	097 '		Малу Zов	es?			Drilled 1	^{By} 40–915		i	
9. Producing Interval(s), 8861-8911'		- Тор, Во	dom, Name						2	0, Was Din		rvey Made
11. Type Electric and Oth									22. Was We	" Cared	No	
CNL/LDC, BH		log	_	_					44 1100,110	ii Corea No	0	
3.	•		SING RI	ECORD	Repo	ort all	strings	set in	well)			-,
CASING SIZE	WEIGHT LI		DEPT	TI SET		OLE SI	ZE	C	EMENTING R		AM	OUNT PULLED
16"	T			40'			0"		nt to sur			
8-5/8"	24#			32'	1	2-1/			sx - circ	<u>ulate</u>		
5-1/2"	17#		91	.50'	 	7-7/	8''	650	sx			-
	+							 				
4.		LINE	ER RECOF	RD.	L			25.	TUI	BING RE	CORD	-
SIZE	TOP		MOTTO	SACKS CE	MENT	S	CREEN		SIZE	DEPTI		PACKER SET
								工	2-7/8"		51'	8797 '
						<u> </u>						
6. Perforation reco	rd (interval, size	s, and no	umber)				ACID,		FRACTURE			
861-8911' w/2	.04 .42" ho	les				Dis	PIII IIv.		None	41. VIAD VI	IND MATE	ERIAL USED
						-			None			·
			<u></u>			 						······································
8.				PRODU								
Pate First Production	1	Production	-	lowing, gas ly	(i, pumpi	ing - Sizi	e and type	: <i>рит</i> ф)				or Shui-in)
4-2-99	7: 7: 4:4	- 10		Flowing		Oil - Bb	 	Gas - I	· · · · · · · · · · · · · · · · · · ·	Pro	oduc in	g Gas - Oil Ratio
hale of Test	Hours Tested		hoke Size	Prod'n For	-	011 - 116	a. [Gas - 1		∕aler - po ^		U24 - Un Rand
4-4-99 low Tubing Press.	24 Casing Pressure	Ca	16/64" alculated 24-				- MCF		Vater - Bbl.	Oil Gn	vity - API	- (Corr.)
2770	Packer	He	our Rate	69	_		210	1_	0		N/A	
9. Disposition of Gas (So	·		,	1 <u>×6</u>						incesed By		
Sold									Ton	y Vasqı	ıez	
O. List Attachments			· -									
Deviation su												
. I Lamba amilia Mai	det - i-f	ekaun ar	a both eider	of this form	ie true	and co	mniele ic	s the he	d of my knowle	doe and be	eliet	

Printed Name Rusty Klein Title Operations Tech. Date 5-28-99

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

		Southeas	tern New Mexico				Northw	estern New	Mexico	
T. Anhy	<i></i>		T. Canyon		_ T. Ojo	Alamo		T. Pen	n. "B"	
T. Salt			T Strawn	8175'	T. Kirt	land-Frui	tland	T. Peni	1. "C"	
B. Salt.			T. Atoka	<u>8559'</u>	_ T. Pict	ured Cliff	ſs	T. Pen	ı. "D"	
T. Yates	3		T. Miss		_ T. Clif	f House _		T. Lead	iville	
T. 7 Riv	ers		T. Devonian		_ T. Mer	efee		T. Mad	ison	
T. Quee	n	640	T. Silurian		_ T. Poir	it Lookou	ıt	T. Elbe	rt	
			T. Montoya							
T. San A	\ndres	1296	T. Simpson		_ T. Gall	up		T. Igna	cio Otzte	
T. Glori	eta	2696	T. McKee		Base C	reenhorn		T. Grau	nite	
T. Padde	ock		T. Ellenburger		T. Dak	ota		T		
T. Bline	bry		T. Gr. Wash		T. Mor	rison	· —	T		
T. Tubb			T. Delaware Sand		_ T. Tod	ilto	 	T		
T. Drink	ard		T. Bone Springs		T. Entr	ada		Т		
T. Abo		4752	T. Bone Springs T. Morrow T. Chester	8786	T. Win	gate		T		
T. Wolfe	amp	5936	' T. Chester	90291	T. Chir	de		Т		
T. Penn		7726	' T		T. Pern	nain		т		
	(Bough (2)	T		T. Penr	ı "A"		T.		
	\		•	OR GAS S					· · · · · · · · · · · · · · · · · · ·	
NI- 1 C										
NO. 1, 11	om	•••••	to	• • • • • • • • • • • • • • • • • • • •	NO.	-			•••••	
NO. 2, 11	от	************	to			-			•••••••	•••••
	•			PORTANT			3			
			inflow and elevation to							
			to							
			to							
NO. 3, II	om		to						•••••	•
			LITHOLOGY RE	CORD (A	Attach a	dditiona	l sheet if n	ecessary)		
From	То	Thickness	Lithology		From	To	Thickness		Lithology	
		in Feet			<u> </u>		in Feet		,,	
0	1014	1014	Surface			{	[
1014	1421	407	Anhydrite & dolo	mite		1				
1421	4085	2664	Dolomite		}	j ·	}			
4085	5170	1085	Dolomite & sand							
5170	5845	675	Dolomite		1	ł	ł			
5845	6317	472	Lime]	J			
6317	6577	260	Lime, sand & sha	le l		İ	ł			
6577	9150	2573	Lime & shale			}	{	l		
					J	j,]			
					1					
					1 1			•		
1				ļ]			<i>A</i>		
	İ			Ī]					
	ĺ		· •	i	()					
	ļ			1.						
	ŀ					1				
1	ŀ		•		1 1	ł	ł			

State of New Mexico Energy, Minerals and Natural Resources Department

Form C	-103
Revised	1-1-89

District Office		socores reprint	1	Revised 1-1-89
<u>DISTRICT 1</u> P.O. Box 1980, Hobbs, NM 88240	OIL CONSERVATION P.O. Box 20	· · · · - · · · · ·	WELL API NO.	
DISTRICT II	Santa Fe, New Mexico			-015-30563
P.O. Drawer DD, Artesia, NM 88210		·	5. Indicate Type of	STATE FEE
DISTRICT III 1000 Rio Brazos Rd., Aziec, NM 87410	/ <u>/ </u>	6180 mm	6. State Oil & Gas	
(DO NOT USE THIS FORM FOR PRODIFFERENT RESER	IVOIR. USE "APPLICATION FOR PE	OR PLUG BACK TO A		Jait Agreement Name
1. Type of Well: OR. GAS WELL WELL X	OTHERS 0	RECLIVED CD ARIESIA	Riverside	a ASS State Com
2. Name of Operator	ATTON		8. Well No.	
YATES PETROLEUM CORPORA 3. Address of Operator	TTION Start	Sic vecco (L. Vo	9. Pool name or Wi	1
105 South 4th St., Arte	esia, NM 88210			ats Morrow
4. Well Location				
Unit Letter :165	60 Feet From The South	Line and66	Peet From 1	The East Line
Section 8	Township 17S Ra	unge 27E	NMPM	Eddy County
	10. Elevation (Show whether		NMPM	
<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>		3368' GR		
	Appropriate Box to Indicate l		•	
NOTICE OF INT	ENTION TO:	SUB	SEQUENT RE	PORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK		ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLING	OPNS. P	PLUG AND ABANDONMENT
PULL OR ALTER CASING		CASING TEST AND CE		
OTHER:		OTHER:	·-···	
12. Describe Proposed or Completed Operation work) SEE RULE 1103.	cos (Clearly state all persinent details, an	d give pertinent dates, includ	ling estimated date of s	tarting any proposed
Spudded a 20" hole wit	h rat hole machine at	9:30 AM 2-25-99	. Set 40' o	of 16" conductor
pipe. Cemented to sur a 12-1/4" hole with ro	face. NOTE: Notified tary tools at 10:00 PM	l Gary w/OCD-Art 1 2-26-99.	esia of spud	. Resumed drilling
TD 1432'. Ran 32 join 1-Texas Pattern notche 600 sacks Halliburton CaC12 (yield 2.01, wei (yield 1.32, weight 1478 sacks. WOC. Nippl 6:00 PM 3-1-99. WOC 1	d guide shoe set at 14 Lite Premium Plus, 1/4 ght 12.6). Tailed in .8). PD 11:30 PM 2-28 ed up and tested to 30	32'. Float col #/sack flocele, with 200 sacks 3-99. Bumped pl 000 psi for 30 m	lar set at 1 5 #/sack gil Premium Plus ug to 725 ps inutes, OK.	384'. Cemented wit sonite and 2% with 2% CaCl2 i, OK. Circulated Drilled out at
•				
I hereby certify that the information above to true	and complete to the best of my knowledge and	belief.		
SIONATURE KUSTED III	un nn	Operations Te	chin fe lan	DATE March 3, 1999
TYPEORPRINT NAME Rusty Klein				TELEPHONE NO. 505/748-14
	in W. Geem	District	Expervisor	DATE 3-11-99
APPROVED BY				

571659:	Print 1 V3R7MO 961108	Key Output	S1021663		05/26/99	Page 1 09:29:35	
	Device						
	Joint Billing Di					5/26/99 9:29:29	
Deck	month/year	B1	GWI ' 1999	BEFORE PAY	OUT		
Owner Se-		Name	Co#	Interest	Type	Changed	
195392 0	C. CONCHO_RESOURCE	5 INC.		<u> </u>	O1 WOR	2/18/1999	
640010 00 994100 00				.05000000	01 WDR 01 WDR	2/18/1999 2/18/1999	
999900 0		1 CORFORATION		.35000000	01 WOR	2/18/1999	
						Bottom	
Total_Int	enast		· · · · · · · · · · · · · · · · · · ·	1.00000000			
F3=Exit	F12=Previous						
						ı	
			,				