

1575

District I - (505) 393-6161

1625 N. French Dr.
Hobbs, NM 88241-1980

District II - (505) 748-1283

811 S. First
Artesia, NM 88210

District III - (505) 334-6178


1000 Rio Brazos Road
Aztec, NM 87410

District IV - (505) 827-7131

New Mexico
Energy Minerals and Natural Resources Department
Oil Conservation Division
2040 South Pacheco Street
Santa Fe, New Mexico 87505
(505) 827-7131

Form C-142
Date 06/99

Submit Original
Plus 2 Copies
to the Santa Fe
Office



APPLICATION FOR NEW WELL STATUS

I. Operator and Well

Operator name address Burlington Resources Oil and Gas P.O. Box 4289 Farmington, NM 87499					OGRID NUMBER 014538			
Contact Party Peggy Cole					Phone 505-326-9700			
Property Name: SAN JUAN				Well Number: 10B	API Number 3004528762			
UL K	Section 010	Township 030N	Range 010W	Feet From the 1765	North/South Line FSL	Feet From the 1815	East/West Line FWL	County SAN JUAN

II. Date/Time Information

Spud Date 7/13/99	Spud Time 8:00:00 PM	Date Completed 1/3/00	Pool BLANCO MESAVERDE
-----------------------------	--------------------------------	---------------------------------	---------------------------------

III. Attach copies of Form C-103 or Federal Form 3160-5 showing date/time of drilling commenced and Form C-105 or Federal Form 3160-4 showing well was completed as a producer.

IV. Attach a list of all working interest owners with their percentage interest.

V. AFFIDAVIT:

State of New Mexico
County of San Juan ss.
Peggy Cole, being first duly sworn, upon states:

1. I am the Operator, or authorized representative of the Operator, of the above-referenced well,
2. To the best of my knowledge, this application is complete and correct.

Signature Peggy Cole Title Reg Admin. Date 1-18-00

SUBSCRIBED AND SWORN TO before me this 18 day of Jan, 2000

My Commission expires: 6/11/03 Mae Benally
Notary Public

FOR OIL CONSERVATION USE ONLY:

VI. CERTIFICATION OF APPROVAL:

This application is hereby approved and the above-referenced well is designated a New Well. By copy hereof, the Division notifies the Secretary of the Taxation and Revenue Department of this Approval.

Signature <u>Mark R. Kelly</u>	Title <u>P.E. Spec.</u>	Date <u>3-3-00</u>
---------------------------------------	--------------------------------	---------------------------

VII. DATE OF NOTIFICATION TO THE SECRETARY OF THE TAXATION AND REVENUE DEPARTMENT: 3/3/00

NOTICE: The operator must notify all working interest owners of this New Well certification

PV2V2010831918

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)

FOR APPROVED
OMB NO. 1004-0137

Expires: December 31, 1991

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL:		OIL WELL <input type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	CRY <input type="checkbox"/>	Other <input type="checkbox"/>
b. TYPE OF COMPLETION:		NEW WELL <input checked="" type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP-EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>
		DIFF. RESVR <input type="checkbox"/>	Other <input type="checkbox"/>		
2. NAME OF OPERATOR BURLINGTON RESOURCES OIL & GAS COMPANY					
3. ADDRESS AND TELEPHONE NO. PO BOX 4289, Farmington, NM 87499 (505) 326-9700					
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1765°FSL, 1815°FVL At top prod. interval reported below At total depth					

14. PERMIT NO.		DATE ISSUED		12. COUNTY OR PARISH San Juan	13. STATE New Mexico
15. DATE SPUDDED 7-13-99	16. DATE T.D. REACHED 7-19-99	17. DATE COMPL. (Ready to prod.) 1-3-2000		18. ELEVATIONS (DF, RKB, RT, BR, ETC.)* 6523'GL/6535'KB	
20. TOTAL DEPTH, MD & TVD 5960'		21. PLUG BACK T.D., MD & TVD 5816'	22. IF MULTIPLE COMPL. HOW MANY*	23. INTERVALS DRILLED BY	24. PRODUCTION INTERVAL (S) OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)* 4758-5763' Mesaverde
				25. WAS DIRECTIONAL SURVEY MADE no	26. WAS WELL CORED no
27. TYPE ELECTRIC AND OTHER LOGS RUN CBL/GR/CCL/VDL					

28. CASING RECORD (Report all strings set in well)					
CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
9 5/8	32.3#	200'	12 1/4"	189 cu ft	
7	20#	2066'	8 3/4"	770 cu ft	


29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
4 1/2	1795'	5824'	614 cu ft		2 3/8	5709'	

31. PERFORATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
4758, 4776, 4782, 4788, 4793, 4801, 4820, 4827, 4836, 4845, 4857, 4883, 4895, 4900, 4927, 4944, 4954, 4965, 4973, 4981, 5050, 5054, 5072, 5092, 5129, 5139, 5157, 5161, 5180, 5214, 5218, 5239, 5251, 5260, 5267, 5307, 5313, 5329, 5338, 5412, 5422, 5430, 5440, 5449, 5459, 5475, 5492, 5517, 5527, 5549, 5573, 5598, 5613, 5618, 5633, 5638, 5665, 5687, 5694, 5731, 5752, 5763		DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
		4758-4981'	105,000# 20/40 Brady snd, 2361 bbl slk wtr
		5050-5338'	70,000# 20/40 Brady snd, 1731 bbl slk wtr
		5412-5763'	100,000# 20/40 Brady snd, 1947 bbl slk wtr

33. DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing			WELL STATUS (Producing or shut-in) SI	
DATE OF TEST 1-3-2000	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL-BBL	GAS-MCF 726 Pitot gauge	GAS-OIL RATIO
FLOW. TUBING PRESS. SI 124	CASING PRESSURE SI 528	CALCULATED 24-HOUR RATE	OIL-BBL	GAS-MCF	WATER-BBL	OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) To be sold	TEST WITNESSED BY
--	-------------------

35. LIST OF ATTACHMENTS None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records	
SIGNED 	DATE 1-6-2000

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department of agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Ojo Alamo	1792'	1950'	White, cr-gr ss.
Kirtland	1950'	2640'	Gry sh interbedded w/tight, gry, fine-gr ss.
Fruitland	2640'	3169'	Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss.
Pictured Cliffs	3169'	3318'	Bn-Gry, fine grn, tight ss.
Lewis	3318'	3862'	Shale w/siltstone stringers
Huerfanito Bentonite*	3862'	4189'	White, waxy chalky bentonite
Chacra	4189'	4671'	Gry fn grn silty, glauconitic sd stone w/drck gry shale
Cliff House	4671'	4988'	ss. Gry, fine-grn, dense sil ss.
Menefee	4988'	5405'	Med-dark gry, fine gr ss, carb sh & coal
Point Lookout	5405'	5960'	Med-light gry, very fine gr ss w/frequent sh breaks in lower part of formation

38.

GEOLOGIC MARKERS

NAME	TOP
	MEAS. DEPTH TRUE VERT. DEPTH
Ojo Alamo	1792'
Kirtland	1950'
Fruitland	2640'
Pictured Cliffs	3169'
Lewis	3318'
Huerfanito Bent	3862'
Chacra	4189'
Cliffhouse	4671'
Menefee	4988'
Point Lookout	5405'

* Huerfanito Bentonite is the legal top of Mesaverde in New Mexico (north of Chacra line).

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
BLM

Sundry Notices and Reports of Wells 6 PM 2:23

070 FARMINGTON, NM.

1. Type of Well
GAS

Lease Number
NM-03202
6. If Indian, All. or
Tribe Name

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

7. Unit Agreement Name

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

8. Well Name & Number
San Juan #10B

9. API Well No.
30-045-29862

4. Location of Well, Footage, Sec., T, R, M

1765' FSL, 1815' FWL, Sec. 10, T-30-N, R-10-W, NMPM

10. Field and Pool
Blanco Mesaverde
11. County and State
San Juan Co., NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Spud, casing, and cement	

13. Describe Proposed or Completed Operations

7-13-99 MIRU. Spud well @ 8:00 pm 7-13-99. Drill to 205'. Circ hole clean.
TOOH. TIH w/4 jts 9 5/8" 32# WC-50 csg, set @ 200'. Cmdt w/160 sx
Class "B" neat cmt w/3% calcium chloride, 0.25 pps Flocele (189 cu
ft).
7-14-99 NU BOP. PT BOP & csg to 600 psi/30 min, OK. Drilling ahead.

APD ROW RELATED

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] Title Regulatory Administrator Date 7/15/99
vkh

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date ACCEPTED FOR RECORD

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR

FARMINGTON FIELD OFFICE
BY [Signature]

Well Completion Overview - 80010101 - SAN JUAN 10B			
Entity	Entity Type	Entity 2	Entity Name
80010101	WELL COMPLETION - GAS WELL		SAN JUAN, 10B
80010100	ASSET - WELL		SAN JUAN 10B
AGREEMENTS			
22048900/000	LEASE - LEASE - OIL AND GAS		USA NM-03202
24198404/000	CONTRACT - OPERATING AGREEMENT		SAN JUAN 100% WI DEFAULT JOA
OWNERS			
999021/01	OWNER - NONE	100.000000%	BURLINGTON RESOURCES OIL & GAS CO
DIVISION ORDERS			
85127300			SAN JUAN 10B

☒ Expand All

Refresh

Detail

Close

Print