



12 January 2006

Mr. Larry Johnson
New Mexico Oil Conservation Division
1625 French Drive
Hobbs, New Mexico 88240

RE: Closure Report
Dynegy Midstream Services- American Legion 16-Inch Release Site (Ref. #210005)
UL-K Sec. 9, T22S, R37E
Lea County, New Mexico

Dear Mr. Johnson:

On September 8, 2004, a release, reported as less than 5 barrels, of natural gas and natural gas liquids from the Dynegy Midstream Services-American Legion 16-Inch pipeline occurred. Soil impacted by the release was excavated and stockpiled on site to facilitate the replacement of the damaged section of line. In July 2005, Dynegy Midstream Services (Dynegy) retained Environmental Plus, Inc. (EPI) to delineate and remediate NGL-impacts associated with the release at the excavation. This letter report documents remediation and closure activities at the release site.

Site Background

The site is located in the NE ¼ of the SW ¼ of Section 9, Township 22 South, Range 37 East, in Lea County, New Mexico on land owned by Mr. Charlie Bettis. The site is at a latitude N 32° 28' 15.63" and a longitude W 103° 9' 38.85", at an elevation of approximately 3,419 feet above mean sea level (reference *Figures 1 and 2*). A search for area water wells was completed utilizing the New Mexico Office of the State Engineer database, United States Geological Survey (USGS) database and USGS topographic maps of section 9, as well as adjacent sections. A total of fifty-eight wells were found to be located in the area; however, only sixteen wells are located within a one-mile radius of the release site. There was one well (9.422431) located within a 1,000-foot radius (reference *Figure 2*). The average reported depth to water in these wells is approximately 87 feet below ground surface (bgs) (reference *Table 2*). Based on the proximity of the water supply well to the release site and depth to ground water, NMOCD remedial goals are:

Parameter	Remedial Goal*
Benzene	10 mg/Kg
BTEX	50 mg/Kg
TPH	100 mg/Kg

*Chloride and sulfate residuals may not be capable of impacting groundwater above
New Mexico Water Quality Control Commission groundwater standards of 250 mg/L and
650 mg/L, respectively.

RP# 883
Application - PAC0613832667

Field Work

On July 19, 2005, soil samples were collected from the 480 square foot (ft²) excavation to determine extents of impacted soil. A total of ten samples were collected and analyzed in the field for the presence of organic vapors utilizing an UltraRae photoionization detector (PID) equipped with a 9.8 electron-volt (eV) lamp. Composite samples were collected from the northeast, northwest, southeast and southwest sidewalls. Grab samples were collected from the eastern and western end of the excavation floor. A portion of each sample was placed in a laboratory provided container and then placed on ice for transport to an independent laboratory for quantification of total petroleum hydrocarbons (TPH) via EPA 8015 Modified, benzene, toluene, ethylbenzene, and total xylenes (BTEX) via EPA Method 8260B and chlorides and sulfates via EPA Method 300.0.

The remaining portion of each sample was placed in a self sealing polyethylene bag and analyzed in the field for the presence of organic vapors. Field analyses indicated organic vapor concentrations ranged from 0 to 2,999 parts per million (ppm).

Based on the laboratory analytical results for the July 19, 2005 samples, excavation activities began on September 15, 2005 to remove soil impacted by sulfates from the excavation floor and sidewalls. Excavation activities continued until field observations indicated sulfate residuals had been removed. On September 16, 2005, soil samples were collected from the sidewalls and excavation floor and submitted for laboratory quantification of chlorides and sulfates (reference *Table 1* and *Figure 4*).

The excavation comprised approximately 1,600 ft² to a maximum depth of approximately 10-feet below ground surface (bgs). Approximately 470 yds³ of excavated, chloride and sulfate impacted soil were transported to Sundance Services for disposal. An equivalent amount of clean soil was purchased from the landowner and utilized to backfill the excavation.

Analytical Data

Laboratory analytical results for samples collected on July 19, 2005 indicated TPH and BTEX constituent concentrations were not detected at or above each analytes respective laboratory method detection limit (MDL). Chloride concentrations ranged from 24.5 to 317 mg/Kg, with an average of 137 mg/Kg. Sulfate concentrations ranged from 62.8 to 2,910 mg/Kg, with an average of 1,362 mg/Kg (reference *Table 1* and *Appendix I*).

Analytical results for samples collected on September 16, 2005 indicated chloride concentrations ranged from 6.30 to 101 mg/Kg, below New Mexico Water Quality Control Commission (NMWQCC) groundwater standard of 250 mg/L. Sulfate concentrations were reported to range from 68.6 to 224 mg/Kg, below NMWQCC groundwater standard of 650 mg/L (reference *Table 1* and *Appendix I*).

Recommendations

Based on field and laboratory analyses, contaminant residuals above NMOCD remedial thresholds and NMWQCC groundwater standards have been removed from the excavation. Excavated, chloride and sulfate impacted soil was transported to Sundance Services, Inc. for disposal. Final remedial activities consisted of backfilling the excavation with clean soil purchased from the landowner, contouring to allow natural drainage and seeding with a landowner approved seed blend. Environmental Plus, Inc.,

on behalf of Dynegy Midstream Services, requests the NMOCD require "no further action" and issue a site closure letter.

Should you have any questions or concerns, please feel free to contact Iain Olness or me at (505) 394-3481 or via e-mail at iolness@envplus.net or jstegemoller@envplus.net. Mr. Roger Holland can be contacted at (505) 631-7094 or Roger.Holland@Dynegy.com. All official correspondence should be remitted to Mr. Roger Holland at:

Dynegy Midstream Services
P.O. Box 1929
Eunice, New Mexico
88231

Sincerely,

ENVIRONMENTAL PLUS, INC.



Jason Stegemoller, M.S.
Environmental Scientist




Iain Olness, P.G.
Hydrogeologist

cc: Roger Holland, Dynegy Midstream Services-Eunice, NM
Charlie Bettis, Landowner-Eunice, NM
File


enclosures:


Figure 1 - Area Map
Figure 2 - Site Location Map
Figure 3 - Site Map
Figure 4 - Excavation and Sample Location Map
Table 1 - Summary of Analytical Results
Table 2 - Well Data
Attachment I – Laboratory Results and Chain-of-Custody Form
Attachment II- Site Photographs
Attachment III- Final C-141

FIGURES



<p>Figure 2 Area Map Dynegy Midstream Services American Legion 16"</p>	<p>Lea County, New Mexico NE 1/4 of the SW 1/4, Sec. 9, T22S, R37E N 32° 24' 15.64" W 103° 09' 38.88" Elevation: 3,419 feet amsl</p>	<p>DWG By: Jason Stegemoller August 2005</p> <p>REVISED:</p> <p>0 2.5 5 Miles</p> <p>SHEET 1 of 1</p> <p>N</p>
---	--	--






LEGEND

—PIPE—

Pipeline

△
Sample Location
(July 19, 2005)



DWG By: Jason Stegemoller
August 2005

REVISED:
September 2005



SHEET
1 of 1

Lea County, New Mexico
NE 1/4 of the SW 1/4, Sec. 9, T22S, R37E
N 32° 24' 15.63" W 103° 09' 38.85"
Elevation: 3,419 feet amsl

Figure 3
Site and July 19, 2005 Sample
Location Map
Dynegy Midstream Services
American Legion 16"

TABLES

TABLE 1

Summary of Soil Sample Laboratory Analytical Results

Dynergy Midstream Services-American Legion 16-Inch (Ref.# 210005)

Sample I.D.	Depth (feet)	Soil Status	Sample Date	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	TPH (as gasoline) (mg/Kg)	TPH (as diesel) (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)	Sulfate (mg/Kg)
DMSAL16071905N ESW1-2	Comp	Excavated	07/19/05	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<20.0	150	2,910
DMSAL16071905N ESW3-4	Comp	Excavated	07/19/05	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<20.0	317	1,110
DMSAL16071905N WSW1-2	Comp	Excavated	07/19/05	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<20.0	52.0	1,840
DMSAL16071905N WSW3-4	Comp	Excavated	07/19/05	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<20.0	522	1,720
DMSAL16071905S ESW1-2	Comp	Excavated	07/19/05	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<20.0	52.6	2,450
DMSAL16071905S ESW3-4	Comp	Excavated	07/19/05	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<20.0	93.9	971
DMSAL16071905S WSW1-2	Comp	Excavated	07/19/05	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<20.0	46.9	62.8
DMSAL16071905S WSW3-4	Comp	Excavated	07/19/05	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<20.0	24.5	118
DMSAL16071905B HE	1	Excavated	07/19/05	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<20.0	45.7	1,040
DMSAL16071905B HW	1	Excavated	07/19/05	<0.0250	<0.0250	<0.0250	<0.05	<0.125	<10.0	<10.0	<20.0	62.3	1,400
AL1691605 SBH-9'	9	In Situ	09/16/05	--	--	--	--	--	--	--	--	8.20	68.6
AL1691605 NBH-9'	9	In Situ	09/16/05	--	--	--	--	--	--	--	--	30.0	115
AL1691605 SSW-B-4'	4	In Situ	09/16/05	--	--	--	--	--	--	--	--	6.30	74.2
AL1691605 SSW-A-4'	4	In Situ	09/16/05	--	--	--	--	--	--	--	--	15.3	97.8
AL1691605 NSW-A-4'	4	In Situ	09/16/05	--	--	--	--	--	--	--	--	101	154
AL1691605 NSW-B-4'	4	In Situ	09/16/05	--	--	--	--	--	--	--	--	82.8	224
AL1691605 NSW-4'	4	In Situ	09/16/05	--	--	--	--	--	--	--	--	62.1	112
AL1691605 NESW-4'	4	In Situ	09/16/05	--	--	--	--	--	--	--	--	9.82	54.9
NMOCD Remedial Thresholds				10				50			100	250 ³	650 ³

¹ Bolded values are in excess of NMOCD Remediation Thresholds

-- = Not Analyzed

² Chloride and Sulfate residuals may not be capable of impacting local groundwater above the NMWQCC standards of 250 mg/L and 650 mg/L respectively.

Comp = Composite sample

TABLE 2

Well Data

Dynergy Midstream Services- American Legion 16" (Ref. #210005)

Well Number	Diversion ^A	Owner	Use	Twsp	Rng	Sec q q q	Latitude	Longitude	Date Measured	Well Depth (ft bgs)	Depth to Water (ft bgs)
CP 00154	34	HOMBLE OIL AND REFINING COMPANY	COM	22S	37E	9 1 1 3	32° 24' 35.45"	103° 10' 33.72"			
CP 00245	64	VERSADO GAS PROCESSORS, LLC	IND	22S	37E	16 3 4 3	32° 23' 41.21"	103° 10' 18.26"	28-Feb-47	136	
CP 00246	53	VERSADO GAS PROCESSORS, LLC	IND	22S	37E	16 4 3 2	32° 23' 4.15"	103° 10' 2.89"	31-May-49	135	
CP 00254	64	VERSADO GAS PROCESSORS, LLC	IND	22S	37E	4 1 4 2	32° 25' 14.63"	103° 10' 18.31"	31-Aug-50	164	
CP 00255	60	VERSADO GAS PROCESSORS, LLC	IND	22S	37E	4 1 4 1	32° 25' 14.63"	103° 10' 18.31"	31-May-54	162	
CP 00313	0	WILLIE P. SIMS	STK	22S	37E	15 3 3 3	32° 23' 4.17"	103° 9' 32.14"			
CP 00439	0	BOBBY PEARCE	DOM	22S	37E	5 2 4 2	32° 25' 14.58"	103° 10' 49.09"			
CP 00451	0	SKELLY OIL COMPANY	PUB	22S	37E	4 3 1 3	32° 25' 1.55"	103° 10' 33.97"			
CP 00467	0	L. W. FRISTOE	DOM	22S	37E	9 2 2 1	32° 24' 35.51"	103° 9' 47.55"			
CP 00468	0	L. W. FRISTOE	DOM	22S	37E	4 4 4 3	32° 24' 48.55"	103° 9' 47.56"			
CP 00481	3	MIX OSBORN	DOM	22S	37E	5 2 2 4	32° 25' 27.64"	103° 10' 49.08"	11-Apr-70	125	90
CP 00560	0	SKELLY OIL COMPANY	DOM	22S	37E	9 3 3 2	32° 23' 56.31"	103° 10' 33.67"			
CP 00662	3	GEORGE SCHEIDER	DOM	22S	37E	9 1 1 2	33° 24' 35.45"	104° 10' 33.67"	20-Jul-83	180	150
CP 00666	3	LARRY HENSON	DOM	22S	37E	5 2	32° 25' 14.55"	103° 11' 4.49"	27-Aug-84	120	79
CP 00673	0	PAUL E. & MARY HUGHES	DOM	22S	37E	15 2 2 2	32° 23' 43.32"	103° 8' 46.04"			
CP 00674	3	WARREN & VERA HUGHES	DOM	22S	37E	15 1 4 1	32° 23' 45.31"	103° 9' 32.15"	27-Mar-85	100	75
CP 00675	3	FRED FERBRACHE	DOM	22S	37E	15 1 2 2	32° 23' 45.31"	103° 9' 16.78"	12-Apr-85	100	
CP 00679	3	FRED FERBRACHE	DOM	22S	37E	15 3 3 3	32° 23' 4.17"	103° 9' 32.14"	20-May-85	164	98
CP 00684	3	WARREN & YUNA HUGHES	MUL	22S	37E	15 1 1 1	32° 23' 43.31"	103° 9' 32.15"	01-Aug-85	200	180
CP 00699	3	MARTIN GARRASCO	DOM	22S	37E	15 1	32° 23' 40.26"	103° 9' 32.15"	02-Jun-86	163	100
CP 00708	3	ROBERT A. CUETO	DOM	22S	37E	15	32° 23' 4.17"	103° 9' 32.14"	15-Apr-87	200	185
CP 00709	3	JAMES D. SMITH	DOM	22S	37E	15 3 4 2	32° 23' 4.17"	103° 9' 16.78"	29-Apr-87	200	87
CP 00756	3	CHARLIE BETTIS	DOM	22S	37E	9 4 4 2	32° 23' 56.34"	103° 9' 47.53"	30-Oct-90	125	85
CP 00871	3	BILL OR BARBARA TRULL	DOM	22S	37E	9 3	32° 23' 56.31"	103° 10' 33.67"	29-Sep-97	167	94
3.43224				22S	37E	3 4 3 2			27-Jan-76		32.58
4.141421				22S	37E	4 1 4 1			25-Jul-66		115.8
4.223331				22S	37E	4 2 2 3			15-Feb-96		93.07
4.223431				22S	37E	4 2 2 3			29-Sep-53		108.16
4.23214				22S	37E	4 2 3 2			28-Sep-53		90.12
4.23232				22S	37E	4 2 3 2			6-Mar-54		114.81
4.443114				22S	37E	4 4 4 3			16-Nov-65		83.15
4.443114				22S	37E	4 4 4 3			27-Feb-86		77.8
4.443234				22S	37E	4 4 4 3			02-May-91		80.54
4.443421				22S	37E	4 4 4 3			22-Jan-76		85.72
4.44344				22S	37E	4 4 4 3			22-Jan-76		85.59
5.21213				22S	37E	5 2 1 2			02-May-91		98.18
5.224411				22S	37E	5 2 2 4			01-Dec-65		105.84

TABLE 2

Well Data

Dynergy Midstream Services- American Legion 16" (Ref. #210005)

Well Number	Diversion ^A	Owner	Use	Twsp	Rng	Sec q q q	Latitude	Longitude	Date Measured	Well Depth (ft. bgs)	Depth to Water (ft. bgs)
5.24424				22S.	37E.	5 2 4 4			02-May-91		82.45
5.341434				22S.	37E.	5 3 4 1			07-Mar-68		48.03
5.43239				22S.	37E.	5 4 3 2			15-Feb-90		76.99
8.424134				22S.	37E.	8 4 2 4			02-May-91		71.48
9.2124				22S.	37E.	9 2 1 2			17-Mar-81		76.2
9.22311				22S.	37E.	9 2 2 3			22-Jan-76		78.57
9.31313				22S.	37E.	9 3 1 3			07-Mar-68		81.69R
9.313331				22S.	37E.	9 3 1 3			29-Sep-53		72.74
9.33333				22S.	37E.	9 3 3 3			07-Mar-68		71.68R
9.422431				22S.	37E.	9 4 2 2			08-Mar-96		74.66
9.423331				22S.	37E.	9 4 2 3			02-May-91		81.1
10.132124				22S.	37E.	10 1 3 2			29-Sep-53		85.51
10.214311				22S.	37E.	10 2 1 4			27-Jan-76		65.59
10.2323				22S.	37E.	10 2 3 2			27-Jan-76		41.88
15.333334				22S.	37E.	15 3 3 3			27-Jan-76		54.44
15.333343				22S.	37E.	15 3 3 3			27-Feb-86		81.53
16.413412				22S.	37E.	16 4 1 3			27-Feb-86		80.84
16.443343				22S.	37E.	16 4 4 3			27-Feb-96		82.23
17.414133				22S.	37E.	17 4 1 4			28-Sep-53		79.93
17.434414				22S.	37E.	17 4 3 4			18-Mar-81		71.86
									15-Feb-96		64.52

* = Data obtained from the New Mexico Office of the State Engineer Website (http://waters.ose.state.nm.us:7001/WATERS/wl_RegisServlet)

^A = in acre feet per annum

Shaded area indicates well locations shown on Figure 2

^B = Elevation interpolated from USGS topographical map based on referenced location.

IND = Industrial

PUB = Construction of public works

DOM = Domestic

EXP = Exploration


STK = Livestock watering

MUL = Multiple domestic households

quarters are 1=NW, 2=NE, 3=SW, 4=SE; quarters are biggest to smallest

ATTACHMENT I

ANALYTICAL RESULTS
AND
CHAIN-OF-CUSTODY FORMS



12600 West I-20 East - Odessa, Texas 79765

Analytical Report

Prepared for:

Jason Stegemoller

Environmental Plus, Incorporated

P.O. Box 1558

Eunice, NM 88231

Project: Dynegy Midstream/ American Legion 16'

Project Number: 210005

Location: Sec 9, T22S, R37E, NE 1/4 of SW 1/4

Lab Order Number: 5G27010

Report Date: 08/04/05

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynege Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
DMSAL16071905NESW1-2	5G27010-01	Soil	07/19/05 10:00	07/27/05 11:05
DMSAL16071905NESW3-4	5G27010-02	Soil	07/19/05 10:05	07/27/05 11:05
DMSAL16071905NWSW1-2	5G27010-03	Soil	07/19/05 10:20	07/27/05 11:05
DMSAL16071905NWSW3-4	5G27010-04	Soil	07/19/05 10:25	07/27/05 11:05
DMSAL16071905SESW1-2	5G27010-05	Soil	07/19/05 10:35	07/27/05 11:05
DMSAL16071905SESW3-4	5G27010-06	Soil	07/19/05 10:42	07/27/05 11:05
DMSAL16071905SWSW1-2	5G27010-07	Soil	07/19/05 10:53	07/27/05 11:05
DMSAL16071905SWSW3-4	5G27010-08	Soil	07/19/05 10:59	07/27/05 11:05
DMSAL16071905BHE	5G27010-09	Soil	07/19/05 11:11	07/27/05 11:05
DMSAL16071905BHW	5G27010-10	Soil	07/19/05 11:17	07/27/05 11:05

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynege Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
DMSAL16071905NESW1-2 (5G27010-01) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG52707	07/27/05	07/27/05	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		81.0 %	80-120		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		87.1 %	80-120		"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EG52708	07/27/05	07/28/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
<i>Surrogate: 1-Chlorooctane</i>		81.2 %	70-130		"	"	"	"	
<i>Surrogate: 1-Chlorooctadecane</i>		107 %	70-130		"	"	"	"	
DMSAL16071905NESW3-4 (5G27010-02) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG52707	07/27/05	07/27/05	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		80.4 %	80-120		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		95.6 %	80-120		"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EG52708	07/27/05	07/28/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
<i>Surrogate: 1-Chlorooctane</i>		83.0 %	70-130		"	"	"	"	
<i>Surrogate: 1-Chlorooctadecane</i>		110 %	70-130		"	"	"	"	
DMSAL16071905NWSW1-2 (5G27010-03) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG52707	07/27/05	07/28/05	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		81.5 %	80-120		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		89.2 %	80-120		"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EG52708	07/27/05	07/28/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 2 of 13

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynegy Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
DMSAL16071905NWSW1-2 (5G27010-03) Soil									
Surrogate: 1-Chlorooctane		86.2 %	70-130		EG52708	07/27/05	07/28/05	EPA 8015M	
Surrogate: 1-Chlorooctadecane		107 %	70-130		"	"	"	"	
DMSAL16071905NWSW3-4 (5G27010-04) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG52707	07/27/05	07/28/05	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		81.3 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		83.4 %	80-120		"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EG52708	07/27/05	07/28/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		83.2 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		103 %	70-130		"	"	"	"	
DMSAL16071905SESW1-2 (5G27010-05) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG52707	07/27/05	07/28/05	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		97.2 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		85.0 %	80-120		"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EG52708	07/27/05	07/28/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		81.2 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		101 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 3 of 13

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynege Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
DMSAL16071905SESW3-4 (5G27010-06) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG52814	07/28/05	07/29/05	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		89.3 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		83.5 %	80-120		"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EG52708	07/27/05	07/28/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		78.6 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		106 %	70-130		"	"	"	"	
DMSAL16071905SWSW1-2 (5G27010-07) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG52814	07/28/05	07/29/05	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		94.6 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		81.1 %	80-120		"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EG52708	07/27/05	07/28/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		83.0 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		101 %	70-130		"	"	"	"	
DMSAL16071905SWSW3-4 (5G27010-08) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EG52814	07/28/05	07/28/05	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		81.0 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		85.2 %	80-120		"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EG52708	07/27/05	07/28/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 4 of 13

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynege Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	--------------------	-------	----------	-------	----------	----------	--------	-------

DMSAL16071905SSWSW3-4 (5G27010-08) Soil

Surrogate: 1-Chlorooctane		83.2 %	70-130		EG52708	07/27/05	07/28/05	EPA 8015M	
Surrogate: 1-Chlorooctadecane		104 %	70-130		"	"	"	"	

DMSAL16071905BHE (5G27010-09) Soil

Benzene	ND	0.0250	mg/kg dry	25	EG52814	07/28/05	07/28/05	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		80.2 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		85.4 %	80-120		"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EG52708	07/27/05	07/28/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		80.6 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		106 %	70-130		"	"	"	"	

DMSAL16071905BHW (5G27010-10) Soil

Benzene	ND	0.0250	mg/kg dry	25	EG52814	07/28/05	07/28/05	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		80.0 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		105 %	80-120		"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EG52708	07/27/05	07/28/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		81.6 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		108 %	70-130		"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 5 of 13

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynegy Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
DMSAL16071905NESW1-2 (5G27010-01) Soil									
Chloride	150	25.0	mg/kg	50	EG52912	07/28/05	07/28/05	EPA 300.0	
% Moisture	1.5	0.1	%	1	EG52809	07/27/05	07/28/05	% calculation	
Sulfate	2910	25.0	mg/kg	50	EG52912	07/28/05	07/28/05	EPA 300.0	
DMSAL16071905NESW3-4 (5G27010-02) Soil									
Chloride	317	10.0	mg/kg	20	EG52912	07/28/05	07/28/05	EPA 300.0	
% Moisture	7.5	0.1	%	1	EG52809	07/27/05	07/28/05	% calculation	
Sulfate	1110	10.0	mg/kg	20	EG52912	07/28/05	07/28/05	EPA 300.0	
DMSAL16071905NWSW1-2 (5G27010-03) Soil									
Chloride	52.0	10.0	mg/kg	20	EG52912	07/28/05	07/28/05	EPA 300.0	
% Moisture	16.3	0.1	%	1	EG52809	07/27/05	07/28/05	% calculation	
Sulfate	1840	10.0	mg/kg	20	EG52912	07/28/05	07/28/05	EPA 300.0	
DMSAL16071905NWSW3-4 (5G27010-04) Soil									
Chloride	522	25.0	mg/kg	50	EG52912	07/28/05	07/28/05	EPA 300.0	
% Moisture	5.4	0.1	%	1	EG52809	07/27/05	07/28/05	% calculation	
Sulfate	1720	25.0	mg/kg	50	EG52912	07/28/05	07/28/05	EPA 300.0	
DMSAL16071905SESW1-2 (5G27010-05) Soil									
Chloride	52.6	10.0	mg/kg	20	EG52912	07/28/05	07/28/05	EPA 300.0	
% Moisture	2.7	0.1	%	1	EG52809	07/27/05	07/28/05	% calculation	
Sulfate	2450	50.0	mg/kg	100	EG52912	07/28/05	07/28/05	EPA 300.0	
DMSAL16071905SESW3-4 (5G27010-06) Soil									
Chloride	93.9	25.0	mg/kg	50	EG52912	07/28/05	07/28/05	EPA 300.0	
% Moisture	2.1	0.1	%	1	EG52809	07/27/05	07/28/05	% calculation	
Sulfate	971	25.0	mg/kg	50	EG52912	07/28/05	07/28/05	EPA 300.0	
DMSAL16071905SSSW1-2 (5G27010-07) Soil									
Chloride	46.9	5.00	mg/kg	10	EG52912	07/28/05	07/28/05	EPA 300.0	
% Moisture	2.7	0.1	%	1	EG52809	07/27/05	07/28/05	% calculation	
Sulfate	62.8	5.00	mg/kg	10	EG52912	07/28/05	07/28/05	EPA 300.0	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 6 of 13

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynegey Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
DMSAL16071905SWSW3-4 (5G27010-08) Soil									
Chloride	24.5	5.00	mg/kg	10	EG52912	07/28/05	07/28/05	EPA 300.0	
% Moisture	4.8	0.1	%	1	EG52809	07/27/05	07/28/05	% calculation	
Sulfate	118	5.00	mg/kg	10	EG52912	07/28/05	07/28/05	EPA 300.0	
DMSAL16071905BHE (5G27010-09) Soil									
Chloride	45.7	5.00	mg/kg	10	EG52912	07/28/05	07/28/05	EPA 300.0	
% Moisture	5.3	0.1	%	1	EG52809	07/27/05	07/28/05	% calculation	
Sulfate	1040	5.00	mg/kg	10	EG52912	07/28/05	07/28/05	EPA 300.0	
DMSAL16071905BHW (5G27010-10) Soil									
Chloride	62.3	10.0	mg/kg	20	EG52912	07/28/05	07/28/05	EPA 300.0	
% Moisture	1.7	0.1	%	1	EG52809	07/27/05	07/28/05	% calculation	
Sulfate	1400	10.0	mg/kg	20	EG52912	07/28/05	07/28/05	EPA 300.0	

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynegy Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch EG52707 - EPA 5030C (GC)

Blank (EG52707-BLK1)

Prepared & Analyzed: 07/27/05

Benzene	ND	0.0250	mg/kg wet							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
Xylene (p/m)	ND	0.0250	"							
Xylene (o)	ND	0.0250	"							
Surrogate: a,a,a-Trifluorotoluene	80.6		ug/kg	100		80.6	80-120			
Surrogate: 4-Bromofluorobenzene	86.1		"	100		86.1	80-120			

LCS (EG52707-BS1)

Prepared & Analyzed: 07/27/05

Benzene	95.1		ug/kg	100		95.1	80-120			
Toluene	106		"	100		106	80-120			
Ethylbenzene	119		"	100		119	80-120			
Xylene (p/m)	236		"	200		118	80-120			
Xylene (o)	116		"	100		116	80-120			
Surrogate: a,a,a-Trifluorotoluene	92.2		"	100		92.2	80-120			
Surrogate: 4-Bromofluorobenzene	105		"	100		105	80-120			

Calibration Check (EG52707-CCV1)

Prepared: 07/27/05 Analyzed: 07/28/05

Benzene	83.1		ug/kg	100		83.1	80-120			
Toluene	91.7		"	100		91.7	80-120			
Ethylbenzene	109		"	100		109	80-120			
Xylene (p/m)	207		"	200		104	80-120			
Xylene (o)	105		"	100		105	80-120			
Surrogate: a,a,a-Trifluorotoluene	81.5		"	100		81.5	0-200			
Surrogate: 4-Bromofluorobenzene	90.3		"	100		90.3	0-200			

Matrix Spike (EG52707-MS1)

Source: 5G27010-05

Prepared: 07/27/05 Analyzed: 07/28/05

Benzene	84.7		ug/kg	100	ND	84.7	80-120			
Toluene	94.6		"	100	ND	94.6	80-120			
Ethylbenzene	108		"	100	ND	108	80-120			
Xylene (p/m)	206		"	200	ND	103	80-120			
Xylene (o)	101		"	100	ND	101	80-120			
Surrogate: a,a,a-Trifluorotoluene	80.8		"	100		80.8	80-120			
Surrogate: 4-Bromofluorobenzene	83.9		"	100		83.9	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 8 of 13

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynegy Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EG52707 - EPA 5030C (GC)

Matrix Spike Dup (EG52707-MSD1)

Source: 5G27010-05

Prepared: 07/27/05 Analyzed: 07/28/05

Benzene	85.0		ug/kg	100	ND	85.0	80-120	0.354	20	
Toluene	93.9		"	100	ND	93.9	80-120	0.743	20	
Ethylbenzene	107		"	100	ND	107	80-120	0.930	20	
Xylene (p/m)	205		"	200	ND	102	80-120	0.976	20	
Xylene (o)	100		"	100	ND	100	80-120	0.995	20	
Surrogate: a,a,a-Trifluorotoluene	80.1		"	100		80.1	80-120			
Surrogate: 4-Bromofluorobenzene	88.0		"	100		88.0	80-120			

Batch EG52708 - Solvent Extraction (GC)

Blank (EG52708-BLK1)

Prepared: 07/27/05 Analyzed: 07/28/05

Gasoline Range Organics C6-C12	ND	10.0	mg/kg wet							
Diesel Range Organics >C12-C35	ND	10.0	"							
Total Hydrocarbon C6-C35	ND	10.0	"							
Surrogate: 1-Chlorooctane	40.9		mg/kg	50.0		81.8	70-130			
Surrogate: 1-Chlorooctadecane	49.4		"	50.0		98.8	70-130			

LCS (EG52708-BS1)

Prepared: 07/27/05 Analyzed: 07/28/05

Gasoline Range Organics C6-C12	415	10.0	mg/kg wet	500		83.0	75-125			
Diesel Range Organics >C12-C35	458	10.0	"	500		91.6	75-125			
Total Hydrocarbon C6-C35	873	10.0	"	1000		87.3	75-125			
Surrogate: 1-Chlorooctane	41.1		mg/kg	50.0		82.2	70-130			
Surrogate: 1-Chlorooctadecane	51.7		"	50.0		103	70-130			

Calibration Check (EG52708-CCV1)

Prepared: 07/27/05 Analyzed: 07/28/05

Gasoline Range Organics C6-C12	415		mg/kg	500		83.0	80-120			
Diesel Range Organics >C12-C35	482		"	500		96.4	80-120			
Total Hydrocarbon C6-C35	897		"	1000		89.7	80-120			
Surrogate: 1-Chlorooctane	43.3		"	50.0		86.6	0-200			
Surrogate: 1-Chlorooctadecane	59.2		"	50.0		118	0-200			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 9 of 13

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynege Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EG52708 - Solvent Extraction (GC)

Matrix Spike (EG52708-MS1)

Source: 5G27009-04

Prepared: 07/27/05 Analyzed: 07/28/05

Gasoline Range Organics C6-C12	412	10.0	mg/kg dry	505	ND	81.6	75-125			
Diesel Range Organics >C12-C35	458	10.0	"	505	ND	90.7	75-125			
Total Hydrocarbon C6-C35	870	10.0	"	1010	ND	86.1	75-125			
Surrogate: 1-Chlorooctane	41.7		mg/kg	50.0		83.4	70-130			
Surrogate: 1-Chlorooctadecane	54.2		"	50.0		108	70-130			

Matrix Spike Dup (EG52708-MSD1)

Source: 5G27009-04

Prepared: 07/27/05 Analyzed: 07/28/05

Gasoline Range Organics C6-C12	402	10.0	mg/kg dry	505	ND	79.6	75-125	2.46	20	
Diesel Range Organics >C12-C35	465	10.0	"	505	ND	92.1	75-125	1.52	20	
Total Hydrocarbon C6-C35	867	10.0	"	1010	ND	85.8	75-125	0.345	20	
Surrogate: 1-Chlorooctane	41.8		mg/kg	50.0		83.6	70-130			
Surrogate: 1-Chlorooctadecane	54.0		"	50.0		108	70-130			

Batch EG52814 - EPA 5030C (GC)

Blank (EG52814-BLK1)

Prepared & Analyzed: 07/28/05

Benzene	ND	0.0250	mg/kg wet							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
Xylene (p/m)	ND	0.0250	"							
Xylene (o)	ND	0.0250	"							
Surrogate: a,a,a-Trifluorotoluene	86.3		ug/kg	100		86.3	80-120			
Surrogate: 4-Bromofluorobenzene	85.7		"	100		85.7	80-120			

LCS (EG52814-BS1)

Prepared & Analyzed: 07/28/05

Benzene	91.3		ug/kg	100		91.3	80-120			
Toluene	98.8		"	100		98.8	80-120			
Ethylbenzene	112		"	100		112	80-120			
Xylene (p/m)	220		"	200		110	80-120			
Xylene (o)	107		"	100		107	80-120			
Surrogate: a,a,a-Trifluorotoluene	88.2		"	100		88.2	80-120			
Surrogate: 4-Bromofluorobenzene	96.2		"	100		96.2	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 10 of 13

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynegy Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EG52814 - EPA 5030C (GC)

Calibration Check (EG52814-CCV1)

Prepared: 07/28/05 Analyzed: 07/29/05

Benzene	118		ug/kg	100		118	80-120			
Toluene	120		"	100		120	80-120			
Ethylbenzene	113		"	100		113	80-120			
Xylene (p/m)	224		"	200		112	80-120			
Xylene (o)	101		"	100		101	80-120			
Surrogate: a,a,a-Trifluorotoluene	104		"	100		104	0-200			
Surrogate: 4-Bromofluorobenzene	93.0		"	100		93.0	0-200			

Matrix Spike (EG52814-MS1)

Source: 5G28005-04

Prepared & Analyzed: 07/28/05

Benzene	115		ug/kg	100	ND	115	80-120			
Toluene	119		"	100	ND	119	80-120			
Ethylbenzene	116		"	100	ND	116	80-120			
Xylene (p/m)	228		"	200	ND	114	80-120			
Xylene (o)	112		"	100	ND	112	80-120			
Surrogate: a,a,a-Trifluorotoluene	102		"	100		102	80-120			
Surrogate: 4-Bromofluorobenzene	102		"	100		102	80-120			

Matrix Spike Dup (EG52814-MSD1)

Source: 5G28005-04

Prepared & Analyzed: 07/28/05

Benzene	109		ug/kg	100	ND	109	80-120	5.36	20	
Toluene	114		"	100	ND	114	80-120	4.29	20	
Ethylbenzene	119		"	100	ND	119	80-120	2.55	20	
Xylene (p/m)	237		"	200	ND	118	80-120	3.45	20	
Xylene (o)	111		"	100	ND	111	80-120	0.897	20	
Surrogate: a,a,a-Trifluorotoluene	92.6		"	100		92.6	80-120			
Surrogate: 4-Bromofluorobenzene	98.2		"	100		98.2	80-120			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 11 of 13

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynege Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
08/04/05 17:11

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch EG52809 - General Preparation (Prep)

Blank (EG52809-BLK1)

Prepared: 07/27/05 Analyzed: 07/28/05

% Moisture	ND	0.1	%							
------------	----	-----	---	--	--	--	--	--	--	--

Duplicate (EG52809-DUP1)

Source: 5G20024-03

Prepared: 07/27/05 Analyzed: 07/28/05

% Moisture	19.1	0.1	%		19.3			1.04	20	
------------	------	-----	---	--	------	--	--	------	----	--

Batch EG52912 - Water Extraction

Blank (EG52912-BLK1)

Prepared & Analyzed: 07/28/05

Chloride	ND	0.500	mg/kg							
----------	----	-------	-------	--	--	--	--	--	--	--

Sulfate	ND	0.500	"							
---------	----	-------	---	--	--	--	--	--	--	--

LCS (EG52912-BS1)

Prepared & Analyzed: 07/28/05

Sulfate	9.65		mg/L	10.0		96.5	80-120			
---------	------	--	------	------	--	------	--------	--	--	--

Chloride	10.2		"	10.0		102	80-120			
----------	------	--	---	------	--	-----	--------	--	--	--

Calibration Check (EG52912-CCV1)

Prepared & Analyzed: 07/28/05

Sulfate	10.7		mg/L	10.0		107	80-120			
---------	------	--	------	------	--	-----	--------	--	--	--

Chloride	10.5		"	10.0		105	80-120			
----------	------	--	---	------	--	-----	--------	--	--	--

Duplicate (EG52912-DUP1)

Source: 5G27008-04

Prepared & Analyzed: 07/28/05

Sulfate	59.2	5.00	mg/kg		59.5			0.505	20	
---------	------	------	-------	--	------	--	--	-------	----	--

Chloride	61.2	5.00	"		60.2			1.65	20	
----------	------	------	---	--	------	--	--	------	----	--

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 12 of 13

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: Dynege Midstream/ American Legion 16'
Project Number: 210005
Project Manager: Jason Stegemoller


Fax: 505-394-2601

Reported:
08/04/05 17:11

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference
LCS Laboratory Control Spike
MS Matrix Spike
Dup Duplicate

Report Approved By:



Date:

8/4/2005

Raland K. Tuttle, Lab Manager
Celey D. Keene, Lab Director, Org. Tech Director
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director
LaTasha Cornish, Chemist
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas, Inc.

12600 West I-20 East Phone: 432-563-1800
Odessa Texas 79763 Fax: 432-563-1713

Project Manager: Roger Holland

Company Name: Dynegy Midstream Services

Company Address: P.O. Box 1929

City/State/Zip: Eunice, New Mexico 88231

Telephone No: 505-631-7094

Sampler Signature: *Cody Foster*

EPI - Environmental Consultant

Project Name: American Legion 16"

Project #: 210005

Project Loc: Sec 9, T22S, R37E, NE 1/4 of SW 1/4

PO#:

FAX RESULTS TO Jason Stegmoller ASAP [505-394-2601]

Relinquished: *Cody Foster*

Date: 7-27-05 Time: 0740

Received by: *Jason Boone*

Date: 7-27 Date: 7-27 Time: 7:00

Relinquished: *Jason Boone*

Date: 7-27-05 Time: 11:05

Received by: *Carrie Keeg*


Date: 7/27/05 Time: 11:05

402 jar

Special Instructions

Sample Containers Intact? ☒ N
Temperature Upon Request
Laboratory Comments: 1.5 labels

LAB ID	SAMPLE IDENTIFICATION	Date Sampled	Time Sampled	No. of Containers	Preservative								Type			Analyze For														
					ICE	HNO	HCl	NaOH	HSO	None	Other (Specify)	Water	Sludge	Soil	Other (Specify)	TDS/Cl/SAR/EC	TPH 418.1	TPH TX 1005/1006	TPH 801SM GRO/DRO	Metals *	Volatiles *	Semivolatiles *	BTEX 8021B/5030	Reactivity	Corrosivity	Ignitability	Chlorides	Sulfates		
16071905	DMSAL16071905NESW1-2	07/19/05	10:00	1	X									X				X			X				X	X				
16071905	DMSAL16071905NESW3-4	07/19/05	10:05	1	X									X				X			X				X	X				
16071905	DMSAL16071905NWSW1-2	07/19/05	10:20	1	X									X				X			X				X	X				
16071905	DMSAL16071905NWSW3-4	07/19/05	10:25	1	X									X				X			X				X	X				
16071905	DMSAL16071905SESW1-2	07/19/05	10:35	1	X									X				X			X				X	X				
16071905	DMSAL16071905SESW3-4	07/19/05	10:42	1	X									X				X			X				X	X				
16071905	DMSAL16071905SWSW1-2	07/19/05	10:55	1	X									X				X			X				X	X				
16071905	DMSAL16071905SWSW3-4	07/19/05	10:59	1	X									X				X			X				X	X				
16071905	DMSAL16071905BHE	07/19/05	11:11	1	X									X				X			X				X	X				
16071905	DMSAL16071905BHW	07/19/05	11:17	1	X									X				X			X				X	X				



12600 West I-20 East - Odessa, Texas 79765

Analytical Report

Prepared for:

Jason Stegemoller

Environmental Plus, Incorporated

P.O. Box 1558

Eunice, NM 88231

Project: American Legion 16"

Project Number: 210005

Location: None Given

Lab Order Number: 5I20007

Report Date: 09/27/05

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: American Legion 16"
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
09/27/05 10:39

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
AL1691605 SBH-9'	5I20007-01	Soil	09/16/05 14:50	09/20/05 12:15
AL1691605 NBH-9'	5I20007-02	Soil	09/16/05 15:00	09/20/05 12:15
AL1691605 SSW-B-4'	5I20007-03	Soil	09/16/05 15:05	09/20/05 12:15
AL1691605 SSW-A-4'	5I20007-04	Soil	09/16/05 15:10	09/20/05 12:15
AL1691605 NSW-A-4'	5I20007-05	Soil	09/16/05 15:20	09/20/05 12:15
AL1691605 NSW-B-4'	5I20007-06	Soil	09/16/05 15:22	09/20/05 12:15
AL1691605 NWSW-4'	5I20007-07	Soil	09/16/05 15:40	09/20/05 12:15
AL1691605 NESW-4'	5I20007-08	Soil	09/16/05 15:44	09/20/05 12:15

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM. 88231

Project: American Legion 16"
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
09/27/05 10:39

General Chemistry Parameters by EPA / Standard Methods
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
AL1691605 SBH-9' (5I20007-01) Soil									
Chloride	8.20	5.00	mg/kg	10	EI52204	09/21/05	09/22/05	EPA 300.0	
Sulfate	68.6	5.00	"	"	"	"	"	"	
AL1691605 NBH-9' (5I20007-02) Soil									
Chloride	30.0	5.00	mg/kg	10	EI52204	09/21/05	09/22/05	EPA 300.0	
Sulfate	115	5.00	"	"	"	"	"	"	
AL1691605 SSW-B-4' (5I20007-03) Soil									
Chloride	6.30	5.00	mg/kg	10	EI52204	09/21/05	09/22/05	EPA 300.0	
Sulfate	74.2	5.00	"	"	"	"	"	"	
AL1691605 SSW-A-4' (5I20007-04) Soil									
Chloride	15.3	5.00	mg/kg	10	EI52204	09/21/05	09/22/05	EPA 300.0	
Sulfate	97.8	5.00	"	"	"	"	"	"	
AL1691605 NSW-A-4' (5I20007-05) Soil									
Chloride	101	5.00	mg/kg	10	EI52204	09/21/05	09/22/05	EPA 300.0	
Sulfate	154	5.00	"	"	"	"	"	"	
AL1691605 NSW-B-4' (5I20007-06) Soil									
Chloride	82.8	5.00	mg/kg	10	EI52204	09/21/05	09/22/05	EPA 300.0	
Sulfate	224	5.00	"	"	"	"	"	"	
AL1691605 NWSW-4' (5I20007-07) Soil									
Chloride	62.1	5.00	mg/kg	10	EI52204	09/21/05	09/22/05	EPA 300.0	
Sulfate	112	5.00	"	"	"	"	"	"	
AL1691605 NESW-4' (5I20007-08) Soil									
Chloride	9.82	5.00	mg/kg	10	EI52204	09/21/05	09/22/05	EPA 300.0	
Sulfate	54.9	5.00	"	"	"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 2 of 4

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: American Legion 16"
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
09/27/05 10:39

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch EI52204 - Water Extraction									
Blank (EI52204-BLK1)									
				Prepared: 09/21/05 Analyzed: 09/22/05					
Sulfate	ND	0.500	mg/kg						
Chloride	ND	0.500	"						
LCS (EI52204-BS1)									
				Prepared: 09/21/05 Analyzed: 09/22/05					
Sulfate	8.88		mg/L	10.0		88.8	80-120		
Chloride	8.30		"	10.0		83.0	80-120		
Calibration Check (EI52204-CCV1)									
				Prepared: 09/21/05 Analyzed: 09/22/05					
Sulfate	9.25		mg/L	10.0		92.5	80-120		
Chloride	8.69		"	10.0		86.9	80-120		
Duplicate (EI52204-DUP1)									
				Source: 5I20007-01 Prepared: 09/21/05 Analyzed: 09/22/05					
Sulfate	70.9	5.00	mg/kg		68.6		3.30	20	
Chloride	7.98	5.00	"		8.20		2.72	20	

Environmental Plus, Incorporated
P.O. Box 1558
Eunice NM, 88231

Project: American Legion 16"
Project Number: 210005
Project Manager: Jason Stegemoller

Fax: 505-394-2601

Reported:
09/27/05 10:39

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference
LCS Laboratory Control Spike
MS Matrix Spike
Dup Duplicate

Report Approved By:

Raland K. Tuttle

Date:

9-27-05

Raland K. Tuttle, Lab Manager
Celey D. Keene, Lab Director, Org. Tech Director
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director
LaTasha Cornish, Chemist
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Environmental Lab of Texas

12600 West I-20 East, Odessa, TX 79765
432-563-1800 FAX: 432-563-1713

Chain of Custody Form


Company Name		Environmental Plus, Inc.		Bill To		ANALYSIS REQUEST																	
EPI Project Manager		Jason Stegemoller		Dynege Midstream Services Attn: Roger Holland PO Box 1929, Eunice, NM 88231		BTEX 8021B		TPH 8015M		CHLORIDES (Cl)		SULFATES (SO ₄)		PH		TCLP		OTHER >>		PAH			
Mailing Address		P.O. BOX 1558				MATRIX		PRESERV.		SAMPLING		DATE		TIME									
City, State, Zip		Eunice New Mexico 88231				GROUND WATER		WASTEWATER		SOIL		CRUDE OIL		SLUDGE		OTHER:		ACID/BASE		ICE/COOL		OTHER	
EPI Phone#/Fax#		505-394-3481 / 505-394-2601				# CONTAINERS		(G)RAB OR (C)OMP.															
Client Company		Dynege Midstream																					
Facility Name		American Legion 16"																					
Location		UL-K, Sect. 9. T 22 S, R 37 E																					
Project Reference		210005																					
EPI Sampler Name		Sebastian Romero																					
SAMPLE I.D.																							
LAB I.D. 1		AL1691605 SBH-9'		G				X															
2		AL1691605 NBH-9'		G				X															
3		AL1691605 SSW-B-4'		G				X															
4		AL1691605 SSW-A-4'		G				X															
5		AL1691605 NSW-A-4'		G				X															
6		AL1691605 NSW-B-4'		G				X															
7		AL1691605 NWSW-4'		G				X															
8		AL1691605 NESW-4'		G				X															
9																							
10																							

Sampler Relinquished:		Date: 9-20-05		Received By: Jason Boone	
Relinquished by:		Time: 9:00		Received By: (lab staff)	
Delivered by: Jason Boone		Date: 9-20-05		Time: 12:15	
		Sample Cool & Intact		Checked By: [Signature]	
		Yes		No	

E-mail results to: jstegemoller@envplus.net	
REMARKS: 3.5c for labels	

ATTACHMENT II


SITE PHOTOGRAPHS




Photograph #1- Initial site assessment (July 14, 2005), American Legion 16-Inch release site, looking easterly.



Photograph #2- Initial site assessment (July 14, 2005), American Legion 16-Inch release site, looking northerly.



Photograph #3- Current status, looking northerly.



Photograph #4- Current status, looking westerly.

ATTACHMENT III

FINAL C-141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised March 17, 1999

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report



Name of Company: Dynegy Midstream Services	Contact: Roger Holland	
Address P.O. Box 1929, Eunice, New Mexico 88231	Telephone No. 505-631-7094	
Facility Name American Legion 16" #210005	Facility Type 16 inch steel pipeline	
Surface Owner: C.A. Bettis	Mineral Owner	Lease No.

LOCATION OF RELEASE

Unit Letter K	Section 9	Township T22S	Range R37E	Feet from the	North/South Line	Feet from the	East/West Line	County: Lea Lat. 32° 28' 15.63"N Lon. 103° 08' 38.85"W
-------------------------	---------------------	-------------------------	----------------------	---------------	------------------	---------------	----------------	---

NATURE OF RELEASE

1 RP-883

Type of Release Natural Gas Pipeline Fluids	Volume of Release >50 mcf <5 barrels	Volume Recovered None
Source of Release 16 inch steel pipeline with a normal daily flow rate of 2,000 mcf and normal operating pressure of 12 p.s.i.	Date and Hour of Occurrence September 8, 2004	Date and Hour of Discovery
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. NA	
If a Watercourse was Impacted, Describe Fully.* NA		
Describe Cause of Problem and Remedial Action Taken.* 16 inch steel pipeline. Release was due to corrosion. The pipeline section was replaced.		
Describe Area Affected and Cleanup Action Taken.* Release Area: ~300 square feet. Approximately 470-cubic yards of soil contaminated above the NMOCD Remedial Guidelines and NMWQCC groundwater standards was excavated and disposed of at a State approved facility. Remedial Goals: TPH 8015m = 100 mg/Kg, Benzene = 10 mg/Kg, and BTEX, i.e., the mass sum of Benzene, Ethylbenzene, Toluene, and Xylenes = 50 mg/Kg. NMWQCC groundwater standards: chlorides = 250 mg/L and sulfates = 650 mg/L.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Roger Holland	Approved by District Supervisor: 	
E-mail Address: Roger.Holland@Dynegy.com	Approval Date: 5.24.06	Expiration Date:
Title:	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 1-13-06	Phone: 505-631-7094	

* Attach Additional Sheets If Necessary