

DATE IN 7/7	SUSPENSE 7/28	ENGINEER MS	LOGGED IN MES	TYPE NSL	APP NO. PMESO-318438634
-------------	---------------	-------------	---------------	----------	-------------------------

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION

- Engineering Bureau -

1220 South St. Francis Drive, Santa Fe, NM 87505



ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Application Acronyms:

[NSL-Non-Standard Location] [NSP-Non-Standard Proration Unit] [SD-Simultaneous Dedication]
 [DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]
 [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement]
 [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion]
 [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]
 [EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]

[1] TYPE OF APPLICATION - Check Those Which Apply for [A]

- [A] Location - Spacing Unit - Simultaneous Dedication
☒ NSL ☐ NSP ☐ SD

Check One Only for [B] or [C]

- [B] Commingling - Storage - Measurement
☐ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM

- [C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery
☐ WFX ☐ PMX ☐ SWD ☐ IPI ☐ EOR ☐ PPR

- [D] Other: Specify _____

[2] NOTIFICATION REQUIRED TO: - Check Those Which Apply, or ☐ Does Not Apply

- [A] ☐ Working, Royalty or Overriding Royalty Interest Owners
 [B] ☒ Offset Operators, Leaseholders or Surface Owner
 [C] ☐ Application is One Which Requires Published Legal Notice
 [D] ☐ Notification and/or Concurrent Approval by BLM or SLO
U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
 [E] ☐ For all of the above, Proof of Notification or Publication is Attached, and/or,
 [F] ☐ Waivers are Attached

[3] SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

GEORGE A. COX
 Print or Type Name

George A. Cox
 Signature

LANDMAN
 Title

7-1-03
 Date

GEORGE.A.COX@NIDENERGY.COM
 e-mail Address

RECEIVED
 JUL 7 2003
 Oil Conservation Division



7-8-03: 10:30 AM
left message for George
Cox to call me.
2:06 PM - talked w/ George and
Anthony

July 1, 2003

RECEIVED
JUL 7 2003
Oil Conservation Division

CERTIFIED MAIL:

Mr. Michael E. Stogner
New Mexico Oil Conservation Division
1220 S. Saint Francis Dr.
Santa Fe, New Mexico 87504

RE: Application for Administrative Approval of Unorthodox Location
XTO Energy Inc.'s Valencia Canyon #43 C Well
Surface Location is 2,690' FNL and 1,565' FWL (SE/4 NW/4)
Top of Mancos Location is 2,031' FSL and 2,292' FWL (NE/4 SW/4)
Unit F Surface Location and Unit K Location for Top of Mancos in
Section 27, T28N-R4W
Rio Arriba County, New Mexico
Wildcat Basin Mancos (Gallup) Gas Formation

Dear Mr. Stogner:

XTO Energy Inc. hereby requests administrative approval for an unorthodox surface location and bottom hole location for the above referenced well. Attached for your reference are the following exhibits:

1. Two Well location plats (NMOCD Form C-102)
2. List of Offset Owners
3. Ownership map for Mancos formation
4. Topographic map
5. Production map for the Wildcat Basin Mancos (Gallup) Gas Formation

Due to the existing topography, XTO was not able to place the surface location of this well within the S/2 unit in drilling a Mesaverde well. XTO Energy Inc. has directionally drilled this well thru the Mesaverde formation at a measured depth of 6080' for the top of the Mesaverde and a bottom hole measured depth of 6770' at a standard bottom hole location for a S/2 Unit. After the well was drilled to a total depth of 6918' open hole logs were run. On the temperature log a strong cooling effect was seen at depths below the Mesaverde formation at 6818' - 6820' and 6828' - 6832'. The top of the Mancos formation is at a measured depth of 6770'. There is no Mancos production in the immediate area as reflected on the enclosed production map. The Mancos is spaced on 160 acres and the top of the Mancos is located according to the attached survey in a non standard location at 2031' FSL & 2292' FWL with an expected bottom hole location of 2013' FSL & 2331' FWL at a total measured dept of 6918'.


Valencia Canyon #43C Well
Letter Dated July 1, 2003

The bottom hole location for each of the formations in the section are as follows:

Blanco Mesaverde Gas -	2031' FSL & 2292' FWL @ 6770' MD
Wildcat Mancos Gas -	2013' FSL & 2331' FWL @ 6918' MD

By certified mail, a copy of this application and request for administrative approval has been sent to all of the Wildcat Mancos Gas formation working interest owners and offset operators listed on the attached list. Based on the above information, XTO would like to request a non standard location for the Wildcat Mancos Gas formation. Should you need any additional information please feel free to contact me at (817) 885-2454.

Sincerely,
XTO ENERGY INC.


George A. Cox, CPL
Landman

Enclosures

cc: Gary Markestad
Darrin Steed
Loren Fothergill
Barry Voigt

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 South First, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Revised Aug

Submit to Appropriate D
State Lea
Fee Lea

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039-26924	² Pool Code 72319	³ Pool Name Blanco Mesaverde
⁴ Property Code	⁵ Property Name Valencia Canyon	⁶ Well Number 43C
⁷ OGRID No. 167067	⁸ Operator Name XTO Energy Inc	⁹ Elevation 7249' GL

¹⁰ Surface Location


UL or lot no. K	Section 27	Township 28N	Range 4W	Lot Idn	Feet from the 2690'	North/South line North	Feet from the 1565'	East/West line West	County Rio Arriba
--------------------	---------------	-----------------	-------------	---------	------------------------	---------------------------	------------------------	------------------------	----------------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. K	Section 27	Township 28N	Range 4W	Lot Idn	Feet from the 2031'	North/South line South	Feet from the 2292'	East/West line West	County Rio Arriba
--------------------	---------------	-----------------	-------------	---------	------------------------	---------------------------	------------------------	------------------------	----------------------

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
-------------------------------	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A
NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶					¹⁷ OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.</i>  Signature Loren W. Fothergill Printed Name Production Engineer Title 6-17-03 Date
1565'		2690'			
		Surface Location			
2292'		2031'			¹⁸ SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> 10/17/01 Date of Survey Signature and Seal of Professional Surveyor: Original signed by Roy A Rush 8894 Certificate Number
		Bottom Hole			

16					17 OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.</i> <u>Loren W. Fothergill</u> Signature Loren W. Fothergill Printed Name Production Engineer Title <u>6-17-03</u> Date
	1565'	2690'	Surface Location		
	2331'	2013'	Bottom Hole		18 SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> 10/17/01 Date of Survey Signature and Seal of Professional Surveyor: Original signed by Roy A. Rush 8894 Certificate Number

OFFSET OPERATORS AND OWNERS NOTIFICATION LIST
VALENCIA CANYON #43 C WELL

Burlington Resources Oil & Gas
P.O. Box 4289
Farmington, NM 87499-4289
Attention: Dawn Howell



SECTION PLAT OF 4 SQUARE MILES


STATE: New Mexico COUNTY: Rio Arriba

PROSPECT: Ownership in Gallup/Mancos Formations DATE: July 1, 2003

SECTION: 27 TOWNSHIP: 28N RANGE: 4W


SCALE: 1" = 2,000'

R 4 W






T
28
N

XTO ENERGY INC.
VALENCIA CANYON UNIT #43C
 NW/4 SEC. 27, T-28-N, R-4-W, N.M.P.M.
 RIO ARRIBA COUNTY, NEW MEXICO
 2690' FNL 1565' FWL




ced by the U.S. Geological Survey
 ed by the U.S. Forest Service
 outside the National Forest System lands may not have been revised
 by USGS and NOS/NOAA
 d from aerial photographs taken 1958 and 1962. Revised from aerial
 aphs taken 1989. Partial field check by U.S. Forest Service 1995
 merican Datum of 1927 (NAD 27). Projection and 10000-foot ticks:
 xico coordinate system, central zone (Transverse Mercator)
 eter Universal Transverse Mercator ticks, zone 13 Blue
 merican Datum of 1983 (NAD 83) is shown by dashed corner ticks





VALENCIA CANYON UNIT #43C




*Standard Section
640 acres
however Section
is shaded
in an old map*

REVISIONS:	
DATE DRAWN:	12-11-1996

QUADS: Gobernador, Leandro Canyon,
Pine Lake, Vigos Canyon
COUNTY: Rio Arriba County, NM
RUNS:

MAP # 25
T 28 N, R 4 W,
NIMDIA



WELLS W/PRODUCTION


Operator
Well Name & Number
Cum Oil MBO ● Cum Gas MMCF
Curr Rate Bopd ● Curr Rate Mcfd
Start-End Date
Formation

MANCOS

XTO Energy Inc.

SAN JUAN COUNTY, NEW MEXICO
9 SECTION 27-28N-04W
MANCOS PRODUCERS



Jane Foster	B. Voigt	6/23/2003
Scale 1:24000.	1" = 2000'	27284MNG.GPJ



Scientific
Drilling

XTO Energy Inc.

Field: Rio Arriba County, NM
Site: VCU #43C
Well: #43C
Wellpath: OH
Survey: Survey #1



BOTTOM HOLE CLOSURE

1160.41 ft. 138.71° Azimuth

FINAL STATION

6904.0' MD 6778.39' TVD
16.5° Angle 119.0° Azimuth
South 871.92 ft. East 765.71 ft.
1154.07' Vert. Sec.

Survey: Survey #1 (#43C/OH)

Created By: Judi Moore

Date: 6/16/2003



Scientific
Drilling

Scientific Drilling Survey Completion Report

Company: XTO Energy Inc.	Date: 6/13/2003	Time: 15:15:02	Page: 1
Field: Rio Arriba County, NM	Co-ordinate(NE) Reference:	Site: VCU #43C, True North	
Site: VCU #43C	Vertical (TVD) Reference:	SITE 0.0	
Well: #43C	Section (VS) Reference:	Well (0.00N,0.00E,144.70Azi)	
Wellpath: OH	Survey Calculation Method:	Minimum Curvature	Db: Sybase

Survey: Survey #1	Start Date: 5/26/2003
Company: Scientific Drilling	Engineer: B.Brewer/J.Willy
Tool: MWD,	Tied-to: From Surface

Field: Rio Arriba County, NM

Map System: US State Plane Coordinate System 1927	Map Zone: New Mexico, Central Zone
Geo Datum: NAD27 (Clarke 1866)	Coordinate System: Site Centre
Sys Datum: Mean Sea Level	Geomagnetic Model: igrf2000

Site: VCU #43C
SHL SEC.27,T28N,R04W 2690'FNL & 1565' FWL

Site Position:	Northing:	m	Latitude:
From: Lease Line	Easting:	m	Longitude:
Position Uncertainty:	0.00 ft		North Reference:
Ground Level:	0.00 ft		Grid Convergence:
			True -0.65 deg

Well: #43C	Slot Name:
Well Position:	
+N/-S 0.00 ft	Northing: 619762.54 m
+E/-W 0.00 ft	Easting: 55452.94 m
Position Uncertainty: 0.00 ft	
	Latitude: 36 34 59.999 N
	Longitude: 107 20 0.000 W

Wellpath: OH	Drilled From: Surface
Current Datum: SITE	Tie-on Depth: 0.00 ft
Magnetic Data: 5/5/2003	Above System Datum: Mean Sea Level
Field Strength: 51677 nT	Declination: 10.84 deg
Vertical Section: Depth From (TVD)	Mag Dip Angle: 63.65 deg
ft	+N/-S ft
	+E/-W ft
	Direction deg
6810.00	0.00
	0.00
	144.70

Survey

Meas Depth ft	Inclination deg	Azimuth deg	TVD ft	Vert Sect ft	N/S ft	E/W ft	DLS deg/100ft	CLen ft	CLSD ft	CLSA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
365.00	1.10	222.60	364.98	0.73	-2.58	-2.37	0.30	365.00	3.50	222.60
425.00	1.10	168.00	424.97	1.38	-3.57	-2.64	1.68	60.00	4.44	216.53
485.00	1.60	155.20	484.95	2.74	-4.89	-2.17	0.97	60.00	5.35	203.93
546.00	1.30	141.20	545.93	4.26	-6.20	-1.38	0.76	61.00	6.35	192.54
606.00	1.60	151.50	605.91	5.78	-7.47	-0.55	0.66	60.00	7.49	184.24
665.00	1.70	143.30	664.89	7.47	-8.89	0.36	0.43	59.00	8.90	177.67
758.00	1.70	143.30	757.85	10.23	-11.11	2.01	0.00	93.00	11.29	169.74
852.00	1.80	149.30	851.80	13.09	-13.49	3.60	0.22	94.00	13.97	165.07
945.00	1.90	152.90	944.76	16.07	-16.12	5.05	0.16	93.00	16.89	162.62
1007.00	2.30	137.50	1006.71	18.33	-17.95	6.36	1.11	62.00	19.05	160.51
1069.00	2.50	143.20	1068.66	20.91	-19.95	8.01	0.50	62.00	21.50	158.14
1131.00	2.60	147.10	1130.60	23.67	-22.22	9.58	0.32	62.00	24.20	156.68
1194.00	3.30	150.90	1193.51	26.90	-25.00	11.24	1.15	63.00	27.41	155.80
1257.00	4.70	144.90	1256.36	31.28	-28.70	13.60	2.32	63.00	31.76	154.64
1320.00	5.40	140.80	1319.11	36.82	-33.11	16.96	1.25	63.00	37.20	152.87
1380.00	6.60	140.90	1378.79	43.08	-37.97	20.92	2.00	60.00	43.35	151.15
1443.00	7.60	143.00	1441.30	50.86	-44.11	25.71	1.64	63.00	51.06	149.76
1507.00	7.90	145.50	1504.72	59.48	-51.11	30.75	0.71	64.00	59.65	148.97
1570.00	8.00	146.80	1567.11	68.19	-58.35	35.60	0.33	63.00	68.35	148.61
1630.00	8.40	149.20	1626.50	76.74	-65.61	40.13	0.88	60.00	76.91	148.55
1692.00	9.00	144.30	1687.79	86.10	-73.44	45.28	1.54	62.00	86.27	148.34
1757.00	9.80	142.90	1751.91	96.71	-81.98	51.58	1.28	65.00	96.86	147.82
1809.00	10.30	142.10	1803.11	105.78	-89.17	57.11	1.00	52.00	105.89	147.36



Scientific
Drilling

Scientific Drilling Survey Completion Report

Company: XTO Energy Inc.
Field: Rio Arriba County, NM
Site: VCU #43C
Well: #43C
Wellpath: OH

Date: 6/13/2003 Time: 15:15:02 Page: 2
Co-ordinate(NE) Reference: Site: VCU #43C, True North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,144.70Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey

Meas Depth ft	Inclination deg	Azimuth deg	TVD ft	Vert Sect ft	N/S ft	E/W ft	DLS deg/100ft	CLen ft	CLSD ft	CLSA deg
1851.00	10.40	143.60	1844.43	113.32	-95.19	61.67	0.68	42.00	113.42	147.06
1914.00	11.00	143.00	1906.34	125.01	-104.57	68.66	0.97	63.00	125.09	146.71
1942.00	11.20	144.00	1933.81	130.40	-108.90	71.86	0.99	28.00	130.47	146.58
2004.00	11.60	144.30	1994.59	142.66	-118.83	79.04	0.65	62.00	142.72	146.37
2065.00	11.70	144.10	2054.33	154.98	-128.82	86.25	0.18	61.00	155.03	146.20
2096.00	11.90	143.50	2084.68	161.31	-133.94	89.99	0.76	31.00	161.36	146.10
2159.00	11.30	143.20	2146.39	173.98	-144.10	97.55	0.96	63.00	174.02	145.90
2190.00	11.20	142.90	2176.79	180.02	-148.94	101.19	0.37	31.00	180.06	145.81
2253.00	11.50	143.40	2238.56	192.42	-158.86	108.62	0.50	63.00	192.44	145.64
2314.00	12.00	141.70	2298.28	204.83	-168.72	116.18	1.00	61.00	204.85	145.45
2377.00	11.90	140.00	2359.92	217.84	-178.83	124.41	0.58	63.00	217.85	145.17
2470.00	10.00	140.30	2451.22	235.45	-192.39	135.73	2.04	93.00	235.45	144.80
2532.00	10.00	142.10	2512.28	246.20	-200.78	142.48	0.50	62.00	246.20	144.64
2594.00	10.20	144.60	2573.32	257.06	-209.50	148.97	0.78	62.00	257.06	144.59
2656.00	10.50	145.40	2634.31	268.20	-218.63	155.35	0.54	62.00	268.20	144.60
2750.00	10.90	145.60	2726.67	285.65	-233.01	165.24	0.43	94.00	285.65	144.66
2842.00	11.40	149.30	2816.94	303.41	-248.01	174.80	0.95	92.00	303.41	144.82
2936.00	11.70	152.10	2909.04	322.13	-264.42	184.00	0.68	94.00	322.14	145.17
3027.00	11.20	150.10	2998.23	340.07	-280.23	192.72	0.70	91.00	340.11	145.48
3120.00	11.30	149.80	3089.44	358.14	-295.94	201.81	0.12	93.00	358.20	145.71
3213.00	12.00	150.50	3180.52	376.84	-312.23	211.15	0.77	93.00	376.92	145.93
3306.00	12.00	151.10	3271.49	396.06	-329.11	220.58	0.13	93.00	396.19	146.17
3369.00	12.00	151.40	3333.11	409.07	-340.59	226.88	0.10	63.00	409.24	146.33
3430.00	11.90	146.00	3392.79	421.66	-351.37	233.44	1.84	61.00	421.85	146.40
3493.00	11.70	141.70	3454.46	434.53	-361.77	241.03	1.43	63.00	434.71	146.33
3525.00	11.90	141.60	3485.79	441.07	-366.90	245.09	0.63	32.00	441.23	146.26
3617.00	11.70	136.00	3575.85	459.76	-381.05	257.46	1.26	92.00	459.87	145.95
3679.00	12.20	135.80	3636.50	472.45	-390.26	266.39	0.81	62.00	472.52	145.68
3773.00	12.50	133.60	3728.33	492.24	-404.40	280.69	0.59	94.00	492.26	145.24
3821.00	12.90	132.50	3775.15	502.58	-411.60	288.40	0.97	48.00	502.58	144.98
4100.00	12.40	133.50	4047.38	562.40	-453.26	333.09	0.20	279.00	562.49	143.69
4164.00	10.50	138.60	4110.10	574.94	-462.37	341.93	3.36	64.00	575.07	143.52
4257.00	10.10	153.20	4201.62	591.44	-476.01	351.21	2.83	93.00	591.55	143.58
4356.00	11.30	161.90	4298.90	609.29	-492.98	358.14	2.03	99.00	609.34	144.00
4413.00	10.70	158.90	4354.86	619.76	-503.22	361.78	1.45	57.00	619.77	144.29
4506.00	11.10	150.30	4446.19	637.04	-519.05	369.33	1.80	93.00	637.04	144.57
4599.00	10.50	150.20	4537.54	654.38	-534.18	377.97	0.65	93.00	654.38	144.72
4693.00	10.10	151.80	4630.02	671.08	-548.88	386.12	0.52	94.00	671.09	144.87
4786.00	10.70	144.60	4721.50	687.81	-563.10	394.98	1.54	93.00	687.82	144.95
4880.00	9.50	140.90	4814.04	704.28	-576.24	404.93	1.45	94.00	704.28	144.90
4975.00	10.20	148.30	4907.64	720.50	-589.48	414.29	1.52	95.00	720.50	144.90
5068.00	8.60	139.00	4999.40	735.64	-601.73	423.18	2.37	93.00	735.64	144.88
5136.00	10.10	139.50	5066.49	746.63	-610.11	430.39	2.21	68.00	746.63	144.80
5254.00	9.60	144.50	5182.75	766.78	-625.98	442.82	0.84	118.00	766.78	144.72
5316.00	10.70	146.10	5243.78	777.70	-634.97	449.04	1.83	62.00	777.70	144.73
5410.00	13.50	152.00	5335.69	797.31	-651.90	459.06	3.25	94.00	797.32	144.85
5503.00	13.00	146.00	5426.22	818.54	-670.16	470.00	1.57	93.00	818.55	144.96
5596.00	11.50	140.70	5517.10	838.25	-686.01	481.72	2.01	93.00	838.25	144.92
5723.00	9.60	146.90	5641.95	861.46	-704.68	495.53	1.74	127.00	861.46	144.89
5846.00	12.90	127.40	5762.62	884.83	-721.62	512.05	4.06	123.00	884.83	144.64
6011.00	16.60	127.50	5922.15	924.95	-747.17	545.39	2.24	165.00	925.04	143.87
6434.00	16.50	116.00	6327.74	1035.39	-810.30	647.34	0.77	423.00	1037.13	141.38



Scientific
Drilling

Scientific Drilling Survey Completion Report

Company: XTO Energy Inc.
Field: Rio Arriba County, NM
Site: VCU #43C
Well: #43C
Wellpath: OH

Date: 6/13/2003 Time: 15:15:02 Page: 3
Co-ordinate(N/E) Reference: Site: VCU #43C, True North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,144.70Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey

Meas Depth ft	Inclination deg	Azimuth deg	TVD ft	Vert Sect ft	N/S ft	E/W ft	DLS deg/100ft	CLen ft	ClSD ft	ClSA deg
6904.00	16.50	119.00	6778.39	1154.07	-871.92	765.71	0.18	470.00	1160.41	138.71



July 1, 2003

CERTIFIED MAIL:

Burlington Resources Oil & Gas
P.O. Box 4289
Farmington, NM 87499-4289
Attention: Dawn Howell

RE: Application for Administrative Approval of Unorthodox Location
XTO Energy Inc.'s Valencia Canyon #43 C Well
Surface Location is 2,690' FNL and 1,565' FWL (SE/4 NW/4)
Top of Mancos Location is 2,031' FSL and 2,292' FWL (NE/4 SW/4)
Unit F Surface Location and Unit K Location for Top of Mancos in
Section 27, T28N-R4W
Rio Arriba County, New Mexico
Wildcat Basin Mancos (Gallup) Gas Formation

Gentlemen:

Enclosed please find a copy of the above captioned application that has been sent to the NMOCD for administrative approval. Should you not agree with the request, please notify the NMOCD within 20 days of the date of this application. Should you have any questions, concerning the operations, please feel free to contact me at (817) 885-2454.

Sincerely,
XTO ENERGY INC.


George A. Cox, CPL
Landman

Enclosures

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Dawn Howell
Burlington Resources
P. O. Box 4289
Farmington, NM 87499-4289
GAC:Valencia Canyon #43C

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

☐ Agent

☐ Addressee

B. Received by (*Printed Name*)

C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes

If YES, enter delivery address below: ☐ No

3. Service Type

☐ Certified Mail

☐ Express Mail

☐ Registered

☐ Return Receipt for Merchandise

☐ Insured Mail

☐ C.O.D.

4. Restricted Delivery? (*Extra Fee*)

☐ Yes

2. Article Number

(*Transfer from service label*)

7002 2410 0004 7393 8750