

CHARLES B. READ
PRESIDENT


NORMAN L. STEVENS, JR.
VICE-PRESIDENT

Read & Stevens, Inc.
Oil Producers
P. O. Box 1518
Roswell, New Mexico 88201

NS 1586
Rule 104 F
10-10-82

September 16, 1982

Mr. Dick Stamets
N.M. Oil Conservation Division
P.O. Box 2088
Santa Fe, NM 87501



Dear Mr. Stamets,

We would like to request a non-standard location for our #1 Otis "28" well. We propose drilling the well at 1500' FSL and 2310' FWL of Sec. 28-22S-27E, Eddy Co., NM. The south half of Section 28 will be the proration unit.

*Do. Carlsbad
Morrow*

We request permission to drill a non-standard location to avoid disruption of the surface owners' farming operations. A standard location puts the pad and pits in the middle of a cotton field and irrigation system. By moving the location to our proposed location, less land will be removed from production, and the irrigation system will not be disturbed.

Please find enclosed:

- 1) Plat showing topography of the area.
- 2) Ownership map with completed wells.
- 3) Copies of letters sent, by certified mail, to offset operators.


If I can be of further assistance in expediting this application, please call.


Sincerely,

Bruce Stubbs
Drilling & Production Manager

BS/sr

Copies: Joe Wigley
Dewayne Shaw
Dave Harle






OTIS "28" No. 1

Sec 28-22S-27E

Eddy Co., N.M.

1" = 660'

COPIES RECEIVED	
DISTRIBUTION	
OFFICE	
ATOR	



5A. Indicate Type of Lease
STATE ☐ FEE ☒

5. State Oil & Gas Lease No.

XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

TYPE OF WORK
DRILL ☒ DEEPEN ☐ PLUG BACK ☐

TYPE OF WELL
OIL WELL ☐ GAS WELL ☒ OTHER ☐ SINGLE ZONE ☐ MULTIPLE ZONE ☐

Name of Operator
Lead & Stevens, Inc.
Address of Operator
P.O. Box 1518, Roswell, NM 88201

7. Unit Agreement Name

8. Farm or Lease Name
Otis "28"

9. Well No.
1

Location of Well
UNIT LETTER K LOCATED 1500 FEET FROM THE South LINE
2310 FEET FROM THE West LINE OF SEC. 28 TWP. 22S RGE. 27E NMPM

10. Field and Pool, or Wildcat
South Carlsbad Morrow

XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

12. County
Eddy

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

Elevations (Show whether DF, RT, etc.)
3133.0' GL

19. Proposed Depth
12,000'

19A. Formation
Morrow

20. Rotary or C.T.
Rotary

PROPOSED CASING AND CEMENT PROGRAM					
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
17 1/2"	13 3/8"	54.7#	400'	425sx	Circ.
12 1/4"	9 5/8"	40#	5400'	1800sx	Circ.
5 1/2"-7 7/8"	5 1/2"	17# & 20#	12,000'	1325sx	5000'

We propose to drill and test the Morrow Sand formation at approximately 12,000'. Approximately 400' of 13 3/8" surface casing will be set to protect fresh water sands. Cement will be circulated. If the well is commercial, 5 1/2" production casing will be set at 12,000', cement will be brought back to + 5000'.

Mud Program: 0-400' Spud mud w/gel & lime, weight 9.0#, vis 34-36.
400'-5400' Brine water w/gel, weight 10.2#, vis 28.
5400'-12,000' Brine water w/gel, weight 10.3#, vis 28-40, water loss 10, below 11,500'.
BOP Program: 400'-5400' Hydril 13 5/8", 5000psi WP type GK.
5400'-12,000' 11" Hydril, 5000psi WP, Double Ram BOP 5000psi WP w/type 80 accumulator unit 3000psi WP.

ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Bruce Stubbins TITLE Drilling & Production Manager DATE 8-23-82

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

**NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT**

Form C-102
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section


Operator READ & STEVENS, INC.,			Lease OTIS 28		Well No. 1
Tract Letter K	Section 28	Township 22 SOUTH	Range 27 EAST	County EDDY	
Actual Footage Location of Well:					
1500	feet from the	SOUTH	line and	2310	feet from the WEST line
Ground Level Elev. 3133.0	Producing Formation Morrow		Pool South Carlsbad Morrow		Dedicated Acreage: 320 Acres

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☒ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) Read & Stevens, Husky, Leonard May, Coquina

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Susie Russell

Name

Susie Russell

Position

Authorized Agent

Company

Read & Stevens, Inc.

Date

August 23, 1982

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed


8/13/82

Registered Professional Engineer and/or Land Surveyor

John W. West

Certificate No

JOHN W. WEST 678
PATRICK A. ROMERO 6668
Ronald J. Eidson 3239



CHARLES B. READ
PRESIDENT

NORMAN L. STEVENS, JR.
VICE-PRESIDENT


Read & Stevens, Inc.

Oil Producers

P. O. Box 1518

Roswell, New Mexico 88201

September 16, 1982



Robert J. Cerf
P.O. Box 3468
Midland, TX 79701

Re: Non-Standard Location
#1 Otis "28"
1500' FSL & 2310' FWL
Sec. 28-22S-27E
Eddy Co., NM

Dear Sirs:

Read and Stevens, Inc. has proposed the drilling of the #1 Otis "28", on a non-standard location, located 1500' FSL and 2310' FWL of Sec. 28-22S-27E. As per Oil Conservation Division Rule 104 all offsetting operators must be notified of the unorthodox location. If no objections are entered within twenty days the application will be approved.

If I can answer any questions concerning this location, please call.

Sincerely,
READ & STEVENS, INC.

Bruce Stubbs
Drilling & Production Manager

BS:kh

CHARLES B. READ
PRESIDENT


NORMAN L. STEVENS, JR.
VICE-PRESIDENT

Read & Stevens, Inc.

Oil Producers

P. O. Box 1518

Roswell, New Mexico 88201
September 16, 1982



El Paso Exploration Co.
P.O. Box 1492
El Paso, TX 79970

Re: Non-Standard Location
#1 Otis "28"
1500' FSL & 2310' FWL
Sec. 28-22S-27E
Eddy Co., NM

Dear Sirs:

Read and Stevens, Inc. has proposed the drilling of the #1 Otis "28", on a non-standard location, located 1500' FSL and 2310' FWL of Sec.28-22S-27E. As per Oil Conservation Division Rule 104 all offsetting operators must be notified of the unorthodox location. If no objections are entered within twenty days the application will be approved.

If I can answer any questions concerning this location, please call.

Sincerely,

READ & STEVENS, INC.

Bruce Stubbs

Drilling & Production Manager

BS:kh

CHARLES B. READ
PRESIDENT

NORMAN L. STEVENS, JR.
VICE-PRESIDENT


Read & Stevens, Inc.

Oil Producers

P. O. Box 1518

Roswell, New Mexico 88201

September 16, 1982



Uriah Exploration
Bldg. of the Southwest
Midland, TX 79701

Re: Non-Standard Location
#1 Otis "28"
1500' FSL & 2310' FWL
Sec. 28-22S-27E
Eddy Co., NM

Dear Sirs:

Read and Stevens, Inc. has proposed the drilling of the #1 Otis "28", on a non-standard location, located 1500' FSL and 2310' FWL of Sec. 28-22S-27E. As per Oil Conservation Division Rule 104 all offsetting operators must be notified of the unorthodox location. If no objections are entered within twenty days the application will be approved.

If I can answer any questions concerning this location, please call.

Sincerely,

READ & STEVENS, INC.

Bruce Stubbs

Drilling & Production Manager

BS:kh

CHARLES B. READ
PRESIDENT

NORMAN L. STEVENS, JR.
VICE-PRESIDENT


Read & Stevens, Inc.

Oil Producers

P. O. Box 1518

Roswell, New Mexico 88201

September 16, 1982



Ed Phillips
1010 Midland Tower
Midland, TX 79701

Re: Non-Standard Location
#1 Otis "28"
1500' FSL & 2310' FWL
Sec. 28-22S-27E
Eddy Co., NM

Dear Sirs:

Read and Stevens, Inc. has proposed the drilling of the #1 Otis "28", on a non-standard location, located 1500' FSL and 2310' FWL of Sec. 28-22S-27E. As per Oil Conservation Division Rule 104 all offsetting operators must be notified of the unorthodox location. If no objections are entered within twenty days the application will be approved.

If I can answer any questions concerning this location, please call.

Sincerely,

READ & STEVENS, INC.

A handwritten signature in dark ink, appearing to read "B. Stubbs". The signature is fluid and cursive, written over the printed name of the signatory.

Bruce Stubbs
Drilling & Production Manager

BS:kh

CHARLES B. READ
PRESIDENT

NORMAN L. STEVENS, JR.
VICE-PRESIDENT


Read & Stevens, Inc.

Oil Producers

P. O. Box 1518

Roswell, New Mexico 88201

September 16, 1982



OIL CONSERVATION DIVISION
SANTA FE

Mobil Producing Texas & New Mexico
Nine Greenway Plaza
Suite 2700
Houston, TX 77406

Re: Non-Standard Location
#1 Otis "28"
1500' FSL & 2310' FWL
Sec. 28-22S-27E
Eddy Co., NM

Dear Sirs:

Read and Stevens, Inc. has proposed the drilling of the #1 Otis "28", on a non-standard location, located 1500' FSL and 2310' FWL of Sec. 28-22S-27E. As per Oil Conservation Division Rule 104 all offsetting operators must be notified of the unorthodox location. If no objections are entered within twenty days the application will be approved.

If I can answer any questions concerning this location, please call.

Sincerely,

READ & STEVENS, INC.

Bruce Stubbs
Drilling & Production Manager

BS:kh

CHARLES B. READ
PRESIDENT

NORMAN L. STEVENS, JR.
VICE-PRESIDENT


Read & Stevens, Inc.

Oil Producers

P. O. Box 1518

Roswell, New Mexico 88201

September 16, 1982



Leonard T. May & Ronald T. May
304 B. North Canyon
P.O. Box 95
Carlsbad, NM 88222

Re: Non-Standard Location
#1 Otis "28"
1500' FSL & 2310' FWL
Sec. 28-22S-27E
Eddy Co., NM

Dear Sirs:

Read and Stevens, Inc. has proposed the drilling of the #1 Otis "28", on a non-standard location, located 1500' FSL and 2310' FWL of Sec. 28-22S-27E. As per Oil Conservation Division Rule 104 all offsetting operators must be notified of the unorthodox location. If no objections are entered within twenty days the application will be approved.

If I can answer any questions concerning this location, please call.

Sincerely,

READ & STEVENS, INC.

Bruce Stubbs

Drilling & Production Manager

BS:kh

CHARLES B. READ
PRESIDENT

NORMAN L. STEVENS, JR.
VICE-PRESIDENT


Read & Stevens, Inc.

Oil Producers

P. O. Box 1518

Roswell, New Mexico 88201

September 16, 1982



Cities Service Company
P.O. Box 1919, RM. 734
Midland, TX 79702

Re: Non-Standard Location
#1 Otis "28"
1500' FSL & 2310' FWL
Sec. 28-22S-27E
Eddy Co., NM

Dear Sirs:

Read and Stevens, Inc. has proposed the drilling of the #1 Otis "28", on a non-standard location, located 1500' FSL and 2310' FWL of Sec. 28-22S-27E. As per Oil Conservation Division Rule 104 all offsetting operators must be notified of the unorthodox location. If no objections are entered within twenty days the application will be approved.

If I can answer any questions concerning this location, please call.

Sincerely,
READ & STEVENS, INC.

B. Stubbs
Bruce Stubbs
Drilling & Production Manager

BS:kh

CHARLES B. READ
PRESIDENT


NORMAN L. STEVENS, JR.
VICE-PRESIDENT

Read & Stevens, Inc.

Oil Producers

P. O. Box 1518

Roswell, New Mexico 88201
September 16, 1982



Coquina Oil Corporation
P.O. Drawer 2960
Midland, TX 79702

Re: Non-Standard Location
#1 Otis "28"
1500' FSL & 2310' FWL
Sec. 28-22S-27E
Eddy Co., NM

Dear Sirs:

Read and Stevens, Inc. has proposed the drilling of the #1 Otis "28", on a non-standard location, located 1500' FSL and 2310' FWL of Sec. 28-22S-27E. As per Oil Conservation Division Rule 104 all offsetting operators must be notified of the unorthodox location. If no objections are entered within twenty days the application will be approved.

If I can answer any questions concerning this location, please call.

Sincerely,

READ & STEVENS, INC.

A handwritten signature in dark ink, appearing to read "B. Stubbs".

Bruce Stubbs
Drilling & Production Manager

BS:kh

CHARLES B. READ
PRESIDENT

NORMAN L. STEVENS, JR.
VICE-PRESIDENT


Read & Stevens, Inc.

Oil Producers

P. O. Box 1518

Roswell, New Mexico 88201

September 16, 1982



Husky Oil Company
6060 S. Willow Drive
Englewood, CO 80111

Re: Non-Standard Location
#1 Otis "28"
1500' FSL & 2310' FWL
Sec. 28-22S-27E
Eddy Co., NM

Dear Sirs:

Read and Stevens, Inc. has proposed the drilling of the #1 Otis "28", on a non-standard location, located 1500' FSL and 2310' FWL of Sec. 28-22S-27E. As per Oil Conservation Division Rule 104 all offsetting operators must be notified of the unorthodox location. If no objections are entered within twenty days the application will be approved.

If I can answer any questions concerning this location, please call.

Sincerely,

READ & STEVENS, INC.

Bruce Stubbs

Drilling & Production Manager

BS:kh

CHARLES B. READ
PRESIDENT

NORMAN L. STEVENS, JR.
VICE-PRESIDENT


Read & Stevens, Inc.

Oil Producers

P. O. Box 1518

Roswell, New Mexico 88201

September 16, 1982



William B. Blakemore
Alpha Twenty-One Corp.
2100 1st Nat'l Bank Bldg.
Midland, TX 79701

Re: Non-Standard Location
#1 Otis "28"
1500' FSL & 2310' FWL
Sec. 28-22S-27E
Eddy Co., NM

Dear Sirs:

Read and Stevens, Inc. has proposed the drilling of the #1 Otis "28", on a non-standard location, located 1500' FSL and 2310' FWL of Sec. 28-22S-27E. As per Oil Conservation Division Rule 104 all offsetting operators must be notified of the unorthodox location. If no objections are entered within twenty days the application will be approved.

If I can answer any questions concerning this location, please call.

Sincerely,

READ & STEVENS, INC.

B. Stubbs

Bruce Stubbs

Drilling & Production Manager

BS:kh