# GW - 271

# GENERAL CORRESPONDENCE

YEAR(S): 2007 - 2010



## Bill Richardson

Cabinet Secretary Reese Fullerton **Deputy Cabinet Secretary** 

Division Director Oil Conservation Division

2. 可编辑。 5. 解 特别信息数。



55 m

of home trees. In a selection of the group of May 19, 2008

Ty halikayedy est top a besigned from a large beneat offers the most basis commence that I see

ON BUT OF MARKET WAS ARRESTED

Mr. David Bays How if to become some a pride of the extrementary enlarger and will Williams Four Corners, LLC at the sychology and the state of the state 188 Road 4900

Bloomfield, New Mexico 87413

Re: NOTICE OF DEFICENCY

Williams Four Corners Compressor Stations San Juan Basin facilities

करी होते के रोक्स संबंध करी हुआ की कोरीए के कार कोरा कर के लोका करें के अधिक है। अधिक राजे का का का का का Dear Mr. Bays: year a production of the production of the second of the

binizacione defini e in viva e escapera ne media e viveranza vivera para la properción de la compensa de la co The Oil Conservation Division has performed 26 inspections of Williams Four Corners compressor station located in the San Juan Basin. The following stations have been inspected:

		*			<i>"</i>	
v: 1:5 +	(GW-108)	30-5#1	14:0	GW-273):Mo	ore (Idle)	17
		32-8 #2				
		32-7 #1				
4.	(GW-287)	Snow Shoe	17. (	GW-136) 29	7 CDP	
		29-6 # 4				
., <b>6</b> .	(GW-229)	Trunk G (Idle)	19. (	GW-364) Ba	ncos CDP	,b = 4.
7.	(GW-121)	29-6 #2 CDP	40,70,30,320	GW-365) Eu	l CDP	
		31-6 CDP				
9.	(GW-120)	Pipkin	22.(	GW-116) 32	-8.CDP	٠
10.	(GW-129)	Crouch Mesa	23. (	GW-292) Ro	sa # 1 CDP	1. T
11.	(GW-208)	Hart Mountain (Idle)	24. (	GW-306) Tri	ink N	•
12.	(GW-091)	32-9 CDP	25. (	GW-134) De	cker Junction (Idl	e)
13.	(GW-087)	Cedar Hills	26 (	GW-250) Co	vote Springs	

The OCD has observed several areas of concern after inspecting these sites. They are as follows:

- 1. Condition 6. Waste Disposal and Storage: "The owner/operator shall not store oil field with the owner/operator shall not store out the owner/operator shall not store out the owner/operator shall not store oil field with the owner/operator shall not store out the owner/operator shall not shall not store out the owner/operator shall not shall waste on-site for more than 180 days unless approved by the OCD." Williams Four Corners has renewed their permits for 5 of the 26 facilities that are "non-operational". These facilities have been non-operational for more than one year and a few still contain waste material on site, i.e. landfarm soil, solid waste and liquids. Williams Four Corners shall properly dispose of their remaining waste for these facilities:
- 2. Condition 7. Drum Storage: "The owner/operator must store all drums, including empty drums, containing materials other than fresh water on an impermeable pad with curbing. Must store empty drums on their sides with the bungs in place and lined up on a horizontal



plane: Must store chemicals in other containers, such as tote tanks, sacks, or buckets on an impermeable pad with curbing." OCD has witness several stations with improper storage of barrels and fluids.

- Condition 10. Labeling: "The owner/operator shall clearly label all tanks, drums, and containers to identify their contents and other emergency notification information. The owner/operator may use a tank code numbering system, which is incorporated into their versions library (Ben) emergency response plans". Several containers were not labeled.
- Condition 11. A: "Small sumps or depressions in secondary containment systems used to facilitate fluid removal are exempt from these requirements if fluids are removed within 72 hours." Several secondary containers were holding a large amount of liquids assumed greater then 72 hours. Williams Four Corners must remove all fluids from secondary containers within 72 hours.
- 5. Condition 8. Process, Maintenance and Yard areas. "The owner/operator shall either pave" and curb or have some type of spill collection device incorporated into the design at all process, maintenance, and yard areas which show evidence that water contaminants from releases, leaks and spills have reached the ground surface. Secondary containers are present at these facilities but best management practices are not followed. The OCD has witnessed the majority of the stations to have hydrocarbon staining within its facility grounds with the majority near the compressor engines. Williams Four Corners shall prevent any discharging of hydrocarbons directly on to the ground. If a discharge does occur it shall be addressed immediately and not allowed to accumulate. Placing clean gravel over the contamination is not an allowable practice! The control of the state of the st

The OCD would like to point out these deficiencies. Please correct as soon as possible and provide the OCD a progress report within 90 days from the date of this letter. These conditions are assumed by the OCD to be present at all of Williams Four Corners 70 + compressor stations that have a discharge permit. Please reflect these concerns to all of the permitted compressor stations and gas plants owned by Williams Four Corners, LLC. NMSA 1978, Section 70-2-31 (A) authorizes penalties of up to one thousand dollars (\$1000.00) per day per violation for any knowing and willful violation of any provision of the Oil and Gas Act or any rule adopted pursuant to the Act.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3492 or leonard.lowe@state.nm.us. with a the March of the All and the All and the

waste and except the thousand the engage of the house of the house of each many waste has not

was specifically the second of the second support that support the first supported it is the second of the second The control of the co

was the form on all the market and the security of the first and the

Kate and the state of the company of the contract of the contr

The second of th

tal to the life the tolk is a mornion beauty as the first \$150 man 100 The state of the state of the state of

WER THE FIRST WITH

Sincerely the miteral report (Mr. Co., 20

Leonard Lowe

Environmental Engineer W. W. and to be the same against the second of the same against the

xc: Daniel Sanchez, Enforcement and Compliance Manager Wayne Price, Environmental Bureau Chief

Brandon Powell, District III Environmental Specialist

1、高田军研究(第1111)

paned the state.

#### AFFIDAVIT OF PUBLICATION

Ad No. 000504207

# STATE OF NEW MEXICO County of San Juan:

BOB WALLER, being duly sworn says: That he is the CLASSIFIED MANAGER of THE DAILY TIMES, a daily newspaper of general circulation published in English at Farmington, said county and state, and that the hereto attached Legal Notice was published in a regular and entire issue of the said DAILY TIMES, a daily newspaper duly qualified for the purpose within the meaning of Chapter 167 of the 1937 Session Laws of the State of New Mexico for publication and appeared in the Internet at The Daily Times web site on the following day(s):

Wednesday, October 03, 2007

And the cost of the publication is \$77.68

ON ///5/05 BOB WALLER appeared before me, whom I know personally to be the person who signed the above document.

My Commission Expires November 17/2008

#### **COPY OF PUBLICATION**

lliams Four Comers II NOTICE

The discharge plan addresses how spills, leaks, and aged. Typical materials generated or used at the facility and aged. Typical materials generated or used at the facility and used tube oil, oilly waste water produced water, new wash down, and glycol. The facility does not discharge to subsurface activity does not discharge to a subsurface and used tube of the discharges is not applicable or containers equipped with secondary containers equipped with secondary containers and the subsurface of the discharges is not applicable of containers equipped with secondary containers and the subsurface of the

tion submit comments or request to be placed on a tacithy-specific mailing list for future notices by consouring the placed on a tacithy-specific mailing list for future notices by consourin St. Francis Drive Janta Fe, New Mexico OCD 41 1220 Telephone (505) 478-3492. The OCD will accept comments and statements of interest regarding the renewal sons who wish to receive futuring list for per-

## AFFIDAVIT OF PUBLICATION

Ad No. 000504526

# STATE OF NEW MEXICO County of San Juan:

he is the CLASSIFIED MANAGER of THE DAILY TIMES, a daily newspaper of general circulation published in English at Farmington, said county and state, and that the hereto attached Legal Notice was published in a regular and entire issue of the said DAILY TIMES, a daily newspaper duly qualified for the purpose within the meaning of Chapter 167 of the 1937 Session Laws of the State of New Mexico for publication and appeared in the Internet at The Daily Times web site on the following day(s):

Friday,

October 05, 2007

And the cost of the publication is \$65.81

ON 1/5/07 BOB WALLER appeared before me, whom I know personally to be the

person who signed the above document.

My Commission Expires November 17/2008

### COPY OF PUBLICATION

#### ATENCIÓN PÚBLICA

Williams Four Corners, LLC, County Road 4900. Bloomfield, NM 87413, han presentado una aplicación de renovación a la New Mexico Energy, Minerals and Natural Resources Department, OI Concervation División para la descarga antes aprobada planean GW-271 para su Kernaghan Compressor Station localizada en el SW/4, RW/4 de la Sección 29, Municipio 31 Norte, Recorrera 8 Oeste en San Juan County, New Mexico, La instalación, aproximadamente 15 millas localizadas al este del aztera, proporciona servicios de acondicionamiento y compresión de gas naturales.

El plan de descarga se dirige como las caidas, los agujeros, y otras descargas casueles a la superficie serán manejados. Los materiales fípicos generados o usados en la instalación incluyen el echar agua condensado/producir de gas natural, el petróleo de lubricación nevo y usado, echar agua de descebo aceitoso del equipo se lavan abajo, y glicol. La instalación no descarga para revestir o subrevestir de sechares agua, y por lo lanto la carticidad y la celutad de las descarga para no son aplicables. Toda la basura generada será temporalmente almacanada en tanques o contenedores equipados con la contenedor

en tanques o contenedores equipados con la contención secundaria. La basur tanesporto ófisite será dispuesto o reciciado en una instalación permitida por la agencia estatal, feder a), o trigal recibir tal basura. Se espera que la profundidad de agua subteranea estimada en el sibo este en la varietad de 50º a 70º pies. El total se disolvió se espera que la concentración de sólidos del agua subterránea de área esté en la variedad de 200-2,000 partes por millón.

cualquier persona interesada o personas pueden obtener la información, presentar comentarios o sólicitar para ser coloct do en una lista de direcciones específica de instalación para futuros avisos por ponerse en contacto con Leonard Lowe en Nuevo México OCD en 1220 Sur San, Francio Drive, Santa Fallo Nuevo México 87505, Talefono (505) 476-3492, El OCD acep tará comentarios y declaraciones del interés en cuanto a la renovación y creará una lista de direcciones esnecífica de



PO Box 450 Farmington, NM 87499

RECEIVED 2007 UCT 22 PM 2 17

**Balance Due:** 

\$644.74

Date: 10/11/07

NM ENERGY, MINERALS & NATURA

NM ENERGY, MINERALS & NA 1220 SOUTH ST. FRANCIS DR. SANTA FE, NM 87505

(505) 476-3400

1000817358       FARMINGTO       0152 - Legal Notices       10/05/2007       10/05/2007       1       7800         1000817358       FARMINGTO       0152 - Legal Notices       10/05/2007       10/05/2007       1       7800         1000817358       FARMINGTO       0152 - Legal Notices       10/05/2007       10/05/2007       1       7800	400 Acct
	352
TARREST TARREST AND	352
1000817358 FARMINGTO 0152 - Legal Notices 10/05/2007 10/05/2007 1 780	352
1000817358 FARMINGTO 0152 - Legal Notices 10/05/2007 10/05/2007 1 7803	352
1000817358 FARMINGTO 0152 - Legal Notices 10/05/2007 10/05/2007 1 7803	352
1000817358 FARMINGTO: 0152 - Legal Notices 10/05/2007 10/05/2007 1 7803	352
Total Cost:	\$644.74
Payment:	\$0.00

TEXT:

NOTICE OF PUBLICATIONSTATE OF NEW MEXICOENERGY, MINERALS AND NAT

#### AFFIDAVIT OF PUBLICATION

Ad No. 55768

# STATE OF NEW MEXICO County of San Juan:

ROBIN ALLISON, being duly sworn says: That she is the CLASSIFIED MANAGER of THE DAILY TIMES, a daily newspaper of general circulation published in English at Farmington, said county and state, and that the hereto attached Legal Notice was published in a regular and entire issue of the said DAILY TIMES, a daily newspaper duly qualified for the purpose within the meaning of Chapter 167 of the 1937 Session Laws of the State of New Mexico for publication and appeared in the Internet at The Daily Times web site on the following day(s):

Friday, October 5, 2007

And the cost of the publication is \$644.74

ON 10/15/07 ROBIN ALLISON appeared before me, whom I know personally to be the person who signed the above document.

My Commission Expires November 17/200

#### **COPY OF PUBLICATION**

#### NOTICE OF PUBLICATION

# STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations (20.6.2.3106 NMAC), the following discharge permit application(s) has been submitted to the Director of the New Mexico Oil Conservation Division ("NMOCD"); 1220 S. Saint Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3440:

(GW-087) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub mitted a renewal application for the previously approved discharge plan for their Cedar Hill Compressor Station, located in the SW/4 SW/4 of Section 28, Township 32 North, Range 10 West, NMPM, San Juan County, New Mexico, approximately 10.5 miles north northeast of Aztec, New Mexico and 1.3 miles northeast of the Animas river. The station provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 200-500 bbl/year of wastewater; 1500 gal/year/engine of wash down water and 5000 bbl/year of natural gas condensate are generated and stored in OCD approved containers onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 160 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-091) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub mitted a renewal application for the previously approved discharge plan for their 32-9 CDP Compressor Station, located in the NW/4 SW/4 of Section 15, and NW/4 SW/4 of Section 14, Township 31 North, Range-10 West, NMPM, San Juan County, New Mexico. Approximately 9 miles northeast of Aztec, New Mexico and approximately 3 miles east of the Animas river. The station provides metering, compression, and dehy dration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 500 - 5000 gal/year/engine of wash down water and 100-6000 bbl/year of natural gas condensate are generated and stored in OCD approved containers onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 200 - 500 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how a oilited products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-116) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub mitted a renewal application for the previously approved discharge plan for their 32-8 # 3 CDP Compressor Station, located in the NE/4 NE/4 of Section 9, Township 31 North, Range 8 West, NMPM, San Juan County, New Mexico. Approximately 18.8 miles northeast of Aztec, New Mexico and approximately 10 miles north - north east of the San Juan river. The station provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 100 - 6000 bbl/year of condensate /produced water and 500 - 5000 gal/year/engine of water/wash down water are generated and stored in above ground containers onsite with in a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental dis charge is at a depth of approximately 200 - 500 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The dis charge plan addresses how oilfield products and waste will be property handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-118) Williams Four Corners, Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub mitted a renewal application for the previously approved discharge plan for their 31-6 # 3 CDP Compressor Station, located in the SE/4 SW/4 of Section 1, Township 30 North, Range 6 West, NMPM, Rio Arriba County, New Mexico. Approximately 31.7 miles east of Aztec, New Mexico and approximately 1.6 miles north east of Navajo Lake. The station provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 100 - 6000 bbl/year of condensate/produced water and 500 - 5000 gal/year/engine of waste/wash down water are generated and stored in above ground containers onsite within a bermed area pri or to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 200 - 500 teet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-120) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub mitted a renewal application for the previously approved discharge plan for their Pipkin Compressor Station, located in the NW/4 NW/4 of Section 36, Township 28 North, Range 11 West, NMPM, San Juan County, New Mexico, approximately 6.5 miles south of Bloomfield, New Mexico. The station provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 100 - 6000 bbl/year of condensate/produced water and 500 - 5000 gal/year/engine of waste/wash down water are generated and stored in above ground containers onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 50 - 200 feet, with a total dissolved solids con centration of approximately 200 - 2000mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-121) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub mitted a renewal application for the previously approved discharge plan for their 29-6 # 2 CDP Compressor Station, located in the NE/4 NE/4 of Section 10, Township 29 North, Range 6 West, NMPM, Rio Arriba County, New Mexico. Approximately 30 miles east of Bloomfield, New Mexico and approximately 6.1 miles south east of Navajo Lake. The station provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 100 - 6000 bbl/year of condensate/produced water and 500 - 5000 gal/year/engine of waste/wash down water are generated and stored in above ground containers onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100 - 400 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-122) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub mitted a renewal application for the previously approved discharge plan for their 29-6 # 4 CDP Compressor Station, located in the SE/4 SE/4 of Section 19, Township 29 North, Range 6 West, NMPM, Rio Arriba County, New Mexico. Approximately 27 miles east of Bloomfield, New Mexico and approximately 13.4 miles east of the San Juan river. The station provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 100 - 6000 bbl/year of condensate/produced water and 500 - 5000 gal/year/engine of waste/wash down water are generated and stored in above ground containers onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100 - 200 feet, with a total dissolved solids concentration of approximately 2013 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-229) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their Trunk G. Compressor Station, located in the NE/4 NE/4 of Section 35, Township 29 North, Range 6 West, NMPM, Rio Arriba County, New Mexico. Approximately ½ mile south of U.S. 64 and approximately 33 miles east of Bloomfield, New Mexico. The station is currently non-operational and has no equipment on site. The applicant would like to renew the application for future possible activity of the site. (GW-271) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their Kernaghan Compressor Station, located in the SW/4 NW/4 of Section 29, Township 31 North, Range 8 West, NMPM, San Juan County, New Mexico. Approximately 16 miles east of Aztec, New Mexico and approximately 6.2 miles north of the San Juan river. The station provides metering, compression, and dehydration services to various produce ers for the gathering of natural gas for treatment and delivery. Approximately 2000 - 6000 bbl/year produced water and 500 - 5000 gal/year ar/engine of wash down water are generated and stored in above ground containers onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 500 - 700 feet, with a total dissolved solids concentration of approximately 200-2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

be managed in order to protect fresh water.

aged in order to protect fresh water.

tivity of the site.

to protect fresh water.

application and information submitted at the hearing.

the site.

SEAL

GW-129) Williams Four Corners, Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub nitted a renewal application for the previously approved discharge plan for their Crouch Mesa Compressor Station, located in the \$E/4 NE/4 of iection 23, Township 29 North, Range 12 West, NMPM, San Juan County, New Mexico. Approximately 4.5 miles west of Bloomfield, New Mexico and approximately 2 miles north of the San Juan river. The station provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 1000 - 4000 bbl/year of natural gas condensate and 500 - 1500 gal/year/engine of waste water are generated and stored in above ground containers onsite within a bernied area prior to disposal an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 200 - 500 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-208) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub nitted a renewal application for the previously approved discharge plan for their Hart Compressor Station, located in the SE/4 NE/4 of Section 27, Township 31 North, Range 10 West, NMPM, San Juan County, New Mexico. Approximately 4.6 miles south southeast of Cedar Hill, New Mexico and approximately 8 miles northeast of Aztec, New Mexico. The station is currently non-operational and has no equipment on site. The applicant would like to renew the application for future possible activity of the site.

(GW-272) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub mitted a renewal application for the previously approved discharge plan for their Kernaghan B-8 Compressor Station, located in the SE/4 SW/4 of Section 33, Township 31 North, Range 8 West, NMPM, San Juan County, New Mexico, approximately 17 miles east of Aztec, New Mexico. The station is currently non-operational and has no equipment on site. The applicant would like to renew the application for future possible accounts.

(GW-273) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub mitted a renewal application for the previously approved discharge plan for their Moore Compressor Station, located in the SE/4 SW/4 of Section 9, Township 30 North, Range 8 West, NMPM, San Juan County, New Mexico, approximately 17 miles east of Aztec, New Mexico. The station is currently non-operational and has no equipment on site. The applicant would like to renew the application for future possible activity of

(GW-287) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has sub mitted a renewal application for the previously approved discharge plan for their Snowshoe Compressor Station, located in the SW/4 NW/4 of Section 15, Township 29 North, Range 10 West, NMPM, San Juan County, New Mexico, approximately 6 miles east of Bloomfield, New Mexico. The station provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 1000 - 3000 bbl/year of natural gas condensate, 500 - 1500 gal/year/engine of wash down water and 200 - 500 approved decility. Groundwater are generated and stored in above ground containers onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 28 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

ments received. If a public hearing is held, the director will approve or disapprove the proposed permit based on information in the permit

Para obtener más información sobre esta solicitud en espan?ol, sirvase comunicarse por favor: New Mexico Energy, Minerals and Natura Resources Department (Depto. Del Energia, Minerals y Recursos Naturales de Nuevo México), Oil Conservation Division (Depto. Conservation Del Petróleo), 1220 South St. Francis Drive, Santa Fe, New México (Contacto: Dorothy Phillips, 505-476-3461)

Mark Fesmire, Director

The NMOCD has determined that the application is administratively complete and has prepared a draft permit. The NMOCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further information, submitting comments or requesting to be on a facility-specific mailing list for future notices may contact the Environmental Bureau Chief of the Oil Conservation Division at the address given above. The administrative completeness determination and draft permit may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday, or may also be viewed at the NMOCD web site http://www.emnrd.state.nm.us/ocd/. Persons interested in obtaining a copy of the application and draft permit may contact the NMOCD at the address given above. Prior to ruling on any proposed discharge permit or major modification, the Director shall allow a period of at least thirty (30) days after the date of publication of this notice, during which interested persons may submit comments or request that NMOCD hold a public hearing. Requests for a public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines that there is significant public interest. If no public hearing is held, the Director will approve or disapprove the proposed permit based on information available, including all com-

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 1 day of October 2007.

## THE SANTA FE **W MEXICAN**

RECEIVED

2007 OCT 22 PM 2 27

NM EMNRD OIL CONSERV 1220 S ST FRANCIS DR SANTA FE NM 87505

**ALTERNATE ACCOUNT: 56689** 

AD NUMBER: 00233504 ACCOUNT: 00002212

LEGAL NO: 81735

P.O. #: 52100-0000075

961 LINES 1 TIME(S)

836.64

AFFIDAVIT:

6.00

TAX:

66.36

TOTAL:

909.00

AFFIDAVIT OF PUBLICATION

#### STATE OF NEW MEXICO COUNTY OF SANTA FE

I, T. Valencia, being first duly sworn declare and say that I am Legal Advertising Representative of THE SANTA FE NEW MEXICAN, a daily newspaper published in the English language, and having a general circulation in the Counties of Santa Fe and Los Alamos, State of New Mexico and being a newspaper duly qualified to publish legal notices and advertisements under the provisions of Chapter 167 on Session Laws of 1937; that the publication # 81735 a copy of which is hereto attached was published in said newspaper 1 day(s) between 10/08/2007 and 10/08/2007 and that the notice was published in the newspaper proper and not in any supplement; the first date of publication being on the 8th day of October, 2007 and that the undersigned has personal knowledge of the matter and things set forth in this affidavit.

ADVERTISEMENT REPRESENTATIVE

\$ubscribed and sworn to before me on this 8th day of October, 2007

Notary

/S/

Commission Expires:

OFFICIAL SEAL Pamela Anne Beach

NOTARY PUBLIC

Commission Expires:

### NOTICE OF PUBLICATION

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Commission Control Regulations (20.6.2.3106 Ni the following NMAC), charge permit appli-cation(s) has been been submitted to the Director of the New Mexico Oil Conserva-Division tion 1220 S. ("NMOCD"). Saint Francis Drive, Santa Fe, New Mexico Telephone (505) 476-3440:

(GW-278) Key Energy

Services, Inc., 6 Desta Drive, Suite 4400, Mid-land TX 79705, has submitted a renewal application for the previously approved discharge plan for their Carlsbad Service Yard, Yale E. Key Inc. dba Key Energy Services Inc., located in the SE/4 NE/4 of Section 33 and SW/4 NW/4 Section 34, Towarship 21 South Township 21 South Range 27 East, NMPM South, Eddy County, New Mexico, 1609 E. Greene Street, Carls-bad, New Mexico 88220. The facility transports fluids used for, or in conjunction with, the discovery, development, production, refining, proc-essing and/or storage of natural gas and petroleum, and its prod-ucts and by products. Approximately 10 bbl/day of truck wash wastewater and 40 bbl/day of frac tank wash down water are generated and stored in approved containers onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approxi-mately 15 - 46 feet, with a total dissolved solids concentration of approximately 1500 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-087) Williams Four Corners., Mr. David Bays, Senior En-vironmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application proved discharge plan for their Cedar Hill Compressor Sta-tion, located in the SW/4 SW/4 of Section 28, Township for the previously ap-28, Township 32 North, Range 10 West, NMPM, San Juan County, New Mexico, approximately miles north northeast of Aztec, New Mexico and 1.3 miles north-east of the Animas river. The station provides metering, com-pression, and dehy-dration services to various producers for the gathering of natural gas io. and delivery. Ap-mately 200-500 ral gas for treatment proximately 200-500 bbl/year of wastewa-ter; 1500 gal/year/en-gine of wash down water and 5000 bbl/year of natural gas condensate are generated and stored in OCD approved containers onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be af-fected by a spill, leak or accidental dis-charge is at a depth of approximately 160 feet, with a total dis-solved solids concenmately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-091) Williams Four Corners, Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their 32-9 CDP Compressor Station, located in the NW/4 SW/4 of Section 15, and NW/4 SW/4 of Section 14, Township 31 North, Range 10 West, NMPM, San Juan County, New Mexico. Approximately 9 miles northeast of Aztec, New Mexico and approximately 3 miles east of the Animas river. The station provides metering. compres-

sion, and dehydration services to various producers for the gathering of natural gas for treatment and delivery. Approxi-mately 500 - 5000 gal/year/engine wash down water and 100-6000 bbl/year of natural gas condensate are generated and stored in OCD approved containers onsite within a bermed area prior to disposal at an NMOCD ap-proved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approxi-mately 200 - 500 feet, with a total dissolved solids concentration of approximately 200 of approximately 200-2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surcharges to the sur-face will be managed in order to protect fresh water.

(GW-116) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road

4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their 32-8 # 3 CDP Compressor Sta-tion, located in the NE/4 NE/4 of Section 9, Township 31 North, Range 8 West, NMPM, San Juan County, New Mexico. Approximately 18.8 miles northeast of Aztec, New Mexico and approximately 10 miles north - north east of the San Lian size. the San Juan river. The station provides The state metering, compression, and dehydration services to various producers for the producers for the gathering of natural gas for treatment and delivery. Approxi-mately 100 - 6000 bbl/year of conden-sate/produced water and 500 - 5000 gal/year/engine down waste/wash water are generated and stored in above ground containers on-site within a bermed area prior to disposal at an NMOCD approved facility. Groundwater likely to be affected by a spill, leak or accidental discharge is at a depth of approxi-mately 200 - 500 feet, with a total dissolved

solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-118) Williams GW-118)\* Williams
Four Corners.\* Mr.
David Bays, Senior Environmental Specialist, 188 County Road
4900, Bloomfield, N.M.
87413, has submitted
a renewal application
for the previously one for the previously approved discharge plan for their 31-6 # 3 CDP Compressor Sta-tion, located in the SE/4 SW/4 of Section 1, Township 30 North, Range 6 West, NMPM, Rio Arriba County, New Mexico. Ap-proximately 31.7 proximately 31.7 miles east of Aztec, New Mexico and ap-proximately 1.6 miles north east of Navajo Lake. The station provides metering, com-pression, and dehy-dration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 100 - 6000 bbl/year of condensate/produced water and 500 gal/year/engine down waste/wash water are generated and stored in above ground containers onsite within a bermed area prior to disposal at an NMOCD ap-proved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approxi-mately 200 - 500 feet, with a total dissolved solids concentration of approximately 200 -2000 mg/l. The dis-charge plan ad-dresses how oilfield products and waste will be properly hanwill be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-120) Williams
Four Corners., Mr.
David Bays, Senior Environmental Specialist, 188 County Road
4900, Bloomfield, N.M.
87413, has submitted a renewal application for the previously approved discharge plan for their Pipkin

Compressor Station, located in the NW/4 NW/4 of Section 36, Township 28 North, Range 11 West, NMPM, San Juan County, New Mexico, approximately 6:5 miles south of Bloom-field, New Mexico. The station provides metering, compress metering, compression, and dehydration services to various for othe patural services to various producers for the gathering of natural gas for treatment and delivery. Approximately 100 6000 bbl/year of condensate/produced water and 500 5000 gal/year/engine of waste/wash downwater are generated and stored in above ground containers on ground containers on site within a bermed area prior to disposal at an NMOCD ap-proved facility. proved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approxi-mately 50 - 200 feet, with a total dissolved solids concentration of approximately 200-2000mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect solids concentration in order to protect fresh water. (GW-121) Williams Four Corners. Mr David Bays, Senior Environmental Special ist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their 29-6 # 2 plan for their 29:6 # 2 CDP Compressor Sta-tion, located in the NE/4 NE/4 of Section 10, Township 29 North, Range 5 West, NMPM, Rio Arriba County, New Mexico. Approximately 30 miles east of Bloomfield, New Mexico and approximately 6.1 miles south east of Navajo Lake. The sta-tion provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treatment and delivery.

Approximately 100 6000 bbl/year of condensate/produced water and 500 5000 gal/year/engine of waste/wash down water are generated and stored in above ground containers onsite within a bermed area prior to disposal at an NMOCD ap-proved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approxi-mately 100 - 400 feet, with a total dissolved solids concentration of approximately 200: 2000 mg/l. The dis-charge plan ad-dresses how oilfield products and waste will be properly han dled, stored, and disposed of including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-122) Williams Four Corners, Mr. David Bays, Senior En-vironmental Special ist, 188 County Road 4900, Bloomfield N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their 29 6 # 4 CDP Compressor Sta-tion, located in the SE/4 SE/4 of Section 19. Township 19. Township 29 North, Range 6 West, NMPM, Rio Arriba County New Mexico Approximately 27 miles east of Bloom-field, New Mexico and approximately. miles east of the San Juan river. The station provides meter-ing, compression, and dehydration services to various producers for the gathering of natural gas for treat-ment and delivery. Approximately 100 6000 bbl/year of con-densate/produced water and 500 - 5000 gal/year/engine of waste/wash down water are generated and stored in above and stored in above ground containers on site within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at dental discharge is at a depth of approxi-mately 100 - 200 feet with a total dissolved solids concentration of approximately 200: 2000 mg/l. The dis-icharge plan ad-idresses how oilfield products and waste will be properly hanwill be properly nan-dled, stored, and dis-posed of, including how spills, leaks, and other accidental dis-charges to the sur-face will-be managed in order to protect Mexico and approxi-fresh water: mately 8 miles north-

(GW-129) Williams Four Corners Mr. David Bays, Senior En-vironmental Special: ist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application la renewal application for the previously approved discharge plan for their Crouch Mesa Compressor Station, located in the SE/4 NE/4 of Section 23, Township 29 North, Range 12 West, NMPM, San Juan County, New Mexico. Approximately 4.5 miles west of Bloomfield, New Mexico and approximately 2 miles neig, New Mexico and approximately 2 miles north of the San Juan river. The station provides metering, compression, and dehydration services to various producers for the services. the gathering of natural gas for treatment and delivery Ap-proximately 1000 -4000 bbl/year of natural gas condensate and 500 - 1500 gal/year/engine of waste water are generated and stored in above ground con-tainers onsite within tainers onsite within a bermed area prior to disposal, at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a dont charge is at a depth of approximately 200 -500 feet, with a total dissolved solids concentration of approximately 200 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and

other accidental dis-charges to the sur-face will be managed in order to protect fresh water:

(GW-208) Williams Four Corners, Mr. David Bays, Senior En-vironmental Special-ist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously ap-proved discharge plan for their Hart Compressor Station, located in the SE/4 NE/4 of Section 27, Township 31 North, Range 10 West, NMPM, San Juan County, New Mexico. Approximately 4.6 miles south southeast of Cedar Hill, New Mexico and approxi-

east of Aztec, New Mexico. The station is currently non-op-erational and has no equipment on site.
The applicant wouldlike to renew the application for future,
possible activity of

(GW-229)-Williams Four Corners. Mr., David Bays, Senior En-vironmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously ap-proved discharge plan for their Trunk G. plan for their Trunk G.
Compressor Station,
located in the NE/4
NE/4 of Section 35,
Township 29 North,
Range 6 West, NMPM,
Rio Arriba County,
New Mexico Approximately mile proximately \_\_\_ mile south of U.S. 64 and south of U.S. 64 and approximately 33 miles east of Bloomfield, New Mexico. The station is currently non-operational and has no equipment on site. The applicant would like to renew the application for future possible activity, of the site. the site.

(GW-271) Williams Four Corners., Mr. David Bays, Senior Environmental Special-ist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their Kerna-ghan Compressor Sta-tion, located in the SW/4 NW/4 of Section 29. Township 31 North, Range 8 West, North, Range 8 West, plan for their Moore NMPM, San Juan County, New Mexico, located in the SE/4 Approximately 16 SW/4 of Section 9, miles east of Aztec, New Mexico and approximately 6.2 miles north of the San Juan County, New Mexico, approximately 17 miles east vides metering, comriver. The station provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treatment and delivery. Approximately 2000 proximately 2000 possible activity of duced water and 500 mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 10 miles east of Azec, New Mexico. The station is currently non-operative mately 10 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, New Mexico. The station is currently non-operative mately 17 miles east of Azec, ral gas for treatment and delivery. Ap-proximately 2000 6000 bbl/year pro-duced water and 500 5000 gal/year/engine of wash down water (GW-287) Williams are generated and Four Corners. Mr. stored in above ground containers on vironmental Specialsite within a bermed list, 188 County Road area prior to disposal 4900 Bloomfield N.M.

a depth of approxi-mately 500 - 700 feet, with a total dissolved solids concentration of approximately 200-2000 mg/l. The discharge plan addresses\_how\_oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the sur-face will be managed in order to protect fresh water.

(GW-272) Williams Four Corners., Mr. David Bays, Senior En-vironmental #Specialist, 188 County Road 4900; Bloomfield, N.M. 87413. has submitted a renewal application for the previously ap-proved discharge plan for their Kernaghan B-8 Compressor Station, located in the SE/4 SW/4 of Section 33, Township 31 North, Range 8 West, NMPM, San Juan County, New Mexico. approximately 17 miles east of Aztec, New Mexico. The station is currently non-operational and has no equipment on site. The applicant would like to renew the application for future possible activity of the site. 🦠

(GW-273) Williams Four Corners., Mr. David Bays, Senior En-vironmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously ap-proved discharge plan for their Moore

area prior to disposal 4900, Bioomfield, N.M. at an NMOCD ap 87413, nas submitted proved facility, a renewal application for the previously applied by a spill, leak or accidental discharge is at dental discharge is at

tion, located in the SW/4 NW/4 of Section 15, Township 29 North, Range 10 West, 29 NMPM; San Juan County, New Mexico, Juan approximately 6 miles east of Bloomfield, New Mexico. The sta-tion provides metering, compression, and dehydration services to various producers for the gathering of natural gas for treat-ment and delivery. Approximately 1000 -3000 bbl/year of natural gas condensate, gal/year/engine of wash down water and 200 - 500 bbl/year of produced water are generated and stored in above ground containers onsite within a bermed area prior to disposal at an NMOCD approved facility......Groundwater most likely to be af-fected by a spill, leak or accidental dis-charge is at a depth of approximately 28 feet, with a total dissolved solids concentration of approxi-mately 200 - 2000 mately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the sur-face will be managed in order to protect

The NMOCD has determined that the application is administratively complete and has prepared a complete draft permit. The NMOCD will accept The comments and statements of interest regarding this applica-tion and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further infor-mation, submitting comments or requesting to be on a facility-specific mailing list for future notices may contact the Environmental Bureau Chief of the Oil Conservation Division at the address given above. The adminis-trative completeness determination and draft permit may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Fri-day, or may also be viewed at the NMOCD Pub. October 8, 2007

fresh water.

http://www.emnrd.st ate.nm.us/ocd/. Per-sons interested in obtaining a copy of the application and draft permit may contact the NMOCD at the address given above. Prior to ruling on any proposed discharge permit or major modification, the Director shall allow a period of at least thirty (30) days after the date of publication of this notice, during which interested persons may submit comments or request that NMOCD hold a public hearing. Requests for a public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines that there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed permit based on information available, including all comments received. If a public hearing is held, the director will approve or disapprove the proposed permit based on information in the permit application and information submitted at hearing.

Para obtener más información sobre esta solicitud en espan\_ol, sirvase comunicarse por favor: New Mexico Energy, Minerals and Natural Resources Department (Depto. Del Energia, Minerals y Recursos Naturales de Nuevo México), Oil Conser-Division vation (Depto. Conserva-cio'n Del Petróleo), 1220 South St. Francis Conserva-Drive, Santa Fe, New México (Contacto: Dorothy Phillips, 505-476-3461)

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 01 day of October, 2007

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

SEAL Mark Fesmire, Director

Legal#81735