


Schlumberger

COMPENSATED NEUTRON
FORMATION DENSITY

COUNTY EDDY	FIELD DIAMOND MOUND	LOCATION NO. 1 HUSKY SRC STATE	COMPANY HUSKY OIL CO.
COMPANY HUSKY OIL COMPANY			
WELL NO. 1 HUSKY SRC STATE			
FIELD DIAMOND MOUND			
COUNTY EDDY STATE NEW MEXICO			
LOCATION 660' FNL & 1980' FEL.		Other Services:	
API SERIAL NO. SEC. TWP. RANGE		DLL-MSFL	
16 16S 27E			

Permanent Datum	G.L.	Elev. 3507	Elev. K.B. 3524
Log Measured From	K.B.	17 Ft. Above Perm. Datum	D.F.
Drilling Measured From	K.B.		G.L. 3507

Date	9-26-80	10-20-80		
Run No.	ONE	TWO		
Depth-Driller	1500	8765		
Depth-Logger	1503	8726		
Bit. Log Interval	1502	8725		
Top Log Interval	SURF	1400		
Casing-Driller	13 3/8 308	8 5/8 1500	@	@
Casing-Logger	302	1498		
Bit Size	12 1/4	7 7/8		
Type Fluid in Hole	STARCH	SALT		
Dens. Visc.	9.3 28	9.4 34		
pH Fluid Loss	10.5 ml	10 4 ml		
Source of Sample	FLOWLINE	CIRC		
Rm @ Meas. Temp.	.29 @ 67°F	.094 @ 65°F	@	@
Rm @ Meas. Temp.	@ °F	.082 @ 65°F	@	@
Rm @ Meas. Temp.	@ °F	@ °F	@	@
Source: Rm Rmc		M		
Rm @ BHT	.21 @ 90 °F	.044 @ 136°F	@	@
Circulation Stopped	1400	0900		
Logger on Bottom	1800	1400		
Max. Rec. Temp.	90 °F	136 °F	@	@
Equip. Location	R075 HOBBS	R067 HOBBS		
Recorded By	SCHLOEMER	WILSON		
Witnessed By	HENRY	HENRY		



GR (GAPI)	200.0	Run 2	DRHO (G/CC)	0.4500
CALISUN	16.00		RHO (G/CC)	2.000
GR (GAPI)	100.0		NEUT (G/CC)	0.3000
				-0.100

PARAMETERS