625 N. French Dr., Hobbs, NM 88240 State District II State State State	als and Natural Resour	rces			Form C-141 october 10, 2003
	servation Division		•	Submit 2 Copies District Office	to appropriate
District IV 1220 So	outh St. Francis Dr.	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	1 × -	with Rul	e 116 on back
220 S. St. Francis Dr., Santa Fe, NM 87505 Santa	Fe, NM 87505				side of form
Release Notificat	ion and Correcti	ive Action		VITAL	
	OPERATOR	· · · ·		· · · · · · · · · · · · · · · · · · ·	Final Repo
Name of Company Petrohawk Operating				5	
Address 1000 Louisiana, Suite 5600 Houston TX 77002 Facility Name State A A/C 1 Battery # 5	Telephone No. 432-6	520-9099	<u>^\\</u>		
			9-3-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-		
Surface Owner State Mineral Owner		4	Lease N	<u>0.</u>	
	ON OF RELEASE		<u> </u>		
Unit Letter Section Township Range Feet from the No	orth/South Line Feet from	m the East/W	/est Line	County	· · · · ·
H 9 23S 36E		,		Leg.	
Latitude_32*19'21.8	" Longitude_103*15"	' 45.3"			
NATU	RE OF RELEASE				
Type of Release Produced water spill	Volume of Release			ecovered 910 bbl	
Source of Release 1000 bbl tank overlfow	Date and Hour of Oc	ccurrence NA	Date and H 12:00 PM	Hour of Discovery	y 1-1-08
Was Immediate Notice Given?	If YES, To Whom?			· ·	
Yes No Not Requir			hards via me	essage,	
By Whom? Joel Sisk Was a Watercourse Reached?	Date and Hour 12:00 If YES, Volume Imp		rcourse.		
🗌 Yes 🖾 No	· · · · · · · · · · · · · · · · · · ·				
· · · · ·					
If a Watercourse was Impacted, Describe Fully.* NA					
		RE	ECE	IVED	<u>55117</u> »
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins		a results of the state of the s	n 152 199 - Lagona Alar	به در مربع می مربع مربع مربع مربع مربع مربع مربع مربع	
Describe Cause of Problem and Remedial Action Taken.*	side, firewall clean	a results of the state of the s	ECE	به در مربع می مربع مربع مربع مربع مربع مربع مربع مربع	Start 11
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum truck ins	side firewall clean		.IAN - 9 	2008	
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall a	side firewall clean.	remediace opta	IAN - 9		Start 11, 14
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall a MULTo Sample for Ci Contami	side firewall clean.	reme a Ot	1ΔN - 9 200 <i>P</i> - <i>Mu</i>	2008 Ponsite CD we have	
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall a MUC To Sample for Ci Contami	side firewall clean.	reme a Ot	1ΔN - 9 200 <i>P</i> - <i>Mu</i>	2008 Ponsite CD we have	
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall an Much To Sample for Contamic Contamic and provide a provide the information given above is true and complete regulations all operators are required to report and/or file certain release	rea & east of battery. Will r mation outside <u>emediace</u> on to the best of my knowledg se notifications and perform	remediate of a friewale set ge and understar n corrective acti	IAN - 9	2008 Ponsite CD and have uant to NMOCD r ases which may e	vules and ndanger
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall a Much To Sample for Contamic Contamic Contamic Contamic Contamic Interest certify that the information given above is true and complete regulations all operators are required to report and/or file certain release public health or the environment. The acceptance of a C-141 report by	rea & east of battery. Will r mation outside <u>medicale</u> on to the best of my knowledg se notifications and perform y the NMOCD marked as "	remediate out friewale set ge and understar n corrective acti Final Report" d	IAN - 9 . Mul . Mul	2008 Ponsite CD and have uant to NMOCD r ases which may e eve the operator o	ules and ndanger f liability
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall a <u>Multo Sample for Cloutanie</u> I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain releas public health or the environment. The acceptance of a C-141 report b should their operations have failed to adequately investigate and remet or the environment. In addition, NMOCD acceptance of a C-141 report	side firewall clean. rea & east of battery. Will r mation outside <u>emediad</u> on to the best of my knowledg se notifications and perform y the NMOCD marked as "I diate contamination that po	remediate out friewale set ge and understar n corrective acti Final Report" do se a threat to gr	AN − 9 A A A A A A A A A A A A A A A A A A A	2008 Ponsite C D want to NMOCD r ases which may e eve the operator o , surface water, hu	Tules and ndanger f liability man health
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall a <u>Much To Sample for Cleanup</u> I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain releas public health or the environment. The acceptance of a C-141 report b should their operations have failed to adequately investigate and remet or the environment. In addition, NMOCD acceptance of a C-141 report	side firewall clean. rea & east of battery. Will r mation outside medical on to the best of my knowledg se notifications and perform y the NMOCD marked as " diate contamination that po out does not relieve the opera-	remediate onta friewale se and understar n corrective acti Final Report" d ose a threat to gr rator of responsi	$ \Delta N = 9$ β . Mu β	2008 Don site C D want to NMOCD r ases which may e eve the operator o , surface water, hu ompliance with an	Tules and ndanger f liability man health
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall a <u>Multo Sample for Cleanance</u> <u>Interest Contamination given above is true and complete</u> regulations all operators are required to report and/or file certain releas public health or the environment. The acceptance of a C-141 report by should their operations have failed to adequately investigate and remet or the environment. In addition, NMOCD acceptance of a C-141 report federal, state, or local laws and/or regulations.	side firewall clean. rea & east of battery. Will r mation outside medical on to the best of my knowledg se notifications and perform y the NMOCD marked as " diate contamination that po out does not relieve the opera-	remediate out friewale set ge and understar n corrective acti Final Report" do se a threat to gr	$ \Delta N = 9$ β . Mu β	2008 Don site C D want to NMOCD r ases which may e eve the operator o , surface water, hu ompliance with an	Tules and ndanger f liability man health
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall a <u>Multo Sample for Cleanance</u> <u>Interest Contamination given above is true and complete</u> regulations all operators are required to report and/or file certain releas public health or the environment. The acceptance of a C-141 report by should their operations have failed to adequately investigate and remet or the environment. In addition, NMOCD acceptance of a C-141 report federal, state, or local laws and/or regulations.	side firewall clean.	remediat friewale sea and understar n corrective acti Final Report" d ose a threat to gr rator of responsi CONSERV	$ \Delta N = 9$ β . Mu β	2008 Don site C D want to NMOCD r ases which may e eve the operator o , surface water, hu ompliance with an	Tules and ndanger f liability man health
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall as <u>Much To Samph for Ct Contame</u> <u>landowneus a possible</u> Thereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain releas public health or the environment. The acceptance of a C-141 report by should their operations have failed to adequately investigate and remed or the environment. In addition, NMOCD acceptance of a C-141 report federal, state, or local laws and/or regulations. Signature: AML Signal	side firewall clean. rea & east of battery. Will r mation outside medical on to the best of my knowledg se notifications and perform y the NMOCD marked as " diate contamination that po out does not relieve the opera-	remediat friewale sea and understar n corrective acti Final Report" d ose a threat to gr rator of responsi CONSERV	$ \Delta N = 9$ β . Mu β	2008 Don site C D want to NMOCD r ases which may e eve the operator o , surface water, hu ompliance with an	Tules and ndanger f liability man health
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall an <u>MULTO Sample for Contame</u> <u>langowneus a pomoral for leanne</u> I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain release public health or the environment. The acceptance of a C-141 report by should their operations have failed to adequately investigate and reme or the environment. In addition, NMOCD acceptance of a C-141 report federal, state, or local laws and/or regulations. <u>Signature: Multiple Subschere</u> Printed Name: Joel Sisk	side firewall clean.	remediate onta friewale ge and understar n corrective acti Final Report" d ose a threat to gr rator of responsi CONSERV Supervisor:	$ \Delta N = 9$ β . Mu β	2008 Don site C D and have uant to NMOCD r ases which may e eve the operator o surface water, he ompliance with an DIVISION	Tules and ndanger f liability man health
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall as <u>MULTO Sample for Contame</u> <u>Kangborneus about to Contame</u> I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain releas public health or the environment. The acceptance of a C-141 report by should their operations have failed to adequately investigate and reme or the environment. In addition, NMOCD acceptance of a C-141 report federal, state, or local laws and/or regulations. Signature: <u>Multice</u> <u>Signature: I addition</u> <u>Signature: I addition</u> <u>Title: Production Foreman</u>	side firewall clean.	remediat friewale sea and understar n corrective acti Final Report" d ose a threat to gr rator of responsi CONSERV Supervisor:	$ \Delta N = 9$ β . Mu β	2008 Ponsite C D want to NMOCD r ases which may e eve the operator o surface water, hu ompliance with an DIVISION	Tules and ndanger f liability man health
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall as MULTO SAMPL for Contamic Contamination of the contamination of the contamination of the contamination I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain release public health or the environment. The acceptance of a C-141 report by should their operations have failed to adequately investigate and remet or the environment. In addition, NMOCD acceptance of a C-141 report federal, state, or local laws and/or regulations. Signature: Signature: MULTO Signet Contamic E-mail Address: jsisk@petrohawk.com	side firewall clean.	remediat friewale sea and understar n corrective acti Final Report" d ose a threat to gr rator of responsi CONSERV Supervisor:	$ \Delta N = 9$ β . Mu β	2008 Don site C D and have uant to NMOCD r ases which may e eve the operator o surface water, he ompliance with an DIVISION	Tules and ndanger f liability man health
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall as <u>Multiple Manple for Contamic</u> <u>landowned a source</u> for <u>landowned</u> I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain releas public health or the environment. The acceptance of a C-141 report by should their operations have failed to adequately investigate and remed or the environment. In addition, NMOCD acceptance of a C-141 repor federal, state, or local laws and/or regulations. <u>Signature:</u> <u>Signature:</u> <u>House Signature:</u> <u>E-mail Address: jsisk@petrohawk.com</u> Date: 1-2-08 <u>Phone: 505-392-2574</u>	side firewall clean.	remediat friewale sea and understar n corrective acti Final Report" d ose a threat to gr rator of responsi CONSERV Supervisor:	$ \Delta N = 9$ β . Mu β	2008 Ponsite C D want to NMOCD r ases which may e eve the operator o surface water, hu ompliance with an DIVISION	Tules and ndanger f liability man health
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall as <u>Multiple Manple for Contamic</u> <u>landowned a source</u> for <u>landowned</u> I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain releas public health or the environment. The acceptance of a C-141 report by should their operations have failed to adequately investigate and remed or the environment. In addition, NMOCD acceptance of a C-141 repor federal, state, or local laws and/or regulations. <u>Signature:</u> <u>Signature:</u> <u>House Signature:</u> <u>E-mail Address: jsisk@petrohawk.com</u> Date: 1-2-08 <u>Phone: 505-392-2574</u>	side firewall clean.	remediat friewale sea and understar n corrective acti Final Report" d ose a threat to gr rator of responsi CONSERV Supervisor:	$ \Delta N = 9$ β . Mu β	2008 Ponsite C D want to NMOCD r ases which may e eve the operator o surface water, hu ompliance with an DIVISION	Tules and ndanger f liability man health
Describe Cause of Problem and Remedial Action Taken.* Water tank ran over due to water pump not running. Vacuum trück ins Describe Area Affected and Cleanup Action Taken.* Inside firewall an Multo Manple for Contamic Multo Manple for Contamic Mangowness a power of the certain release public health or the environment. The acceptance of a C-141 report by should their operations have failed to adequately investigate and reme or the environment. In addition, NMOCD acceptance of a C-141 report federal, state, or local laws and/or regulations. Signature: Signature: Multon Foreman E-mail Address: jsisk@petrohawk.com	side firewall clean.	remediat friewale sea and understar n corrective acti Final Report" d ose a threat to gr rator of responsi CONSERV Supervisor:	$ \Delta N = 9$ β . Mu β	2008 Ponsite C D want to NMOCD r ases which may e eve the operator o surface water, hu ompliance with an DIVISION	Tules and ndanger f liability man health