

1R - 395

REPORT

DATE:

JUNE 2006

1R-0395

SOIL CHARACTERIZATION REPORT AND REMEDIATION PLAN

**LIVINGSTON LINE – BOB McCASLAND
PLAINS REF: 2001 - 11043
(COMPANY #231735)**

UL-K (NE $\frac{1}{4}$ OF THE SW $\frac{1}{4}$) OF SECTION 03, T 21 S, R 37 E

~5 MILES NORTH-NORTHEAST OF EUNICE,

LEA COUNTY, NEW MEXICO

LATITUDE: N 32° 30' 18.8"

LONGITUDE: W 103° 09' 6.48"


JUNE 2006

PREPARED BY:

1R0395

**ENVIRONMENTAL PLUS, INC.
2100 AVENUE O
EUNICE, NEW MEXICO 88231**

PREPARED FOR:



**PLAINS
ALL AMERICAN**



Distribution List

Soil Characterization Report and Remediation Plan

Plains Pipeline, L.P. Livingston Line - Bob McCasland (Ref. #2001 - 11043)

Name	Title	Company or Agency	Mailing Address	e-mail
Ben Stone	Environmental Engineer	New Mexico Oil Conservation Division-Santa Fe	1120 South St. Francis Drive Santa Fe, New Mexico 87505	ben.stone@state.nm.us
Larry Johnson	Environmental Engineer	New Mexico Oil Conservation Division-Hobbs	1625 N. French Drive Hobbs, New Mexico 88240	larry.johnson@state.nm.us
Camille Reynolds	Remediation Coordinator	Plains All American Pipeline, L.P.	3112 W. Hwy. 82 Lovington, New Mexico 88260	cjreynolds@paalp.com
Jeff Dann	Senior Environmental Specialist	Plains All American Pipeline, L.P.	P.O. Box 4648 Houston, Texas 77210-4648	jp.dann@paalp.com
File	..	Environmental Plus, Inc.	P.O. Box 1558 Eunice, New Mexico 88231	dduncan@envplus.net




Standard of Care

Soil Characterization Report and Remediation Plan

Livingston Line – Bob McCasland
Ref. # 2001 - 11043

The information provided in this report was collected consistent with the New Mexico Oil Conservation Division (NMOCD) *Guidelines for Remediation of Leaks, Spills and Releases* (August 13, 1993), the NMOCD *Unlined Surface Impoundment Closure Guidelines* (February 1993), and the Environmental Plus, Inc. (EPI) *Standard Operating Procedures and Quality Assurance/Quality Control Plan*. The conclusions are based on field observations and laboratory analytical reports as presented in the report. Recommendations follow NMOCD guidance and represent the professional opinions of EPI staff. These opinions were arrived at with currently accepted geologic, hydrogeologic and engineering practices at this time and location. The report was prepared or reviewed by a certified or registered EPI professional with a background in engineering, environmental and/or natural sciences.

This report was prepared by:



David P. Duncan
Civil Engineer

6/30/06

Date

This report was reviewed



Iain A. Olness, P.G.
Technical Manager

June 30, 2006

Date

Table of Contents

1.0	Introduction.....	1
2.0	Background	1
3.0	Field Activities.....	1
4.0	Field Analyses.....	2
5.0	Laboratory Analyses.....	3
6.0	Groundwater Monitoring Well Installation	5
7.0	Groundwater Monitoring Summary.....	5
8.0	Soil Status	5
9.0	Status and Recommendations.....	7

FIGURES

- Figure 1:** Area Map
- Figure 2:** Site Location Map
- Figure 3:** Site Map
- Figure 4:** Soil Boring Site Map
- Figure 5:** Soil Sample Map (04-Jan-02)
- Figure 6:** Proposed Groundwater Monitoring Well Location Map
- Figure 7:** Proposed Excavation Area and Poly Liner Location

TABLES

- Table 1:** Summary of Soil Boring Soil Sample Analytical Results
- Table 2:** Summary of Excavation Soil Sample Analytical Results
- Table 3:** Summary of Groundwater Analytical Results

APPENDICES

- Appendix A:** Analytical Results and Chain-of-Custody Forms
- Appendix B:** Site Information and Metrics
Informational Copy of Initial C-141



1.0 Introduction

This report provides the New Mexico Oil Conservation Division (NMOCD) with a characterization of impacted soils at the Livingston Line-Bob McCasland release site. Included is a proposal to remove shallow impacted soil, isolate deeper impacted soil with a liner and closure of the open excavation area.

2.0 Background

The Plains All American Pipeline, L.P. (Plains) Livingston Line-Bob McCasland release site (Ref. #2001-11043) is located in Unit Letter-K (NE $\frac{1}{4}$ of the SW $\frac{1}{4}$) of Section 03, Range 37 East, Township 21 South at Latitude 32°30'18.8"N and Longitude 103°09'6.48"W. More specifically, it is located approximately five (5) miles northeast of Eunice, Lea County, New Mexico on property owned by Bob McCasland (reference *Figures 1 and 2*). Geographically, the release site lies within the Monument Draw drainage feature within southern Lea County. The regional slope is to the southwest and the drainage patterns that have developed are consequent to the slope. No residences exist within a 1,000-foot radius of the release site. However, the foundation and piping of an abandoned Shell Pipeline pump station are located within the vicinity and an abandoned four-inch (4") diameter steel pipeline traverses the site (reference *Figure 3*).

On July 13, 2001, approximately four-barrels (4-bbls) of crude oil were released from the Livingston Ridge to Hugh four-inch (4") diameter steel pipeline. The release covered an area of approximately 1,600 square feet (ft^2) of pipeline right-of-way and a caliche road. During initial investigative activities conducted from August 16 thru 22, 2001 it was determined groundwater, located approximately thirty feet (30 ft) below ground surface (bgs), had been impacted. Based on investigative activities completed with respect to this release site, the groundwater impacts are likely due to historical releases associated with the abandoned pumping station formerly located adjacent to the release site.

3.0 Field Activities

After discovery of the release and prior to remedial activities, seventeen (17) soil borings were advanced within the confines of the release area between August 16 and 22, 2001 (reference *Figure 4*). The soil borings were advanced to various depths to delineate vertical and lateral extent of hydrocarbon-impacted soil.

Based on field and analytical results of soil samples collected during initial delineation activities, three (3) additional soil borings (SB-E, SB-N and SB-W) were advanced around the perimeter of the abandoned Shell Pipeline pump station foundation on November 21, 2001 (reference *Figure 4*). These soil borings were advanced around the foundation to further delineate extent of hydrocarbon-impacted soil.

During December 2001, approximately 11,445 cubic yards (yds^3) of hydrocarbon impacted soil were excavated and stockpiled on-site. The excavated area encompassed a surface area



of approximately 13,600 square feet (ft^2) and extended to a vertical depth ranging from twelve (12) feet in the southerly sector to twenty-six (26) feet in the northerly sector. Earthen berms were constructed around the release area to minimize runoff from the stockpiled soil and inundation of the excavation. Analytical results for soil samples collected from the excavation indicated the presence of contaminants exceeding New Mexico Oil Conservation Division (NMOCD) remedial guideline limits (reference *Table 2* and *Figure 5*).

After confirming groundwater had been impacted, three (3) groundwater monitoring wells (MW-1, MW-2 and MW-3) were installed around the release area to delineate the extent and magnitude of contamination plus groundwater gradient in the area (reference *Figure 3*). Realizing groundwater was above New Mexico Water Quality Control Commission (NMWQCC) Groundwater Standards, three (3) additional groundwater monitoring wells (MW-4, MW-5 and MW-6) were installed around the release area to further delineate lateral extent of impacts (reference *Figure 3*).

To further delineate the lateral extent of groundwater impacts, three (3) groundwater monitoring wells (MW-7, MW-8 and MW-9) were installed in June 2004 and two (2) more (MW-10 and MW-11) in November 2004 (reference *Figure 3*). During installation of these groundwater monitoring wells, soil samples were collected and submitted to an independent laboratory for quantification of total petroleum hydrocarbons (TPH) and benzene, toluene, ethylbenzene and total xylenes (BTEX constituents)..

4.0 Field Analyses

Soil samples collected during advancement of soil borings and installation of groundwater monitoring wells, plus those collected from the bottom and sidewalls of the excavation were divided into two (2) portions. One portion of the soil sample was immediately placed in a laboratory provided container, set on ice and transported to an independent laboratory for analyses of TPH and BTEX.

The other portion of the soil sample was inserted into a self-sealing polyethylene bag and allowed to equilibrate to approximately 70° F for volatilization of organic vapors. The sample was analyzed in the field for the presence of organic vapors utilizing a UltraRae™ photoionization detector (PID) equipped with a 9.8 electron volt (eV) lamp.

Table 1, *Summary of Soil Boring Soil Sample Analytical Results*, documents field data collected from soil samples taken during advancement of twenty (20) soil borings and installation of five (5) groundwater monitoring wells (MW-7 through MW-11). Field analysis for the original seventeen (17) soil borings advanced in August, 2001 indicate organic vapor concentrations ranged from a low of 0.03 parts per million (ppm) (SB-11 @ 15-ft) to a high of 959 ppm (SB-14 @ 2-ft). Field analyses were not conducted for three (3) soil borings (SB-E, SB-W and SB-N) advanced in November, 2001. Field analyses for the five (5) groundwater monitoring wells (MW-7 through MW-11) advanced in June and November 2004, indicated organic vapor concentrations ranged from a low of 14.3 ppm



(MW-11 @ 20-ft) to a high of 747 ppm (MW-9 @ 20- to 22-ft), which was above NMOCD remedial guideline limits of 100 ppm. Excluding groundwater monitoring well MW-8 which was not analyzed, three (3) of the nine (9) soil samples exhibited organic vapor concentrations in excess of NMOCD remedial guideline limits of 100 ppm. However, field analyses indicated organic vapor concentrations tend to diminish with depth.

Table 2, *Summary of Soil Excavation Analytical Results*, documents field data for soil samples collected from the excavation (reference *Figure 5*). Organic vapor concentrations ranged from a low of 0.1 ppm (SELBM1402SSW @ 12-ft) to a high of 66.3 ppm (SELBM1402CNBH @ 17-ft). Field analyses indicated organic vapor concentrations were below NMOCD remedial guideline limits of 100 ppm.

5.0 Laboratory Analyses

Soil samples collected during the advancement of soil borings and installation of groundwater monitoring wells, plus those collected from the bottom and sidewalls of the excavation were submitted to an independent laboratory for quantification of TPH using EPA Method 8015M and BTEX constituents using EPA Method 8021B/5030.

Table 1, *Summary of Soil Boring Soil Sample Analytical Results*, documents data from soil samples collected during the advancement of soil borings and installation of groundwater monitoring wells during delineation activities associated with the release site.

Soil samples collected from four (4) soil borings located outside or within the excavated area (SB-1, SB-2, SB-3 and SB-4)) were analyzed in the field for organic vapor concentrations only. No soil samples were collected for laboratory analyses.

Soil samples collected from soil borings SB-5, SB-6 and SB-7 indicated concentrations of BTEX and TPH were non-detectable (ND) at or above laboratory analytical method detection limits (MDL) from ground surface to total depth.

Analytical results for soil samples collected from soil borings SB-8, SB-11 and SB-12 indicated concentrations for BTEX and TPH were below NMOCD remedial guideline limits of 50 mg/Kg and 100 mg/Kg, respectively.

Analytical results for soil samples collected from soil boring SB-9 indicated concentrations of BTEX ranged from ND at or above laboratory analytical MDL (20-ft) to 256 mg/Kg (5-ft) and TPH ranged from 7.87 mg/Kg (20-ft) to 9,020 mg/Kg (10-ft).

Analytical results for soil samples collected from soil boring SB-10 indicated concentrations of BTEX ranged from ND at or above laboratory analytical MDL (15-ft) to 0.612 mg/Kg (5-ft) and TPH ranged from ND at or above laboratory analytical MDL (2-ft) to 1,140 mg/Kg (5-ft).



Analytical results for soil samples collected from soil boring SB-13 indicated concentrations of BTEX ranged from 0.186 mg/Kg (2-ft) to 356 mg/Kg (15-ft) and TPH ranged from 10,520 mg/Kg (10-ft) to 12,760 mg/Kg (15-ft).

Analytical results for soil samples collected from soil boring SB-14 indicated concentrations of BTEX ranged from 4.65 mg/Kg (15-ft) to 616 mg/Kg (2-ft) and TPH ranged from 665 mg/Kg (15-ft) to 19,960 mg/Kg (2-ft).

Analytical results for soil samples collected from soil boring SB-15 indicated concentrations of BTEX ranged from 0.066 mg/Kg (15-ft) to 384 mg/Kg (2-ft) and TPH ranged from 246 mg/Kg (15-ft) to 14,100 mg/Kg (2-ft).

Analytical results for soil samples collected from soil boring SB-E indicated concentrations of BTEX ranged from ND at or above laboratory analytical MDL (15-ft) to 392 mg/Kg (2-ft) and TPH ranged from 7.84 mg/Kg (15-ft) to 12,110 mg/Kg (2-ft).

Analytical results for soil samples collected from soil boring SB-W (MW-4) indicated concentrations of BTEX ranged from ND at or above laboratory analytical MDL (35-ft) to 5.93 mg/Kg (25-ft) and TPH ranged from ND (35-ft) to 1,394 mg/Kg (20-ft).

Analytical results for soil samples collected from soil boring SB-N indicated concentrations of BTEX ranged from ND at or above laboratory analytical MDL (2-ft to 15-ft) to 0.054 mg/Kg (20-ft) and TPH ranged from ND at or above laboratory analytical MDL (2-ft) to 3,730 mg/Kg (25-ft).

Analytical results of soil samples collected from three (3) groundwater monitoring wells (MW-7, MW-10 and MW-11) indicated concentrations of BTEX and TPH were ND at or above laboratory analytical MDL.

Analytical results of soil samples collected from groundwater monitoring well MW-8 indicated concentrations of BTEX ranged from ND at or above laboratory analytical MDL (20-ft) to 5.39 mg/Kg (25-ft) and TPH ranged from ND at or above laboratory analytical MDL (20-ft) to 87.5 mg/Kg (25-ft).

Laboratory results of soil samples collected from groundwater monitoring well MW-9 indicated concentrations of BTEX ranged from 0.348 mg/Kg (20-ft) to 3.11 mg/Kg (25-ft) and TPH ranged from 67.2 mg/Kg (25-ft) to 346 mg/Kg (20-ft).

Table 2, *Summary of Excavation Soil Sample Analytical Results*, indicate BTEX concentrations ranged from ND at or above laboratory analytical MDL for the majority of the soil samples to a high of 0.724 mg/Kg (SELBM1402CNBH @ 17-ft). However, BTEX concentrations were below NMOCD remedial guideline limits of 50 mg/Kg for all twelve (12) samples. TPH concentrations varied from ND at or above laboratory analytical MDL to a high of 641 mg/Kg (SELBM1402CBH @ 17-ft). Three (3) bottom hole samples (SELBM1402CBH, SELBM1402CNBH and SELBM1402NBH) and one (1) sidewall



sample (SELBM1402SSW) were above NMOCD remedial threshold limits of 100 mg/Kg (reference *Figure 5*).

6.0 Groundwater Monitoring Well Installations

After discovery of the pipeline release, two (2) temporary groundwater monitoring wells were installed during August 2001 to evaluate if groundwater had been impacted. Upon confirmation that groundwater had been impacted, six (6) groundwater monitoring wells (MW-1 through MW-6) were installed to delineate the lateral extent of contamination. As lateral extent had not been fully defined, three (3) groundwater monitoring wells (MW-7 through MW-9) were installed in June 2004 and two (2) more in November 2004 (MW-10 and MW-11). Eleven (11) groundwater monitoring wells envelope the release site (reference *Figure 3*). One (1) additional groundwater monitoring well (MW-12) is proposed to be installed one hundred feet (100') south of existing MW-10 (reference *Figure 6*).

7.0 Groundwater Monitoring Summary

The groundwater monitoring well network is sampled on a quarterly basis for BTEX constituents and on a yearly basis for poly-aromatic hydrocarbons (PAH). Phase separated hydrocarbons (PSH) in groundwater monitoring well MW-4 have remained a sheen from December 21, 2004 to December 9, 2005. At present, a disposable absorbent sock is used to collect any PSH that may be present in MW-4. The other ten (10) groundwater monitoring wells do not contain PSH.

A review of Table 3, *Summary of Groundwater Analytical Results*, reveals the groundwater monitoring network has a wide variance in conditions. Groundwater monitoring wells MW-1, MW-3, MW-6, MW-7 and MW-11 are not impacted. Groundwater monitoring wells MW-2, MW-4, MW-5, MW-8, MW-9 and MW-10 contain moderate to high levels of contamination from BTEX constituents, especially benzene.

8.0 Soil Status

Hydrocarbon-impacted soils were excavated from areas surrounding the vicinity of twelve (12) soil borings located around the perimeter or confined within the release area (reference *Figure 4*). The soils extracted from around four (4) of these soil borings (SB-6, SB-7, SB-8 and SB-9) were excavated from ground surface to total depth of each respective well bore. BTEX concentrations ranged from ND at or above laboratory analytical MDL (SB-6 @ 15-ft) to 297 mg/Kg (SB-9 @ 10-ft). TPH concentrations ranged from ND at or above laboratory analytical MDL (SB-7 @ 15-ft) to 9,020 mg/Kg (SB-9 @10-ft). Soils around three (3) additional soil borings (SB-11, SB-16 and SB-17) were not excavated to total depth of their respective well bores. However, in-situ soils not completely excavated to total depth were below NMOCD guideline limits for BTEX and TPH of 50 mg/Kg and 100 mg/Kg, respectively. Soils around soil boring SB-3 was not excavated to total depth of the well bore. Although no laboratory analyses were conducted on soil samples from the well



bore, field analysis for organic vapor concentrations ranged from ND at or above laboratory analytical MDL (2- and 15-ft) to 0.4 mg/Kg (5- and 10-ft).

Soil surrounding the location of soil boring SB-13 was excavated to a depth of seventeen (17) feet with removal of hydrocarbon-impacted soil whose concentrations of BTEX ranged from 0.186 mg/Kg (2-ft) to 356 mg/Kg (15-ft) and TPH from 10,520 mg/Kg (10-ft) to 12,760 mg/Kg (15-ft). Analytical results for the in-situ soil from the excavated depth (17-ft) to total depth of the soil boring (20-ft) indicated concentrations of BTEX at 18.4 mg/Kg and TPH at 4,030 mg/Kg.

Soil surrounding the location of soil boring SB-14 was excavated to a depth of approximately fifteen (15) feet. Excavated hydrocarbon-impacted soil indicated concentrations of BTEX ranged from 616 mg/Kg (2-ft) to 4.65 mg/Kg (15-ft) and TPH ranged from 19,960 mg/Kg (2-ft) to 665 mg/Kg (15-ft). The soil boring was advanced to a total depth of twenty-five (25) feet. In-situ soil in the interval from twenty (20) feet to twenty-five (25) feet indicated concentrations of BTEX ranged from 0.025 mg/Kg to 0.276 mg/Kg and TPH ranged from 140 mg/Kg to 240 mg/Kg

Soil surrounding the location of soil boring SB-15 was excavated to a depth of approximately fifteen feet (15-ft) with removal of hydrocarbon-impacted soil whose concentrations of BTEX ranged from 384 mg/Kg (2-ft) to 0.066 mg/Kg (15-ft) and TPH from 14,100 mg/Kg (2-ft) to 246 mg/Kg (15-ft). With total depth of the soil boring at thirty (30) feet, in-situ soil in this interval indicated concentrations of BTEX of ND at or above laboratory analytical MDL (20-ft), 5.52 mg/Kg (25-ft) and 3.1 mg/Kg (30-ft) with TPH concentrations of 119 mg/Kg (20-ft), 960 mg/Kg (25-ft) and 594 mg/Kg (30-ft).

Soil surrounding the location of soil boring SB-E was excavated to a depth of approximately fifteen (15) feet with removal of hydrocarbon-impacted soil whose concentrations of BTEX ranged from 392 mg/Kg (2-ft) to ND (15-ft) and TPH ranged from 12,110 mg/Kg (2-ft) to 7.84 mg/Kg (15-ft). With total depth of the soil boring at thirty-five (35) feet, in-situ soil in the interval between twenty (20) feet and total depth indicated concentrations of BTEX at ND at or above laboratory analytical MDL (20-ft), 5.00 mg/Kg (25-ft) and ND at or above laboratory analytical MDL(30-ft to 35-ft) with TPH at 5.68 mg/Kg (20-ft), 866 mg/Kg (25-ft) and ND at or above laboratory analytical MDL (30- to 35-ft).

Soil Samples from three (3) soil borings located outside the excavated area (SB-1, SB-2 and SB-4) were analyzed in the field for organic vapor concentrations only. Soil samples collected from soil borings SB-5 and SB-12 were below NMOCD threshold limits for concentrations of BTEX and TPH for all sample depths. Soil samples collected from soil boring SB-10 were below NMOCD guideline limits for BTEX for all sampling depths. Similarly, concentrations of TPH from soil samples collected from SB-10 were at acceptable levels, except for the soil sample taken at five (5) feet where a concentration of 1,140 mg/Kg was above NMOCD guideline limits of 100 mg/Kg.



Soil boring SB-W (MW-4) was advanced to a total depth of thirty-five (35) feet. Analyses for soil samples collected in the intervals from two (2) feet to thirty-five (35) feet indicated BTEX concentrations were below NMOCD guideline limits. TPH concentrations were below NMOCD guideline limits for soil samples collected from two (2) feet to ten (10) feet depth. Soil samples with concentrations for TPH of 284 mg/Kg (15-ft), 1,394 mg/Kg (20-ft), 771 mg/Kg (25-ft) and 255 mg/Kg (30-ft) exceeded NMOCD guideline limits of 100 mg/Kg. The soil sample collected at thirty-five (35) feet depth was below NMOCD guideline limits for TPH concentrations.

Soil boring SB-N was advanced to a depth of thirty-five (35) feet. Soil samples analyzed from two (2) feet to thirty-five (35) feet were below NMOCD guideline limits for BTEX of 50 mg/Kg. In the sample intervals of two (2) feet to fifteen (15) feet, all analyses were below NMOCD guideline limits of 100 mg/Kg for TPH. Analytical results for TPH concentrations of 1,338 mg/Kg (20-ft), 3,730 mg/Kg (25-ft) and 1,129 mg/Kg (30-ft) exceeded NMOCD guideline limits of 100 mg/Kg.

Laboratory analyses of soil samples collected from groundwater monitoring wells MW-7 through MW-11 indicated BTEX concentrations were non-detectable at or above laboratory analytical MDL to a high of 5.39 mg/Kg (MW-8 @ 25- to 27-ft). Concentrations of BTEX were below NMOCD remedial guideline limits of 50 mg/Kg for all eleven (11) sample points. Concentrations of TPH ranged from non-detectable at or above laboratory analytical MDL to a high of 346 mg/Kg (MW-9 @ 20- to 22-ft). With this one (1) exception, the other ten (10) soil samples were below NMOCD remedial guideline limits for TPH (100 mg/Kg).

Approximately 11,445 cubic yards of excavated soil are stockpiled in the vicinity of the release site. This soil has remained "on-site" since December 2001. An earthen berm constructed around the perimeter of the excavation has kept it free of surface water accumulation and sediment. Rain has caused some sloughing of sidewalls and an ingress/egress ramp causing a buildup of soil in the excavated area. Stockpiled mounds of excavated material have weathered the elements and remain intact.

9.0 Status and Recommendations

Based on field monitoring and analytical results from soil samples collected during advancement of soil borings, installation of groundwater monitoring wells and from the sidewalls and bottom of the excavation, the following recommendations are made with regards to in-situ hydrocarbon-impacted soil and closure of the excavation area:

- 1.) Stockpiled material excavated from the release area needs to be sampled for concentrations of BTEX and TPH. The material will be divided into five hundred (500) cubic yard cells for sampling purposes. Should analytical results indicate one or more of the stockpiled cell material is contaminated above NMOCD remedial guideline limits for BTEX and TPH parameters, the cell material will be transported to Lea Land Farm, Inc., for disposal. If the stockpiled cell material analytical results are within acceptable NMOCD remedial guideline limits for BTEX and TPH parameters, the soil



from that cell will be used to backfill the excavation after other remedial actions are implemented.

- 2.) Excavate contaminated material from the south-southwest sidewall in the vicinity of soil sample #SELBM1402SSW (reference *Figures 5 and 7*) taking care not to damage existing pipelines. Collect soil samples from the sidewalls to verify removal of hydrocarbons above NMOCD remedial guideline limits. The abandoned Shell Pipeline Pump Station foundation, crude oil sump and piping are to be removed in entirety with care taken not to damage groundwater monitoring well MW-4.
- 3.) Level the bottom of the excavated area by removing all loose soil, rocks, irregular projections and other debris. The abandoned four (4) inch diameter steel pipeline is to be truncated ten (10) feet on either side of the excavation and pipe removed from the site. The truncated pipeline ends are to be capped or sealed per Plains Pipeline, L.P., specifications.
- 4.) Install a twenty (20) mil thick polyethylene liner over the excavated area bottom from the location of soil boring SB-15 to the end of the northerly sector (reference *Figure 7*). The polyethylene liner will be cushioned with a six (6) inch layer of sand both below and over it. Should laboratory analyses of the stockpiled material prove to be within NMOCD remedial guideline limits, the soil will be used to backfill the upper portion of the excavation. In the event the stockpiled material is unacceptable or insufficient in quantity, caliche will be used for total or as supplemental backfill material. In either case, the backfill material will extend from top of the six (6) inch layer of cushion sand to within one (1) foot of original ground surface. The top one (1) foot section will be backfilled with clean top soil. The entire release site is to be graded to allow natural drainage of the area. After cessation of backfill and grading operations, the area is to be seeded with a grass blend approved by the land owner.

On behalf of Plains All American Pipeline, LP, EPI requests formal written approval from NMOCD to implement the proposed remedial activities.

FIGURES




Figure 1
Area Map
Plains Pipeline, L.P.
Livingston Line - Bob McCasland





Figure 2
 Site Location Map
 Plains Pipeline, L.P.
 Livingston Line – Bob McCasland



Lea County, New Mexico
NE 1/4 of the SW 1/4, Sec. 3, T21S, R37E
N 32° 30' 18.8" W 103° 09' 6.48"
Elevation: 3,427 feet amsl

DWG By: Iain Olness
April 2004

REVISED
June 2006






Figure 4
Soil Boring Map
Plains Pipeline, L.P.
Livingston Line – Bob McCasland

Lea County, New Mexico
NE 1/4 of the SW 1/4, Sec. 3, T21S, R37E
N 32° 30' 18.8" W 103° 09' 6.48"
Elevation: 3,427 feet amsl





Figure 5
 Soil Sample Map – 04-Jan-02
 Plains Pipeline, L.P.
 Livingston Line – Bob McCasland






Figure 7
Proposed Excavation/Poly Liner Locations
Plains Pipeline, L.P.
Livingston Line – Bob McCasland

TABLES

Table 1

Summary of Soil Boring Soil Sample Analytical Results

Plains All American Pipeline, L.P. - Livingston Line-Bob McCasland (Ref. #2001 - 11043)

Soil Boring	Depth (feet)	Soil Status	Sample Date	PID Field Analysis (ppm)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethyl-benzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	TPH (as gasoline) (mg/Kg)	TPH (as diesel) (mg/Kg)	TPH (mg/Kg)
SB-1	2	In-situ		507	--	--	--	--	--	--	--	--
	5	In-situ		3.9	--	--	--	--	--	--	--	--
	10	In-situ	16-Aug-01	804	--	--	--	--	--	--	--	--
	15	In-situ		1.4	--	--	--	--	--	--	--	--
	20	In-situ		0.7	--	--	--	--	--	--	--	--
SB-2	2	In-situ		44	--	--	--	--	--	--	--	--
	5	In-situ		31.5	--	--	--	--	--	--	--	--
	10	In-situ		2.9	--	--	--	--	--	--	--	--
	15	In-situ	17-Aug-01	1.7	--	--	--	--	--	--	--	--
	20	In-situ		658	--	--	--	--	--	--	--	--
SB-3	25	In-Situ		503	--	--	--	--	--	--	--	--
	30	In-Situ		8.8	--	--	--	--	--	--	--	--
	35-40	In-situ		--	--	--	--	--	--	--	--	--
	2	Excavated		0.0	--	--	--	--	--	--	--	--
	5	Excavated	17-Aug-01	0.4	--	--	--	--	--	--	--	--
SB-4	10	Excavated		0.4	--	--	--	--	--	--	--	--
	15	In-situ		0.0	--	--	--	--	--	--	--	--
	2	In-situ		3.2	--	--	--	--	--	--	--	--
	5	In-situ	17-Aug-01	0.9	--	--	--	--	--	--	--	--
	10	In-situ		1.3	--	--	--	--	--	--	--	--
SB-5	15	In-situ		0.0	--	--	--	--	--	--	--	--
	2	In-situ		2.8	<0.020	<0.020	<0.040	<0.100	<5	2.32	2.32	
	5	In-situ		0.7	<0.020	<0.020	<0.040	<0.100	<5	4.25	4.25	
	10	In-situ	20-Aug-01	0.4	<0.020	<0.020	<0.040	<0.100	<5	1.02	1.02	
	15	In-situ		0.8	<0.020	<0.020	<0.040	<0.100	<5	2.33	2.33	
SB-6	2	Excavated		7.0	<0.020	<0.020	<0.040	<0.100	<5	<1	<6	
	5	Excavated		3.2	<0.020	22.8	<0.040	22.8	<5	1.73	1.73	
	10	Excavated	20-Aug-01	1.7	<0.020	<0.020	<0.040	<0.100	<5	4.02	4.02	
	15	Excavated		0.6	<0.020	<0.020	<0.040	<0.100	<5	<1	<6	
	2	Excavated		4.7	<0.020	<0.020	<0.040	<0.100	<5	<1	<6	
SB-7	5	Excavated		2.9	<0.020	<0.020	<0.040	<0.100	<5	<1	<6	
	10	Excavated	20-Aug-01	3.7	<0.020	<0.020	<0.040	<0.100	<5	<1	<6	
	15	Excavated		1.6	<0.020	<0.020	<0.040	<0.100	<5	<1	<6	

Table 1

Summary of Soil Boring Soil Sample Analytical Results

Plains All American Pipeline, L.P. - Livingston Line-Bob McCasland (Ref. #2001 - 111043)

Soil Boring	Depth (feet)	Soil Status	Sample Date	PID Field Analysis (ppm)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethyl-benzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	TPH (as gasoline) (mg/Kg)	TPH (as diesel) (mg/Kg)	TPH (mg/Kg)
SB-8	2	Excavated		18.7	<0.020	0.043	<0.020	0.026	0.069	<5	23	23
	5	Excavated	20-Aug-01	15.3	<0.020	<0.020	<0.020	<0.040	<0.100	<5	3.52	3.52
	10	Excavated		13.5	<0.020	<0.020	<0.020	<0.040	<0.100	<5	12.2	12.2
	15	Excavated		0.6	<0.020	<0.020	<0.020	<0.040	<0.100	<5	<1	<6
	2	Excavated		16.8	<0.020	0.043	0.039	0.067	0.149	<5	<1	<6
	5	Excavated		895	2.53	49	59.8	145	256	4,880	3,380	8,260
SB-9	10	Excavated	20-Aug-01	904	1.98	48.5	66.8	180	297	4,370	4,650	9,020
	15	Excavated		795	0.114	27.8	42.6	104	175	3,230	5,680	8,910
	20	Excavated		31.0	<0.020	<0.020	<0.020	<0.040	<0.100	<5	7.87	7.87
	2	In-situ		4.0	<0.020	0.030	0.034	0.059	0.123	<5	<1	<6
SB-10	5	In-situ		95	<0.020	0.206	0.117	0.289	0.612	<5	1,140	1,140
	10	In-situ		6.0	<0.020	<0.020	<0.020	<0.040	<0.100	<5	61.1	61.1
	15	In-situ		0.6	<0.020	<0.020	<0.020	<0.040	<0.100	<5	1.8	1.8
	2	Excavated		1.3	<0.020	0.106	<0.020	0.027	0.133	<5	41.2	41.2
SB-11	5	Excavated	20-Aug-01	0.9	<0.020	0.022	<0.020	<0.040	0.022	<5	16.1	16.1
	10	Excavated		0.4	<0.020	<0.020	<0.020	<0.040	<0.100	<5	5.66	5.66
	15	In-situ		0.3	<0.020	<0.020	<0.020	<0.040	<0.100	<5	1.5	1.5
	2	In-situ		1.7	<0.020	<0.020	<0.020	<0.040	<0.100	<5	1.33	1.33
SB-12	5	In-situ	20-Aug-01	1.2	<0.020	<0.020	<0.020	<0.040	<0.100	<5	1.73	1.73
	10	In-situ		1.1	<0.020	<0.020	<0.020	<0.040	<0.100	<5	2.98	2.98
	15	In-situ		0.5	<0.020	<0.020	<0.020	<0.040	<0.100	<5	1.06	1.06
	2	Excavated		798	5.48	87.4	92.7	234	430	5,060	7,410	12,470
SB-13	5	Excavated	21-Aug-01	550	11.5	129	134	318	592	7,510	6,080	13,590
	10	Excavated		400	13.2	139	152	366	670	8,960	1,560	10,520
	15	Excavated		397	5.33	73.2	83.4	196	358	4,720	8,040	12,760
	20	In-situ		400	0.097	3.06	3.71	11.58	18.4	630	4,400	5,030
	2	Excavated		959	9.81	130	138	338	616	760	9,200	19,960
	5	Excavated		780	6.83	88.6	96.8	229	421	5,330	13,500	18,830
SB-14	10	Excavated	22-Aug-01	320	<0.02	<0.02	<0.02	0.022	0.022	37.3	126	163
	15	Excavated		300	<0.020	0.185	0.942	3.52	4.65	218	447	665
	20	In-situ		105	<0.020	<0.020	<0.020	0.025	0.025	23.6	116	140
	25	In-situ		60.5	<0.020	0.037	0.057	0.182	0.275	51.3	189	240
SB-15	2	Excavated	22-Aug-01	942	3.50	74.9	87.2	218	384	4,140	9,960	14,100

Table 1

Summary of Soil Boring Soil Sample Analytical Results

Plains All American Pipeline, L.P. - Livingston Line-Bob McCasland (Ref. #2001 - 111043)

Soil Boring	Depth (feet)	Soil Status	Sample Date	PID Field Analysis (ppm)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	TPH (as gasoline) (mg/Kg)	TPH (as diesel) (mg/Kg)	TPH (mg/Kg)
SB-15 (cont.)	5	Excavated		738	1.66	53.1	66.7	181	303	3,470	7,140	10,610
	10	Excavated		611	<0.020	0.472	2.49	7.73	10.7	425	1,070	1,495
	15	Excavated	22-Aug-01	327	<0.020	<0.020	0.066	0.066	42.5	203	203	246
	20	In-situ		120	<0.020	<0.020	<0.040	<0.100	44.4	74.2	74.2	119
	25	In-situ		107	<0.020	0.444	1.28	3.8	5.52	199	761	960
	30	In-situ		64.7	<0.020	0.128	0.644	2.33	3.1	129	465	594
SB-16	2	Excavated		196	0.029	0.291	0.579	0.848	1.75	35.4	609	644
	5	Excavated	22-Aug-01	42.5	<0.020	<0.020	<0.040	<0.100	<5	13.3	13.3	13.3
	10	Excavated		20.7	<0.020	<0.020	<0.040	<0.100	<5	6.63	6.63	6.63
	15	In-situ		2.5	<0.020	<0.020	<0.040	<0.100	<5	<1	<6	<6
SB-17	2	Excavated		131	<0.020	0.109	0.226	0.509	0.844	23.3	240	263
	5	Excavated	20-Aug-01	28.4	<0.020	<0.020	<0.040	<0.100	<5	<1	<6	<6
	10	Excavated		14.6	<0.020	<0.020	<0.040	<0.100	<5	3.74	3.74	3.74
	15	In-situ		6.4	<0.020	<0.020	<0.040	<0.100	<5	30.9	30.9	30.9
SB-E	2	Excavated		0.57	55.5	86.2	250	392	6,820	5,290	12,110	12,110
	5	Excavated		0.373	33.3	48.8	161	243	3,830	2,660	6,490	6,490
	10	Excavated		0.468	48.6	72.4	183	305	4,710	2,950	7,660	7,660
	15	Excavated	21-Nov-01	<0.020	<0.020	<0.040	<0.100	<5	7.84	7.84	7.84	7.84
SB-N	20	In-situ		<0.020	<0.020	<0.020	<0.040	<0.100	5.68	<5	5.68	5.68
	25	In-situ		<0.020	0.054	0.917	4.03	5.00	399	467	467	866
	30	In-situ		<0.020	<0.020	<0.020	<0.040	<0.100	<5	<5	<10	<10
	35	In-situ		<0.020	<0.020	<0.020	<0.040	<0.100	<5	<5	<10	<10
SB-W (MW-4)	2	In-situ		<0.020	<0.020	<0.020	<0.040	<0.100	<5	<5	<10	<10
	5	In-situ		<0.020	<0.020	<0.020	<0.040	<0.100	<5	<5	<10	<10
	10	In-situ		<0.020	<0.020	<0.020	<0.040	<0.100	5.69	<5	5.69	5.69
	15	In-situ	21-Nov-01	<0.020	<0.020	<0.020	<0.040	<0.100	<5	<5	<10	<10
SB-W (MW-4)	20	In-situ		<0.020	<0.020	<0.020	0.054	0.054	298	1040	1,338	1,338
	25	In-situ		<0.020	0.284	2.89	13.3	16.5	1,940	1,790	3,730	3,730
	30	In-situ		0.191	3.92	4.00	13.5	21.6	669	550	1,219	1,219
	35	In-situ		<0.020	<0.020	<0.020	<0.040	<0.100	<5	<5	<10	<10
SB-W (MW-4)	2	In-situ		<0.020	<0.020	<0.020	<0.040	<0.100	6.43	<5	6.43	6.43
	5	In-situ	21-Nov-01	<0.020	<0.020	<0.020	<0.040	<0.100	<5	<5	<10	<10
SB-W (MW-4)	10	In-situ		<0.020	<0.020	<0.020	<0.040	<0.100	6.5	<5	6.5	6.5

Table 1

Summary of Soil Boring Soil Sample Analytical Results

Plains All American Pipeline, L.P. - Livingston Line-Bob McCasland (Ref. #2001 - 11043)

Table 1

Summary of Soil Boring Soil Sample Analytical Results

Plains All American Pipeline, L.P. - Livingston Line-Bob McCasland (Ref. #2001 - 11043)

Soil Boring	Depth (feet)	Soil Status	Sample Date	PID Field Analysis (ppm)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethyl-benzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	TPH (as gasoline) (mg/Kg)	TPH (as diesel) (mg/Kg)	TPH (mg/Kg)
MW-10	15	In-situ	8-Nov-04	83.2	<0.020	<0.020	<0.020	<0.060	<0.120	<5	<2.5	<7.5
	20	In-situ		103	--	--	--	--	--	--	--	--
(cont.)	25	In-situ	8-Nov-04	24.2	<0.020	<0.020	<0.020	<0.060	<0.120	<5	<2.5	<7.5
	30	In-situ		10.3	--	--	--	--	--	--	--	--
MW-11	5	In-situ	8-Nov-04	19.1	<0.020	<0.020	<0.020	<0.060	<0.120	<5	<7.5	<7.5
	10	In-situ		18.5	--	--	--	--	--	--	--	--
MW-11	15	In-situ	8-Nov-04	14.9	--	--	--	--	--	--	--	--
	20	In-situ		14.3	<0.020	<0.020	<0.020	<0.060	<0.120	<5	<5	<7.5
MW-11	25	In-situ	8-Nov-04	17.8	<0.020	<0.020	<0.020	<0.020	<0.120	<5	<2.5	<7.5
	30	In-situ		16.4	--	--	--	--	--	--	--	--
NMOCD Remedial Thresholds				10					50			100

*J = Detected below Reporting Limit. Therefore, result is an estimated concentration**Bolded values are in excess of NMOCD Remediation Threshold Limits*

ND = Non-detectable

-- = Not Analyzed

SB = Soil Boring

MW = Monitor Well; E = East; W = West; N = North

TABLE 2

Summary of Excavation Soil Sample Analytical Results

Plains All American Pipeline, L.P. - Livingston Line-Bob McCasland (Ref. #2001 - 11043)

Sample I.D.	Sampling Interval (ft. bgs)	Soil Status	Sample Date	PID Field Analyses (ppm)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	TPH (as diesel) (mg/Kg)	TPH (as gasoline) (mg/Kg)	TPH (mg/Kg)
SELBM1402SSW	5 Point Composite @2-12'	In-situ	04-Jan-02	0.1	<0.025	0.054	<0.025	<0.025	0.054	150	<10	150
SELBM1402SWSW	5 Point Composite @2-13'	In-situ	04-Jan-02	0.4	<0.025	<0.025	<0.050	<0.050	<0.125	<10	<10	<020
SELBM1402SESW	5 Point Composite @2-13'	In-situ	04-Jan-02	0.3	<0.025	<0.025	<0.050	<0.050	<0.125	16	<10	16
SELBM1402SBH	5 Point Composite @12'	In-situ	04-Jan-02	2.4	<0.025	<0.025	<0.050	<0.050	<0.125	36	<10	36
SELBM1402CBH	5 Point Composite @15'	In-situ	04-Jan-02	20.6	<0.025	<0.025	<0.050	<0.050	<0.125	346	13	359
SELBM1402CESW	5 Point Composite @2-16'	In-situ	04-Jan-02	1.0	<0.025	<0.025	<0.050	<0.050	<0.125	<10	<10	<20
SELBM1402CWSW	5 Point Composite @2-15'	In-situ	04-Jan-02	0.5	<0.025	<0.025	<0.050	<0.050	<0.125	43	<10	43
SELBM1402CNBH	5 Point Composite @17'	In-situ	04-Jan-02	66.3	0.026	0.096	0.082	0.520	0.724	610	31	641
SELBM1402NBH	5 Point Composite @26'	In-situ	04-Jan-02	14.0	<0.025	<0.025	<0.050	<0.050	<0.125	160	<10	160
SELBM1402NESW	5 Point Composite @5-26'	In-situ	04-Jan-02	0.3	<0.025	<0.025	<0.050	<0.050	<0.125	<10	<10	<20
SELBM1402NNSW	5 Point Composite @5-26'	In-situ	04-Jan-02	0.4	<0.025	<0.025	<0.050	<0.050	<0.125	90	<10	90
SELBM1402NSW	5 Point Composite @5-26'	In-situ	04-Jan-02	0.3	<0.025	<0.025	<0.050	<0.050	<0.125	32	<10	32
NMOCD Remedial Thresholds										50		100
										10		

Bolded values are in excess of NMOCD Remediation Threshold Limits

TABLE 3
Summary of Groundwater Analytical Results

Plains All American Pipeline, L.P. - Livingston Line - Bob McCasland (Ref. #2001-11043)

Monitor Well	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)
MW-1	20-Apr-04	<1	<1	<1	<3	<6
	14-Jun-04	<1	<1	<1	<3	<6
	14-Sep-04	<1	<1	<1	<3	<6
	21-Dec-04	<1	<1	<1	<3	<6
	21-Mar-05	<1	<1	<1	<3	<6
	17-May-05				Not Analyzed	
	15-Aug-05	<1	<1	<1	<3	<6
	18-Nov-05				Not Analyzed	
	16-Feb-06	<1	<1	<1	<3	<6
	22-May-06	<1	<1	<1	<3	>6
MW-2	20-Apr-04	125	<1	34.1	72	231
	14-Jun-04	209	6.16	47	36.6	299
	14-Sep-04	125	2.76	35.8	17.6	181
	21-Dec-04	267	1.24	35.7	1.09	305
	21-Mar-05	186	<1	13.6	7.40	207
	17-May-05	342	1.00	28.1	48.1	419
	15-Aug-05	145	7.18	18.7	28.5	199
	18-Nov-05	413	2.07	114	157	686
	16-Feb-06	433	<1	146	166	745
	22-May-06	694	162	172	224	1,252
MW-3	20-Apr-04	<1	<1	<1	<3	<6
	14-Jul-04	<1	<1	<1	<3	<6
	14-Sep-04	<1	<1	<1	<3	<6
	21-Dec-04	<1	<1	<1	<3	<6
	21-Mar-05				Not Analyzed	
	17-May-05				Not Analyzed	
	15-Aug-05	<1	<1	<1	<3	<6
	18-Nov-05				Not Analyzed	
	16-Feb-06	<1	<1	<1	<3	<6
	22-May-06	<1	<1	<1	<3	<6
MW-4	20-Apr-04	3,210	2,310	845	2,900	9,265
	14-Jul-04				Not Sampled due to presence of PSH	
	14-Sep-04				Not Sampled due to presence of PSH	
	21-Dec-04	829	6.60	173	236	1,245
	21-Mar-05				Not Sampled due to presence of PSH	
	17-May-05				Not Sampled due to presence of PSH	
	15-Aug-05				Not Sampled due to presence of PSH	
	18-Nov-05	2,620	<2	379	748	3,747
	16-Feb-06	2,100	<50	414	806	3,320
	22-May-06	2,110	<5	372	663	3,145
MW-5	20-Apr-04	482	2.37	101	91.4	677

TABLE 3
Summary of Groundwater Analytical Results

Plains All American Pipeline, L.P. - Livingston Line - Bob McCasland (Ref. #2001-11043)

Monitor Well	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)
MW-5 (cont.)	14-Jul-04	70.8	<1	48.6	6.67	126
	14-Sep-04	118	1.35	58.8	5.86	184
	21-Dec-04	204	<1	67	<3	271
	21-Mar-05	30.8	<1	17.1	3.67	51.6
	17-May-05	9.7	<1	<1	<3	9.7
	15-Aug-05	13.8	1.73	4.38	<3	19.9
	18-Nov-05	10.7	1.15	<1	<3	11.8
	16-Feb-06	7.47	<1	2.93	<3	10.4
	22-May-06	3.18	<1	<1	<3	3.2
MW-6	20-Apr-04	1.06	<1	<1	<3	1.06
	14-Jul-04	1.95	<1	<1	<3	1.95
	14-Sep-04	10.0	<1	<1	<3	10.0
	21-Dec-04	<1	<1	<1	<3	<6
	21-Mar-05	<1	<1	<1	<3	<6
	17-May-05	<1	<1	<1	<3	<6
	15-Aug-05	<1	<1	<1	<3	<6
	18-Nov-05	<1	<1	<1	<3	<6
	16-Feb-06	<1	<1	<1	<3	<6
	22-May-06	<1	<1	<1	<3	<6
MW-7	14-Jul-04	<1	<1	<1	<3	<6
	14-Sep-04	<1	<1	<1	<3	<6
	21-Dec-04	<1	<1	<1	<3	<6
	21-Mar-05	<1	<1	<1	<3	<6
	17-May-05	<1	<1	<1	<3	<6
	15-Aug-05	<1	<1	<1	<3	<6
	18-Nov-05	<1	<1	<1	<3	<6
	16-Feb-06	<1	<1	<1	<3	<6
	22-May-06	<1	<1	<1	<3	<6
MW-8	14-Jul-04	575	141	88.4	163	967
	14-Sep-04	482	35.6	106	113	737
	21-Dec-04	4,220	113	695	283	5,311
	21-Mar-05	3,410	<10	452	148	4,010
	17-May-05	2,290	<1	115	38.0	2,443
	15-Aug-05	1,210	<1	75	34.1	1,319
	18-Nov-05	670	<1	29.9	16.5	716
	16-Feb-06	243	<1	35.9	23.9	303
	22-May-06	97.4	<1	27.8	22	147
MW-9	14-Jul-04	275	10.9	487	624	1397
	14-Sep-04	150	2.15	225	148	525
	21-Dec-04	<1	<1	3.0	23.0	26.0
	21-Mar-05	9.25	<1	15.1	30.5	54.8

TABLE 3
Summary of Groundwater Analytical Results

Plains All American Pipeline, L.P. - Livingston Line - Bob McCasland (Ref. #2001-11043)

Monitor Well	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)
MW-9 (cont.)	17-May-05	4.98	<1	14.8	45.6	65.4
	15-Aug-05	22.8	<1	63.0	56.5	142
	18-Nov-05	3.99	<1	28.1	88.3	120
	16-Feb-06	8.81	<1	32.7	105	147
	22-May-06	7.38	<1	34.6	112	154
MW-10	15-Nov-04	1,250	96.7	140	120	1,607
	21-Mar-05	1,130	14.1	138	54.8	1,337
	17-May-05	2,170	14.4	194	155	2,533
	15-Aug-05	791	<1	74	43.7	909
	18-Nov-05	1,250	<1	91.6	59.7	1,401
	16-Feb-06	276	<1	53.8	8.59	338
	22-May-06	1,320	<5	105	<15	1425
MW-11	15-Nov-04	<1	<1	<1	<3	<6
	21-Mar-05	<1	<1	<1	<3	<6
	17-May-05	<1	<1	<1	<3	<6
	15-Aug-05	<1	<1	<1	>3	>6
	18-Nov-05	<1	<1	<1	<3	<6
	16-Feb-02	<1	<1	<1	<3	<6
	22-May-06	<1	<1	<1	<3	<6
NMWQCC Remedial Threshold		10	750	750	620	2,130

Bold values are in excess of NMWQCC Threshold Limits

PSH = Phase Separated Hydrocarbons

APPENDIX

APPENDIX A

Analytical Reports
and
Chain-of-Custody Forms

**ANALYTICAL RESULTS
INTENTIONALLY OMITTED FROM
DRAFT COPY OF THE REPORT**

Client: Environmental Plus, Inc.
Attn: Pat McCashland
Address: 1324 M St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	5290	mg/Kg	500	<500	11/30/01	8015 mod. 3540	---	4.8	98.8	81.2	108
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	8015 mod.	---	---	---	---	---
TPH by GC (as gasoline)	6820	mg/Kg	500	<500	11/30/01	8015 mod.	---	1.8	84.1	77.7	87.7
Volatile organics-8260b/BTEX	---	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	570	µg/Kg	100	<100	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	86200	µg/Kg	1000	<1000	12/05/01	8260b	---	2.7	91.3	95.1	95.2
m,p-Xylenes	182000	µg/Kg	1000	<1000	12/05/01	8260b	---	2.2	87.6	91.2	89.4
o-Xylene	68000	µg/Kg	1000	<1000	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	55500	µg/Kg	1000	<1000	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/Lab ID#: 123074	Report Date: 12/07/01
Project ID: 2001-11043	
Sample Name: ELBM112101BHE-2'	
Sample Matrix: soil	
Date Received: 11/27/2001	Time: 10:30
Date Sampled: 11/21/2001	Time: 07:30

QUALITY ASSURANCE DATA¹

OmegaS Inc.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHE-2'

Report# / Lab ID#: 123074
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	none/diluted	diluted @ 50X	D
p-Terphenyl	8015 mod.	none/diluted	diluted @ 50X	D
1,2-Dichloroethane-d4	8260b	99.9	65-115	---
Toluene-d8	8260b	85.5	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 123074	Matrix: soil	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2001-11043		
Sample Name: ELBM112101BHE-2'		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCCT-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Nitrobenzene-d5	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Nitrobenzene-d5	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	2660	mg/Kg	500	<500	11/30/01	8015 mod.	---	4.8	98.8	81.2	108
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	3830	mg/Kg	500	<500	11/30/01	8015 mod.	---	1.8	84.1	77.7	87.7
Volatile organics-8260b/BTEX	---	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	373	µg/Kg	100	<100	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	48800	µg/Kg	1000	<1000	12/05/01	8260b	---	2.7	91.3	95.1	95.2
m,p-Xylenes	115000	µg/Kg	1000	<1000	12/05/01	8260b	---	2.2	87.6	91.2	89.4
o-Xylene	46000	µg/Kg	1000	<1000	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	33300	µg/Kg	1000	<1000	12/05/01	8260b	---	5.4	85.7	92.6	94.4

QUALITY ASSURANCE DATA¹

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

CHNU L YS YS Inc.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHE-5'

Report# /Lab ID#: 123075
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	none/diluted	diluted @ 50X	D
p-Terphenyl	8015 mod.	none/diluted	diluted @ 50X	D
1,2-Dichloroethane-d4	8260b	92.8	65-115	---
Toluene-d8	8260b	84.5	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 123075	Matrix: soil	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2001-11043		
Sample Name: ELBMI12101BHE-5'		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Nitrobenzene-d5	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Nitrobenzene-d5	D	Surrogate recoveries not accurately quantifiable.

Parameter	Qualif	Comment
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Surrogate recoveries not accurately quantifiable.

Notes:

AnalySys

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
 2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	2950	mg/Kg	500	<500	11/30/01	8015 mod.	---	4.8	98.8	81.2	108
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	4710	mg/Kg	500	<500	11/30/01	8015 mod.	---	1.8	84.1	77.7	87.7
Volatile organics-8260b/BTEX	---	µg/Kg	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	468	µg/Kg	100	<100	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	72400	µg/Kg	1000	<1000	12/05/01	8260b	---	2.7	91.3	95.1	95.2
m,p-Xylenes	133000	µg/Kg	1000	<1000	12/05/01	8260b	---	2.2	87.6	91.2	89.4
o-Xylene	50100	µg/Kg	1000	<1000	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	48600	µg/Kg	1000	<1000	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S3 =MS and/or MSD recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

ENCLYS INC.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHE-10

Report#Lab ID#: 123076
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	none/diluted	diluted @ 50X	D
p-Terphenyl	8015 mod.	none/diluted	diluted @ 50X	D
1,2-Dichloroethane-d4	8260b	95.3	65-115	---
Toluene-d8	8260b	85.5	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 123076 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELBM11210/BHE-10'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Nitrobenzene-d5	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Nitrobenzene-d5	D	Surrogate recoveries not accurately quantifiable.

Parameter	Qualif	Comment
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Surrogate recoveries not accurately quantifiable.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	7.84	mg/Kg	5	<5	11/30/01	8015 mod.	---	4.8	98.8	81.2	108
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	11/30/01	8015 mod.	---	1.8	84.1	77.7	87.7
Volatile organics-8260b/BTEX	---	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.7	91.3	95.1	95.2
m,p-Xylenes	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.2	87.6	91.2	89.4
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

QUALITY ASSURANCE DATA¹

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

ONOLYS INC.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHE-15'

Report# /Lab ID#: 123077
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod. 8015 mod.	127 117	50-150 50-150	---
p-Terphenyl				---
1,2-Dichloroethane-d4	8260b	89.4	65-115	---
Toluene-d8	8260b	93	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 123077	Matrix: soil	
Client: Environmental Plus, Inc.		Attn: Pat McCasland
Project ID: 2001-11043		
Sample Name: ELBML12101BHE-15'		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (e.g. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
 2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	1040	mg/Kg	50	<50	12/05/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	298	mg/Kg	50	<50	12/05/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	---	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.7	91.3	95.1	95.2
m,p-Xylenes	26.1	µg/Kg	20	<20	12/05/01	8260b	---	2.2	87.6	91.2	89.4
o-Xylene	27.4	µg/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

QUALITY ASSURANCE DATA¹

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.

Report#Lab ID#:	123086	Report Date:	12/07/01
Project ID:	2001-11043	Sample Name:	ELBM112101BHN-20'
Date Received:	11/27/2001	Time:	10:30
Date Sampled:	11/21/2001	Time:	10:30

Exceptions Report:

Report #/Lab ID#: 123085 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELBM112101BHN-15'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethybenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHN-15'

Report#/Lab ID#: 123085
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	82.3	50-150	---
p-Terphenyl	8015 mod.	77.1	50-150	---
1,2-Dichloroethane-d4	8250b	92.9	65-115	---
Toluene-d8	8250b	101	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.

Attn: Pat McCasland

Address: 1324 M.St Po Box

Eunice

NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	---	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	ug/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	<20	ug/Kg	20	<20	12/05/01	8260b	J	2.7	91.3	95.1	95.2
m,p-Xylenes	<20	ug/Kg	20	<20	12/05/01	8260b	J	2.2	87.6	91.2	89.4
o-Xylene	<20	ug/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	<20	ug/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limits. M =Matrix interference.

QUALITY ASSURANCE DATA ¹											
Report#	Lab ID#	Project ID:	2001-11043	Sample Name:	ELBM112101BHN-15'	Date Received:	11/27/2001	Time:	10:30	Report Date:	12/07/01
Date Sampled:						Date Sampled:	11/21/2001	Time:	10:15		

Exceptions Report:

Report #:Lab ID#: 123084 Matrix: soil
Client: Environmental Plus, Inc.
Project ID: 2001-1 1043
Sample Name: ELBM112101BHN-10'

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:



4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHN-10'

Report#/Lab ID#: 123084
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	92.4	50-150	---
p-Terphenyl	8015 mod.	76.9	50-150	---
1,2-Dichloroethane-d4	8260b	102	65-115	---
Toluene-d8	8260b	107	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.

Attn: Pat McCasland

Address: 1324 M.St Po Box

Eunice

NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

Report#/Lab ID#: 123084 **Report Date:** 12/07/01

Project ID: 2001-11043

Sample Name: ELBM112101BHN-10'

Sample Matrix: soil

Date Received: 1/12/2001 **Time:** 10:30

Date Sampled: 11/21/2001 **Time:** 09:55

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	5.69	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	---		---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.7	91.3	95.1	95.2
m,p-Xylenes	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.2	87.6	91.2	89.4
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	20	µg/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Exceptions Report:

Report #/Lab ID#: 123083 Matrix: soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELBM112101BHN.5'

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in inappropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHN-5'

Report#/Lab ID#: 123083
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	101	50-150	---
p-Terphenyl	8015 mod.	95.3	50-150	---
1,2-Dichloroethane-d4	8260b	97.2	65-115	---
Toluene-d8	8260b	105	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
 2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
 NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method 6	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	---	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.7	91.3	95.1	95.2
m,p-Xylenes	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.2	87.6	91.2	89.4
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

QUALITY ASSURANCE DATA 1											
1. Quality assurance data is for the sample batch which included this sample.	2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.	3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.	4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.	5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method	6. Method numbers typically denote USEPA procedures. Less than ('<') values reflect nominal quantitation limits adjusted for any required dilutions.	7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.					

Exceptions Report:

Report #/Lab ID#:123082	Matrix: soil	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2001-11043		

Sample Name: ELBM112101BHN-2'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in inappropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.


J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (e.g. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as gasoline)	J	See J-flag discussion above.
Ethybenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:



4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHN-2'

Report#Lab ID#: 123082
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	97.5	50-150	---
p-Terphenyl	8015 mod.	94.9	50-150	---
1,2-Dichloroethane-d4	8250b	97.3	65-115	---
Toluene-d8	8250b	110	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box Eunice NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	J	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	---	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	ug/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	<20	ug/Kg	20	<20	12/05/01	8260b	J	2.7	91.3	95.1	95.2
m,p-Xylenes	<20	ug/Kg	20	<20	12/05/01	8260b	J	2.2	87.6	91.2	89.4
o-Xylene	<20	ug/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	<20	ug/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

QUALITY ASSURANCE DATA¹

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.

Report#	Lab ID#:	Project ID:	Sample Name:	Date Received:	Date Sampled:	Report Date:
123082	ELBMM112101BHN-2 ²	2001-11043	soil	11/27/2001	11/21/2001	12/07/01
				Time:	Time:	
				10:30	09:30	

Exceptions Report:

Report #/Lab ID#: 123081 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELBM112101BHE-35'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in inappropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBML12101BHE-35'

Report#/Lab ID#: 123081
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	88.9	50-150	---
p-Terphenyl	8015 mod.	82.2	50-150	---
1,2-Dichloroethane-d4	8260b	98.1	65-115	---
Toluene-d8	8260b	102	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client:	Environmental Plus, Inc.
Attn:	Pat McCasland
Address:	1324 M.St Po Box Eunice NM 88231
Phone:	(505) 394-3481 FAX: (505) 394-2601

Report#/Lab ID#:	123081	Report Date:	12/07/01
Project ID:	2001-11043		
Sample Name:	ELBML12101BHE-35'		
Sample Matrix:	soil		
Date Received:	11/27/2001	Time:	10:30
Date Sampled:	11/21/2001	Time:	09:05

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	---		---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.7	91.3	95.1	95.2
m,p-Xylenes	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.2	87.6	91.2	89.4
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M=Matrix interference.

Exceptions Report:

Report #/Lab ID#: 123080	Matrix: soil	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2001-11043		

Sample Name: ELBM112101BHE-30'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in inappropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethybenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHE-30'

Report#/Lab ID#: 123030
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	81	50-150	---
p-Terphenyl	8015 mod.	67.2	50-150	---
1,2-Dichloroethane-d4	8260b	100	65-115	---
Toluene-d8	8260b	115	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box Eunice NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	--	---	--	--	11/28/01	3540	---	--	---	---	---
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	--		--	--	12/05/01	8260b	---	--	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.7	91.3	95.1	95.2
m,p-Xylenes	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.2	87.6	91.2	89.4
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

QUALITY ASSURANCE DATA ¹											
Report# / Lab ID#:	123080	Report Date:	12/07/01	Project ID:	2001-11043	Sample Name:	ELBM112101BHE-30'	Sample Matrix:	soil	Date Received:	11/27/2001
Date Sampled:	11/21/2001	Time:	10:30							Time:	08:45

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are I = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

EnviroSys
Inc.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHE-25'

Report#Lab ID#: 123079
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY				
Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	52.6	50-150	---
p-Terphenyl	8015 mod.	69.9	50-150	---
1,2-Dichloroethane-d4	8260b	94.9	65-115	---
Toluene-d8	8260b	89.4	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box Eunice NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

Report#/Lab ID#:	123079	Report Date:	12/07/01
Project ID:	2001-11043		
Sample Name:	ELBM112101BHE-25'		
Sample Matrix:	soil		

Date Received: 11/27/2001 **Time:** 10:30
Date Sampled: 11/21/2001 **Time:** 08:35

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	467	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	3340	---	---	---	---	---
TPH by GC (as gasoline)	399	ng/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8250b/BTEX	---		---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	917	µg/Kg	20	<20	12/05/01	8260b	---	2.7	91.3	95.1	95.2
m,p-Xylenes	2530	µg/Kg	20	<20	12/05/01	8260b	---	2.2	87.6	91.2	89.4
o-Xylene	1500	µg/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	54.1	µg/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (<) values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Exceptions Report:

Report #/Lab ID#: 123078 Matrix: soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELBM112101BHE-20'

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and A.A and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg: the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualifier	Comment
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

QuarLys
Inc.

4221 Freidrich Lane,Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHE-20'

Report#/Lab ID#: 123078
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	90.3	50-150	---
p-Terphenyl	8015 mod.	80.4	50-150	---
1,2-Dichloroethane-d4	8260b	100	65-115	---
Toluene-d8	8260b	113	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

AnalySys Inc.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
 2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 444-5896 • FAX (512) 447-4766

Client:	Environmental Plus, Inc.
Attn:	Pat McCasland
Address:	1324 M.St Po Box Eunice NM 88231
Phone:	(505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	--	---	--	--	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	5.68	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	--	---	--	--	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.7	91.3	95.1	95.2
m,p-Xylenes	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.2	87.6	91.2	89.4
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

Report#Lab ID#:	123078	Report Date:	12/07/01
Project ID:	2001-11043	Sample Name:	ELBM112101BHE-20'
Sample Matrix:	soil	Date Received:	11/27/2001
Date Sampled:	11/21/2001	Time:	10:30
		Time:	08:20

QUALITY ASSURANCE DATA¹

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

ENOLYSIS

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHN-20

Report# /Lab ID#: 123086
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	none/diluted	diluted @ 5X	D
p-Terphenyl	8015 mod.	none/diluted	diluted @ 5X	D
1,2-Dichloroethane-d4	8260b	98.3	65-115	---
Toluene-d8	8260b	99.2	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 123086	Matrix: soil	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2001-11043		
Sample Name: ELBM112101BHN-20		

Sample Temperature/Condition $\leq 6^{\circ}\text{C}$

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is $\leq 6^{\circ}\text{C}$. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments Pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.
Nitrobenzene-d5	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Nitrobenzene-d5	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.

Notes:

AnalySys Inc.4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice NM 88231
Phone: (505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec ²	Recov ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	1790	mg/Kg	50	<50	12/05/01	8015 mod. 3540	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	8015 mod.	---	---	---	---	---
TPH by GC (as gasoline)	1940	mg/Kg	50	<50	12/05/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	---	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	2890	µg/Kg	100	<100	12/05/01	8260b	---	2.7	91.3	95.1	95.2
m,p-Xylenes	8660	µg/Kg	100	<100	12/05/01	8260b	---	2.2	87.6	91.2	89.4
o-Xylene	4670	µg/Kg	100	<100	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	284	µg/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

QUALITY ASSURANCE DATA¹

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Environmental Services Inc.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHN-25'

Report#/Lab ID#: 123087
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod. 8015 mod.	none/diluted none/diluted	diluted @ 5X diluted @ 5X	D D
p-Terphenyl				---
1,2-Dichloroethane-d4	8260b	89	65-115	---
Toluene-d8	8260b	70.4	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 123087	Matrix: soil	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2001-11043		
Sample Name: ELBM112101BHN-25'		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNTRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Nitrobenzene-d5	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Nitrobenzene-d5	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS
TPH by GC (as diesel)	550	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	669	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	---	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	191	µg/Kg	100	<100	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	4000	µg/Kg	100	<100	12/05/01	8260b	---	2.7	91.3	95.1	95.2
m,p-Xylenes	8990	µg/Kg	100	<100	12/05/01	8260b	---	2.2	87.6	91.2	89.4
o-Xylene	4550	µg/Kg	100	<100	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	3920	µg/Kg	100	<100	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ('<') values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

ENOLYS

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHN-30

Report#/Lab ID#: 123088
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	65.6	50-150	---
p-Terphenyl	8015 mod.	68	50-150	---
1,2-Dichloroethane-d4	8260b	74.9	65-115	---
Toluene-d8	8260b	82.4	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	J	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	--	--	--	--	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	6.2	79.3	88.2	87.7
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.7	91.3	95.1	95.2
m,p-Xylenes	<20	µg/Kg	20	<20	12/05/01	8260b	J	2.2	87.6	91.2	89.4
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b	---	2.2	88.8	93.6	94.5
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	---	5.4	85.7	92.6	94.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Omega Syntex Inc.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHN-35'

Report#Lab ID#: 123089
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	90.2	50-150	---
p-Terphenyl	8015 mod.	84	50-150	---
1,2-Dichloroethane-d4	8260b	87.6	65-115	---
Toluene-d8	8260b	91	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 123089	Matrix: soil	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2001-1-1043		

Sample Name: EBBM112101BHN-35'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as gasoline)	J	See J-flag discussion above.
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

AnalySys Inc.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	11/28/01	3540
TPH by GC (as gasoline)	6.43	mg/Kg	5	<5	12/04/01	8015 mod.
Volatile organics-8260b/BTEX	--	--	--	--	12/05/01	8260b
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b
m,p-Xylenes	<20	µg/Kg	20	<20	12/05/01	8260b
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b

QUALITY ASSURANCE DATA¹

Report#/Lab ID#:	123090	Report Date:	12/07/01
Project ID:	2001-11043		
Sample Name:	ELBM112101BHW-2'		
Sample Matrix:	soil		
Date Received:	11/27/2001	Time:	10:30
Date Sampled:	11/21/2001	Time:	01:00

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Attn:	Environmental Plus, Inc. Pat McCasland	Project ID: Sample Name:	2001-11043 ELBML12101BHW-2'
------------------	---	-----------------------------	--------------------------------

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	104	50-150	---
p-Terphenyl	8015 mod.	139	50-150	---
1,2-Dichloroethane-d4	8260b	105	65-115	---
Toluene-d8	8260b	96.4	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Report#Lab ID#: 123090
Sample Matrix: soil

Exceptions Report:

Report #/Lab ID#:	123090	Matrix:	soil
Client:	Environmental Plus, Inc.	Attn:	Pat McCasland
Project ID#:	2001-11043		
Sample Name:			EL-BM112101BHW-2'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as diesel)	J	See J-flag discussion above.
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method 6	Data Qual 7	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	J	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	--		--	--	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	13.4	75.1	86.5	74
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	1.5	113.7	101.9	98.6
m,p-Xylenes	<20	µg/Kg	20	<20	12/05/01	8260b	J	1.5	100.3	89.2	86.7
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b	--	0.1	104.2	98	95.2
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	--	12.8	80.1	91	79.1

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Environ⁵Inc.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	84.5	50-150	---
p-Terphenyl	8015 mod.	78.7	50-150	---
1,2-Dichloroethane-d4	8260b	107	65-115	---
Toluene-d8	8260b	111	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Project ID: 2001-11043
Sample Name: ELBM112101BHW-S'

Report# / Lab ID#: 123091
Sample Matrix: soil

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Exceptions Report:

Report #/Lab ID#:	123091	Matrix:	soil	Attn:	Pat McCasland
Client:	Environmental Plus, Inc.				
Project ID#:	2001-1-1043				
Sample Name:	ELBML12101BHW-5'				

Sample Temperature/Condition $\leq 6^{\circ}\text{C}$

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is $\leq 6^{\circ}\text{C}$. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as gasoline)	J	See J-flag discussion above.
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice NM 88231
Phone: (505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel/ext)	--	mg/Kg	--	--	11/28/01	3540	---	--	--	--	--
TPH by GC (as gasoline)	6.5	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	--	--	--	--	12/05/01	8260b	---	--	--	--	--
Benzene	>20	µg/Kg	20	<20	12/05/01	8260b	---	13.4	75.1	86.5	74
Ethylbenzene	>20	µg/Kg	20	<20	12/05/01	8260b	J	1.5	113.7	101.9	98.6
m,p-Xylenes	>20	µg/Kg	20	<20	12/05/01	8260b	J	1.5	100.3	89.2	86.7
o-Xylene	>20	µg/Kg	20	<20	12/05/01	8260b	--	0.1	104.2	98	95.2
Toluene	>20	µg/Kg	20	<20	12/05/01	8260b	--	12.8	80.1	91	79.1

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B =Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

CHROMASYS

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHW-10'

Report#/Lab ID#: 123092
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	102	50-150	---
p-Terphenyl	8015 mod.	95	50-150	---
1,2-Dichloroethane-d4	8260b	111	65-115	---
Toluene-d8	8260b	88.2	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 123092	Matrix: soil	Attn: Pat McCasland
Client: Environmental Plus, Inc.		
Project ID: 2001-11043		
Sample Name: ELBM112101BHW-10'		

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCCT-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-Flag discussion above.
m,p-Xylenes	J	See J-Flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M St Po Box Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Reco ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	251	mg/Kg	5	<5	12/04/01	8015 mod. 3540	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	11/28/01	8015 mod.	---	---	---	---	---
TPH by GC (as gasoline)	32.7	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	--	--	--	--	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	13.4	75.1	86.5	74
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	1.5	113.7	101.9	98.6
m,p-Xylenes	23.3	µg/Kg	20	<20	12/05/01	8260b	---	1.5	100.3	89.2	86.7
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b	---	0.1	104.2	98	95.2
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	---	12.8	80.1	91	79.1

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Reco_v) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/ Lab ID#: I23093	Report Date: 12/07/01
Project ID: 2001-11043	
Sample Name: ELBM112101BHW-15'	
Sample Matrix: soil	
Date Received: 11/27/2001	Time: 10:30
Date Sampled: 11/21/2001	Time: 01:40

QUALITY ASSURANCE DATA¹

Qnolys Inc.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHW-15'

Report# / Lab ID#: 123093
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod. 8015 mod.	103 90.5	50-150	---
p-Terphenyl			50-150	---
1,2-Dichloroethane-d4	8260b 8260b	107 92.7	65-115 50-120	---
Toluene-d8				---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 123093	Matrix: soil
Client: Environmental Plus, Inc.	Attn: Pat McCasland
Project ID: 2001-11043	
Sample Name: ELBM112101BHW-15	

Sample Temperature/Condition $\leq 6^{\circ}\text{C}$

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is $\leq 6^{\circ}\text{C}$. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.

Notes:

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
 2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec ²	Recov ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	689	mg/Kg	5	<5	12/04/01	8015 mod. 3540	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	--	---	--	--	11/28/01	8015 mod.	---	--	--	--	--
TPH by GC (as gasoline)	705	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	--	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	13.4	75.1	86.5	74
Ethybenzene	31.9	µg/Kg	20	<20	12/05/01	8260b	---	1.5	113.7	101.9	98.6
m,p-Xylenes	355	µg/Kg	20	<20	12/05/01	8260b	---	1.5	100.3	89.2	86.7
o-Xylene	88.8	µg/Kg	20	<20	12/05/01	8260b	---	0.1	104.2	98	95.2
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	J	12.8	80.1	91	79.1

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recoveries exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

**QnOL YS^yS
Inc.**

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client:	Environmental Plus, Inc.	Project ID:	2001-11043
Attn:	Pat McCasland	Sample Name:	ELBM112101BHW-20'

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod. 8015 mod.	50.1 55.7	50-150 50-150	---
p-Terphenyl				---
1,2-Dichloroethane-d4	8260b	93.7	65-115	---
Toluene-d8	8260b	90.7	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Report#/Lab ID#: 123094
Sample Matrix: soil

Exceptions Report:

Report #/Lab ID#: 123094 **Matrix:** soil
Client: Environmental Plus, Inc.
Project ID: 20001-11043
Sample Name: EBM112101BHW-20

Attn: Pat McCasland

Client: Environmental Plus, Inc.
Project ID: 2001-11043
Sample Name: ElBM112101BHW-20

Sample Temperature/Condition <= 6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex., in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
 - Sample received in appropriate container(s). State of sample preservation unknown.
 - Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (e.g., the material causing the J flag "hit" in such situations may be nothing more than background ion-frament noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Toluene	J	See J-flag discussion above.

四四

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	321	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	450	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	---	ug/Kg	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	ug/Kg	20	<20	12/05/01	8260b	---	13.4	75.1	86.5	74
Ethylbenzene	860	ug/Kg	20	<20	12/05/01	8260b	---	1.5	113.7	101.9	98.6
m,p-Xylenes	2910	ug/Kg	20	<20	12/05/01	8260b	---	1.5	100.3	89.2	86.7
o-Xylene	1920	ug/Kg	20	<20	12/05/01	8260b	---	0.1	104.2	98	95.2
Toluene	239	ug/Kg	20	<20	12/05/01	8260b	---	12.8	80.1	91	79.1

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC.) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S3 =MS and/or PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

ENLVIS INC.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHW-25'

Report#/Lab ID#: 123095
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	104	50-150	----
p-Terphenyl	8015 mod.	69.5	50-150	----
1,2-Dichloroethane-d4	8260b	103	65-115	----
Toluene-d8	8260b	63.9	50-120	----

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	100	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	---	---	---	---	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	155	mg/Kg	5	<5	12/04/01	8015 mod.	---	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	---	---	---	---	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	13.4	75.1	86.5	74
Ethylbenzene	617	µg/Kg	20	<20	12/05/01	8260b	---	1.5	113.7	101.9	98.6
m,p-Xylenes	1900	µg/Kg	20	<20	12/05/01	8260b	---	1.5	100.3	89.2	86.7
o-Xylene	1240	µg/Kg	20	<20	12/05/01	8260b	---	0.1	104.2	98	95.2
Toluene	163	µg/Kg	20	<20	12/05/01	8260b	---	12.8	80.1	91	79.1

QUALITY ASSURANCE DATA¹

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,
 Richard Laster

ENOLYS INC.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-111043
Sample Name: ELBM112101BHW-30'

Report#Lab ID#: 123096
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	96.3	50-150	---
p-Terphenyl	8015 mod.	87.4	50-150	---
1,2-Dichloroethane-d4	8260b	97.9	65-115	---
Toluene-d8	8260b	70.8	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	---	0.5	72.9	113.6	98.7
TPH by GC (as diesel-ext)	--	---	--	--	11/28/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	12/04/01	8015 mod.	J	8.6	75.5	104.6	106.1
Volatile organics-8260b/BTEX	--	--	--	--	12/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	12/05/01	8260b	---	13.4	75.1	86.5	74
Ethylbenzene	<20	µg/Kg	20	<20	12/05/01	8260b	J	1.5	113.7	101.9	98.6
m,p-Xylenes	<20	µg/Kg	20	<20	12/05/01	8260b	J	1.5	100.3	89.2	86.7
o-Xylene	<20	µg/Kg	20	<20	12/05/01	8260b	---	0.1	104.2	98	95.2
Toluene	<20	µg/Kg	20	<20	12/05/01	8260b	---	12.8	80.1	91	79.1

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,
Richard Foster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

EnviroSIS Inc.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112101BHW-35'

Report#Lab ID#: 123097
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	88	50-150	---
p-Terphenyl	8015 mod.	78	50-150	---
1,2-Dichloroethane-d4	8260b	89.1	65-115	---
Toluene-d8	8260b	79.7	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 123097	Matrix: soil	
Client: Environmental Plus, Inc.		Attn: Pat McCasland
Project ID: 2001-11043		
Sample Name: ELBM112101BHW-35'		

Sample Temperature/Condition $\leq 6^{\circ}\text{C}$

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is $\leq 6^{\circ}\text{C}$. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as gasoline)	J	See J-flag discussion above.
Ethylbenzene	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.

Notes:

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Reco ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	1.47	mg/L	0.5	<0.5	12/06/01	8015 mod.	---	1	74.7	80.4	113.1
TPH by GC (as diesel-ext)	---	---	---	---	11/30/01	3540	---	---	---	---	---
TPH by GC (as gasoline)	13.6	mg/L	0.5	<0.5	12/06/01	8015 mod.	---	2.9	70.5	102.8	84.8
Volatile organics-8260b/BTEX	---	---	---	---	12/06/01	8260b	---	---	---	---	---
Benzene	1750	µg/L	10	<10	12/06/01	8260b	---	4.8	83	88.2	84.1
Ethylbenzene	321	µg/L	10	<10	12/06/01	8260b	---	0.1	89	90.4	87.4
m,p-Xylenes	548	µg/L	10	<10	12/06/01	8260b	---	0.3	85.6	87.3	84
o-Xylene	308	µg/L	10	<10	12/06/01	8260b	---	1.3	87.8	90.3	86.6
Toluene	1340	µg/L	10	<10	12/06/01	8260b	---	4.3	87.1	92.5	88.4

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Reco³) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limits. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

ONL YS

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 784008
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELBM112601WTMW

Report# / Lab ID#: 123098
Sample Matrix: water

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Nitrobenzene-d5	8015 mod.	93.5	50-150	---
p-Terphenyl	8015 mod.	121	50-150	---
1,2-Dichloroethane-d4	8260b	81.8	80-120	---
Toluene-d8	8260b	108	88-110	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

CHALMERS INDUSTRIAL

Send Reports To:

Company Name Environmental Plus
Address 2100 Ave D

City Euince State TX Zip 78237
ATTN: Beth McCosker

Phone 512 294 4401 Fax 512 294 2601
Rush Status (must be confirmed with lab mgr.):
Project Name/PO#: 2001-11043

Bill to (if different):

Company Name E.O.T.I.
Address 5005 E. Hwy 80
City Mallard State TX Zip 78721

ATTN: Wayne Brunette
Phone 215 554 0190 Fax 215 694 3350

Rush Status (must be confirmed with lab mgr.):
Sampler: Broadway Blowers

Client Sample No. Description/Identification	Date Sampled	Time Sampled	No. of Containers	Soil	Water	Waste	Lab I.D. # (Lab only)	Comments
<u>EL-BM112101BHE-2'</u>	<u>11-21-01</u>	<u>7:30</u>	<u>1</u>	<u>X</u>			<u>123074</u>	<u>X X</u>
<u>EL-BM112101BHE-5'</u>	<u>11-21-01</u>	<u>7:40</u>	<u>1</u>	<u>X</u>			<u>123075</u>	<u>X X</u>
<u>EL-BM112101BHE-10'</u>	<u>11-21-01</u>	<u>7:55</u>	<u>1</u>	<u>X</u>			<u>123076</u>	<u>X X</u>
<u>EL-BM112101BHE-15'</u>	<u>11-21-01</u>	<u>8:10</u>	<u>1</u>	<u>X</u>			<u>123077</u>	<u>X X</u>
<u>EL-BM112101BHE-20'</u>	<u>11-21-01</u>	<u>8:20</u>	<u>1</u>	<u>X</u>			<u>123078</u>	<u>X X</u>
<u>EL-BM112101BHE-25'</u>	<u>11-21-01</u>	<u>8:35</u>	<u>1</u>	<u>X</u>			<u>123079</u>	<u>X X</u>
<u>EL-BM112101BHE-30'</u>	<u>11-21-01</u>	<u>8:45</u>	<u>1</u>	<u>X</u>			<u>123080</u>	<u>X X</u>
<u>EL-BM112101BHE-35'</u>	<u>11-21-01</u>	<u>9:05</u>	<u>1</u>	<u>X</u>			<u>123081</u>	<u>X X</u>
<u>EL-BM112101BHE-40'</u>	<u>11-21-01</u>	<u>9:30</u>	<u>1</u>	<u>X</u>			<u>123082</u>	<u>X X</u>
<u>EL-BM112101BHE-5'</u>	<u>11-21-01</u>	<u>9:40</u>	<u>1</u>	<u>X</u>			<u>123083</u>	<u>X X</u>

(1) Unless specifically requested otherwise on this Chain-of-custody and/or attached documentation, all analyses will be conducted using ASI's method of choice and all data will be reported to ASI's normal reporting limits (MDL/POL). For GC/MS volatiles and extractables, unless specific analytical parameter lists are specified on this chain-of-custody or attached to this chain-of-custody, ASI will default to Priority Pollutants c ASI's HSL list at ASI's option. Specific compound lists must be supplied for all GC procedures.

Sample Relinquished By

Name	Affiliation	Date	Time	Name	Affiliation	Date	Time
<u>Reilly Blas</u>	<u>Environmental Plus</u>	<u>11-21-01</u>	<u>9:45</u>	<u>Melanie Thompson</u>	<u>ASI</u>	<u>11-27-01</u>	<u>10:30</u>

[Tendering of above described samples to AnalySys, Inc. for analytical testing constitutes an agreement by buyer/sampler to AnalySys, Inc.'s standard terms.]

Jeng D. O. C.

CHAIN-OF-CUSTODY**Send Reports To:**Company Name Environmental Plus
Address 2100 Ave OCity Eunice State NM Zip 88231
ATTN: Bat McCosendPhone 505 234 2811 Fax 505 234 2601
Rush Status (must be confirmed with lab mgr.):
Project Name/PO#: 2001-11043**Bill to (if different):**Company Name E.O.T.T.
Address 505 E. Houston StCity Midland State TX Zip 79701
ATTN: Wayne BrunettePhone 915 556 0190 Fax 915 684 3350
Rush Status (must be confirmed with lab mgr.):
Project Name/PO#: 2001-11043**CHILLY'S INC.**4221 Friedrich Lane, Suite 190, Austin, TX 78744
(512) 444-5896**Analyses Requested (1)**
Please attach explanatory information as required

Client Sample No. Description/Identification	Date Sampled	Time Sampled	No. of Containers	Soil	Water/Waste	Lab I.D. # (Lab only)	Comments
EL-BM112101BHN-10'	11-21-01	9:55	1	X		123084	X X
EL-BM112101BHN-15'	11-21-01	10:15	1	X		123085	X X
EL-BM112101BHN-20'	11-21-01	10:30	1	X		123086	X X
EL-BM112101BHN-25'	11-21-01	10:45	1	X		123087	X X
EL-BM112101BHN-30'	11-21-01	11:05	1	X		123088	X X
EL-BM112101BHN-35'	11-21-01	11:25	1	X		123089	X X
EL-BM112101BHN-42'	11-21-01	11:00	1	X		123090	X X
EL-BM112101BHW-5'	11-21-01	11:00	1	X		123091	X X
EL-BM112101BHW-10'	11-21-01	11:25	1	X		123092	X X
EL-BM112101BHW-15'	11-21-01	11:40	1	X		123093	X X

(1) Unless specifically requested otherwise on this Chain-of-custody and/or attached documentation, all analyses will be conducted using ASI's method of choice and all data will be reported to ASI's normal reporting limits (MDL/PQL). For GC/MS volatiles and extractables, unless specific analytical parameter lists are specified on this chain-of-custody or attached to this chain-of-custody, ASI will default to Priority Pollutants o ASI's HSL list at ASI's option. Specific compound lists must be supplied for all GC procedures.

*Jerry D. O.C.***Sample Relinquished By**

Name	Affiliation	Date	Time	Name	Affiliation	Date	Time
Barry Bla	Environmental Plus	11-21-01		Melanie Thompson	ASI	11-27-01	1030

[Tendering of above described samples to AnalySys, Inc. for analytical testing constitutes agreement by buyer/sampler to AnalySys, Inc.'s standard terms.]

CHAIN-OF-CUSTODY**Send Reports To:**

Company Name Environmental Plus
 Address 2100 Ave D
 City Eunice State NM Zip 88337
 ATTN: Bat Meeks and Phone 505 251-0000/ Fax 305 332-1601

Bill to (if different):

Company Name E.O.T.T.
 Address 5005 E. Hwy 80
 City Mallard State TX Zip 76201
 ATTN: Wayne Brunette Phone 214 556 0190 Fax 915 694 3450

Rush Status (must be confirmed with lab mgr.):
 Project Name/PO#: 2000-11042

**Client Sample No.
 Description/Identification**

Date Sampled Time Sampled No. of Containers Soil Water Waste

Lab I.D. # (Lab only)

Comments

E1 BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

EL BM 112601 W Thurs 11-26-01 8:30 4 X 123098 X X

Analyses Requested (1)

Please attach explanatory information as required

(1) Unless specifically requested otherwise on this Chain-of-custody and/or attached documentation, all analyses will be conducted using ASI's method of choice and all data will be reported to ASI's normal reporting limits (MDL/PQL). For GC/MS volatiles and extractables, unless specific analytical parameter lists are specified on this chain-of-custody or attached to this chain-of-custody, ASI will default to Priority Pollutants or ASI's HSL list at ASI's option. Specific compound lists must be supplied for all GC procedures.

Temp 0.0 C

Sample Relinquished By

Name	Affiliation	Date	Time	Name	Affiliation	Date	Time
<i>Bradley, Bill</i>	<i>Environmental Plastics</i>	<i>11-26-01</i>	<i>8:35</i>	<i>Michael Langhans</i>	<i>ASI</i>	<i>11-27-01</i>	<i>10:30</i>

[Tendering of above described samples to AnalySys, Inc. for analytical testing constitutes agreement by buyer/sampler to AnalySys, Inc.'s standard terms.]

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

EOTT ENERGY PIPELINE
 ATTN: FRANK HERNANDEZ
 5805 E. HWY. 80
 MIDLAND, TEXAS 79701
 FAX: 684-3456
 FAX: 505-394-2601 (Pat Mc Casland)

Sample Type: Soil
 Sample Condition: Intact/ Iced/ -1.5 deg C
 Project Name: Livingston Bob McCasland
 Project #: 2001-11043
 Project Location: None Given

Sampling Date: 01/04/02
 Receiving Date: 01/07/02
 Analysis Date: 01/07/02

ELT#	FIELD CODE	BENZENE mg/kg	TOLUENE mg/kg	ETHYLBENZENE mg/kg	m,p-XYLENE mg/kg	<i>o</i> -XYLENE mg/kg
0202349-01	SELBM1402SSW	<0.025	0.054	<0.025	<0.025	<0.025
0202349-02	SELBM1402SWSW	<0.025	<0.025	<0.025	<0.025	<0.025
0202349-03	SELBM1402SESW	<0.025	<0.025	<0.025	<0.025	<0.025
0202349-04	SELBM1402SBH	<0.025	<0.025	<0.025	<0.025	<0.025

QUALITY CONTROL	0.110	0.109	0.103	0.223	0.106
TRUE VALUE	0.100	0.100	0.100	0.200	0.100
% IA	110	109	103	112	106
SPIKED AMOUNT	0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE	<0.025	0.031	<0.025	<0.025	<0.025
SPIKE	0.113	0.116	0.112	0.244	0.115
SPIKE DUP	0.109	0.112	0.109	0.238	0.112
%EA	109	110	108	111	109
BLANK	<0.025	<0.025	<0.025	<0.025	<0.025
RPD	3.60	3.51	2.71	2.49	2.64

METHODS: EPA SW 846-8021B ,5030

Ral. & tk

Celey D. Keene
 Raland K. Tuttle

1-10-02

Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

EOTT ENERGY PIPELINE
 ATTN: FRANK HERNANDEZ
 5805 E. HWY. 80
 MIDLAND, TEXAS 79701
 FAX: 684-3456
 FAX: 505-394-2601 (Pat Mc Casland)

Sample Type: Soil
 Sample Condition: Intact/ Iced/ -1.5 deg C
 Project Name: Livingston Bob McCasland
 Project #: 2001-11043
 Project Location: None Given

Sampling Date: 01/04/02
 Receiving Date: 01/07/02
 Analysis Date: 01/09/02

ELT#	FIELD CODE	BENZENE mg/kg	TOLUENE mg/kg	ETHYLBENZENE mg/kg	m,p-XYLENE mg/kg	o-XYLENE mg/kg
0202349-05	SELBM1402CBH	<0.025	<0.025	<0.025	<0.025	<0.025
0202349-06	SELBM1402CESW	<0.025	<0.025	<0.025	<0.025	<0.025
0202349-07	SELBM1402CWSW	<0.025	<0.025	<0.025	<0.025	<0.025
0202349-08	SELBM1402CNBH	0.026	0.096	0.082	0.402	0.118
0202349-09	SELBM1402NBH	<0.025	<0.025	<0.025	<0.025	<0.025
0202349-10	SELBM1402NESW	<0.025	<0.025	<0.025	<0.025	<0.025
0202349-11	SELBM1402NWSW	<0.025	<0.025	<0.025	<0.025	<0.025
0202349-12	SELBM1402NSW	<0.025	<0.025	<0.025	<0.025	<0.025
QUALITY CONTROL						
TRUE VALUE		0.110	0.108	0.102	0.218	0.104
% IA		0.100	0.100	0.100	0.200	0.100
SPIKED AMOUNT		110	108	102	109	104
ORIGINAL SAMPLE		0.100	0.100	0.100	0.200	0.100
SPIKE		<0.025	<0.025	<0.025	<0.025	<0.025
SPIKE DUP		0.112	0.114	0.111	0.224	0.109
%EA		0.114	0.107	0.109	0.222	0.110
BLANK		112	114	111	112	109
RPD		<0.025	<0.025	<0.025	<0.025	<0.025
		1.77	6.33	1.82	0.90	0.91

METHODS: EPA SW 846-8021B,5030

Raland K. Tuttle

Coley D. Keene
 Raland K. Tuttle

1-10-02

Date

ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"


EOTT ENERGY PIPELINE
 ATTN: FRANK HERNANDEZ
 5805 E. HIGHWAY 80
 MIDLAND, TEXAS 79701
 FAX: 684-3456
 FAX: 505-394-2601 (Pat McCasland)

Sample Type: Soil
 Sample Condition: Intact/ Iced/ -1.5 deg C
 Project Name: Livingston Bob McCasland
 Project #: 2001-11043
 Project Location: None Given

Sampling Date: 01/04/02
 Receiving Date: 01/07/02
 Analysis Date: 01/08/02

ELT#	FIELD CODE	GRO C6-C10 mg/kg	DRO >C10-C28 mg/kg
0202349-01	SELBM1402SSW	<10	150
0202349-02	SELBM1402SWSW	<10	<10
0202349-03	SELBM1402SESW	<10	16
0202349-04	SELBM1402SBH	<10	36
0202349-05	SELBM1402CBH	13	346
0202349-06	SELBM1402CESW	<10	<10
0202349-07	SELBM1402CWSW	<10	43
0202349-08	SELBM1402CNBH	31	610
0202349-09	SELBM1402NBH	<10	160
0202349-10	SELBM1402NESW	<10	<10
0202349-11	SELBM1402NWSW	<10	90
0202349-12	SELBM1402NSW	<10	32
QUALITY CONTROL			
TRUE VALUE			
% INSTRUMENT ACCURACY			
SPIKED AMOUNT			
ORIGINAL SAMPLE			
SPIKE			
SPIKE DUP			
% EXTRACTION ACCURACY			
BLANK			
RPD			

Methods: SW 846-8015M


 Celey D. Keene
 Raland K. Tuttle

1-10-02
 Date

LJ'ns'ne

2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH5-2

Report#/Lab ID#: 118717
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	86.7	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	75.9	50 - 150	---
1,2-Dichloroethane-d4	8260b	85.9	65-115	---
Toluene-d8	8260b	110	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

cephas Report:

Report #/Lab ID#:118717 Matrix:soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELW82001BH5-2'

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
m,p-Xylenes	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	4.25	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	---	ug/Kg	---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	ug/Kg	20	<20	08/30/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	ug/Kg	20	<20	08/30/01	8260b	---	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	ug/Kg	20	<20	08/30/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	ug/Kg	20	<20	08/30/01	8260b	---	16	95.3	93.4	116.2
Toluene	<20	ug/Kg	20	<20	08/30/01	8260b	---	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH5-5'

Report#/Lab ID#: 118718
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	114	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	77.2	50 - 150	---
1,2-Dichloroethane-d4	8260b	87.4	65-115	---
Toluene-d8	8260b	79	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	1.02	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	--	µg/Kg	--	--	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	16	95.3	93.4	116.2
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are I = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH5-10

Report#/
Lab ID#: 118719
Sample Matrix: soil

2209 N. Padre Island Dr., Corpus Christi, TX 78404-0833
(512) 444-5896 • FAX (512) 447-4766

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	112	50-150	---
1,2-Dichloroethane-d4(Sur)	8015 mod.	89.6	50 - 150	----
1,2-Dichloroethane-d4	8260b	101	65-115	---
Toluene-d8	8260b	102	50-120	----

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	2.33	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	--	µg/Kg	--	--	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	16	95.3	93.4	116.2
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/ Lab ID#: 118720	Report Date: 09/07/01
Project ID: 2001-11043	
Sample Name: ELW82001BH5-15'	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/20/2001	Time: 08:40

Environmental Plus, Inc.
2209 N. Padre Island Dr., Corpus Christi, TX 78404-0844
(512) 444-5896 • FAX (512) 447-4766

Report#/**Lab ID#:** 118720
Sample Matrix: soil

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH5-15'

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	107	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	92	50 - 150	---
1,2-Dichloroethane-d4	8260b	104	65-115	---
Toluene-d8	8260b	94.8	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<1	mg/Kg	1	<1	09/06/01	8015 mod	J	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	---	µg/Kg	---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	16	95.3	93.4	116.2
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	2.3	85.4	90.3	95.5

QUALITY ASSURANCE DATA¹

Report# /Lab ID#:	118725	Report Date:	09/07/01
Project ID:	2001-11043		
Sample Name:	ELW82001BH6-2'		
Sample Matrix:	soil		
Date Received:	08/24/2001	Time:	16:00
Date Sampled:	08/20/2001	Time:	10:05

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH6-2'

Report#/Lab ID#: 118725
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	71	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	102.2	50 - 150	---
1,2-Dichloroethane-d4	8260b	115	65-115	---
Toluene-d8	8260b	106	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118725 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH6-2'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as diesel)	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
 Attn: Pat McCasland
 Address: 1324 M.St Po Box
 Eunice
 Phone: (505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	1.73	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	---		---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	16	95.3	93.4	116.2
Toluene	22.8	µg/Kg	20	<20	08/30/01	8260b	---	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report# / Lab ID#: 118726	Report Date: 09/07/01
Project ID: 2001-11043	
Sample Name: ELW82001BH6-5'	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/20/2001	Time: 10:17

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	1.73	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	---		---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	16	95.3	93.4	116.2
Toluene	22.8	µg/Kg	20	<20	08/30/01	8260b	---	2.3	85.4	90.3	95.5

LJ'ILU'R² INC.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH6-5'

2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Report# /Lab ID#: 118726
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	103	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	94.8	50 - 150	---
1,2-Dichloroethane-d4	8260b	107	65-115	---
Toluene-d8	8260b	98.5	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	4.02	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	---	µg/Kg	---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	16	95.3	93.4	116.2
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

LJ'ns 2 in 2

2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH6-10'

Report# /Lab ID#: 118727
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	111	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	83.5	50 - 150	---
1,2-Dichloroethane-d4	8260b	94.5	65-115	---
Toluene-d8	8260b	101	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Page #: 2

Print Date: 10/16/2001

Report #/Lab ID#: 118727 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH6-10'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Toluene	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M St Po Box
 Unice
NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<1	mg/Kg	1	<1	09/06/01	8015 mod	J	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	08/31/01	3540	--	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	--	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	---	µg/Kg	---	08/30/01	8260b	--	--	--	--	--	--
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	--	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	--	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	--	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	--	16	95.3	93.4	116.2
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	--	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (ROL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#Lab ID#: 118728	Report Date: 09/07/01
Project ID: 2001-11043	
Sample Name: EI W82001BH6-15'	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/20/2001	Time: 10:50

QUALITY ASSURANCE DATA¹

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH6-15'

Report# /Lab ID#: 118728
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	79.6	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	85.8	50 - 150	---
1,2-Dichloroethane-d4	8260b	97.1	65-115	---
Toluene-d8	8260b	91.8	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118728 Matrix:soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH6-15'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCQC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as diesel)	J	See J-flag discussion above.

Notes:

LIMS REPORT

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH7-2

2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Report#/Lab ID#: 118729
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	72.8	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	99.4	50 - 150	---
1,2-Dichloroethane-d4	8260b	112	65-115	---
Toluene-d8	8260b	99	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Acceptance Report:

Report #/Lab ID#:118729 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH7-2

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments Pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Toluene	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶
TPH by GC (as diesel)	<1	mg/Kg	1	<1	09/06/01	8015 mod
TPH by GC (as diesel-ext)	---	---	---	---	08/31/01	3540
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.
Volatile organics-8260b/BTEX	---	---	---	---	08/30/01	8260b
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b

QUALITY ASSURANCE DATA¹

Report#/ <i>Lab ID#</i> : 118730	Report Date: 09/07/01
Project ID: 2001-11043	
Sample Name: ELW82001BH7-5	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/20/2001	Time: 13:15

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,
Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limits. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH7-5

Report#/Lab ID#: 118730
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	112	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	92.9	50 - 150	---
1,2-Dichloroethane-d4	8260b	105	65-115	---
Toluene-d8	8260b	103	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method 6	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<1	mg/Kg	1	<1	09/10/01	8015 mod	J	1.8	99.9	98	84.6
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	08/31/01	3540	---	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---		---		08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	3	94.2	108.4	98.9
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B =Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/Lab ID#: 118731	Report Date: 09/11/01
Project ID: 2001-11043	
Sample Name: ELW82001BH7-10	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/20/2001	Time: 13:30

QUALITY ASSURANCE DATA¹

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH7-10

Report# / Lab ID#: 118731
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	103	50-150	---
1,2-Dichloroethane-d4	8015 mod.	85.8	50 - 150	---
1,2-Dichloroethane-d4	8260b	97.2	65-115	---
Toluene-d8	8260b	99.9	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118731 Matrix:soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH7-10

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCCT-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as diesel)	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice
Phone: (505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<1	mg/Kg	1	<1	09/10/01	8015 mod	J	1.8	99.9	98	84.6
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	08/31/01	3540	--	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	--	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	---	µg/Kg	---	---	08/30/01	8260b	--	--	--	--	--
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	--	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	--	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	J	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	--	16	95.3	93.4	116.2
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

UTILYS INC.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH7-15

Report# / Lab ID#: 118732
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	87.1	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	90.6	50 - 150	---
1,2-Dichloroethane-d4	8260b	104	65-115	---
Toluene-d8	8260b	100	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Cepex Report:

Report #/Lab ID#:118732 Matrix:soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELW82001BH7-15

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRC-C-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as diesel)	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	23	mg/Kg	1	<1	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---	---	---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	J	5	103.3	103.3	97.2
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	J	12.2	88.5	110.1	103.4
m,p-Xylenes	26	µg/Kg	20	<20	08/30/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	J	3	94.2	108.4	98.9
Toluene	43	µg/Kg	20	<20	08/30/01	8260b	---	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#Lab ID#: 118733	Report Date: 09/10/01
Project ID: 2001-11043	
Sample Name: ELW82001BH8-2	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/20/2001	Time: 14:10

QUALITY ASSURANCE DATA¹

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH8-2

Report#Lab ID#:118733
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	64.7	50-150	---
1,2-Dichloroethane-d4	8015 mod.	86.9	50 - 150	---
1,2-Dichloroethane-d4	8260b	98.4	65-115	---
Toluene-d8	8260b	99.6	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118733 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH8-2

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCCT-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (e.g. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.
Ethylbenzene	J	See J-flag discussion above.
o-Xylene	J	See J-flag discussion above.

Notes:



Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	3.52	mg/Kg	1	<1	09/10/01	8015 mod	---	1.8	99.9	98	84.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---		---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	J	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	3	94.2	108.4	98.9
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s), S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#	Lab ID#:	118734	Report Date:	09/11/01
Project ID:	2001-11043			
Sample Name:	ELW82001BH8-5			
Sample Matrix:	soil			
Date Received:	08/24/2001			
Date Sampled:	08/20/2001			
Time:	16:00			
Time:	14:25			

L'INSTITUTE INC.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH8-5

2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Report#Lab ID#: 118734
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	72.8	50-150	---
1,2-Dichloroethane-d4	8015 mod.	73.4	50-150	---
1,2-Dichloroethane-d4	8260b	83.1	65-115	---
Toluene-d8	8260b	106	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Report

Report #/Lab ID#:1118734 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH8-5

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in inappropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (e.g., the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
m,p-Xylenes	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	12.2	mg/Kg	1	<1	09/10/01	8015 mod	---	1.8	99.9	98	84.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---	µg/Kg	---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	3	94.2	108.4	98.9
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	0.4	89.9	104.9	84.5

QUALITY ASSURANCE DATA¹

Report#	Lab ID#:	118735	Report Date:	09/11/01
Project ID:	2001-11043			
Sample Name:	ELW82001BH8-10			
Sample Matrix:	soil			
Date Received:	08/24/2001	Time:	16:00	
Date Sampled:	08/20/2001	Time:	14:45	

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH8-10

Report# /Lab ID#: 118735
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	110	50-150	---
1,2-Dichloroethane-d4	8015 mod.	83.4	50 - 150	---
1,2-Dichloroethane-d4	8260b	94.5	65-115	---
Toluene-d8	8260b	91.2	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118735 Matrix: soil
Client: Environmental Plus, Inc.
Project ID: 2001-11043
Sample Name: ELW82001BH8-10

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

Sample received in appropriate container(s) and appear to be appropriately preserved.

Sample received in appropriate container(s). State of sample preservation unknown.

Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Toluene	J	See J-flag discussion above.

Notes:

Environmental Plus, Inc.

Client: Environmental Plus, Inc.
 Attn: Pat McCasland
 Address: 1324 M.St Po Box
 Unice NM 88231

Phone: (505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method 6	Data	Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<1	mg/Kg	1	<1	09/10/01	8015 mod	J	1.8	99.9	98	84.6	
TPH by GC (as diesel-ext)	--	---	--	--	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57	
Volatile organics-8260b/BTEX	---	---	---	---	08/30/01	8260b	---	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	5	103.3	103.3	97.2	
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	12.2	88.5	110.1	103.4	
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	8.7	88.7	101.9	98.4	
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	3	94.2	108.4	98.9	
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	0.4	89.9	104.9	84.5	

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B =Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

LJ' Environmental Inc.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH8-15

2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Report# /Lab ID#: 118736
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	92.2	50-150	---
1,2-Dichloroethane-d4	8015 mod.	100	50 - 150	---
1,2-Dichloroethane-d4	8260b	113	65-115	---
Toluene-d8	8260b	109	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Report:

Report #/Lab ID#: 118736 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH8-15

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL), is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as diesel)	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<1	mg/Kg	1	<1	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	--	µg/Kg	--	--	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	39.3	µg/Kg	20	<20	08/30/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	66.7	µg/Kg	20	<20	08/30/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	J	3	94.2	108.4	98.9
Toluene	42.8	µg/Kg	20	<20	08/30/01	8260b	---	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B =Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82101BH9-2

Report#Lab ID#: 118741
Sample Matrix: soil

109 N. Main Street, Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	90.7	50-150	---
1,2-Dichloroethane-d4	8015 mod.	110.1	50 - 150	---
1,2-Dichloroethane-d4	8260b	97.4	65-115	---
Toluene-d8	8260b	100	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118741 Matrix: soil
Client: Environmental Plus, Inc.
Project ID: 2001-11043
Sample Name: ELW82101BH9-2'

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
o-Xylene	J	See J-flag discussion above.

Notes:

LHLL 85/NC

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Unice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	3380	mg/Kg	200	<200	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	---	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	4880	mg/Kg	250	<250	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260bbTEX	---	µg/Kg	---	---	08/30/01	8260b	---	---	---	---	---
Benzene	2530	µg/Kg	1000	<1000	08/30/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	59800	µg/Kg	1000	<1000	08/30/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	107000	µg/Kg	1000	<1000	08/30/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	37600	µg/Kg	1000	<1000	08/30/01	8260b	---	3	94.2	108.4	98.9
Toluene	49000	µg/Kg	1000	<1000	08/30/01	8260b	---	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,
Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (REC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Acceptance Report:

Report #/Lab ID#:118742 Matrix:soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82101BH9-5

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRC-C-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	
1,2-Dichloroethane-d4	X	Surrogate recovery outside advisory/acceptance limits. Typically verified by reanalysis or reextraction & reanalysis. In some well known matrices (sample sources with known interferences) and for some conditions, reextraction and/or reanalysis may be at analysts discretion.
1,2-Dichloroethane-d4	X	
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	4650	mg/Kg	200	<200	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	---	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	4370	mg/Kg	1250	<1250	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---	---	---	---	08/30/01	8260b	---	---	---	---	---
Benzene	1980	µg/Kg	1000	<1000	08/30/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	66800	µg/Kg	1000	<1000	08/30/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	139000	µg/Kg	5000	<5000	08/30/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	40800	µg/Kg	1000	<1000	08/30/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	48500	µg/Kg	1000	<1000	08/30/01	8260b	---	4.9	97.5	105.9	104.3

QUALITY ASSURANCE DATA¹

Report#/ Lab ID#: 118743	Report Date: 09/10/01
Project ID: 2001-11043	
Sample Name: ELW82101BH9-10	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/21/2001	Time: 08:35

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B =Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82101BH9-10

Report# / Lab ID#: 118743
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	none/diluted	diluted @ 4X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	none/diluted	diluted @ 108.9X	D
1,2-Dichloroethane-d4	8260b	none/diluted	diluted @ 50X	D
Toluene-d8	8260b	none/diluted	diluted @ 50X	D

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118743 Matrix:soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82101BH9-10

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCQC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Surrogate recoveries not accurately quantifiable.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	5680	mg/Kg	200	<200	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	3230	mg/Kg	1250	<1250	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---	---	---	---	08/31/01	8260b	---	---	---	---	---
Benzene	114	µg/Kg	100	<100	08/31/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	42600	µg/Kg	1000	<1000	08/31/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	77400	µg/Kg	1000	<1000	08/31/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	26500	µg/Kg	1000	<1000	08/31/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	27800	µg/Kg	1000	<1000	08/31/01	8260b	---	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report

Report #/Lab ID#: 118744 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82101BH9-15

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA, and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in inappropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	X	Surrogate recovery outside advisory/acceptance limits. Typically verified by reanalysis or reextraction & reanalysis. In some well known matrices (sample sources with known interferences) and for some conditions, reextraction and/or reanalysis may be at analysts discretion.
1,2-Dichloroethane-d4	X	
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	
Toluene-d8	X	Surrogate recovery outside advisory/acceptance limits. Typically verified by reanalysis or reextraction & reanalysis. In some well known matrices (sample sources with known interferences) and for some conditions, reextraction and/or reanalysis may be at analysts discretion.
Toluene-d8	X	

Notes:

AnalySys

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
 2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec ²	Recov ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	7.87	mg/Kg	1	<1	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---	---	---	---	08/31/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	<20	µg/Kg	20	<20	08/31/01	8260b	J	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/31/01	8260b	---	3	94.2	108.4	98.9
Toluene	<20	µg/Kg	20	<20	08/31/01	8260b	J	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/ Lab ID#: 118745	Report Date: 09/10/01
Project ID: 2001-11043	
Sample Name: ELW82101BH9-20	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/21/2001	Time: 09:10

QUALITY ASSURANCE DATA¹

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice
Phone: (505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	1.8	mg/Kg	1	<1	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	--		--		08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	3	94.2	108.4	98.9
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	---	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,


Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s), S1 =MS and/or MSD recovery exceed advisory limits, S2 =Post digestion spike (PDS) recovery exceeds advisory limit, S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

LITTRONIC

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82101BH10-15

Report#Lab ID#: 118740
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	96.5	50-150	---
1,2-Dichloroethane-d4	8015 mod.	none/diluted	diluted @ 120X	D
1,2-Dichloroethane-d4	8260b	94.3	65-115	---
Toluene-d8	8260b	102	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

2209 N. Padre Island Dr., Corpus Christi, TX 78404-0444
(512) 444-5896 • FAX (512) 447-4766

Report #/Lab ID#:

118740

Matrix: soil

Attn: Pat McCasland

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELW82101BH10-15

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec ²	Recov ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	41.2	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	--	µg/Kg	--	--	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	J	2.8	100.1	97.1	104.1
m,p-Xylenes	27.2	µg/Kg	20	<20	08/30/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	16	95.3	93.4	116.2
Toluene	106	µg/Kg	20	<20	08/30/01	8260b	---	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Environmental Plus, Inc.
Attn: Pat McCasland

2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Project ID: 2001-11043
Sample Name: ELW82001BH11-2

Report# / Lab ID#: 118721
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	none	MATRIX INT	---
1,2-Dichloroethane-d4(Sur)	8015 mod.	103.6	50 - 150	---
1,2-Dichloroethane-d4	8260b	97.2	65-115	---
Toluene-d8	8260b	96	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118721 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH11-2'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

Sample received in appropriate container(s) and appear to be appropriately preserved.

Sample received in inappropriate container(s). State of sample preservation unknown.

Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCG-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH11-10'

Report#Lab ID#: 118723
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	79.9	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	85.7	50-150	---
1,2-Dichloroethane-d4	8260b	97	65-115	---
Toluene-d8	8260b	118	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice

NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	5.66	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	--	---	--	--	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	--	---	--	--	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	--	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	--	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	J	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	--	16	95.3	93.4	116.2
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

Report#Lab ID#:	118723	Report Date:	09/10/01
Project ID:	2001-11043		
Sample Name:	ELW82001BH11-10'		
Sample Matrix:	soil		
Date Received:	08/24/2001	Time:	16:00
Date Sampled:	08/20/2001	Time:	09:30

QUALITY ASSURANCE DATA¹

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.

LJ' nC

2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH11-5

Report#Lab ID#: 118722
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	96.3	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	86.5	50 - 150	---
1,2-Dichloroethane-d4	8260b	97.9	65-115	---
Toluene-d8	8260b	103	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exemptions Report:

Report #/Lab ID#:118723 Matrix:soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH11-10'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

Sample received in appropriate container(s) and appear to be appropriately preserved.

Sample received in appropriate container(s). State of sample preservation unknown.

Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRC-C-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
m,p-Xylenes	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

AnalySys
Inc.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
 2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LC ⁸
TPH by GC (as diesel)	1.5	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	08/31/01	3540	---	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260(b)BTEX	---		---		08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	16	95.3	93.4	116.2
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B =Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/Lab ID#: 118724	Report Date: 09/07/01
Project ID: 2001-11043	
Sample Name: ELW82001BH11-15	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/20/2001	Time: 09:45

QUALITY ASSURANCE DATA¹

Environmental Plus, Inc.

Attn: Pat McCasland

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	129	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	81	50 - 150	---
1,2-Dichloroethane-d4	8260b	91.7	65-115	---
Toluene-d8	8260b	97.3	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH11-15'

Report#/Lab ID#: 118724
Sample Matrix: soil

2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Exceptions Report:

Report #/Lab ID#: 118724 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82001BH11-15'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNCCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Toluene	J	See J-flag discussion above.

Notes:

ANALYSYS

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice
Phone: (505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶
TPH by GC (as diesel)	1.33	mg/Kg	1	<1	09/06/01	8015 mod
DPH by GC (as diesel-ext)	---	---	---	---	08/31/01	3540
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.
Volatile organics-8260b/BTEX	---	---	---	---	08/30/01	8260b
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

CHOLYSS INC.

2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH12-2

Report#Lab ID#: 118713
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	81	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	106.3	50 - 150	---
1,2-Dichloroethane-d4	8260b	81.5	65-115	---
Toluene-d8	8260b	99.4	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

LILY'S INC.

2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Report#/Lab ID#: 118714
Sample Matrix: soil

Project ID: 2001-11043
Sample Name: ELW82001BH12-5

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	72.9	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	85	50 - 150	---
1,2-Dichloroethane-d4	8260b	96.3	65-115	---
Toluene-d8	8260b	85.3	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Review:

Report #/Lab ID#: 118714 **Matrix:** soil
Client: Environmental Plus, Inc.
Project ID: 2001-11043
Sample Name: ELW82001BH12-5

Attn: Pat McCasland

Sample Temperature/Condition -60°C

Figure 1: Temperature/Condition <= 6°C
The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
 - Sample received in appropriate container(s). State of sample preservation unknown.
 - Sample received in inappropriate container(s) and/or with unknown state of preservation

Flag Discussion

J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifications and QC data:

Comments pertaining to Data Quantities and QC data.		
Parameter	Qualif	Comment
Toluene	J	See J-flag discussion above.

15

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	ROL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	2.98	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	---		---		08/29/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/29/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/29/01	8260b	---	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/29/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/29/01	8260b	---	16	95.3	93.4	116.2
Toluene	<20	µg/Kg	20	<20	08/29/01	8260b	J	2.3	85.4	90.3	95.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Environmental Plus, Inc.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH12-10

N. Fairlawn Dr., Corpus Christi, TX 78408-5454
(512) 444-5896 • FAX (512) 447-4766
Report#Lab ID#: 118715
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	98.4	50-150	---
1,2-Dichloroethane-d4(Sur)	8015 mod.	96.2	50 - 150	---
1,2-Dichloroethane-d4	8260b	108	65-115	---
Toluene-d8	8260b	93.6	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118715 Matrix:soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELW82001BH12-10

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

Sample received in appropriate container(s) and appear to be appropriately preserved.

Sample received in appropriate container(s). State of sample preservation unknown.

Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Toluene	J	See J-flag discussion above.

Notes:



4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78403
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice
Phone: (505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	1.06	mg/Kg	1	<1	09/06/01	8015 mod	---	13.9	84.1	85.1	97.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	08/31/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	3.73	79.9	86.3	83.83
Volatile organics-8260b/BTEX	---		---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	10.8	96.3	94.9	93.7
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.8	100.1	97.1	104.1
m,p-Xylenes	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.3	94.3	91.5	97.1
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	16	95.3	93.4	116.2
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	---	2.3	85.4	90.3	95.5

QUALITY ASSURANCE DATA¹

Report# / Lab ID#:	118716	Report Date:	09/07/01
Project ID:	2001-11043		
Sample Name:	ELW82001BHI2-15'		
Sample Matrix:	soil		
Date Received:	08/24/2001	Time:	16:00
Date Sampled:	08/20/2001	Time:	07:35

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s), S1 =MS and/or MSD recovery exceed advisory limits, S2 =Post digestion spike (PDS) recovery exceeds advisory limit, S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

LJ' 111-15 112.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82001BH12-15'

Report#Lab ID#: 118716
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	73.6	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	82	50 - 150	---
1,2-Dichloroethane-d4	8260b	92.8	65-115	---
Toluene-d8	8260b	102	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Environmental Plus, Inc., Austin, TX 78744

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	7410	mg/Kg	200	<200	09/10/01	8015 mod	---	1.8	99.9	98	84.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	5060	mg/Kg	1250	<1250	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---		08/31/01	8260b	---	---	---	---	---
Benzene	5480	µg/Kg	5000	<5000	08/31/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	92700	µg/Kg	5000	<5000	08/31/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	175000	µg/Kg	5000	<5000	08/31/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	58900	µg/Kg	5000	<5000	08/31/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	87400	µg/Kg	5000	<5000	08/31/01	8260b	---	4.9	97.5	105.9	104.3

QUALITY ASSURANCE DATA¹

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	7410	mg/Kg	200	<200	09/10/01	8015 mod	---	1.8	99.9	98	84.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	5060	mg/Kg	1250	<1250	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---		08/31/01	8260b	---	---	---	---	---
Benzene	5480	µg/Kg	5000	<5000	08/31/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	92700	µg/Kg	5000	<5000	08/31/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	175000	µg/Kg	5000	<5000	08/31/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	58900	µg/Kg	5000	<5000	08/31/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	87400	µg/Kg	5000	<5000	08/31/01	8260b	---	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limits. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

LILY'S INC.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82101BH13-2

Report#/Lab ID#: 118746
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	none/diluted	diluted @ 4X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	none/diluted	diluted @ 114.9X	D
1,2-Dichloroethane-d4	8260b	none/diluted	diluted @ 250X	D
Toluene-d8	8260b	none/diluted	diluted @ 250X	D

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Exceptions Report:

Report #/Lab ID#: 118746 Matrix:soil
Client: Environmental Plus, Inc.
Project ID: 2001-1-1043
Sample Name: ELW82101BH13-2

Attn: Pat McCasland

Sample Temperature/Condition <=6°C.

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic D levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic D levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic D levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic D levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic D levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic D levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic D levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic D levels). Surrogate recoveries not accurately quantifiable.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method 6	Data Qual ⁷	Prec ²	Recov ³	CCV4	LCS ⁴
TPH by GC (as diesel)	6080	mg/Kg	200	<200	09/10/01	8015 mod	---	1.8	99.9	98	84.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	7510	mg/Kg	1250	<1250	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---	---	08/31/01	8260b	---	---	---	---	---
Benzene	11500	µg/Kg	5000	<5000	08/31/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	134000	µg/Kg	5000	<5000	08/31/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	238000	µg/Kg	5000	<5000	08/31/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	79700	µg/Kg	5000	<5000	08/31/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	129000	µg/Kg	5000	<5000	08/31/01	8260b	---	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B =Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82101BH13-5

Report#/Lab ID#: 118747
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	none/diluted	diluted @ 4X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	none/diluted	diluted @ 114.9X	D
1,2-Dichloroethane-d4	8260b	none/diluted	diluted @ 250X	D
Toluene-d8	8260b	none/diluted	diluted @ 250X	D

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118747 Matrix:soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82101BH13-5

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg., the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.

Notes:

Environmental Plus, Inc.

Client: Environmental Plus, Inc.
 Attn: Pat McCasland
 Address: 1324 M.St Po Box
 Eunice
 Phone: (505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	1560	mg/Kg	200	<200	09/10/01	8015 mod	---	1.8	99.9	98	84.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	8960	mg/Kg	1250	<1250	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---		08/31/01	8260b	---	---	---	---	---
Benzene	13200	µg/Kg	5000	<5000	08/31/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	152000	µg/Kg	5000	<5000	08/31/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	272000	µg/Kg	5000	<5000	08/31/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	94400	µg/Kg	5000	<5000	08/31/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	139000	µg/Kg	5000	<5000	08/31/01	8260b	---	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

LILLY INC.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82101BH13-10

1444 Research Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Report#/Lab ID#: 118748
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
α -Terphenyl	8015 mod	none/diluted	diluted @ 4X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	none/diluted	diluted @ 114.9X	D
1,2-Dichloroethane-d4	8260b	none/diluted	diluted @ 250X	D
Toluene-d8	8260b	none/diluted	diluted @ 250X	D

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Report

Report #/Lab ID#: 118748 Matrix:soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82101BH13-10

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

Sample received in appropriate container(s) and appear to be appropriately preserved.

Sample received in appropriate container(s). State of sample preservation unknown.

Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCCE-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Surrogate recoveries not accurately quantifiable.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	8040	mg/Kg	200	<200	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	---	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	4720	mg/Kg	1250	<1250	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---	---	---	---	08/31/01	8260b	---	---	---	---	---
Benzene	5330	µg/Kg	5000	<5000	08/31/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	83400	µg/Kg	5000	<5000	08/31/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	147000	µg/Kg	5000	<5000	08/31/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	49000	µg/Kg	5000	<5000	08/31/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	73200	µg/Kg	5000	<5000	08/31/01	8260b	---	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits, S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

L
E
N
T
R
O
G
A
T
E
M
C.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82101BH13-15

Report#/Lab ID#: 118749
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
<i>o</i> -Terphenyl	8015 mod	none/diluted	diluted @ 4X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	none/diluted	diluted @ 114.9X	D
1,2-Dichloroethane-d4	8260b	none/diluted	diluted @ 250X	D
Toluene-d8	8260b	none/diluted	diluted @ 250X	D

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118749 Matrix:soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELW82101BH13-15

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCCT-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualifier	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.

Notes:

Environmental Plus, Inc.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method 6	Data	Qual 7	Prec ²	Recov ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	4400	mg/Kg	200	<200	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1	
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	630	mg/Kg	250	<250	08/31/01	8015 mod.	---	0.29	81	80.6	98.17	
Volatile organics-8260b/BTEX	---		---		08/30/01	8260b	---	---	---	---	---	
Benzene	96.7	µg/Kg	20	<20	08/30/01	8260b	---	3.7	96	105.8	104.3	
Ethylbenzene	3710	µg/Kg	20	<20	08/30/01	8260b	---	9.2	94.5	106.7	102.6	
m,p-Xylenes	8930	µg/Kg	100	<100	09/04/01	8260b	---	6.2	89.5	100	95.9	
o-Xylene	2650	µg/Kg	20	<20	08/30/01	8260b	---	22.5	91.4	102.5	98.5	
Toluene	3060	µg/Kg	100	<100	09/04/01	8260b	---	4.9	97.5	105.9	104.3	

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B =Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/ Lab ID#: 118750	Report Date: 09/10/01
Project ID: 2001-11043	
Sample Name: ELW82101BH13-20	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/21/2001	Time: 10:47

QUALITY ASSURANCE DATA¹

ILISYS
INC.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82101BH13-20

Report#Lab ID#:118750
Sample Matrix: soil

4221 Friedrich Lane,Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	none/diluted	diluted @ 4X	D
,2-Dichloroethane-d4(Surr)	8015 mod.	none/diluted	diluted @ 108.9X	D
,2-Dichloroethane-d4	8260b	91.1	65-115	---
Toluene-d8	8260b	101	50-120	---

ata Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Report: Acceptance

Report #/Lab ID#: 118750 **Matrix:** soil
Client: Environmental Plus, Inc.
Project ID: 2001-11043
Sample Name: EI/W82101BH13-20
Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
 - Sample received in appropriate container(s). State of sample preservation unknown.
 - Sample received in inappropriate container(s) and/or with unknown state of preservation

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been identified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion/fragment noise.)

Comments pertaining to Data Qualification and QC data

Comments pertaining to Data Quantifiers and QC data.		
Parameter	Qualif	Comment
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (e.g. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (e.g. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (e.g. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (e.g. high non-target organic levels). Surrogate recoveries not accurately quantifiable.

N

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec ²	Recov ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	19200	mg/Kg	400	<400	09/07/01	8015 mod	--	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	--	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	760	mg/Kg	250	<250	08/31/01	8015 mod.	--	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---	---	08/31/01	8260b	--	--	--	--	--
Benzene	9810	µg/Kg	5000	<5000	08/31/01	8260b	--	3.7	96	105.8	104.3
Ethylbenzene	138000	µg/Kg	5000	<5000	08/31/01	8260b	--	9.2	94.5	106.7	102.6
m,p-Xylenes	252000	µg/Kg	5000	<5000	08/31/01	8260b	--	6.2	89.5	100	95.9
o-Xylene	85800	µg/Kg	5000	<5000	08/31/01	8260b	--	22.5	91.4	102.5	98.5
Toluene	1300000	µg/Kg	5000	<5000	08/31/01	8260b	--	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analytes from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/Lab ID#: 118751	Report Date: 09/10/01
Project ID: 2001-11043	
Sample Name: ELW82201BH14-2	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/22/2001	Time: 07:00

QUALITY ASSURANCE DATA¹

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH14-2

Report#/Lab ID#: 118751
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	none/diluted	diluted @ 8X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	none/diluted	diluted @ 114.9X	D
1,2-Dichloroethane-d4	8260b	none/diluted	diluted @ 250X	D
Toluene-d8	8260b	none/diluted	diluted @ 250X	D

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118751 Matrix:soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELW82201BH14-2

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Surrogate recoveries not accurately quantifiable.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	13500	mg/Kg	400	<400	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	5330	mg/Kg	1250	<1250	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---	---	---	08/31/01	8260b	---	---	---	---	---	---
Benzene	6830	µg/Kg	5000	<5000	08/31/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	96800	µg/Kg	5000	<5000	08/31/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	171000	µg/Kg	5000	<5000	08/31/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	58300	µg/Kg	5000	<5000	08/31/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	88600	µg/Kg	5000	<5000	08/31/01	8260b	---	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report# /Lab ID#: 118752 Report Date: 09/10/01
Project ID: 2001-11043
Sample Name: ELW822201BH14-5
Sample Matrix: soil
Date Received: 08/24/2001 Time: 16:00
Date Sampled: 08/22/2001 Time: 07:15

QUALITY ASSURANCE DATA¹

LHILYSC INC.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH14-5

Report#/Lab ID#: 118752
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	none/diluted	diluted @ 8X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	none/diluted	diluted @ 114.9X	D
1,2-Dichloroethane-d4	8260b	none/diluted	diluted @ 250X	D
Toluene-d8	8260b	none/diluted	diluted @ 250X	D

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

4221 Friedrich Lane,Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Acceptance Report:

Report #/Lab ID#: 118752 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-1-11043
Sample Name: ELW82201BH14-5

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in inappropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Surrogate recoveries not accurately quantifiable.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	ROL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	126	mg/Kg	20	<20	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	---	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	37.3	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---	ug/Kg	---	---	08/31/01	8260b	---	---	---	---	---
Benzene	<20	ug/Kg	20	<20	08/31/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	<20	ug/Kg	20	<20	08/31/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	21.5	ug/Kg	20	<20	08/31/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	<20	ug/Kg	20	<20	08/31/01	8260b	J	3	94.2	108.4	98.9
Toluene	<20	ug/Kg	20	<20	08/31/01	8260b	J	0.4	89.9	104.9	84.5

QUALITY ASSURANCE DATA¹

Report#/Lab ID#: 118753 **Report Date:** 09/10/01
Project ID: 2001-11043
Sample Name: ELW82201BH14-10
Sample Matrix: soil
Date Received: 08/24/2001 **Time:** 16:00
Date Sampled: 08/22/2001 **Time:** 07:30

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Lakeview Landfill
269 N. Home Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Report#/Lab ID#:118753
Sample Matrix: soil

Project ID: 2001-11043
Sample Name: ELW82201BH14-10

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Terphenyl	8015 mod	none/diluted	diluted @ 2X	D
2-Dichloroethane-d4	8015 mod.	91	50 - 150	---
2-Dichloroethane-d4	8260b	103	65-115	---
oluene-d8	8260b	94.6	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118753 Matrix:soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82201BH14-10

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCQC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
o-Xylene	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.
p-Terphenyl p-Terphenyl	D D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (e.g. high non-target organic levels). Surrogate recoveries not accurately quantifiable.

Notes:

AnalySys
INC.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	447	mg/Kg	200	<200	09/10/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	---	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	218	mg/Kg	25	<25	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---	---	---	---	09/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	09/05/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	942	µg/Kg	20	<20	09/05/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	2470	µg/Kg	100	<100	09/04/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	1050	µg/Kg	20	<20	09/05/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	185	µg/Kg	100	<100	09/04/01	8260b	---	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

LJL INC.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH14-15

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Report# /Lab ID#: 118754
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
α -Terphenyl	8015 mod.	none/diluted	diluted @ 4X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	98.5	50 - 150	---
1,2-Dichloroethane-d4	8260b	89.3	65-115	---
Toluene-d8	8260b	103	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118754 Matrix: soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELW82201BH14-15

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments Pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels).
p-Terphenyl	D	Surrogate recoveries not accurately quantifiable.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV4	LCS ⁴
TPH by GC (as diesel)	116	mg/Kg	2	<2	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	23.6	mg/Kg	5	<5	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	--	µg/Kg	--	--	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	J	9.2	94.5	106.7	102.6
m,p-Xylenes	24.7	µg/Kg	20	<20	08/30/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	<20	µg/Kg	20	<20	08/30/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH14-20

Report# /Lab ID#: 118755
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	none/diluted	diluted @ 2X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	81.1	50 - 150	---
1,2-Dichloroethane-d4	8260b	91.8	65-115	---
Toluene-d8	8260b	104	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118755 Matrix: soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Attn: Pat McCasland

Sample Name: ELW82201BH14-20

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

Sample received in appropriate container(s) and appear to be appropriately preserved.

Sample received in appropriate container(s). State of sample preservation unknown.

Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	

Notes:

AnalySys Inc.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
 2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	189	mg/Kg	2	<2	09/07/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	51.3	mg/Kg	5	<5	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---		08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	56.5	µg/Kg	20	<20	08/30/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	125	µg/Kg	20	<20	08/30/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	56.5	µg/Kg	20	<20	08/30/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	37.1	µg/Kg	20	<20	08/30/01	8260b	---	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B =Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

L'ILY INC.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH14-25

Report# / Lab ID#: 118756
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
-Terphenyl	8015 mod	none/diluted	diluted @ 1X	D
,2-Dichloroethane-d4(Surr)	8015 mod.	81.7	50 - 150	---
,2-Dichloroethane-d4	8260b	92.5	65-115	---
oluene-d8	8260b	92.6	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118756 Matrix:soil
Client: Environmental Plus, Inc.
Project ID: 2001-11043
Sample Name: ELW82201BH14-25

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRC-C-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M. St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	9960	mg/Kg	200	<200	09/10/01	8015 mod	---	1.8	99.9	98	84.6
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	4140	mg/Kg	250	<250	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---	---	08/31/01	8260b	---	---	---	---	---
Benzene	3500	µg/Kg	1000	<1000	08/31/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	87200	µg/Kg	1000	<1000	08/31/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	159000	µg/Kg	1000	<1000	08/31/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	59300	µg/Kg	1000	<1000	08/31/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	74900	µg/Kg	10000	<1000	08/31/01	8260b	---	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
 Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are: I = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/ Lab ID#: 118757	Report Date: 09/11/01
Project ID: 2001-11043	
Sample Name: ELW82201BH15-2	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/22/2001	Time: 08:40

QUALITY ASSURANCE DATA¹

Report#/ Lab ID#: 118757	Report Date: 09/11/01
Project ID: 2001-11043	
Sample Name: ELW82201BH15-2	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/22/2001	Time: 08:40

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH15-2

Report# /Lab ID#: 118757
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	none/diluted	diluted @ 4X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	none/diluted	diluted @ 108.9X	D
1,2-Dichloroethane-d4	8260b	none/diluted	diluted @ 50X	D
Toluene-d8	8260b	none/diluted	diluted @ 50X	D

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118757 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82201BH15-2

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCQC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.

Notes:

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601
NM 88231

REPORT OF ANALYSIS

Parameter		Result	Units	RQL ⁵	Blank	Date	Method 6	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)		7140	mg/Kg	200	<200	09/07/01	8015 mod	--	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)		---	---	---	---	09/04/01	3540	--	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)		3470	mg/Kg	1250	<1250	08/31/01	8015 mod.	--	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX		---		---	08/30/01	8260b	--	--	--	--	--	--
Benzene		1660	µg/Kg	1000	<1000	08/30/01	8260b	--	3.7	96	105.8	104.3
Ethylbenzene		66700	µg/Kg	1000	<1000	08/30/01	8260b	--	9.2	94.5	106.7	102.6
m,p-Xylenes		139000	µg/Kg	5000	<5000	08/30/01	8260b	--	6.2	89.5	100	95.9
o-Xylene		42300	µg/Kg	1000	<1000	08/30/01	8260b	--	22.5	91.4	102.5	98.5
Toluene		53100	µg/Kg	1000	<1000	08/30/01	8260b	--	4.9	97.5	105.9	104.3

This is analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2010, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully submitted,
Richard L. Scott

Richard Lester

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1=MSD and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Method detection limit.

Ultimate advisory unit, M = Matrix intelligence.

ILILYS INC.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH15-5

Report#/Lab ID#: 118758
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
α -Terphenyl	8015 mod	none/diluted	diluted @ 4X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	none/diluted	diluted @ 114.9X	D
1,2-Dichloroethane-d4	8260b	none/diluted	diluted @ 50X	D
Toluene-d8	8260b	none/diluted	diluted @ 50X	D

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118758 Matrix:soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELW82201BH15-5

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

Sample received in appropriate container(s) and appear to be appropriately preserved.

Sample received in appropriate container(s). State of sample preservation unknown.

Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments Pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
1,2-Dichloroethane-d4	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4	D	Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
1,2-Dichloroethane-d4(Surr)	D	Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
Toluene-d8	D	Surrogate recoveries not accurately quantifiable.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	1070	mg/Kg	200	<200	09/10/01	8015 mod	---	15.1	108.7	109.4	78.1
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	425	mg/Kg	25	<25	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---	---	09/05/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	09/05/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	2490	µg/Kg	100	<100	09/04/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	5350	µg/Kg	100	<100	09/04/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	2380	µg/Kg	100	<100	09/04/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	472	µg/Kg	100	<100	09/04/01	8260b	---	4.9	97.5	105.9	104.3

QUALITY ASSURANCE DATA¹

Report#/ Lab ID#: 118759	Report Date: 09/10/01
Project ID: 2001-11043	
Sample Name: ELW82201BH15-10	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/22/2001	Time: 09:20

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limit (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are I = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Environmental Plus, Inc.
2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH15-10

Report# /Lab ID#: J118759
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
Terphenyl	8015 mod	none/diluted	diluted @ 4X	D
,2-Dichloroethane-d4(Surr)	8015 mod.	102.1	50 - 150	---
,2-Dichloroethane-d4	8260b	85.7	65-115	---
oluene-d8	8260b	100	50-120	---

ata Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118759 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: EL W82201BH15-10

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (e.g. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	203	mg/Kg	20	<20	09/07/01	8015 mod	---	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	42.5	mg/Kg	5	<5	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---		08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	<20	µg/Kg	20	<20	08/30/01	8260b	J	9.2	94.5	106.7	102.6
m,p-Xylenes	42.9	µg/Kg	20	<20	08/30/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	23.1	µg/Kg	20	<20	08/30/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	<20	µg/Kg	20	<20	08/30/01	8260b	J	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

LJ'ILLYS INC.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH15-15'

Report#/Lab ID#: 118760
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	none/diluted	diluted @ 1X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	87	50 - 150	---
1,2-Dichloroethane-d4	8260b	98.5	65-115	---
Toluene-d8	8260b	104	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118760 Matrix:soil
Client: Environmental Plus, Inc.
Project ID: 2001-11043
Sample Name: ELW82201BH15-15'

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Ethylbenzene	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic
p-Terphenyl	D	levels). Surrogate recoveries not accurately quantifiable.

Notes:

AnalySys

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
 2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	74.2	mg/Kg	2	<2	09/07/01	8015 mod	--	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	--	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	44.4	mg/Kg	5	<5	08/29/01	8015 mod.	--	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---	ug/Kg	---	---	08/31/01	8260b	--	--	--	--	--
Benzene	<20	ug/Kg	20	<20	08/31/01	8260b	--	5	103.3	103.3	97.2
Ethylbenzene	<20	ug/Kg	20	<20	08/31/01	8260b	--	12.2	88.5	110.1	103.4
m,p-Xylenes	<20	ug/Kg	20	<20	08/31/01	8260b	J	8.7	88.7	101.9	98.4
o-Xylene	<20	ug/Kg	20	<20	08/31/01	8260b	--	3	94.2	108.4	98.9
Toluene	<20	ug/Kg	20	<20	08/31/01	8260b	J	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s), S1 =MS and/or MSD recovery exceed advisory limits, S2 =Post digestion spike (PDS) recovery exceeds advisory limit, S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/Lab ID#: 118761	Report Date: 09/11/01
Project ID: 2001-11043	
Sample Name: ELW82201BH15-20	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/22/2001	Time: 09:53

QUALITY ASSURANCE DATA¹

Environmental Laboratory Inc.
Fredericksburg, TX 78124
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Report#/Lab ID#:118761
Sample Matrix: soil

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82201BH15-20

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
α -Terphenyl	8015 mod	113	50-150	---
1,2-Dichloroethane-d4	8015 mod.	87.4	50 - 150	---
1,2-Dichloroethane-d4	8260b	98.9	65-115	---
Toluene-d8	8260b	93.7	50-120	---

DATA QUALIFIERS: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118761 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-1-1043
Sample Name: ELW82201BH15-20

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNCCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
m,p-Xylenes	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M. St Po Box
Eunice NM 88231
Phone: (505) 394-3481 FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	761	mg/Kg	200	<200	09/07/01	8015 mod	---	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	---	---	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	199	mg/Kg	50	<50	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---	---	---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	J	3.7	96	105.8	104.3
Ethylbenzene	1280	µg/Kg	20	<20	08/30/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	2630	µg/Kg	20	<20	08/30/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	1170	µg/Kg	20	<20	08/30/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	444	µg/Kg	20	<20	08/30/01	8260b	---	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

CHROMAS INC.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2289 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH15-25

Report# / Lab ID#: 118762
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	none/diluted	diluted @ 4X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	83	50 - 150	---
1,2-Dichloroethane-d4	8260b	82.1	65-115	---
Toluene-d8	8260b	111	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118762 Matrix: soil
Client: Environmental Plus, Inc.
Project ID: 2001-1-1043
Sample Name: ELW82201BH15-25

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (e.g. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (e.g. high non-target organic levels). Surrogate recovers not accurately quantifiable.
p-Terphenyl	D	

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	465	mg/Kg	20	<20	09/07/01	8015 mod	---	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	---	---	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	129	mg/Kg	25	<25	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---	---	08/30/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/30/01	8260b	J	3.7	96	105.8	104.3
Ethylbenzene	644	µg/Kg	20	<20	08/30/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	1590	µg/Kg	20	<20	08/30/01	8260b	---	6.2	89.5	100	95.9
o-Xylene	739	µg/Kg	20	<20	08/30/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	128	µg/Kg	20	<20	08/30/01	8260b	---	4.9	97.5	105.9	104.3

QUALITY ASSURANCE DATA¹

	Report#	Lab ID#	Project ID	Report Date
Sample Name:	ELW82201BH15-30	118763	2001-11043	09/11/01
Sample Matrix:	soil			
Date Received:	08/24/2001			Time: 16:00
Date Sampled:	08/22/2001			Time: 10:25

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Environmental Plus, Inc.

Attn: Pat McCasland

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	none/diluted	diluted @ 1X	D
1,2-Dichloroethane-d4(Surr)	8015 mod.	108.5	50 - 150	---
1,2-Dichloroethane-d4	8260b	82.4	65-115	---
Toluene-d8	8260b	97.3	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Report#/**Lab ID#:** 118763
Sample Matrix: soil

Project ID: 2001-11043
Sample Name: ELW82201BH15-30

Project Lab: Lab #
220 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Report#/Lab ID#:** 118763
Sample Matrix: soil**

Exceptions Report:

Report #/Lab ID#:118763 Matrix: soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELW82201BHQ15-30

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	

Notes:



AnalySys
InC.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	609	mg/Kg	200	<200	09/07/01	8015 mod	---	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	35.4	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---		---	---	08/31/01	8260b	---	---	---	---	---
Benzene	29.1	µg/Kg	20	<20	08/31/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	579	µg/Kg	20	<20	08/31/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	665	µg/Kg	20	<20	08/31/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	183	µg/Kg	20	<20	08/31/01	8260b	---	3	94.2	108.4	98.9
Toluene	291	µg/Kg	20	<20	08/31/01	8260b	---	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

LJLYS INC.

4221 Research Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 784008
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH16-2

Report# / Lab ID#: 118764
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	none/diluted	diluted @ 4X	D
1,2-Dichloroethane-d4	8015 mod.	93.2	50 - 150	---
1,2-Dichloroethane-d4	8260b	105	65-115	---
Toluene-d8	8260b	101	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118764 Matrix:soil

Client: Environmental Plus, Inc.

Project ID: 2001-11043

Sample Name: ELW82201BH16-2

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	13.3	mg/Kg	2	<2	09/07/01	8015 mod	---	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	---	---	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---	---	---	---	08/31/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	<20	µg/Kg	20	<20	08/31/01	8260b	J	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/31/01	8260b	---	3	94.2	108.4	98.9
Toluene	<20	µg/Kg	20	<20	08/31/01	8260b	J	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH16-5'

Report#/Lab ID#: 1118765
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
α -Terphenyl	8015 mod	109	50-150	---
1,2-Dichloroethane-d4	8015 mod.	80.1	50 - 150	---
1,2-Dichloroethane-d4	8260b	90.7	65-115	---
Toluene-d8	8260b	101	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118765 Matrix: soil

Client: Environmental Plus, Inc. Attn: Pat McCasland

Project ID: 2001-11043

Sample Name: ELW82201BH16-5'

Sample Temperature/Condition $\leq 6^{\circ}\text{C}$

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is $\leq 6^{\circ}\text{C}$. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
m,p-Xylenes	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec ²	Recov ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	6.63	mg/Kg	2	<2	09/07/01	8015 mod	---	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/31/01	8015 mod.	---	0.29	81	80.6	98.17
Volatile organics-8260b/BTEX	---		---	---	08/31/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	9.2	94.5	106.7	102.6
m,p-Xylenes	<20	µg/Kg	20	<20	08/31/01	8260b	J	6.2	89.5	100	95.9
o-Xylene	<20	µg/Kg	20	<20	08/31/01	8260b	--	22.5	91.4	102.5	98.5
Toluene	<20	µg/Kg	20	<20	08/31/01	8260b	J	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

LITI^YS INC.

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH16-10

Report# / Lab ID#: 118766
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	99.8	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	76.8	50 - 150	---
1,2-Dichloroethane-d4	8260b	87	65-115	---
Toluene-d8	8260b	107	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Exceptions Report:

Report #/Lab ID#:118766 Matrix:soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82201BH16-10'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRC-C-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
m,p-Xylenes	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes: -----

ANALYSYS INC.

4221 Freidrich Lane, Suite 190, Austin, TX 78744 &
 2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec ²	Recov ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<1	mg/Kg	1	<1	09/07/01	8015 mod	---	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	09/04/01	3540	---	-NA-	-NA-	-NA-	
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	--		--		08/31/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	<20	µg/Kg	20	<20	08/31/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/31/01	8260b	---	3	94.2	108.4	98.9
Toluene	<20	µg/Kg	20	<20	08/31/01	8260b	---	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/ Lab ID#: 118767	Report Date: 09/11/01
Project ID: 2001-11043	
Sample Name: ELW82201BHI615'	
Sample Matrix: soil	
Date Received: 08/24/2001	Time: 16:00
Date Sampled: 08/22/2001	Time: 13:35

QUALITY ASSURANCE DATA¹

Client: Environmental Plus, Inc.
 Attn: Pat McCasland

Project ID: 2001-11043
 Sample Name: ELW82201BH1615'

Report# / Lab ID#: 118767
 Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	75.4	50-150	---
1,2-Dichloroethane-d4	8015 mod.	90.7	50 - 150	---
1,2-Dichloroethane-d4	8260b	102	65-115	---
Toluene-d8	8260b	120	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Freight Line Site 1234 Austin, TX 78725 & 78735
 2209 N. Padre Island Dr., Corpus Christi, TX 7840408
 (512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M St Po Box
 Eunice NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	240	mg/Kg	20	<20	09/07/01	8015 mod	---	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	23.3	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---	---	---	---	08/31/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/31/01	8260b	J	5	103.3	103.3	97.2
Ethylbenzene	226	µg/Kg	20	<20	08/31/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	370	µg/Kg	20	<20	08/31/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	139	µg/Kg	20	<20	08/31/01	8260b	---	3	94.2	108.4	98.9
Toluene	109	µg/Kg	20	<20	08/31/01	8260b	---	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/Lab ID#: 118768 **Report Date:** 09/11/01
Project ID: 2001-11043
Sample Name: ELW82201BHI7-2'
Sample Matrix: soil
Date Received: 08/24/2001 **Time:** 16:00
Date Sampled: 08/22/2001 **Time:** 13:50

ELUTRIOS INC.
Firm Name
2209 N. Padre Island Dr., Corpus Christi, TX 7840408
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH17-2

Report# /Lab ID#: 118768
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod.	none/diluted	diluted @ 1X	D
1,2-Dichloroethane-d4	8015 mod.	63.5	50 - 150	---
1,2-Dichloroethane-d4	8260b	71.9	65-115	---
Toluene-d8	8260b	112	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#:118768 Matrix: soil
Client: Environmental Plus, Inc. Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82201BH17-2'

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (e.g. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
Benzene	J	See J-flag discussion above.
p-Terphenyl	D	Sample diluted to assure quantitation within calibration range or due to Matrix interferences or other matrix effects (eg. high non-target organic levels). Surrogate recoveries not accurately quantifiable.
p-Terphenyl	D	

Notes:

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<1	mg/Kg	1	<1	09/07/01	8015 mod	---	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	09/04/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---		---		08/31/01	8260b	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	<20	µg/Kg	20	<20	08/31/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/31/01	8260b	---	3	94.2	108.4	98.9
Toluene	<20	µg/Kg	20	<20	08/31/01	8260b	---	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Laster
Richard Laster

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

ELW 575

4221 Persian Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78404088
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH17-5

Report#/Lab ID#: 118769
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	70.2	50-150	---
1,2-Dichloroethane-d4	8015 mod.	62.4	50 - 150	---
1,2-Dichloroethane-d4	8260b	70.7	65-115	---
Toluene-d8	8260b	105	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Address: 1324 M.St Po Box
 Eunice
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	3.74	mg/Kg	1	<1	09/07/01	8015 mod	---	16.3	97.2	110.2	76.3
TPH by GC (as diesel-ext)	--	mg/Kg	--	--	09/05/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/29/01	8015 mod.	---	13.09	85.1	105.3	95.57
Volatile organics-8260b/BTEX	---		---	08/31/01	8260b	---	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	5	103.3	103.3	97.2
Ethylbenzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	12.2	88.5	110.1	103.4
m,p-Xylenes	<20	µg/Kg	20	<20	08/31/01	8260b	---	8.7	88.7	101.9	98.4
o-Xylene	<20	µg/Kg	20	<20	08/31/01	8260b	---	3	94.2	108.4	98.9
Toluene	<20	µg/Kg	20	<20	08/31/01	8260b	---	0.4	89.9	104.9	84.5

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,
Richard Laster
 Richard Laster

Richard Laster

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference.

Report#/ Lab ID#: 118770	Report Date: 09/11/01
Project ID:	2001-11043
Sample Name:	EL W82201BH17-10
Sample Matrix:	soil
Date Received:	08/24/2001
Date Sampled:	08/22/2001
	Time: 14:17

QUALITY ASSURANCE DATA¹

LJ Environmental Services

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78404088
(512) 444-5896 • FAX (512) 447-4766

Report#/Lab ID#: 118770
Sample Matrix: soil

Client: Environmental Plus, Inc.
Attn: Pat McCasland
Project ID: 2001-11043
Sample Name: ELW82201BH17-10

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	73	50-150	---
1,2-Dichloroethane-d4	8015 mod.	70.9	50 - 150	---
1,2-Dichloroethane-d4	8260b	80.3	65-115	---
Toluene-d8	8260b	102	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	30.9	mg/Kg	1	<1	09/10/01	8015 mod	---	1.8	99.9	98	84.6
TPH by GC (as diesel/ext)	---	---	---	---	09/05/01	3540	---	-NA-	-NA-	-NA-	-NA-
TPH by GC (as gasoline)	<5	mg/Kg	5	<5	08/31/01	8015 mod.	J	0.29	81	80.6	98.17
/olalite organics-8260b/BTEX	---	---	---	08/31/01	8260b	---	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	3.7	96	105.8	104.3
Ethylbenzene	<20	µg/Kg	20	<20	08/31/01	8260b	---	9.2	94.5	106.7	102.6
n,p-Xylenes	<20	µg/Kg	20	<20	08/31/01	8260b	J	6.2	89.5	100	95.9
m-Xylene	<20	µg/Kg	20	<20	08/31/01	8260b	---	22.5	91.4	102.5	98.5
Toluene	<20	µg/Kg	20	<20	08/31/01	8260b	J	4.9	97.5	105.9	104.3

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2000, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Richard Lester

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value
 of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte
 recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are
 expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits
 (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers
 typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required
 dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in
 associated method blank(s). S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS)
 recovery exceeds advisory limit. S3 =MS and/or MSD recoveries exceed advisory limits. P =Precision higher
 than advisory limit. M =Matrix interference.

Report Date: 09/11/01

LJILY5Y

4221 Friedrich Lane, Suite 190, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78404-08
(512) 444-5896 • FAX (512) 447-4766

Client: Environmental Plus, Inc.
Attn: Pat McCasland

Project ID: 2001-11043
Sample Name: ELW82201BH17-15

Report# / Lab ID#: 118771
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limit	Data Qualifiers
p-Terphenyl	8015 mod	97.2	50-150	---
1,2-Dichloroethane-d4(Surr)	8015 mod.	77.6	50 - 150	---
1,2-Dichloroethane-d4	8260b	87.8	65-115	---
Toluene-d8	8260b	93.7	50-120	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Exceptions Report:

Report #/Lab ID#: 118771 Matrix:soil
Client: Environmental Plus, Inc.
Project ID: 2001-11043
Sample Name: ELW82201BH17-15

Attn: Pat McCasland

Sample Temperature/Condition <=6°C

The typical sample temperature criteria (except for metals by ICP, GFAA and AA and a very few other tests) is <= 6°C. Possible exceptions include samples submitted to laboratory within such a short time after sampling that cooling measures used in the field and during transport had insufficient time to achieve desired temperatures in the samples (see sample collection and sample receipt times) and samples where the temperature could not be measured due to sample submission in a manner precluding temperature measurement without impacting sample integrity (ex. in a bottle with no cooler).

Sample Bottles & Preservation

- Sample received in appropriate container(s) and appear to be appropriately preserved.
- Sample received in appropriate container(s). State of sample preservation unknown.
- Sample received in inappropriate container(s) and/or with unknown state of preservation.

J flag Discussion

A J flag data qualifier indicates (as required under TNRCC-TRRP reporting requirements) that the raw calculated analyte concentration in the sample (uncorrected for background levels/blanks and other potential sources of sampling and analytical contamination), though less than the Reported Quantitation Limit (RQL) is greater than the Detection Limit. Because the reported result is below the quantitation limit for this project/sample (or test procedure), GC/MS organics results may or MAY NOT have been verified as to the presence and relative ratio of target ions (eg. the material causing the J flag "hit" in such situations may be nothing more than background ion-fragment noise.)

Comments pertaining to Data Qualifiers and QC data:

Parameter	Qualif	Comment
TPH by GC (as gasoline)	J	See J-flag discussion above.
m,p-Xylenes	J	See J-flag discussion above.
Toluene	J	See J-flag discussion above.

Notes:

Environmental Lab of Texas, Inc.

12600 West I-20 East
Odessa Texas 79763
Phone: 915-563-1800
Fax: 915-563-1713

Project Manager: FRANK HERNANDEZ

Company Name: EOTT ENERGY PIPELINE

Company Address: 5805 E. HIGHWAY 80

City/State/Zip: MIDLAND TX 79701

Telephone No: 915-556-0190

Sampler Signature: Tracy Blasius

Project Name: Lorington Bob McCasland

Project #: 2001-11043

Project Loc: _____

PO#:

Sample ID	Date Sampled	Time Sampled	No. of Contaminants	Other (Specify)	Soil	Sludge	Water	Other (Specify)	TDS/CL/SAR/EC	TPH 418.1	TPH TX 1005/1006	TPH 8015M GRO/DR0	bTEX 8021/B5030	Semivolatiles	Metals	Volatile	Analyte For	TOTAL			RUSH TAT	Standard TAT	
																		TCLP	TPH	ICP	TCLP	TPH	ICP
0202349-01	SELBAN/402 SS (4)	1-4-02	2:30		X																		
0202349-02	SELBAN/402 SW SW	1-4-02	2:35		X																		
0302349-03	SELBAN/402 SES (4)	1-4-02	2:40		X																		
0402349-04	SELBAN/402 S BH	1-4-02	2:45		X																		
0502349-05	SELBAN/402 C BH	1-4-02	2:50		X																		
0602349-06	SELBAN/402 C ESS (4)	1-4-02	2:55		X																		
0702349-07	SELBAN/402 CW SW	1-4-02	3:00		X																		
0802349-08	SELBAN/402 CN BH	1-4-02	3:05		X																		
0902349-09	SELBAN/402 NBH	1-4-02	3:10		X																		
1002349-10	SELBAN/402 NE SW	1-4-02	3:15		X																		
1102349-11	SELBAN/402 NW NW	1-4-02	3:20		X																		
1202349-12	SELBAN/402 NS NW	1-4-02	3:25		X																		

Special Instructions


FAX RESULTS TO PAT MCCASLAND ASAP

Relinquished:	Date	Time	Received by:	Date	Time	Comments:
<u>Tracy Blasius</u>	1-7-02		<u>Motz Toy</u>			-15°C
<u>Motz Toy</u>	1-7-2	1522	<u>Janne Monnery</u>	1-7-2	1522	

N

Temperature Upon Request

Laboratory Comments:



12600 West I-20 East - Odessa, Texas 79765

Analytical Report

Prepared for:

Jimmy Bryant

Plains All American EH & S
1301 S. County Road 1150
Midland, TX 79706-4476

Project: Livingston Line - Bob McCasland

Project Number: 2001-11043

Location: UL-K Section 3 T21S R37E

Lab Order Number: 4F11008

Report Date: 08/16/04

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: Livingston Line - Bob McCasland
Project Number: 2001-11043
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
08/16/04 12:42

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
LLBM60704MW9(20'-22')	4F11008-01	Soil	06/07/04 09:25	06/11/04 10:50
LLBM60704MW9(25'-27')	4F11008-02	Soil	06/07/04 09:48	06/11/04 10:50
LLBM60804MW7(20'-22')	4F11008-03	Soil	06/08/04 08:40	06/11/04 10:50
LLBM60904MW8(20'-22')	4F11008-04	Soil	06/09/04 08:40	06/11/04 10:50
LLBM60904MW8(25'-27')	4F11008-05	Soil	06/09/04 09:00	06/11/04 10:50

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: Livingston Line - Bob McCasland
Project Number: 2001-11043
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
08/16/04 12:42

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LLBM60704MW9(20'-22') (4F11008-01) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EF41122	06/11/04	06/11/04	EPA 8021B	
Toluene	J [0.0243]	0.0250	"	"	"	"	"	"	J
Ethylbenzene	0.0800	0.0250	"	"	"	"	"	"	
Xylene (p/m)	0.200	0.0250	"	"	"	"	"	"	
Xylene (o)	0.0436	0.0250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene	90.7 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	85.6 %	80-120		"	"	"	"	"	
Gasoline Range Organics C6-C12	55.5	10.0	mg/kg dry	1	EF41120	06/11/04	06/11/04	EPA 8015M	
Diesel Range Organics >C12-C35	290	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	346	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane	86.4 %	70-130		"	"	"	"	"	
Surrogate: 1-Chlorooctadecane	74.0 %	70-130		"	"	"	"	"	
LLBM60704MW9(25'-27') (4F11008-02) Soil									
Benzene	0.0353	0.0250	mg/kg dry	25	EF41122	06/11/04	06/11/04	EPA 8021B	
Toluene	0.236	0.0250	"	"	"	"	"	"	
Ethylbenzene	0.857	0.0250	"	"	"	"	"	"	
Xylene (p/m)	1.40	0.0250	"	"	"	"	"	"	
Xylene (o)	0.584	0.0250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene	109 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	82.2 %	80-120		"	"	"	"	"	
Gasoline Range Organics C6-C12	48.1	10.0	mg/kg dry	1	EF41120	06/11/04	06/11/04	EPA 8015M	
Diesel Range Organics >C12-C35	19.1	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	67.2	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane	96.6 %	70-130		"	"	"	"	"	
Surrogate: 1-Chlorooctadecane	84.4 %	70-130		"	"	"	"	"	
LLBM60804MW7(20'-22') (4F11008-03) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EF41122	06/11/04	06/11/04	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene	88.1 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	89.0 %	80-120		"	"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EF41120	06/11/04	06/11/04	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: Livingston Line - Bob McCasland
Project Number: 2001-11043
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
08/16/04 12:42

Organics by GC
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LLBM60804MW7(20'-22') (4F11008-03) Soil									
Surrogate: <i>I</i> -Chlorooctane	78.6 %	70-130		EF41120	06/11/04	06/11/04	EPA 8015M		
Surrogate: <i>I</i> -Chlorooctadecane	73.0 %	70-130		"	"	"	"		
LLBM60904MW8(20'-22') (4F11008-04) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EF41122	06/11/04	06/11/04	EPA 8021B	
Toluene	ND	0.0250	"	"	"	"	"	"	
Ethylbenzene	ND	0.0250	"	"	"	"	"	"	
Xylene (p/m)	ND	0.0250	"	"	"	"	"	"	
Xylene (o)	ND	0.0250	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene	89.1 %	80-120		"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	84.0 %	80-120		"	"	"	"	"	
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	EF41120	06/11/04	06/11/04	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: <i>I</i> -Chlorooctane	82.8 %	70-130		"	"	"	"	"	
Surrogate: <i>I</i> -Chlorooctadecane	71.0 %	70-130		"	"	"	"	"	
LLBM60904MW8(25'-27') (4F11008-05) Soil									
Benzene	1.49	0.0250	mg/kg dry	25	EF41122	06/11/04	06/11/04	EPA 8021B	
Toluene	1.38	0.0250	"	"	"	"	"	"	
Ethylbenzene	1.03	0.0250	"	"	"	"	"	"	
Xylene (p/m)	1.21	0.0250	"	"	"	"	"	"	
Xylene (o)	0.283	0.0250	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene	257 %	80-120		"	"	"	"	"	S-04
Surrogate: 4-Bromofluorobenzene	86.4 %	80-120		"	"	"	"	"	
Gasoline Range Organics C6-C12	46.6	10.0	mg/kg dry	1	EF41120	06/11/04	06/11/04	EPA 8015M	
Diesel Range Organics >C12-C35	40.9	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	87.5	10.0	"	"	"	"	"	"	
Surrogate: <i>I</i> -Chlorooctane	87.6 %	70-130		"	"	"	"	"	
Surrogate: <i>I</i> -Chlorooctadecane	72.2 %	70-130		"	"	"	"	"	

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: Livingston Line - Bob McCasland
Project Number: 2001-I1043
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
08/16/04 12:42

General Chemistry Parameters by EPA / Standard Methods

Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
LLBM60704MW9(20'-22') (4F11008-01) Soil									
% Solids	86.0		%	1	EF41301	06/11/04	06/11/04		% calculation
LLBM60704MW9(25'-27') (4F11008-02) Soil									
% Solids	84.0		%	1	EF41301	06/11/04	06/11/04		% calculation
LLBM60804MW7(20'-22') (4F11008-03) Soil									
% Solids	91.0		%	1	EF41301	06/11/04	06/11/04		% calculation
LLBM60904MW8(20'-22') (4F11008-04) Soil									
% Solids	90.0		%	1	EF41301	06/11/04	06/11/04		% calculation
LLBM60904MW8(25'-27') (4F11008-05) Soil									
% Solids	86.0		%	1	EF41301	06/11/04	06/11/04		% calculation

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: Livingston Line - Bob McCasland
Project Number: 2001-11043
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
08/16/04 12:42

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
Batch EF41120 - Solvent Extraction (GC)										
Blank (EF41120-BLK2)										
Prepared & Analyzed: 06/11/04										
Gasoline Range Organics C6-C12	ND	10.0	mg/kg wet							
Diesel Range Organics >C12-C35	ND	10.0	"							
Total Hydrocarbon C6-C35	ND	10.0	"							
Surrogate: 1-Chlorooctane	40.4		mg/kg	50.0		80.8	70-130			
Surrogate: 1-Chlorooctadecane	37.7		"	50.0		75.4	70-130			
LCS (EF41120-BS1)										
Prepared & Analyzed: 06/11/04										
Gasoline Range Organics C6-C12	440	10.0	mg/kg wet	500		88.0	75-125			
Diesel Range Organics >C12-C35	524	10.0	"	500		105	75-125			
Total Hydrocarbon C6-C35	964	10.0	"	1000		96.4	75-125			
Surrogate: 1-Chlorooctane	51.4		mg/kg	50.0		103	70-130			
Surrogate: 1-Chlorooctadecane	41.9		"	50.0		83.8	70-130			
LCS (EF41120-BS2)										
Prepared & Analyzed: 06/11/04										
Gasoline Range Organics C6-C12	411	10.0	mg/kg wet	500		82.2	75-125			
Diesel Range Organics >C12-C35	457	10.0	"	500		91.4	75-125			
Total Hydrocarbon C6-C35	868	10.0	"	1000		86.8	75-125			
Surrogate: 1-Chlorooctane	51.6		mg/kg	50.0		103	70-130			
Surrogate: 1-Chlorooctadecane	40.1		"	50.0		80.2	70-130			
LCS Dup (EF41120-BSD1)										
Prepared & Analyzed: 06/11/04										
Gasoline Range Organics C6-C12	453	10.0	mg/kg wet	500		90.6	75-125	2.91	20	
Diesel Range Organics >C12-C35	495	10.0	"	500		99.0	75-125	5.69	20	
Total Hydrocarbon C6-C35	948	10.0	"	1000		94.8	75-125	1.67	20	
Surrogate: 1-Chlorooctane	51.8		mg/kg	50.0		104	70-130			
Surrogate: 1-Chlorooctadecane	41.7		"	50.0		83.4	70-130			
Calibration Check (EF41120-CCV2)										
Prepared & Analyzed: 06/11/04										
Gasoline Range Organics C6-C12	425		mg/kg	500		85.0	80-120			
Diesel Range Organics >C12-C35	493		"	500		98.6	80-120			
Total Hydrocarbon C6-C35	918		"	1000		91.8	80-120			
Surrogate: 1-Chlorooctane	51.0		"	50.0		102	70-130			
Surrogate: 1-Chlorooctadecane	44.6		"	50.0		89.2	70-130			

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: Livingston Line - Bob McCasland
Project Number: 2001-11043
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
08/16/04 12:42

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch EF41120 - Solvent Extraction (GC)

Matrix Spike (EF41120-MS2)	Source: 4F11010-01		Prepared: 06/11/04 Analyzed: 06/12/04						
Gasoline Range Organics C6-C12	481	10.0	mg/kg dry	538	ND	89.4	75-125		
Diesel Range Organics >C12-C35	555	10.0	"	538	ND	103	75-125		
Total Hydrocarbon C6-C35	1040	10.0	"	1080	ND	96.3	75-125		
Surrogate: 1-Chlorooctane	58.1		mg/kg	50.0		116	70-130		
Surrogate: 1-Chlorooctadecane	38.9		"	50.0		77.8	70-130		
Matrix Spike Dup (EF41120-MSD2)	Source: 4F11010-01		Prepared: 06/11/04 Analyzed: 06/12/04						
Gasoline Range Organics C6-C12	470	10.0	mg/kg dry	538	ND	87.4	75-125	2.31	20
Diesel Range Organics >C12-C35	558	10.0	"	538	ND	104	75-125	0.539	20
Total Hydrocarbon C6-C35	1030	10.0	"	1080	ND	95.4	75-125	0.966	20
Surrogate: 1-Chlorooctane	58.0		mg/kg	50.0		116	70-130		
Surrogate: 1-Chlorooctadecane	40.4		"	50.0		80.8	70-130		

Batch EF41122 - EPA 5030C (GC)

Blank (EF41122-BLK1)	Prepared & Analyzed: 06/11/04					
Benzene	ND	0.0250	mg/kg wet			
Toluene	ND	0.0250	"			
Ethylbenzene	ND	0.0250	"			
Xylene (p/m)	ND	0.0250	"			
Xylene (o)	ND	0.0250	"			
Surrogate: a,a,a-Trifluorotoluene	94.0		ug/kg	100	94.0	80-120
Surrogate: 4-Bromofluorobenzene	89.7		"	100	89.7	80-120
LCS (EF41122-BS1)	Prepared & Analyzed: 06/11/04					
Benzene	87.8		ug/kg	100	87.8	80-120
Toluene	90.8		"	100	90.8	80-120
Ethylbenzene	86.5		"	100	86.5	80-120
Xylene (p/m)	174		"	200	87.0	80-120
Xylene (o)	86.5		"	100	86.5	80-120
Surrogate: a,a,a-Trifluorotoluene	101		"	100	101	80-120
Surrogate: 4-Bromofluorobenzene	95.6		"	100	95.6	80-120

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: Livingston Line - Bob McCasland
Project Number: 2001-11043
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
08/16/04 12:42

Organics by GC - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch EF41122 - EPA 5030C (GC)

Calibration Check (EF41122-CCV1)		Prepared & Analyzed: 06/11/04					
Benzene	87.8		ug/kg	100	87.8	80-120	
Toluene	90.5	"		100	90.5	80-120	
Ethylbenzene	86.8	"		100	86.8	80-120	
Xylene (p/m)	173	"		200	86.5	80-120	
Xylene (o)	88.6	"		100	88.6	80-120	
Surrogate: <i>a,a,a</i> -Trifluorotoluene	97.0	"		100	97.0	80-120	
Surrogate: 4-Bromofluorobenzene	92.7	"		100	92.7	80-120	

Matrix Spike (EF41122-MS1)		Source: 4F11001-04 Prepared & Analyzed: 06/11/04					
Benzene	81.5		ug/kg	100	ND	81.5	80-120
Toluene	81.8	"		100	ND	81.8	80-120
Ethylbenzene	80.3	"		100	ND	80.3	80-120
Xylene (p/m)	161	"		200	ND	80.5	80-120
Xylene (o)	80.2	"		100	ND	80.2	80-120
Surrogate: <i>a,a,a</i> -Trifluorotoluene	89.4	"		100	89.4	80-120	
Surrogate: 4-Bromofluorobenzene	85.2	"		100	85.2	80-120	

Matrix Spike Dup (EF41122-MSD1)		Source: 4F11001-04 Prepared & Analyzed: 06/11/04					
Benzene	86.8		ug/kg	100	ND	86.8	80-120
Toluene	90.2	"		100	ND	90.2	80-120
Ethylbenzene	87.1	"		100	ND	87.1	80-120
Xylene (p/m)	174	"		200	ND	87.0	80-120
Xylene (o)	87.1	"		100	ND	87.1	80-120
Surrogate: <i>a,a,a</i> -Trifluorotoluene	98.2	"		100	98.2	80-120	
Surrogate: 4-Bromofluorobenzene	91.1	"		100	91.1	80-120	

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: Livingston Line - Bob McCasland
Project Number: 2001-11043
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
08/16/04 12:42

General Chemistry Parameters by EPA / Standard Methods - Quality Control
Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch EF41301 - General Preparation (Prep)

Blank (EF41301-BLK1)					Prepared & Analyzed: 06/11/04					
% Solids	100		%							
Duplicate (EF41301-DUP1)		Source: 4F11001-01			Prepared & Analyzed: 06/11/04					
% Solids	86.0		%		86.0			0.00	20	

Duplicate (EF41301-DUP2)		Source: 4F12001-17			Prepared & Analyzed: 06/11/04					
% Solids	86.0		%		87.0			1.16	20	

Plains All American EH & S
1301 S. County Road 1150
Midland TX, 79706-4476

Project: Livingston Line - Bob McCasland
Project Number: 2001-11043
Project Manager: Jimmy Bryant

Fax: (432) 687-4914
Reported:
08/16/04 12:42

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
J	Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
LCS	Laboratory Control Spike
MS	Matrix Spike
Dup	Duplicate

Report Approved By:

Date:

8/16/04

Raland K. Tuttle, QA Officer
Coley D. Keene, Lab Director, Org. Tech Director
Jeanne Mc Murrey, Inorg. Tech Director

James L. Hawkins, Chemist/Geologist
Sara Molina, Chemist
Sandra Biezugbe, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

Quality Systems Inc.

5514 Moncupins Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.
Attn: Iain Olness

Project ID: 2001-11043
Sample Name: MW-11 (25')

Report#Lab ID#: 161727
Sample Matrix: soil

Surrogate Compound	Method	Recovery	Recovery Limits	Data Qualifiers
1-Chlorooctane	8015 mod.	71.7	30-125	---
p-Terphenyl	8015 mod.	84	30-160	---
1,2-Dichloroethane-d4	8260b	71.6	56-120	---
Toluene-d8	8260b	86.4	71-116	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

卷之三

[REDACTED] • FAX (512) 385-7411

Client:	Environmental Plus, Inc.
Attn:	Iain Ohness
Address:	2100 Ave. O Eunice, NM 88231
Phone:	(505) 394-3481
	FAX: (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL 5
TPH by GC (as diesel)	<2.5	mg/Kg	2.5
TPH by GC (as diesel-ext)	---	---	---
TPH by GC (as gasoline)	<5	mg/Kg	5
Volatile organics-8260b/BTEX	---	---	---
Benzene	<20	µg/Kg	20
Ethylbenzene	<20	µg/Kg	20
m,p-Xylenes	<40	µg/Kg	40
o-Xylene	<20	µg/Kg	20
Toluene	<20	µg/Kg	20

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Dale Wagner

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Dale Wagner

 Dale Wagner

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (pRE_C) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures.
- Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL.
- B = Analyte detected in associated method blank(s).
- S & S1 = MS and/or MSD recovery exceed advisory limits.
- S2 = Post digestion spike (PDS) recovery exceeds advisory limit.
- S3 = MS and/or MSD and PDS recoveries exceed advisory limits.
- P = Precision higher than advisory limit.
- M = Matrix interference.

Report#/Lab ID#:	161727	Report Date:	11/24/04
Project ID:	2001-11043		
Sample Name:	MW-11 (25')		
Sample Matrix:	soil		
Date Received:	1/16/2004	Time:	10:00
Date Sampled:	1/10/2004	Time:	08:43

Client: Environmental Plus, Inc.
 Attn: Iain Ohness

Project ID: 2001-11043
 Sample Name: MW-11 (20')

Report#/Lab ID#: 161726
 Sample Matrix: soil

REPORT OF SURROGATE RECOVERY				
Surrogate Compound	Method	Recovery	Recovery Limits	Data Qualifiers
1-Chlorooctane	8015 mod.	64.8	30-125	---
p-Terphenyl	8015 mod.	77.4	30-160	---
1,2-Dichloroethane-d4	8260b	81.3	56-120	---
Toluene-d8	8260b	89.9	71-116	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Iain Olness
Address: 2100 Ave. O
 Eunice,
 NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<2.5	mg/Kg	2.5	<2.5	1/16/04	8015 mod.	---	0.8	85.8	105	84.4
TPH by GC (as diesel-ext)	---	mg/Kg	---	---	1/16/04	3570m	---	---	---	---	---
TPH by GC (as gasoline)	5	mg/Kg	5	5	1/16/04	8015 mod.	---	0.5	87	100.3	90.1
Volatile organics ⁸ 260b/BTEX	---	---	---	---	1/22/04	8260b(5030/5035)	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	1/22/04	8260b	---	13.2	73.3	107.4	92.5
Ethylbenzene	<20	µg/Kg	20	<20	1/22/04	8260b	---	0.7	91.5	109.3	109.5
m,p-Xylenes	<40	µg/Kg	40	<40	1/22/04	8260b	---	5.6	89.8	107.9	108.5
o-Xylene	<20	µg/Kg	20	<20	1/22/04	8260b	---	3.6	83.4	115.6	112.3
Toluene	<20	µg/Kg	20	<20	1/22/04	8260b	---	11.3	89.7	120	113.6

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Dale Wagner

QUALITY ASSURANCE DATA 1

1. Quality assurance data is for the sample batch which included this sample.
2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.
3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.
4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.
5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method.
6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.
7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.

Client: Environmental Plus, Inc.
Attn: Iain Ohness

Project ID: 2001-11043
Sample Name: MW-11 (5')

Report#Lab ID#: 161725
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Data Qualifiers
1-Chlorooctane	8015 mod.	72.2	30-125	---
p-Terphenyl	8015 mod.	83	30-160	---
1,2-Dichloroethane-d4	8260b	80.2	56-120	---
Toluene-d8	8260b	86	71-116	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Phone: (505) 394-3481 FAX: (505) 394-2601

Client: Environmental Plus, Inc.
Attn: Iain Ohness
Address: 2100 Ave. O
Eunice,
NM 88231

Date Received: 11/16/2004

Date Sampled: 11/08/2004

Report#/Lab ID#: 161725 Report Date: 11/24/04
 Project ID: 2001-11043
 Sample Matrix: MW-11 (5')
 Date Received: 11/16/2004 Time: 10:00
 Date Sampled: 11/08/2004 Time: 08:16

N. Padre Island, TX
 (512) 385-5886 • FAX (512) 385-7411

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<2.5	mg/Kg	2.5	<2.5	11/16/04	8015 mod.	---	0.8	85.8	105	84.4
TPH by GC (as diesel-ext)	---	---	---	---	11/16/04	3570m	---	---	---	---	---
TPH by GC (as gasoline)	5	mg/Kg	5	5	11/16/04	8015 mod.	---	0.5	87	100.3	90.1
Volatile organics-8260b/BTEX	---	---	---	---	11/22/04	8260b(5030/5035)	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	11/22/04	8260b	---	13.2	73.3	107.4	92.5
Ethylbenzene	<20	µg/Kg	20	<20	11/22/04	8260b	---	0.7	91.5	109.3	109.5
m,p-Xylenes	<40	µg/Kg	40	<40	11/22/04	8260b	---	5.6	89.8	107.9	108.5
o-Xylene	<20	µg/Kg	20	<20	11/22/04	8260b	---	3.6	83.4	115.6	112.3
Toluene	<20	µg/Kg	20	<20	11/22/04	8260b	---	11.3	89.7	120	113.6

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Dale Wagner

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than (<) values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.

QUALITY ASSURANCE DATA 1

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<2.5	mg/Kg	2.5	<2.5	11/16/04	8015 mod.	---	0.8	85.8	105	84.4
TPH by GC (as diesel-ext)	---	---	---	---	11/16/04	3570m	---	---	---	---	---
TPH by GC (as gasoline)	5	mg/Kg	5	5	11/16/04	8015 mod.	---	0.5	87	100.3	90.1
Volatile organics-8260b/BTEX	---	---	---	---	11/22/04	8260b(5030/5035)	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	11/22/04	8260b	---	13.2	73.3	107.4	92.5
Ethylbenzene	<20	µg/Kg	20	<20	11/22/04	8260b	---	0.7	91.5	109.3	109.5
m,p-Xylenes	<40	µg/Kg	40	<40	11/22/04	8260b	---	5.6	89.8	107.9	108.5
o-Xylene	<20	µg/Kg	20	<20	11/22/04	8260b	---	3.6	83.4	115.6	112.3
Toluene	<20	µg/Kg	20	<20	11/22/04	8260b	---	11.3	89.7	120	113.6

2209 N. Padre Island Dr., Corpus Christi, TX 78408
 (512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.
Attn: Iain Olness

Project ID: 2001-11043
Sample Name: MW-10 (25)

Report#/Lab ID#: 161724
Sample Matrix: soil

Surrogate Compound	Method	Recovery	Recovery Limits	Data Qualifiers
1-Chlorooctane	8015 mod.	73.3	30-125	---
p-Terphenyl	8015 mod.	84.4	30-160	---
1,2-Dichloroethane-d4	8260b	83.9	56-120	---
Toluene-d8	8260b	85.1	71-116	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Iain Ohness
Address: 2100 Ave. O
 Eunice,
 NM 88231
Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method 6	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<2.5	mg/Kg	2.5	<2.5	1/16/04	8015 mod.	---	0.8	85.8	105	84.4
TPH by GC (as diesel-ext)	---	---	---	11/16/04	3570m	---	---	---	---	---	---
TPH by GC (as gasoline)	5	mg/Kg	5	5	11/16/04	8015 mod.	---	0.5	87	100.3	90.1
Volatile organics-8260b/BTEX	---	---	---	---	11/22/04	8260b(5030/5035)	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	11/22/04	8260b	---	13.2	73.3	107.4	92.5
Ethylbenzene	<20	µg/Kg	20	<20	11/22/04	8260b	---	0.7	91.5	109.3	109.5
m,p-Xylenes	<40	µg/Kg	40	<40	11/22/04	8260b	---	5.6	89.8	107.9	108.5
o-Xylene	<20	µg/Kg	20	<20	11/22/04	8260b	---	3.6	83.4	115.6	112.3
Toluene	<20	µg/Kg	20	<20	11/22/04	8260b	---	11.3	89.7	120	113.6

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Dale Wagner

QUALITY ASSURANCE DATA 1											
1. Quality assurance data is for the sample batch which included this sample.	2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements.	3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample.	4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix.	5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.	6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions.	7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.	11/24/04	10:00	11:22	(512) 385-5886	FAX (512) 385-7411
Report#	Lab ID#:	Project ID:	Sample Name:	Date Received:	Date Sampled:	Time:	Report Date:	Time:	Time:	Phone:	Attn:
161724	2001-11043	MW 10 (25')	soil	11/16/2004	11/08/2004	10:00	11/24/04	11:22	11:22	(512) 385-5886	Eunice,

1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL. B = Analyte detected in associated method blank(s). S & S1 = MS and/or MSD recovery exceed advisory limits. S2 = Post digestion spike (PDS) recovery exceeds advisory limit. S3 = MS and/or MSD and PDS recoveries exceed advisory limits. P = Precision higher than advisory limit. M = Matrix interference.

CHILLIYS INC.

10144
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.
Attn: Iain Ohness

Project ID: 2001-11043
Sample Name: MW-10 (15')

Report# / Lab ID#: 161723
Sample Matrix: soil

Surrogate Compound	Method	Recovery	Recovery Limits	Data Qualifiers
1-Chlorooctane	8015 mod.	72.9	30-125	---
p-Terphenyl	8015 mod.	85.2	30-160	---
1,2-Dichloroethane-d4	8260b	88.4	56-120	---
Toluene-d8	8260b	89.4	71-116	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

CHILLIYS INC.

3214 Montopolis Drive, Austin, TX 78744 &
2209 N. Padre Island Dr., Corpus Christi, TX 78408
(512) 385-5886 • FAX (512) 385-7411

Client: Environmental Plus, Inc.
Attn: Iain Olness

Project ID: 2001-11043
Sample Name: MW-10 (5')

Report#/Lab ID#: 161722
Sample Matrix: soil

REPORT OF SURROGATE RECOVERY

Surrogate Compound	Method	Recovery	Recovery Limits	Data Qualifiers
1-Chloroocane	8015 mod.	75.1	30-125	---
p-Terphenyl	8015 mod.	86.2	30-160	---
1,2-Dichloroethane-d4	8260b	82.6	56-120	---
Toluene-d8	8260b	77.5	71-116	---

Data Qualifiers: D= Surrogates diluted and X= Surrogates outside advisory recovery limits.

Client: Environmental Plus, Inc.
Attn: Ian Ohness
Address: 2100 Ave. O
 Eunice,
 NM 88231

Phone: (505) 394-3481 **FAX:** (505) 394-2601

REPORT OF ANALYSIS

Parameter	Result	Units	RQL ⁵	Blank	Date	Method ⁶	Data Qual. ⁷	Prec. ²	Recov. ³	CCV ⁴	LCS ⁴
TPH by GC (as diesel)	<2.5	mg/Kg	2.5	<2.5	1/16/04	8015 mod.	---	0.8	85.8	105	84.4
TPH by GC (as diesel-ext)	---	---	---	---	1/16/04	3570m	---	---	---	---	---
TPH by GC (as gasoline)	5	mg/Kg	5	5	1/16/04	8015 mod.	---	0.5	87	100.3	90.1
Volatile organics-8260b/BTEX	---	---	---	---	1/22/04	8260b(5030/5035)	---	---	---	---	---
Benzene	<20	µg/Kg	20	<20	1/22/04	8260b	---	12.5	81.5	92.7	93.2
Ethylbenzene	<20	µg/Kg	20	<20	1/22/04	8260b	---	3.7	100.8	105.4	108.5
m,p-Xylenes	<40	µg/Kg	40	<40	1/22/04	8260b	---	2.7	96.7	103.6	103.7
o-Xylene	<20	µg/Kg	20	<20	1/22/04	8260b	---	4.3	103.4	110.7	111.9
Toluene	<20	µg/Kg	20	<20	1/22/04	8260b	---	12.4	97.7	98.3	98.8

This analytical report is respectfully submitted by AnalySys, Inc. The enclosed results have been carefully reviewed and, to the best of my knowledge, the analytical results are consistent with AnalySys, Inc.'s Quality Assurance/Quality Control Program. © Copyright 2003, AnalySys, Inc., Austin, TX. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without the express written consent of AnalySys, Inc.

Respectfully Submitted,

Dale Wagner

QUALITY ASSURANCE DATA 1											
Report#Lab ID#:	161722	Report Date:	1/12/04	Project ID#:	2001-11043	Sample Name:	MW-10 (5')	Sample Matrix:	soil	Date Received:	1/16/2004
Date Sampled:	1/08/2004	Time:	10:00								


1. Quality assurance data is for the sample batch which included this sample. 2. Precision (PREC) is the absolute value of the relative percent (%) difference between duplicate measurements. 3. Recovery (Recov.) is the percent (%) of analyte recovered from a spiked sample. 4. Calibration Verification (CCV) and Laboratory Control Sample (LCS) results are expressed as the percent (%) recovery of analyte from a known standard or matrix. 5. Reporting Quantitation Limits (RQL), typically at or above the Practical Quantitation Limit (PQL) of the analytical method. 6. Method numbers typically denote USEPA procedures. Less than ("<") values reflect nominal quantitation limits adjusted for any required dilutions. 7. Data Qualifiers are J = analyte potentially present between the PQL and the MDL, B = Analyte detected in associated method blank(s). S & S1 =MS and/or MSD recovery exceed advisory limits. S2 =Post digestion spike (PDS) recovery exceeds advisory limit. S3 =MS and/or MSD and PDS recoveries exceed advisory limits. P =Precision higher than advisory limit. M =Matrix interference

AnalySys Inc.

4221 Freidrich Lane, Suite 190, Austin, TX 78744
512-444-5896 FAX: 512-447-4766

2209 N. Padre Island Dr., Corpus Christi, TX 78408

Chain of Custody Form

Company Name		Environmental Plus, Inc.		Bill To		ANALYSIS REQUEST								
EPI Project Manager	Iain Olness	P.O. BOX 1558												
Mailing Address	P.O. BOX 1558	Uninc New Mexico 88231	PLAINS											
City, State, Zip		505-394-3481 / 505-394-2601	ALL AMERICAN PIPELINE, L.P.											
EPI Phone#/Fax#		Plains All American												
Client Company		Livingston Line - Bob McCasland												
Facility Name		Attn: ENV Accounts Payable												
Project Reference	2001-11043	PO Box 4648,												
EPI Sampler Name	John Robinson	Houston, TX 77210-4648												
LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	ACID/BASE	ICE/COOL	OTHER:	DATE	TIME	SAMPLING	
													MATRIX	PRESERV.
161722	MW-10 (5')	G	1	X										
161723	MW-10 (15')	G	1	X										
161724	MW-10 (25')	G	1	X										
161725	MW-11 (5')	G	1	X										
161726	MW-11 (20')	G	1	X										
161727	MW-11 (25')	G	1	X										
7														
8														
9														
10														
Sampler Relinquished: <i>John Robinson</i>	Date: 11/13/04	Received By: <i>3d</i>	E-mail results to: ionless@hotmail.com											
Relinquished by: <i>John Robinson</i>	Date: 11/14/04	Received By: (lab staff) <i>1005</i>	REMARKS: <i>T. J. Thompson</i>											
Delivered by:			Sample Cool & Intact Yes No	Checked By: <i>T. J. Thompson</i>										

AnalySys Inc.

1221 Friedrich Lane, Suite 190, Austin, TX 78744
512-444-5896 FAX: 512-447-4766

2209 N. Padre Is/and Dr., Corpus Christi, TX 78408

Chain of Custody Form

1221 Friedrich Lane, Suite 190, Austin, TX 78744
512-444-5896 FAX: 512-447-4766

2209 N. Padre Is/and Dr., Corpus Christi, TX 78408

APPENDIX B

Site Information and Metrics

Informational Copy of Initial C-141

EOTT Site Information and Metrics		Incident Date: 7-13-01@11:30AM	NMOCD Notified: Not required
SITE: Livingston Ridge to Hugh Bob McCasland		Assigned Site Reference #: #2001-11043	
Company: EOTT			
Street Address: PO Box 1660			
Mailing Address: 5805 East Highway 80			
City, State, Zip: Midland, Texas 79702			
Representative: Frank Hernandez			
Representative Telephone: 915.638.3799			
Telephone:			
Fluid volume released (bbls): 4 bbls		Recovered (bbls): 0 bbls	
>25 bbls: Notify NMOCD verbally within 24 hrs and submit form C-141 within 15 days. (Also applies to unauthorized releases >500 mcf Natural Gas)			
5-25 bbls: Submit form C-141 within 15 days (Also applies to unauthorized releases of 50-500 mcf Natural Gas)			
Leak, Spill, or Pit (LSP) Name: Livingston Ridge to Hugh Bob McCasland			
Source of contamination: 4" Steel Pipeline			
Land Owner, i.e., BLM, ST, Fee, Other: Bob McCasland			
LSP Dimensions: 200' x 8'			
LSP Area: 1,600 sqft ft ²			
Location of Reference Point (RP):			
Location distance and direction from RP:			
Latitude: 32° 30' 17.9"N			
Longitude: 103° 9' 4.60"W			
Elevation above mean sea level:			
Feet from South Section Line:			
Feet from West Section Line:			
Location- Unit or 1/4: SE 1/4 of the SW 1/4		Unit Letter:	N
Location- Section: 3			
Location- Township: T21S			
Location- Range: R37E			
Surface water body within 1000' radius of site: none			
Surface water body within 1000' radius of site:			
Domestic water wells within 1000' radius of site: none			
Domestic water wells within 1000' radius of site:			
Agricultural water wells within 1000' radius of site: none			
Agricultural water wells within 1000' radius of site:			
Public water supply wells within 1000' radius of site: none			
Public water supply wells within 1000' radius of site:			
Depth from land surface to ground water (DG): 21 feet			
Depth of contamination (DC): 21 feet bgs			
Depth to ground water (DG - DC = DtGW): 0 feet			
1. Ground Water		2. Wellhead Protection Area	
If Depth to GW <50 feet: 20 points		If <1000' from water source, or; <200' from private domestic water source: 20 points	
If Depth to GW 50 to 99 feet: 10 points		<200 horizontal feet: 20 points 200-100 horizontal feet: 10 points	
If Depth to GW >100 feet: 0 points		If >1000' from water source, or; >200' from private domestic water source: 0 points >1000 horizontal feet: 0 points	
Ground water Score = 20		Wellhead Protection Area Score= 0	
Site Rank (1+2+3) = 20		Surface Water Score= 0	
Total Site Ranking Score and Acceptable Concentrations			
Parameter	>19	10-19	0-9
Benzene ¹	10 ppm	10 ppm	10 ppm
BTEX ¹	50 ppm	50 ppm	50 ppm
TPH	100 ppm	1,000 ppm	5,000 ppm

¹100 ppm field VOC headspace measurement may be substituted for lab analysis

District I
 1625 N. French Dr., Hobbs, NM 88240
District II
 1301 W. Grand Avenue, Artesia, NM 88210
District III
 1000 Rio Brazos Road, Aztec, NM 87410
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-141
 Revised October 10, 2003

Submit 2 Copies to appropriate
 District Office in accordance
 with Rule 116 on back
 side of form

Informational Only

Initial Report Final Report

Name of Company: EOTT	Contact: Frank Hernandez
Address: PO Box 1660 5805 Midland, Texas 79702	Telephone No.: 915.638.3799
Facility Name: Livingston Ridge to Hugh Bob McCasland	Facility Type: 4" Steel Pipeline

Surface Owner: Bob McCasland	Mineral Owner:	Lease No.:
------------------------------	----------------	------------

LOCATION OF RELEASE

Unit Letter N	Section 3	Township T21S	Range R37E	Feet from the	North/South Line	Feet from the	East/West Line	County: Lea Lat. 32° 30' 17.9"N Lon. 103° 9' 4.60"W
------------------	--------------	------------------	---------------	------------------	------------------	------------------	-------------------	--

NATURE OF RELEASE

Type of Release: Crude Oil	Volume of Release: 4 barrels	Volume Recovered: 0 barrels
Source of Release: 4" Steel Pipeline	Date and Hour of Occurrence: 7-31-01 @ 11:30 am	Date and Hour of Discovery: 7-13-01 @ 2:30PM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Bill Olson	
By Whom? Pat McCasland, EPI	Date and Hour: Not required	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse: NA	

If a Watercourse was Impacted, Describe Fully.* NA

Describe Cause of Problem and Remedial Action Taken.*: 4" Steel Pipeline Site will be delineated to determine the vertical and horizontal extents of contamination. Contaminated soil will be blended on site or disposed of.

Describe Area Affected and Cleanup Action Taken.*: 1600sqft 200'x 8' Site will be delineated to determine the vertical and horizontal extents of contamination. Contaminated soil will be blended on site or disposed of. Remedial Goals: TPH 8015m = 100 mg/Kg, Benzene = 10 mg/Kg, and BTEX, i.e., the mass sum of Benzene, Ethyl Benzene, Toluene, and Xylenes = 50 mg/Kg.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature:	OIL CONSERVATION DIVISION	
Printed Name: Frank Hernandez	Approved by District Supervisor:	
Title: District Environmental Supervisor	Approval Date:	Expiration Date:
Date: Phone: 915.638.3799	Conditions of Approval:	Attached <input type="checkbox"/>

* Attach Additional Sheets If Necessary

Date: 12/21/07 O:\HBC\MIDLAND\A4077007.dwg Layout: site




Table 2
CONCENTRATIONS OF BTEX AND TPH IN GROUNDWATER

Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007

All concentrations are reported in mg/L

Monitor Well Identification	Date	Benzene	Toluene	Ethylbenzene	m,p-Xylenes	o-Xylene	Chloride	Total Dissolved Solids	TPH (Diesel)	TPH (Gasoline)	Total TPH
MW-1	09/13/01	0.002	0.003	<0.001	<0.001	<0.001	0.549	1.65	<0.003	<0.003	<0.006
MW-1	01/24/02	<0.001	<0.001	<0.001	<0.001	<0.001	0.617	1.83			
MW-1	04/12/02	<0.001	<0.001	<0.001	<0.001	<0.001					
MW-1	07/10/02	0.00188	<0.001	0.00187	0.00104	<0.001					
MW-1	04/15/03	<0.001	<0.001	<0.001	<0.001	<0.001					
MW-1	07/14/03	<0.001	<0.001	<0.001	<0.001	<0.001					
MW-1	04/20/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-1	07/14/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-1	09/14/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-1	12/21/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-1	03/21/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-1	08/15/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-1	02/16/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-1	05/22/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-1	02/22/07	<0.001	<0.001	<0.001	<0.002						
MW-1	05/10/07	<0.001	<0.001	<0.001	<0.001						
MW-1	08/10/07	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-1	11/15/07						Dry - Not Sampled				
MW-2	01/24/02	0.368	<0.001	0.0537	0.065	0.0125	0.000712	0.002			
MW-2	04/12/02	0.127	<0.001	0.0254	0.0283	0.00833					
MW-2	07/10/02	0.0674	0.00188	0.0176	0.0154	0.00389					
MW-2	04/15/03	0.229	0.001	0.0588	0.0443	0.0124					
MW-2	07/14/03	0.185	<0.001	0.0351	0.0295	0.00823					
MW-2	04/20/04	0.125	<0.001	0.0341	0.0567	0.0153					
MW-2	07/14/04	0.209	0.00616	0.047	0.0212	0.0154					
MW-2	09/14/04	0.125	0.00276	0.0358	0.0106	0.00701					
MW-2	12/21/04	0.267	0.00124	0.0357	<0.002	0.00109					
MW-2	03/21/05	0.186	<0.001	0.0136	0.00541	0.00199					
MW-2	05/17/05	0.342	0.001	0.0281	0.0334	0.0147					
MW-2	08/15/05	0.145	0.00718	0.0187	0.02	0.00849					
MW-2	11/18/05	0.413	0.00207	0.114	0.122	0.0349					
MW-2	02/16/06	0.433	<0.001	0.146	0.161	0.00465					
MW-2	05/22/06	0.694	0.162	0.172	0.206	0.0182					
MW-2	08/07/06	0.664	0.00604	0.0496	0.0816	0.00811					
MW-2	11/21/06	0.461	<0.005	0.0638	0.0614	<0.005					
MW-2	02/22/07	0.292	<0.001	0.0437		0.0337					
MW-2	05/10/07	0.19	0.0049	0.0341		0.0233					
MW-2	08/10/07	0.0881	0.0012	0.0295	0.0229	<0.001					
MW-2	11/15/07	0.0615	<0.002	0.0031	0.0026	<0.001					

Table 2
CONCENTRATIONS OF BTEX AND TPH IN GROUNDWATER

Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007

All concentrations are reported in mg/L

Monitor Well Identification	Date	Benzene	Toluene	Ethylbenzene	m,p-Xylenes	o-Xylene	Chloride	Total Dissolved Solids	TPH (Diesel)	TPH (Gasoline)	Total TPH
MW-3	09/13/01	<0.001	<0.001	<0.001	<0.001	<0.001	0.922	2.75	<0.003	<0.003	<0.006
MW-3	01/24/02	<0.001	<0.001	<0.001	<0.001	<0.001	1.06	2.76			
MW-3	04/12/02	<0.001	<0.001	<0.001	<0.001	<0.001					
MW-3	07/10/02	<0.001	<0.001	<0.001	<0.001	<0.001					
MW-3	04/15/03	<0.001	<0.001	<0.001	<0.001	<0.001					
MW-3	07/14/03	<0.001	<0.001	<0.001	<0.001	<0.001					
MW-3	04/20/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-3	07/14/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-3	09/14/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-3	12/21/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-3	08/15/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-3	02/16/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-3	05/22/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-3	02/22/07	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-3	05/10/07	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-3	08/19/07	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-3	11/15/07	<0.001	<0.002	<0.001	<0.002	<0.001					
MW-4	01/24/02										
MW-4	04/12/02	0.48	0.361	0.199	0.334	0.216					
MW-4	07/10/02										
MW-4	04/15/03										
MW-4	07/14/03										
MW-4	04/20/04	3.21	2.31	0.845	1.87	1.03					
MW-4	07/14/04										
MW-4	09/14/04										
MW-4	12/21/04	0.829	0.0066	0.173	0.176	0.0595					
MW-4	03/21/05										
MW-4	05/17/05										
MW-4	08/15/05										
MW-4	11/18/05	2.62	<0.002	0.379	0.711	0.0365					
MW-4	02/16/06	2.1	<0.001	0.414	0.806	<0.001					
MW-4	05/22/06	2.11	<0.005	0.372	0.663	<0.005					
MW-4	08/07/06	2.84	0.00604	0.049	0.0816	0.00811					
MW-4	11/21/06										
MW-4	02/22/07	1.42	<0.001	0.291	0.443						
MW-4	05/10/07	1.21	<0.001	0.267	0.382						
MW-4	08/10/07	1.227	0.0075	0.2418	0.3456	<0.005					
MW-4	11/15/07										
MW-5	09/13/01	0.535	0.075	0.084	0.438	0.04	0.709	2.03	0.00634	0.00302	0.00936
MW-5	01/24/02	0.28	0.00319	0.107	0.00828	0.00565	0.635	2.08			
MW-5	04/12/02	0.303	0.00948	0.129	0.00816	0.0132					
MW-5	04/15/03	0.129	0.00354	0.0366	0.00352	0.00238					
MW-5	07/14/03	0.0814	<0.001	0.0344	0.00141	<0.001					
MW-5	04/20/04	0.482	0.00237	0.101	0.0601	0.0313					
MW-5	07/14/04	0.0708	<0.001	0.0486	0.0046	0.00207					
MW-5	09/14/04	0.118	0.00135	0.0588	0.0045	0.00161					
MW-5	12/21/04	0.204	<0.001	0.0667	<0.002	<0.001					
MW-5	03/21/05	0.0308	<0.001	0.0171	0.00367	<0.001					
MW-5	05/17/05	0.00966	<0.001	<0.001	<0.002	<0.001					
MW-5	08/15/05	0.0138	0.00173	0.00438	<0.002	<0.001					
MW-5	11/18/05	0.0107	0.00115	<0.001	<0.002	<0.001					
MW-5	02/16/06	0.00747	<0.001	0.00293	<0.002	<0.001					
MW-5	05/22/06	0.00318	<0.001	<0.001	<0.002	<0.001					
MW-5	08/07/06	0.0964	0.00763	0.0028	<0.002	0.00133					
MW-5	11/21/06	0.0883	0.0241	0.00988	0.013	0.00727					
MW-5	02/22/07	0.0443	<0.001	0.0289		0.0123					
MW-5	05/10/07	0.0462	<0.001	0.0357		0.0159					
MW-5	08/10/07	0.0266	<0.005	0.0141	<0.01	<0.005					
MW-5	11/15/07	0.011	<0.002	0.0036	<0.002	<0.001					

Table 2
CONCENTRATIONS OF BTEX AND TPH IN GROUNDWATER

Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007

All concentrations are reported in mg/L

Monitor Well Identification	Date	Benzene	Toluene	Ethylbenzene	m,p-Xylenes	o-Xylene	Chloride	Total Dissolved Solids	TPH (Diesel)	TPH (Gasoline)	Total TPH
MW-6	01/24/02	<0.001	<0.001	<0.001	<0.001	<0.001	0.745	2.29			
MW-6	04/12/02	<0.001	<0.001	<0.001	<0.001	<0.001					
MW-6	07/10/02	0.00153	<0.001	<0.001	<0.001	<0.001					
MW-6	04/15/03	0.00274	<0.001	<0.001	<0.001	<0.001					
MW-6	07/14/03	0.00254	<0.001	<0.001	<0.001	<0.001					
MW-6	04/20/04	0.00106	<0.001	<0.001	<0.002	<0.001					
MW-6	07/14/04	0.00195	<0.001	<0.001	<0.002	<0.001					
MW-6	09/14/04	0.01	<0.001	<0.001	<0.002	<0.001					
MW-6	12/21/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-6	03/21/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-6	05/17/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-6	08/15/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-6	11/18/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-6	02/16/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-6	05/22/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-6	08/07/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-6	11/21/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-6	02/22/07	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-6	05/10/07	0.0238	<0.001	0.014		0.0076					
MW-6	08/10/07	0.0152	<0.001	<0.001	<0.002	<0.001					
MW-6	11/15/07	0.0149	<0.002	<0.001	<0.002	<0.001					
MW-7	07/14/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	09/14/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	12/21/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	03/21/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	05/17/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	08/15/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	11/18/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	02/16/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	05/22/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	08/07/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	11/21/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	02/22/07	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	05/10/07	<0.001	<0.001	<0.001	<0.001	<0.001					
MW-7	08/10/07	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-7	11/15/07	<0.001	<0.002	<0.001	<0.002	<0.001					
MW-8	07/14/04	0.575	0.141	0.0884	0.0762	0.0868					
MW-8	09/14/04	0.482	0.0356	0.106	0.0582	0.0551					
MW-8	12/21/04	4.22	0.113	0.695	0.208	0.075					
MW-8	03/21/05	3.41	<0.01	0.452	0.133	0.0152					
MW-8	05/17/05	2.29	<0.001	0.115	0.0323	0.00568					
MW-8	08/15/05	1.21	<0.001	0.0749	0.0326	0.00149					
MW-8	11/18/05	0.67	<0.001	0.0299	0.0165	<0.001					
MW-8	02/16/06	0.243	<0.001	0.0359	0.0239	<0.001					
MW-8	05/22/06	0.0974	<0.001	0.0278	0.022	<0.001					
MW-8	08/07/06	0.133	<0.001	0.00758	0.00497	<0.001					
MW-8	02/22/07	0.118	<0.001	0.0384		0.0429					
MW-8	05/10/07	0.209	<0.001	0.0473		0.0529					
MW-8	08/10/07	0.05	0.0012	0.0254	0.0298	<0.001					
MW-8	11/15/07	0.0186	<0.002	0.0079	0.0096	<0.001					
MW-9	07/14/04	0.0275	0.0109	0.487	0.305	0.319					
MW-9	09/14/04	0.15	0.00215	0.225	0.029	0.119					
MW-9	12/21/04	<0.001	<0.001	0.0335	0.00261	0.0204					
MW-9	03/21/05	0.00925	<0.001	0.0151	0.00961	0.0209					
MW-9	05/17/05	0.00498	<0.001	0.0148	0.0145	0.0311					
MW-9	08/15/05	0.0228	<0.001	0.063	0.0208	0.0357					
MW-9	11/18/05	0.00399	<0.001	0.0281	0.0276	0.0607					
MW-9	02/16/06	0.00881	<0.001	0.0327	0.0324	0.0727					
MW-9	05/22/06	0.00738	<0.001	0.0346	0.0381	0.0743					
MW-9	08/07/06	0.00426	<0.001	0.0228	0.0249	0.0423					
MW-9	11/21/06	0.00342	<0.001	0.0271	0.0232	0.048					
MW-9	02/22/07	0.0467	<0.001	0.109		0.169					
MW-9	05/10/07	0.0607	<0.001	0.0815		0.0532					
MW-9	08/10/07	<0.05	<0.05	<0.05	<0.1	<0.05					
MW-9	11/15/07	<0.001	0.0022	0.0012	<0.002	0.054					

Table 2
CONCENTRATIONS OF BTEX AND TPH IN GROUNDWATER

Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007

All concentrations are reported in mg/L

Monitor Well Identification	Date	Benzene	Toluene	Ethylbenzene	m,p-Xylenes	o-Xylene	Chloride	Total Dissolved Solids	TPH (Diesel)	TPH (Gasoline)	Total TPH
MW-10	11/15/04	1.25	0.0967	0.14	0.109	0.0108					
MW-10	03/21/05	1.13	0.0141	0.138	0.05	0.00484					
MW-10	05/17/05	2.17	0.0144	0.194	0.147	0.00755					
MW-10	08/15/05	0.791	<0.001	0.074	0.0437	<0.001					
MW-10	11/18/05	1.25	<0.001	0.916	0.0597	<0.001					
MW-10	02/16/06	0.278	<0.001	0.538	0.0859	<0.001					
MW-10	05/22/06	1.32	<0.005	0.105	<0.01	<0.005					
MW-10	08/07/06	1.51	<0.001	0.103	0.023	<0.001					
MW-10	11/21/06	0.222	<0.005	0.0215	<0.01	<0.005					
MW-10	02/22/07	0.0791	<0.001	0.0061	<0.002						
MW-10	05/10/07	0.0023	<0.001	0.0072	<0.001						
MW-10	08/10/07	0.0883	0.0011	0.0047	<0.002	<0.001					
MW-10	11/15/07	0.0728	0.0281	0.0279	0.005	0.094					
MW-11	11/15/04	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-11	03/21/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-11	05/17/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-11	08/15/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-11	11/18/05	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-11	02/16/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-11	05/22/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-11	08/07/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-11	11/21/06	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-11	02/22/07	<0.001	<0.001	<0.001	<0.002						
MW-11	05/10/07	<0.001	<0.001	<0.001	<0.001						
MW-11	08/10/07	<0.001	<0.001	<0.001	<0.002	<0.001					
MW-11	11/15/07	<0.001	<0.002	<0.001	<0.002	<0.001					
NMWQCC Groundwater Standards		0.01	0.75	0.75	Total Xylenes 0.62		250	1	NE	NE	NE

BTEX - Benzene, Toluene, Ethylbenzene, and Xylenes

TPH - Total Petroleum Hydrocarbons

mg/L - milligrams per liter

NMWQCC - New Mexico Water Quality Control Commission

Results in **BOLD** equal or exceed NMWQCC Groundwater Standards

NE - Not Established

Table 3

CONCENTRATIONS OF PAHS IN GROUNDWATER
Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Temcon Project Number A4077007

PAHs - Polycyclic Aromatic Hydrocarbons
mg/L - milligrams per liter
Values in **BOLD** equal or exceed NMWWQC Groundwater Standard

Table 1

GROUNDWATER ELEVATION AND PSH DATA

**Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007**

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-1	07/10/02	3,439.09	0.00	38.10	3,400.99	0.00
MW-1	04/15/03		0.00	37.31	3,401.78	0.00
MW-1	07/14/03		0.00	38.13	3,400.96	0.00
MW-1	04/20/04		0.00	35.62	3,403.47	0.00
MW-1	05/07/04		0.00	35.55	3,403.54	0.00
MW-1	05/25/04		0.00	35.62	3,403.47	0.00
MW-1	06/10/04		0.00	35.77	3,403.32	0.00
MW-1	07/14/04		0.00	34.90	3,404.19	0.00
MW-1	07/21/04		0.00	34.69	3,404.40	0.00
MW-1	08/02/04		0.00	34.73	3,404.36	0.00
MW-1	09/10/04		0.00	34.24	3,404.85	0.00
MW-1	09/14/04		0.00	34.26	3,404.83	0.00
MW-1	10/05/04		0.00	32.64	3,406.45	0.00
MW-1	10/19/04		0.00	30.92	3,408.17	0.00
MW-1	11/02/04		0.00	31.01	3,408.08	0.00
MW-1	11/15/04		0.00	30.41	3,408.68	0.00
MW-1	12/06/04		0.00	30.30	3,408.79	0.00
MW-1	12/21/04		0.00	30.29	3,408.80	0.00
MW-1	01/03/05		0.00	30.45	3,408.64	0.00
MW-1	01/18/05		0.00	30.57	3,408.52	0.00
MW-1	02/01/05		0.00	30.65	3,408.44	0.00
MW-1	03/21/05		0.00	30.81	3,408.28	0.00
MW-1	04/21/05		0.00	31.03	3,408.06	0.00
MW-1	05/05/05		0.00	31.04	3,408.05	0.00
MW-1	05/17/05		0.00	31.11	3,407.98	0.00
MW-1	08/15/05		0.00	31.50	3,407.59	0.00
MW-1	10/05/05		0.00	31.24	3,407.85	0.00
MW-1	11/18/05		0.00	31.44	3,407.65	0.00
MW-1	01/12/06		0.00	31.56	3,407.53	0.00
MW-1	02/16/06		0.00	31.68	3,407.41	0.00
MW-1	03/16/06		0.00	31.88	3,407.21	0.00
MW-1	04/10/06		0.00	31.83	3,407.26	0.00
MW-1	05/22/06		0.00	31.97	3,407.12	0.00
MW-1	07/20/06		0.00	32.44	3,406.65	0.00
MW-1	08/07/06		0.00	32.55	3,406.54	0.00
MW-1	09/11/06		0.00	31.87	3,407.22	0.00
MW-1	10/17/06		0.00	31.81	3,407.28	0.00
MW-1	11/21/06		0.00	31.91	3,407.18	0.00
MW-1	12/13/06		0.00	31.93	3,407.16	0.00
MW-1	01/09/07		0.00	32.07	3,407.02	0.00
MW-1	02/14/07		0.00	31.99	3,407.10	0.00
MW-1	02/22/07		0.00	32.01	3,407.08	0.00
MW-1	03/01/07		0.00	31.99	3,407.10	0.00
MW-1	03/13/07		0.00	32.03	3,407.06	0.00
MW-1	05/10/07		0.00	31.71	3,407.38	0.00
MW-1	08/10/07		0.00	31.82	3,407.27	0.00
MW-1	08/20/07		0.00	31.94	3,407.15	0.00
MW-1	11/15/07		DRY	DRY	DRY	DRY

Table 1

GROUNDWATER ELEVATION AND PSH DATA

Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-2	07/10/02	3,432.62	0.00	31.31	3,401.31	0.00
MW-2	04/15/03		0.00	30.68	3,401.94	0.00
MW-2	07/14/03		0.00	31.70	3,400.92	0.00
MW-2	04/20/04		0.00	28.20	3,404.42	0.00
MW-2	05/07/04		0.00	28.44	3,404.18	0.00
MW-2	05/25/04		0.00	28.72	3,403.90	0.00
MW-2	06/10/04		0.00	29.14	3,403.48	0.00
MW-2	07/14/04		0.00	27.73	3,404.89	0.00
MW-2	07/21/04		0.00	27.71	3,404.91	0.00
MW-2	08/02/04		0.00	27.96	3,404.66	0.00
MW-2	09/10/04		0.00	27.52	3,405.10	0.00
MW-2	09/14/04		0.00	27.51	3,405.11	0.00
MW-2	10/05/04		0.00	24.25	3,408.37	0.00
MW-2	10/19/04		0.00	23.12	3,409.50	0.00
MW-2	11/02/04		0.00	23.22	3,409.40	0.00
MW-2	11/15/04		0.00	23.50	3,409.12	0.00
MW-2	12/06/04		0.00	23.63	3,408.99	0.00
MW-2	12/21/04		0.00	23.63	3,408.99	0.00
MW-2	01/03/05		0.00	23.91	3,408.71	0.00
MW-2	01/18/05		0.00	24.05	3,408.57	0.00
MW-2	02/01/05		0.00	24.17	3,408.45	0.00
MW-2	03/21/05		0.00	24.44	3,408.18	0.00
MW-2	04/21/05		0.00	24.67	3,407.95	0.00
MW-2	05/05/05		0.00	24.63	3,407.99	0.00
MW-2	05/17/05		0.00	24.78	3,407.84	0.00
MW-2	08/15/05		0.00	25.18	3,407.44	0.00
MW-2	10/05/05		0.00	24.93	3,407.69	0.00
MW-2	11/18/05		0.00	25.07	3,407.55	0.00
MW-2	01/12/06		0.00	25.18	3,407.44	0.00
MW-2	02/16/06		0.00	25.36	3,407.26	0.00
MW-2	03/16/06		0.00	25.57	3,407.05	0.00
MW-2	04/10/06		0.00	25.48	3,407.14	0.00
MW-2	05/22/06		0.00	25.63	3,406.99	0.00
MW-2	07/20/06		0.00	26.15	3,406.47	0.00
MW-2	08/07/06		0.00	26.28	3,406.34	0.00
MW-2	09/11/06		0.00	25.30	3,407.32	0.00
MW-2	10/17/06		0.00	25.39	3,407.23	0.00
MW-2	11/21/06		0.00	25.46	3,407.16	0.00
MW-2	12/13/06		0.00	25.48	3,407.14	0.00
MW-2	01/09/07		0.00	25.61	3,407.01	0.00
MW-2	02/14/07		0.00	25.52	3,407.10	0.00
MW-2	02/22/07		0.00	25.54	3,407.08	0.00
MW-2	03/01/07		0.00	25.47	3,407.15	0.00
MW-2	03/13/07		0.00	25.53	3,407.09	0.00
MW-2	05/10/07		0.00	25.12	3,407.50	0.00
MW-2	08/10/07		0.00	25.41	3,407.21	0.00
MW-2	08/20/07		0.00	25.57	3,407.05	0.00
MW-2	11/15/07		0.00	25.73	3,406.89	0.00

Table 1

GROUNDWATER ELEVATION AND PSH DATA

Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-3	07/10/02	3,433.61	0.00	34.48	3,399.13	0.00
MW-3	04/15/03		0.00	32.14	3,401.47	0.00
MW-3	07/14/03		0.00	32.95	3,400.66	0.00
MW-3	04/20/04		0.00	29.17	3,404.44	0.00
MW-3	05/07/04		0.00	29.55	3,404.06	0.00
MW-3	05/25/04		0.00	29.80	3,403.81	0.00
MW-3	06/10/04		0.00	30.12	3,403.49	0.00
MW-3	07/14/04		0.00	28.33	3,405.28	0.00
MW-3	07/21/04		0.00	28.59	3,405.02	0.00
MW-3	08/02/04		0.00	28.85	3,404.76	0.00
MW-3	09/10/04		0.00	28.35	3,405.26	0.00
MW-3	09/14/04		0.00	28.45	3,405.16	0.00
MW-3	10/05/04		0.00	25.00	3,408.61	0.00
MW-3	10/19/04		0.00	23.24	3,410.37	0.00
MW-3	11/02/04		0.00	23.29	3,410.32	0.00
MW-3	11/15/04		0.00	24.10	3,409.51	0.00
MW-3	12/06/04		0.00	24.33	3,409.28	0.00
MW-3	12/21/04		0.00	24.39	3,409.22	0.00
MW-3	01/03/05		0.00	24.73	3,408.88	0.00
MW-3	01/18/05		0.00	24.94	3,408.67	0.00
MW-3	02/01/05		0.00	25.08	3,408.53	0.00
MW-3	03/21/05		0.00	25.40	3,408.21	0.00
MW-3	04/21/05		0.00	25.66	3,407.95	0.00
MW-3	05/05/05		0.00	25.63	3,407.98	0.00
MW-3	05/17/05		0.00	25.82	3,407.79	0.00
MW-3	08/15/05		0.00	26.06	3,407.55	0.00
MW-3	10/05/05		0.00	25.98	3,407.63	0.00
MW-3	11/18/05		0.00	26.26	3,407.35	0.00
MW-3	01/12/06		0.00	26.37	3,407.24	0.00
MW-3	02/16/06		0.00	26.52	3,407.09	0.00
MW-3	03/16/06		0.00	26.71	3,406.90	0.00
MW-3	04/10/06		0.00	26.69	3,406.92	0.00
MW-3	05/22/06		0.00	26.84	3,406.77	0.00
MW-3	07/20/06		0.00	28.27	3,405.34	0.00
MW-3	08/07/06		0.00	27.39	3,406.22	0.00
MW-3	09/11/06		0.00	26.52	3,407.09	0.00
MW-3	10/17/06		0.00	22.62	3,410.99	0.00
MW-3	11/21/06		0.00	26.77	3,406.84	0.00
MW-3	12/13/06		0.00	26.80	3,406.81	0.00
MW-3	01/09/07		0.00	26.92	3,406.69	0.00
MW-3	02/14/07		0.00	26.84	3,406.77	0.00
MW-3	02/22/07		0.00	26.87	3,406.74	0.00
MW-3	03/01/07		0.00	26.84	3,406.77	0.00
MW-3	03/13/07		0.00	26.89	3,406.72	0.00
MW-3	05/10/07		0.00	26.48	3,407.13	0.00
MW-3	08/10/07		0.00	26.61	3,407.00	0.00
MW-3	08/20/07		0.00	26.70	3,406.91	0.00
MW-3	11/15/07		0.00	27.07	3,406.54	0.00

Table 1

GROUNDWATER ELEVATION AND PSH DATA

Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-4	07/10/02	3,432.35	30.70	30.95	3,401.63	0.25
MW-4	11/18/02		29.28	29.95	3,403.00	0.67
MW-4	12/13/02		29.75	30.99	3,402.48	1.24
MW-4	03/24/03		30.56	31.03	3,401.74	0.47
MW-4	04/15/03		30.55	31.05	3,401.75	0.50
MW-4	05/02/03		30.71	30.94	3,401.62	0.23
MW-4	06/16/03		31.09	31.18	3,401.25	0.09
MW-4	07/14/03		31.50	31.81	3,400.82	0.31
MW-4	07/31/03		31.49	31.80	3,400.83	0.31
MW-4	09/22/03		32.05	32.07	3,400.30	0.02
MW-4	10/23/03		32.03	33.07	3,400.22	1.04
MW-4	11/05/03		32.10	34.65	3,400.00	2.55
MW-4	01/02/04		31.82	35.30	3,400.18	3.48
MW-4	01/30/04		32.20	34.20	3,399.95	2.00
MW-4	03/03/04		32.19	34.21	3,399.96	2.02
MW-4	03/15/04		32.15	33.87	3,400.03	1.72
MW-4	03/25/04		32.14	33.87	3,400.04	1.73
MW-4	04/20/04		27.20	27.86	3,405.08	0.66
MW-4	05/07/04		27.89	28.63	3,404.39	0.74
MW-4	05/25/04		28.55	28.78	3,403.78	0.23
MW-4	06/10/04		28.80	28.84	3,403.55	0.04
MW-4	07/14/04		0.00	26.88	3,405.47	0.00
MW-4	07/21/04		0.00	27.67	3,404.68	0.00
MW-4	08/02/04		0.00	27.28	3,405.07	0.00
MW-4	09/10/04		0.00	27.25	3,405.10	0.00
MW-4	09/14/04		0.00	27.15	3,405.20	0.00
MW-4	10/05/04		0.00	23.20	3,409.15	0.00
MW-4	10/19/04		0.00	22.00	3,410.35	0.00
MW-4	11/02/04		0.00	22.29	3,410.06	0.00
MW-4	11/15/04		0.00	22.95	3,409.40	0.00
MW-4	12/06/04		0.00	23.19	3,409.16	0.00
MW-4	12/21/04		0.00	23.21	3,409.14	0.00
MW-4	01/03/05		0.00	23.56	3,408.79	0.00
MW-4	01/18/05		0.00	23.75	3,408.60	0.00
MW-4	02/01/05		0.00	23.83	3,408.52	0.00
MW-4	03/21/05		0.00	24.11	3,408.24	0.00
MW-4	04/21/05		0.00	24.56	3,407.79	0.00
MW-4	05/05/05		0.00	24.54	3,407.81	0.00
MW-4	05/17/05		0.00	24.68	3,407.67	0.00
MW-4	08/15/05		0.00	24.98	3,407.37	0.00
MW-4	10/05/05		0.00	24.85	3,407.50	0.00
MW-4	11/18/05		0.00	25.04	3,407.31	0.00
MW-4	01/12/06		0.00	25.13	3,407.22	0.00
MW-4	02/16/06		0.00	25.31	3,407.04	0.00
MW-4	03/16/06		0.00	25.42	3,406.93	0.00
MW-4	04/10/06		0.00	25.42	3,406.93	0.00
MW-4	05/22/06		0.00	25.29	3,407.06	0.00
MW-4	07/20/06		0.00	26.02	3,406.33	0.00
MW-4	08/07/06		0.00	26.33	3,406.02	0.00
MW-4	09/11/06		0.00	25.02	3,407.33	0.00
MW-4	10/17/06		0.00	25.34	3,407.01	0.00
MW-4	11/21/06		0.00	25.37	3,406.98	0.00
MW-4	12/13/06		0.00	24.71	3,407.64	0.00
MW-4	01/09/07		0.00	25.81	3,406.54	0.00
MW-4	02/14/07		0.00	25.51	3,406.84	0.00
MW-4	02/22/07		0.00	25.47	3,406.88	0.00
MW-4	03/01/07		0.00	25.43	3,406.92	0.00

Table 1

GROUNDWATER ELEVATION AND PSH DATA

**Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007**

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-4	03/13/07		0.00	25.46	3,406.89	0.00
MW-4	03/23/07		0.00			0.25
MW-4	04/09/07		0.00	25.39	3,406.96	0.00
MW-4	05/10/07		0.00	25.05	3,407.30	0.00
MW-4	05/16/07		0.00	24.83	3,407.52	0.00
MW-4	05/29/07		0.00	24.71	3,407.64	0.00
MW-4	06/06/07		0.00	22.12	3,410.23	0.00
MW-4	06/21/07		0.00	24.94	3,407.41	0.00
MW-4	07/12/07		0.00	25.10	3,407.25	0.00
MW-4	07/25/07		0.00	25.26	3,407.09	0.00
MW-4	08/08/07		0.00	25.38	3,406.97	0.00
MW-4	08/20/07		0.00	25.49	3,406.86	0.00
MW-4	09/07/07		0.00	26.66	3,405.69	0.00
MW-4	09/19/07		0.00	25.64	3,406.71	0.00
MW-4	10/01/07		0.00	24.03	3,408.32	0.00
MW-4	10/15/07		0.00	25.69	3,406.66	0.00
MW-4	11/02/07		0.00	25.71	3,406.64	0.00
MW-4	11/15/07		0.00	25.73	3,406.62	0.00
MW-4	11/29/07		0.00	25.75	3,406.60	0.00
MW-4	12/27/07		0.00	25.65	3,406.70	0.00

Table 1

GROUNDWATER ELEVATION AND PSH DATA

**Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007**

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-5	07/10/02	3,429.63	0.00	27.16	3,402.47	0.00
MW-5	04/15/03		0.00	27.79	3,401.84	0.00
MW-5	07/14/03		0.00	28.79	3,400.84	0.00
MW-5	04/20/04		0.00	23.73	3,405.90	0.00
MW-5	05/07/04		0.00	24.75	3,404.88	0.00
MW-5	05/25/04		0.00	25.32	3,404.31	0.00
MW-5	06/10/04		0.00	25.66	3,403.97	0.00
MW-5	07/14/04		0.00	23.33	3,406.30	0.00
MW-5	07/21/04		0.00	24.30	3,405.33	0.00
MW-5	08/02/04		0.00	23.88	3,405.75	0.00
MW-5	09/10/04		0.00	23.58	3,406.05	0.00
MW-5	09/14/04		0.00	23.88	3,405.75	0.00
MW-5	10/05/04		0.00	17.86	3,411.77	0.00
MW-5	10/19/04		0.00	17.50	3,412.13	0.00
MW-5	11/02/04		0.00	17.52	3,412.11	0.00
MW-5	11/15/04		0.00	19.54	3,410.09	0.00
MW-5	12/06/04		0.00	20.04	3,409.59	0.00
MW-5	12/21/04		0.00	20.17	3,409.46	0.00
MW-5	01/03/05		0.00	20.60	3,409.03	0.00
MW-5	01/18/05		0.00	20.86	3,408.77	0.00
MW-5	02/01/05		0.00	21.05	3,408.58	0.00
MW-5	03/21/05		0.00	21.41	3,408.22	0.00
MW-5	04/21/05		0.00	21.76	3,407.87	0.00
MW-5	05/05/05		0.00	21.76	3,407.87	0.00
MW-5	05/17/05		0.00	21.87	3,407.76	0.00
MW-5	08/15/05		0.00	22.00	3,407.63	0.00
MW-5	10/05/05		0.00	22.01	3,407.62	0.00
MW-5	11/18/05		0.00	22.20	3,407.43	0.00
MW-5	01/12/06		0.00	22.32	3,407.31	0.00
MW-5	02/16/06		0.00	22.56	3,407.07	0.00
MW-5	03/16/06		0.00	22.71	3,406.92	0.00
MW-5	04/10/06		0.00	22.66	3,406.97	0.00
MW-5	05/22/06		0.00	22.83	3,406.80	0.00
MW-5	07/20/06		0.00	23.26	3,406.37	0.00
MW-5	08/07/06		0.00	23.27	3,406.36	0.00
MW-5	09/11/06		0.00	22.23	3,407.40	0.00
MW-5	10/17/06		0.00	22.67	3,406.96	0.00
MW-5	11/21/06		0.00	22.67	3,406.96	0.00
MW-5	12/13/06		0.00	22.71	3,406.92	0.00
MW-5	01/09/07		0.00	22.83	3,406.80	0.00
MW-5	02/14/07		0.00	22.67	3,406.96	0.00
MW-5	02/22/07		0.00	22.69	3,406.94	0.00
MW-5	03/01/07		0.00	22.64	3,406.99	0.00
MW-5	03/13/07		0.00	22.68	3,406.95	0.00
MW-5	05/10/07		0.00	21.88	3,407.75	0.00
MW-5	08/10/07		0.00	22.49	3,407.14	0.00
MW-5	08/20/07		0.00	22.60	3,407.03	0.00
MW-5	11/15/07		0.00	22.87	3,406.76	0.00

Table 1

GROUNDWATER ELEVATION AND PSH DATA

**Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007**

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-6	07/10/02	3,429.30	0.00	27.16	3,402.14	0.00
MW-6	04/15/03		0.00	27.93	3,401.37	0.00
MW-6	07/14/03		0.00	28.90	3,400.40	0.00
MW-6	04/20/04		0.00	23.65	3,405.65	0.00
MW-6	05/07/04		0.00	24.72	3,404.58	0.00
MW-6	05/25/04		0.00	25.30	3,404.00	0.00
MW-6	06/10/04		0.00	25.75	3,403.55	0.00
MW-6	07/14/04		0.00	23.15	3,406.15	0.00
MW-6	07/21/04		0.00	24.41	3,404.89	0.00
MW-6	08/02/04		0.00	23.78	3,405.52	0.00
MW-6	09/10/04		0.00	23.86	3,405.44	0.00
MW-6	09/14/04		0.00	24.10	3,405.20	0.00
MW-6	10/05/04		0.00	16.96	3,412.34	0.00
MW-6	10/19/04		0.00	16.84	3,412.46	0.00
MW-6	11/02/04		0.00	16.86	3,412.44	0.00
MW-6	11/15/04		0.00	19.33	3,409.97	0.00
MW-6	12/06/04		0.00	19.77	3,409.53	0.00
MW-6	12/21/04		0.00	19.98	3,409.32	0.00
MW-6	01/03/05		0.00	20.42	3,408.88	0.00
MW-6	01/18/05		0.00	20.70	3,408.60	0.00
MW-6	02/01/05		0.00	20.90	3,408.40	0.00
MW-6	03/21/05		0.00	21.52	3,407.78	0.00
MW-6	04/21/05		0.00	21.64	3,407.66	0.00
MW-6	05/05/05		0.00	21.62	3,407.68	0.00
MW-6	05/17/05		0.00	21.77	3,407.53	0.00
MW-6	08/15/05		0.00	21.91	3,407.39	0.00
MW-6	10/05/05		0.00	21.98	3,407.32	0.00
MW-6	11/18/05		0.00	22.25	3,407.05	0.00
MW-6	01/12/06		0.00	22.36	3,406.94	0.00
MW-6	02/16/06		0.00	22.51	3,406.79	0.00
MW-6	03/16/06		0.00	22.71	3,406.59	0.00
MW-6	04/10/06		0.00	22.65	3,406.65	0.00
MW-6	05/22/06		0.00	22.82	3,406.48	0.00
MW-6	07/20/06		0.00	23.26	3,406.04	0.00
MW-6	08/07/06		0.00	24.37	3,404.93	0.00
MW-6	09/11/06		0.00	22.28	3,407.02	0.00
MW-6	10/17/06		0.00	22.54	3,406.76	0.00
MW-6	11/21/06		0.00	22.66	3,406.64	0.00
MW-6	12/13/06		0.00	22.69	3,406.61	0.00
MW-6	01/09/07		0.00	22.83	3,406.47	0.00
MW-6	02/14/07		0.00	22.75	3,406.55	0.00
MW-6	02/22/07		0.00	22.78	3,406.52	0.00
MW-6	03/01/07		0.00	22.75	3,406.55	0.00
MW-6	03/13/07		0.00	22.78	3,406.52	0.00
MW-6	05/10/07		0.00	22.06	3,407.24	0.00
MW-6	08/10/07		0.00	22.56	3,406.74	0.00
MW-6	08/20/07		0.00	22.67	3,406.63	0.00
MW-6	11/15/07		0.00	22.46	3,406.84	0.00

Table 1

GROUNDWATER ELEVATION AND PSH DATA

Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-7	06/10/04	3,431.37	0.00	27.15	3,404.22	0.00
MW-7	07/14/04		0.00	25.69	3,405.68	0.00
MW-7	07/21/04		0.00	25.93	3,405.44	0.00
MW-7	08/02/04		0.00	26.10	3,405.27	0.00
MW-7	09/10/04		0.00	25.73	3,405.64	0.00
MW-7	09/14/04		0.00	25.75	3,405.62	0.00
MW-7	10/05/04		0.00	22.65	3,408.72	0.00
MW-7	10/19/04		0.00	21.55	3,409.82	0.00
MW-7	11/02/04		0.00	21.58	3,409.79	0.00
MW-7	11/15/04		0.00	21.68	3,409.69	0.00
MW-7	12/06/04		0.00	21.80	3,409.57	0.00
MW-7	12/21/04		0.00	21.43	3,409.94	0.00
MW-7	01/03/05		0.00	22.03	3,409.34	0.00
MW-7	01/18/05		0.00	22.18	3,409.19	0.00
MW-7	02/01/05		0.00	22.29	3,409.08	0.00
MW-7	03/21/05		0.00	22.49	3,408.88	0.00
MW-7	04/21/05		0.00	22.76	3,408.61	0.00
MW-7	05/05/05		0.00	22.74	3,408.63	0.00
MW-7	05/17/05		0.00	22.86	3,408.51	0.00
MW-7	08/15/05		0.00	23.30	3,408.07	0.00
MW-7	10/05/05		0.00	23.01	3,408.36	0.00
MW-7	11/18/05		0.00	23.18	3,408.19	0.00
MW-7	01/12/06		0.00	23.25	3,408.12	0.00
MW-7	02/16/06		0.00	23.41	3,407.96	0.00
MW-7	03/16/06		0.00	23.60	3,407.77	0.00
MW-7	04/10/06		0.00	23.52	3,407.85	0.00
MW-7	05/22/06		0.00	23.75	3,407.62	0.00
MW-7	07/20/06		0.00	24.24	3,407.13	0.00
MW-7	08/07/06		0.00	24.33	3,407.04	0.00
MW-7	09/11/06		0.00	23.41	3,407.96	0.00
MW-7	10/17/06		0.00	23.44	3,407.93	0.00
MW-7	11/21/06		0.00	23.49	3,407.88	0.00
MW-7	12/13/06		0.00	23.48	3,407.89	0.00
MW-7	01/09/07		0.00	23.61	3,407.76	0.00
MW-7	02/14/07		0.00	23.50	3,407.87	0.00
MW-7	02/22/07		0.00	23.54	3,407.83	0.00
MW-7	03/01/07		0.00	23.49	3,407.88	0.00
MW-7	03/13/07		0.00	23.54	3,407.83	0.00
MW-7	05/10/07		0.00	23.20	3,408.17	0.00
MW-7	08/10/07		0.00	23.58	3,407.79	0.00
MW-7	08/20/07		0.00	23.66	3,407.71	0.00
MW-7	11/15/07		0.00	23.85	3,407.52	0.00

Table 1

GROUNDWATER ELEVATION AND PSH DATA

**Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007**

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-8	06/10/04	3,431.07	0.00	27.52	3,403.55	0.00
MW-8	07/14/04		0.00	25.69	3,405.38	0.00
MW-8	07/21/04		0.00	25.46	3,405.61	0.00
MW-8	08/02/04		0.00	25.88	3,405.19	0.00
MW-8	09/10/04		0.00	25.35	3,405.72	0.00
MW-8	09/14/04		0.00	25.51	3,405.56	0.00
MW-8	10/05/04		0.00	20.30	3,410.77	0.00
MW-8	10/19/04		0.00	19.44	3,411.63	0.00
MW-8	11/02/04		0.00	19.46	3,411.61	0.00
MW-8	11/15/04		0.00	21.07	3,410.00	0.00
MW-8	12/06/04		0.00	21.48	3,409.59	0.00
MW-8	12/21/04		0.00	21.58	3,409.49	0.00
MW-8	01/03/05		0.00	21.98	3,409.09	0.00
MW-8	01/18/05		0.00	22.21	3,408.86	0.00
MW-8	02/01/05		0.00	22.37	3,408.70	0.00
MW-8	03/21/05		0.00	22.72	3,408.35	0.00
MW-8	04/21/05		0.00	22.92	3,408.15	0.00
MW-8	05/05/05		0.00	22.90	3,408.17	0.00
MW-8	05/17/05		0.00	23.16	3,407.91	0.00
MW-8	08/15/05		0.00	23.41	3,407.66	0.00
MW-8	10/05/05		0.00	23.29	3,407.78	0.00
MW-8	11/18/05		0.00	23.55	3,407.52	0.00
MW-8	01/12/06		0.00	23.58	3,407.49	0.00
MW-8	02/16/06		0.00	23.80	3,407.27	0.00
MW-8	03/16/06		0.00	23.92	3,407.15	0.00
MW-8	04/10/06		0.00	24.09	3,406.98	0.00
MW-8	05/22/06		0.00	24.25	3,406.82	0.00
MW-8	07/20/06		0.00	24.57	3,406.50	0.00
MW-8	08/07/06		0.00	24.66	3,406.41	0.00
MW-8	09/11/06		0.00	23.65	3,407.42	0.00
MW-8	10/17/06		0.00	23.83	3,407.24	0.00
MW-8	11/21/06		0.00	24.18	3,406.89	0.00
MW-8	12/13/06		0.00	24.23	3,406.84	0.00
MW-8	01/09/07		0.00	24.36	3,406.71	0.00
MW-8	02/14/07		0.00	24.64	3,406.43	0.00
MW-8	02/22/07		0.00	23.95	3,407.12	0.00
MW-8	03/01/07		0.00	23.92	3,407.15	0.00
MW-8	03/13/07		0.00	23.95	3,407.12	0.00
MW-8	05/10/07		0.00	23.37	3,407.70	0.00
MW-8	08/10/07		0.00	23.78	3,407.29	0.00
MW-8	08/20/07		0.00	23.91	3,407.16	0.00
MW-8	09/07/07		0.00	24.09	3,406.98	0.00
MW-8	09/19/07		0.00	24.13	3,406.94	0.00
MW-8	10/01/07		0.00	25.68	3,405.39	0.00
MW-8	10/15/07		0.00	24.16	3,406.91	0.00
MW-8	11/02/07		0.00	24.22	3,406.85	0.00
MW-8	11/15/07		0.00	24.24	3,406.83	0.00
MW-8	11/28/07		0.00	24.23	3,406.84	0.00
MW-8	12/27/07			24.08	3,406.99	

Table 1

GROUNDWATER ELEVATION AND PSH DATA

**Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007**

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-9	06/10/04	3,429.79	0.00	Screen Filled With Mud	0.00	
MW-9	07/14/04		0.00	24.02	3,405.77	0.00
MW-9	07/21/04		0.00	23.84	3,405.95	0.00
MW-9	08/02/04		0.00	24.77	3,405.02	0.00
MW-9	09/10/04		0.00	24.21	3,405.58	0.00
MW-9	09/14/04		0.00	24.27	3,405.52	0.00
MW-9	10/05/04		0.00	15.51	3,414.28	0.00
MW-9	10/19/04		0.00	16.54	3,413.25	0.00
MW-9	11/02/04		0.00	16.57	3,413.22	0.00
MW-9	11/15/04		0.00	19.53	3,410.26	0.00
MW-9	12/06/04		0.00	20.02	3,409.77	0.00
MW-9	12/21/04		0.00	20.36	3,409.43	0.00
MW-9	01/03/05		0.00	20.83	3,408.96	0.00
MW-9	01/18/05		0.00	21.10	3,408.69	0.00
MW-9	02/01/05		0.00	21.30	3,408.49	0.00
MW-9	03/21/05		0.00	21.69	3,408.10	0.00
MW-9	04/21/05		0.00	22.08	3,407.71	0.00
MW-9	05/05/05		0.00	22.06	3,407.73	0.00
MW-9	05/17/05		0.00	22.23	3,407.56	0.00
MW-9	08/15/05		0.00	22.30	3,407.49	0.00
MW-9	10/05/05		0.00	22.41	3,407.38	0.00
MW-9	11/18/05		0.00	22.68	3,407.11	0.00
MW-9	01/12/06		0.00	22.71	3,407.08	0.00
MW-9	02/16/06		0.00	22.93	3,406.86	0.00
MW-9	03/16/06		0.00	23.12	3,406.67	0.00
MW-9	04/10/06		0.00	23.10	3,406.69	0.00
MW-9	05/22/06		0.00	23.21	3,406.58	0.00
MW-9	07/20/06		0.00	23.69	3,406.10	0.00
MW-9	08/07/06		0.00	24.02	3,405.77	0.00
MW-9	09/11/06		0.00	22.61	3,407.18	0.00
MW-9	10/17/06		0.00	22.98	3,406.81	0.00
MW-9	11/21/06		0.00	23.06	3,406.73	0.00
MW-9	12/13/06		0.00	23.71	3,406.08	0.00
MW-9	01/09/07		0.00	23.24	3,406.55	0.00
MW-9	02/14/07		0.00	23.19	3,406.60	0.00
MW-9	02/22/07		0.00	23.09	3,406.70	0.00
MW-9	03/01/07		0.00	23.07	3,406.72	0.00
MW-9	03/13/07		0.00	23.10	3,406.69	0.00
MW-9	05/10/07		0.00	22.04	3,407.75	0.00
MW-9	05/29/07		0.00	22.08	3,407.71	0.00
MW-9	06/06/07		0.00	24.68	3,405.11	0.00
MW-9	06/21/07		0.00	22.35	3,407.44	0.00
MW-9	08/10/07		0.00	22.86	3,406.93	0.00
MW-9	08/20/07		0.00	22.99	3,406.80	0.00
MW-9	11/15/07		0.00	23.28	3,406.51	0.00

Table 1

GROUNDWATER ELEVATION AND PSH DATA

**Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007**

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-10	11/15/04	3,429.49	0.00	19.61	3,409.88	0.00
MW-10	12/06/04		0.00	19.95	3,409.54	0.00
MW-10	12/21/04		0.00	20.13	3,409.36	0.00
MW-10	01/03/05		0.00	20.56	3,408.93	0.00
MW-10	01/18/05		0.00	20.79	3,408.70	0.00
MW-10	02/01/05		0.00	20.98	3,408.51	0.00
MW-10	03/21/05		0.00	21.36	3,408.13	0.00
MW-10	04/21/05		0.00	21.64	3,407.85	0.00
MW-10	05/05/05		0.00	21.69	3,407.80	0.00
MW-10	05/17/05		0.00	21.81	3,407.68	0.00
MW-10	08/15/05		0.00	21.93	3,407.56	0.00
MW-10	10/05/05		0.00	21.98	3,407.51	0.00
MW-10	11/18/05		0.00	22.22	3,407.27	0.00
MW-10	01/12/06		0.00	22.33	3,407.16	0.00
MW-10	02/16/06		0.00	22.47	3,407.02	0.00
MW-10	03/16/06		0.00	22.77	3,406.72	0.00
MW-10	04/10/06		0.00	22.60	3,406.89	0.00
MW-10	05/22/06		0.00	22.78	3,406.71	0.00
MW-10	07/20/06		0.00	23.18	3,406.31	0.00
MW-10	08/07/06		0.00	23.25	3,406.24	0.00
MW-10	09/11/06		0.00	22.11	3,407.38	0.00
MW-10	10/17/06		0.00	22.46	3,407.03	0.00
MW-10	11/21/06		0.00	22.57	3,406.92	0.00
MW-10	12/13/06		0.00	22.61	3,406.88	0.00
MW-10	01/09/07		0.00	22.71	3,406.78	0.00
MW-10	02/14/07		0.00	22.65	3,406.84	0.00
MW-10	02/22/07		0.00	22.64	3,406.85	0.00
MW-10	03/01/07		0.00	22.58	3,406.91	0.00
MW-10	03/13/07		0.00	22.64	3,406.85	0.00
MW-10	05/10/07		0.00	21.61	3,407.88	0.00
MW-10	08/10/07		0.00	22.48	3,407.01	0.00
MW-10	08/20/07		0.00	22.59	3,406.90	0.00
MW-10	11/15/07		0.00	22.87	3,406.62	0.00
MW-11	11/15/04	3,428.32	0.00	18.26	3,410.06	0.00
MW-11	12/06/04		0.00	18.67	3,409.65	0.00
MW-11	12/21/04		0.00	18.93	3,409.39	0.00
MW-11	01/03/05		0.00	19.4	3,408.92	0.00
MW-11	01/18/05		0.00	19.68	3,408.64	0.00
MW-11	02/01/05		0.00	19.9	3,408.42	0.00
MW-11	03/21/05		0.00	20.34	3,407.98	0.00
MW-11	04/21/05		0.00	20.70	3,407.62	0.00
MW-11	05/05/05		0.00	20.71	3,407.61	0.00
MW-11	05/17/05		0.00	20.87	3,407.45	0.00
MW-11	08/15/05		0.00	20.95	3,407.37	0.00
MW-11	10/05/05		0.00	21.04	3,407.28	0.00
MW-11	11/18/05		0.00	21.31	3,407.01	0.00
MW-11	01/12/06		0.00	21.55	3,406.77	0.00
MW-11	02/16/06		0.00	21.58	3,406.74	0.00
MW-11	03/16/06		0.00	21.77	3,406.55	0.00
MW-11	04/10/06		0.00	21.75	3,406.57	0.00
MW-11	05/22/06		0.00	21.90	3,406.42	0.00
MW-11	08/07/06		0.00	22.32	3,406.00	0.00
MW-11	09/11/06		0.00	21.19	3,407.13	0.00
MW-11	10/17/06		0.00	21.49	3,406.83	0.00
MW-11	11/21/06		0.00	21.61	3,406.71	0.00
MW-11	12/13/06		0.00	21.64	3,406.68	0.00

Table 1

GROUNDWATER ELEVATION AND PSH DATA

**Livingston Line - Bob McCasland Pipeline Leak
Lea County, New Mexico
Plains Pipeline, L. P. SRS Number 2001-11226
Terracon Project Number A4077007**

All measurements are in feet above mean sea level

Monitor Well	Date Gauged	Relative Top of Casing Elevation (TOC)*	Depth to PSH Below Top of Casing	Depth to Water Below Top of Casing	Corrected Relative Groundwater Elevation*	PSH Thickness
MW-11	01/09/07		0.00	21.47	3,406.85	0.00
MW-11	02/14/07		0.00	21.70	3,406.62	0.00
MW-11	02/22/07		0.00	21.72	3,406.60	0.00
MW-11	03/01/07		0.00	21.69	3,406.63	0.00
MW-11	03/13/07		0.00	21.73	3,406.59	0.00
MW-11	05/10/07		0.00	20.04	3,408.28	0.00
MW-11	08/10/07		0.00	22.54	3,405.78	0.00
MW-11	08/20/07		0.00	21.63	3,406.69	0.00
MW-11	11/15/07		0.00	21.94	3,406.38	0.00

* - Wells are referenced to the TOC of groundwater monitoring well MW-2 (set to an elevation 3,432.62 feet)

PSH - Phase separated hydrocarbons