

GW - 039

**ANNUAL
MONITORING
REPORT**

04/02/2003

GW039

FINAL

**SAN JUAN RIVER PLANT
2002 ANNUAL REPORT**

APRIL 2003

Prepared for:

**El Paso Natural Gas Company
614 Reilly Avenue
Farmington, New Mexico 87401**

Prepared by:

**MWH
10619 South Jordan Gateway, Suite 100
Salt Lake City, Utah 84095**

TABLE OF CONTENTS

	PAGE NO.
EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION	1-1
2.0 PROJECT HISTORY	2-1
3.0 SUMMARY OF 2002 ACTIVITIES	3-1
3.1 Site-Wide Groundwater Monitoring Program	3-1
3.2 Hydrocarbon Remediation	3-2
4.0 DISCUSSION OF RESULTS	4-1
4.1 Site-Wide Groundwater Monitoring Results	4-1
4.2 Hydrocarbon Remediation Results	4-2
5.0 CONCLUSIONS AND RECOMMENDATIONS	5-1
5.1 Site-Wide Groundwater Monitoring Program	5-1
5.2 Hydrocarbon Remediation Program	5-1
6.0 REFERENCES	R-1
APPENDICES	
APPENDIX A	2002 Documentation of Field Activities
APPENDIX B	2002 Laboratory Reports

TABLE OF CONTENTS
(continued)

LIST OF TABLES

(Tables follow at the end of their respective section)

TABLE

NO.	TITLE
------------	--------------

4-1	Summary of 2002 Analytical Results and Field Data
-----	---

LIST OF FIGURES

FIGURE

NO.	TITLE	follows section no.
------------	--------------	--------------------------------

1	Site Location Map	1
2	San Juan River Plant Site Layout Map	1
3	BTEX Concentration and Groundwater Elevation vs. Time for MW-5	4
4	BTEX Concentration and Groundwater Elevation vs. Time for MW-8	4
5	BTEX Concentration and Groundwater Elevation vs. Time for MW-9	4
6	Benzene Isoconcentration Map – August 2002	4
7	Groundwater Elevation Map – August 2002	4
8	Groundwater Elevation Map – November 2002	4
9	TDS Isoconcentration Map – August 2002	4
10	Sulfate Isoconcentration Map – August 2002	4

LIST OF ACRONYMS

$\mu\text{g/l}$	micrograms per liter
cy	cubic yards
mg/kg	milligrams per kilogram
AESE	A.E. Schmidt Environmental
bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and total xylenes
EPNG	El Paso Natural Gas Company
NMOCD	New Mexico Oil Conservation Division
NMWQCC	New Mexico Water Quality Control Commission
O&M	operations and maintenance
ORC	oxygen-releasing compound
SJRP	San Juan River Plant
TDS	total dissolved solids
WGP	Western Gas Processors, Ltd.

EXECUTIVE SUMMARY

The San Juan River Plant is located in San Juan County, near Kirtland, New Mexico. The plant is used to process natural gas collected from production wells located in the San Juan Basin of New Mexico and southern Utah. Closure of evaporation ponds, pits, and other potential source areas within the San Juan River Plant occurred in 1992 through 1995. Groundwater monitoring has been performed at the site since 1995.

El Paso Natural Gas is aggressively pursuing active groundwater remediation (air sparging and chemical oxygen enhancement) of dissolved-phase hydrocarbons in the vicinity of MW-8 and MW-9. Based on past soil and soil gas investigations, the dissolved-phase hydrocarbons are associated with limited soil contamination. Dissolved-phase hydrocarbons have not been observed in groundwater in other areas of the site.

Groundwater sampling conducted at the San Juan River Plant during 2002 suggests that the air sparging activities are continuing to reduce dissolved-phase hydrocarbon concentrations in the vicinity of MW-9. Benzene analytical results for this well ranged from 48 µg/l in February 2002 to 1.4 µg/l in May. Benzene concentrations in this well during 2001 ranged from 53 µg/l to 22 µg/l.

Benzene concentrations in monitoring well MW-8 also continued to decline as a result of chemical oxygen enhancement using magnesium peroxide socks within this well. Benzene concentrations in MW-8 ranged from a high concentration of 200 µg/l during May to approximately 0.8 µg/l in August.

The New Mexico Oil Conservation Division requested monitoring of metals and inorganic parameters in all on-site monitoring wells as part of the current site-wide groundwater monitoring program. Although some of these analytes exceeded standards at the plant and may be related to past practices, some parameters are believed to occur naturally at elevated levels, do not appear to extend off site and are not associated with potential receptors. Past closure activities have addressed any on-going sources of these parameters to groundwater. Regionally, this area is associated with elevated total dissolved solids and associated inorganic parameters.

Because remediation efforts at monitoring wells MW-8 and MW-9 have been effective at rapidly reducing benzene concentrations in these areas, it is recommended that the remediation systems continue to operate until quarterly sampling results indicate compliance with standards. The systems will then be taken off-line and quarterly closure monitoring will be initiated.

1.0 INTRODUCTION

This annual report has been prepared on behalf of El Paso Natural Gas Company (EPNG) to present a summary of physical activities performed and analytical data collected at the San Juan River Plant (SJRP) during 2002. This site is located in San Juan County Section 1, Township 29N, Range 15W, near Kirtland, New Mexico, as shown on Figure 1.

EPNG is aggressively conducting active groundwater remediation of dissolved-phase hydrocarbons in the vicinity of monitoring wells MW-8 and MW-9. Remedial actions currently operating at the SJRP include air sparging and in-situ oxygen enhancement of groundwater through use of oxygen-releasing compound (ORC). In addition to the active remediation activities, a site-wide groundwater sampling program is administered at this site.

Site Description. The San Juan River Plant was previously owned by El Paso Natural Gas Company, but has been owned and operated by Western Gas Processors, Ltd (WGP) since June 1992. The plant is used to process natural gas collected from production wells located in the San Juan Basin of New Mexico and southern Utah. The SJRP is a 630-acre facility that has contained gas processing facilities, two raw water ponds (now closed), three wastewater evaporation ponds (now closed), a sulfur recovery plant, water and hydrocarbon tanks, a pigging station, flare pits, and several 16- to 24-inch diameter natural gas pipelines that cross the facility. Figure 2 presents a detailed site map of the SJRP. Closure of the evaporation ponds, pits, and other potential contaminant source areas was completed during 1992 through 1995. Groundwater has been monitored at this site since 1995.

Report Organization. This report is organized into six sections and supporting appendices. Section 2.0 provides a discussion of the SJRP project history, Section 3.0 includes summary of field activities conducted at the SJRP during 2002, and Section 4.0 provides a discussion of results. Conclusions and recommendations are provided in Section 5.0, and references are listed in Section 5.0.




D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS

550 ft Scale: 1:19,200 Detail: 13-4 Datum: WGS84

SAN JUAN RIVER PLANT SITE LOCATION MAP

EL PASO FIELD SERVICES

FIGURE 1



LEGEND

- ◆ MW-4 Approximate Monitoring Well Location
- E-3 MW-1 P-2 Approximate Abandoned Well Location

NOT TO SCALE

SITE LAYOUT MAP SAN JUAN RIVER PLANT

EL PASO NATURAL GAS

FIGURE 2

2.0 PROJECT HISTORY

The SJRP was previously owned by EPNG, but was sold to the current operator, WGP, on June 19, 1992. Investigation and remediation activities conducted at the SJRP have included the following components:

- Several investigations were conducted at the San Juan River Plant between 1985 and 1995. As a result, 24 monitoring wells were installed at various locations at the plant.
- The north and south flare pits were closed in 1992 after removing 18,200 cubic yards (cy) and 3,520 cy of contaminated material, respectively.
- The former wastewater evaporation ponds were closed during 1995 and early 1996. The pit and pond closure activities included capping the ponds with compacted, low-permeability soils.
- El Paso Natural Gas abandoned 17 monitoring wells, upgraded two wells, installed five new monitoring wells, and conducted a soil gas investigation during the summer of 1995. Results of the soil gas investigation indicated shallow hydrocarbon contamination near monitoring wells MW-8 and MW-9.
- El Paso Natural Gas submitted a groundwater remediation work plan to the NMOCD in January 2001 to address elevated benzene in monitoring wells MW-8 and MW-9, and received approval to begin remedial actions on June 4, 2001. The work plan included provisions to install an air sparging system with two sparge wells; one injection point located within 10 feet of each monitoring well.
- The sparge system air injection wells (SW-8 and SW-9) were installed on October 30, 2001. Both wells were developed on November 12, 2001.

- A pre-pilot sparge test was conducted at both wells on November 13, 2001. Results from this test indicated good communication between SW-9 and MW-9, but poor communication between MW-8 and SW-8.
- Because of poor communication between MW-8 and SW-8, an ORC sock consisting of magnesium peroxide and manufactured by Regenesys Inc. was recommended for remediation in this area. The ORC sock was installed in MW-8 on November 14, 2001.
- The sparge pilot test was also initiated on November 14, 2001. With the exception of a 48-hour shut-down prior to the four-week sampling event on December 26, 2001, the sparge system operated continuously from November 14, 2001 to January 18, 2002. The sparge pilot test culminated with a sampling event on January 25, 2002. An additional sampling event was performed on February 21, 2002 to evaluate the potential for contaminant concentration rebound following a four-week shutdown.
- From February 2002 through December 2002 site activities included continued operation and maintenance of the sparge system and site-wide annual groundwater monitoring.

Details regarding the sparge system pilot test and sampling conducted during 2001 are presented in the *2001 Annual Report for San Juan River Plant* (MWH, 2002).

3.0 SUMMARY OF 2002 ACTIVITIES

The current environmental program at the San Juan River Plant consists of dissolved-phase hydrocarbon remediation (air sparging and chemical oxygen enhancement) and site-wide groundwater monitoring as specified by the New Mexico Oil Conservation Division (NMOCD). The following section details site activities conducted at the San Juan River Plant during 2002.

3.1 SITE-WIDE GROUNDWATER MONITORING PROGRAM

The site-wide groundwater monitoring program included the following components during 2002:

- All seven active monitoring wells (W-2, MW-4 through MW-9) were sampled annually on August 15, 2002 for benzene, toluene, ethylbenzene, and xylenes (BTEX), NMWQCC trace metals, total dissolved solids (TDS), alkalinity, chloride, and sulfate. Due to improper preservation of the alkalinity, anion, and TDS samples, each monitoring well was re-sampled on August 21, 2002 for these parameters.
- Remediation monitoring wells MW-8 and MW-9 were scheduled to be sampled on a quarterly basis to evaluate the effectiveness of the sparge system operation. Monitoring wells MW-5, MW-8, and MW-9 were sampled in conjunction with the sparge pilot test in January. MW-9 was sampled again in February as part of the pilot test to evaluate the potential for contaminant rebound. Subsequent quarterly monitoring samples for BTEX analysis were collected in May, August, and November 2002.
- Groundwater elevation measurements were collected at each well immediately prior to each sampling event. A complete round of water elevation measurements were collected during August and November 2002.

All 2002 groundwater monitoring data were collected by AE Schmidt Environmental (AESE). Laboratory analyses for samples collected between January 2002 and June 2002 were provided by Pinnacle Laboratories located in Albuquerque, NM. Analyses performed between June 2002 and December 2002 were provided by APCL Laboratories of Chino, California.

3.2 HYDROCARBON REMEDIATION

Dissolved-phase hydrocarbon remediation activities at the SJRP include air sparging at SW-9 and oxygen enhancement using ORC socks in MW-8. The following paragraphs describe activities associated with these remedial systems.

Air Sparge System. The existing air sparging system was designed to provide additional oxygen to the groundwater in the vicinity of monitoring well MW-9. As described earlier, this sparge system was subject to a 12-week pilot test that culminated with contaminant rebound sampling during February 2002. The system continued to operate on an 8-hour per day, seven days per week schedule for the remainder of 2002 with the exception of the following shut-down periods:

- April 18, 2002 through April 19, 2002 for system repair.
- May 29, 2002 through August 4, 2002 for site modifications by the current plant operator, WGP.
- August 16, 2002 through September 13, 2002 for repairs to the system electrical supply.

The sparge system was also shut down for one day during scheduled sample events in January, February, May, August, and November 2002.

Bi-weekly operation and maintenance (O&M) site visits to the air sparge system were conducted to monitor the pressure and flow rates at each injection point, and perform any required repairs to the system.

ORC Enhancement. As described earlier, ORC socks were installed at MW-8 on November 14, 2001. To assess the effectiveness of the ORC, dissolved oxygen measurements were collected in MW-8 during January, May and November 2002 after removing the socks for 24 hours.

4.0 DISCUSSION OF RESULTS

This section describes the results of activities conducted at the San Juan River Plant during 2002.

4.1 SITE-WIDE GROUNDWATER MONITORING RESULTS

BTEX Sampling Results. BTEX results from samples collected during 2002 are presented in Table 4-1. During 2002, only benzene concentrations were identified above New Mexico Water Quality Control Commission (NMWQCC) standards at monitoring wells MW-8 (200 µg/l during May) and MW-9 (13 µg/l during November). Benzene concentrations in MW-8 ranged from 200 µg/l in May to 0.8 µg/l in August. Benzene concentrations in MW-9 ranged from 48 µg/l in February to 1.4 µg/l in May. Concentration versus time graphs for monitoring wells MW-5, MW-8, and MW-9 are presented in Figures 3 through 5, respectively. Figure 6 presents a benzene isoconcentration map based on samples collected during August 2002. Documentation of field activities and laboratory reports are presented in Appendix A and Appendix B, respectively.

Groundwater Elevation Monitoring. Full rounds of groundwater elevation monitoring were performed during August and November 2002. In general, groundwater flows radially outward from the rise on which the SJRP is located. Groundwater levels in the north plant area are higher and hydraulic gradients are flatter as groundwater flows towards the north and northwest. Groundwater elevation measurements in the south area of the site indicate that the maximum groundwater elevations occur in the vicinity of MW-6 located in the east-central portion of the plant. Groundwater beneath the southern portion of the plant generally flows to the southeast. The steepest hydraulic gradients at the SJRP occur towards the southwest of the site. Groundwater elevation maps for data collected during August and November 2002 are presented in Figures 7 and 8, respectively. Field documentation for monitoring activities are presented in Appendix A.

Inorganic Sampling Results. Results for inorganic samples collected during 2002 are presented in Table 4-1. Elevated concentrations of some inorganic constituents, including TDS and sulfate, were detected in various wells that may be associated with past practices. However, these constituents are likely naturally elevated. There are no downgradient users of the groundwater. Past closure activities have addressed any site-related sources of these parameters to groundwater. Regionally, this area is known to contain elevated TDS and associated inorganic parameters. Isoconcentration maps presenting TDS and sulfate concentrations for samples collected during August 2002 are shown on Figures 9 and 10, respectively. Documentation of field activities and laboratory reports are presented in Appendix A and Appendix B, respectively.

4.2 HYDROCARBON REMEDIATION RESULTS

As discussed previously and presented in Table 4-1, only benzene concentrations remain above NMWQCC standards in the monitoring wells associated with active hydrocarbon remediation (MW-8 and MW-9). Based on these data, the following observations were made regarding the efficacy of in-situ oxygenation:

- Benzene concentrations in MW-8 continued to decline during 2002 from a high concentration of 200 µg/l during May to approximately 0.8 µg/l in August. Dissolved oxygen concentrations in this well ranged from 8.9 mg/l to approximately 7.3 mg/l indicating that there is adequate oxygen available to support natural attenuation processes.
- Benzene concentrations in MW-9 also continued to decline as a result of air sparging efforts. Benzene results for this well ranged from 48 µg/l in February to 1.4 µg/l in May as compared with a benzene concentration range of 53 µg/l to 22 µg/l measured during 2001.

TABLE 4-1
SUMMARY OF 2002 ANALYTICAL RESULTS AND FIELD DATA
SAN JUAN RIVER PLANT
(Page 1 of 1)

Parameter	NMWQCC Standard	Units	W-2		MW-4		MW-5		MW-6		MW-7		MW-8		MW-9		11/12/2002			
			8/15/2002	8/21/2002	8/15/2002	8/21/2002	1/25/2002	8/15/2002	8/15/2002	8/21/2002	1/25/2002	5/23/2002	8/15/2002	8/21/2002	11/12/2002	1/25/2002		2/21/2002	5/23/2002	8/21/2002
TOC Elevation	NE	feet, msl	5280.11	5280.11	5283.08	5283.08	5257.44	5257.44	5304.84	5304.84	5293.13	5293.13	5259.94	5259.94	5260.97	5260.97	5260.97	5260.97	5260.97	5260.97
Depth to Water	NE	feet	57.55	57.26	52.93	53.00	18.68	18.61	31.57	31.57	27.47	27.47	12.35	12.90	7.16	5.34	6.93	7.13	5.68	5.68
Groundwater Elevation	NE	feet, msl	5222.56	5222.85	5230.15	5230.08	5239.71	5238.83	5273.34	5273.27	5266.07	5265.66	5247.59	5247.04	5253.81	5255.63	5254.05	5253.85	5255.29	5255.29
Volatile Organic Constituents																				
Benzene	10	µg/l	1.4	NA	0.8	NA	<0.5	0.4	0.3	NA	0.4	NA	110	200	48.0	1.4	11.7	NA	13.0	13.0
Toluene	750	µg/l	0.4	NA	<0.5	NA	<0.5	<0.5	<0.5	NA	0.4	NA	2.3	<0.5	<0.5	<0.5	<0.5	NA	0.3	0.3
Ethylbenzene	750	µg/l	0.8	NA	1.1	NA	<0.5	<0.5	7.9	NA	0.9	NA	9.8	4.4	7.4	<0.5	2.1	NA	2.4	2.4
TotalXylenes	620	µg/l	1.0	NA	0.9	NA	<1.0	1.0	0.9	NA	1.0	NA	9.8	17	4.5	<1.0	0.9	NA	1.0	1.0
Metals																				
Aluminum	5000	µg/l	1130	NA	1370	NA	NA	2700	13600	NA	3210	NA	NA	NA	NA	NA	8900	NA	NA	NA
Arsenic	100	µg/l	4.9	NA	20.7	NA	NA	10.6	7.8	NA	7.2	NA	NA	NA	NA	NA	8.8	NA	NA	NA
Barium	1000	µg/l	32.7	NA	27.1	NA	NA	17.5	13.9	NA	44.1	NA	NA	29	NA	NA	11.9	NA	NA	NA
Cadmium	10	µg/l	0.79	NA	1.2	NA	NA	0.46	10.9	NA	1.3	NA	NA	<2	NA	NA	8.4	NA	NA	NA
Calcium	NE	µg/l	402000	NA	210000	NA	NA	361000	388000	NA	416000	NA	NA	67200	NA	NA	358000	NA	NA	NA
Chromium	50	µg/l	5.6	NA	10.2	NA	NA	5	30.3	NA	8.1	NA	NA	1080	NA	NA	7.8	NA	NA	NA
Cobalt	50	µg/l	3.5	NA	191	NA	NA	12.7	200	NA	11.6	NA	NA	7	NA	NA	183	NA	NA	NA
Copper	1000	µg/l	116	NA	158	NA	NA	14	43.4	NA	23.7	NA	NA	14	NA	NA	51.2	NA	NA	NA
Iron	1000	µg/l	1760	NA	6500	NA	NA	3380	986	NA	4240	NA	NA	6890	NA	NA	849	NA	NA	NA
Lead	50	µg/l	3.1	NA	11.3	NA	NA	4.8	<5	NA	<5	NA	NA	<5	NA	NA	<5	NA	NA	NA
Magnesium	NE	µg/l	108000	NA	80100	NA	NA	168000	3116000	NA	173000	NA	NA	465000	NA	NA	258000	NA	NA	NA
Manganese	200	µg/l	216	NA	6080	NA	NA	3260	6550	NA	4570	NA	NA	162	NA	NA	6470	NA	NA	NA
Mercury	2	µg/l	0.12	NA	0.61	NA	NA	0.077	0.095	NA	0.092	NA	NA	0.07	NA	NA	0.13	NA	NA	NA
Molybdenum	1000	µg/l	2.8	NA	2.7	NA	NA	<5	<5	NA	2.1	NA	NA	56.8	NA	NA	<5	NA	NA	NA
Nickel	200	µg/l	7.5	NA	261	NA	NA	49.3	727	NA	26.7	NA	NA	251	NA	NA	295	NA	NA	NA
Potassium	NE	µg/l	13400	NA	8990	NA	NA	30900	29100	NA	26800	NA	NA	62900	NA	NA	25600	NA	NA	NA
Selenium	50	µg/l	108	NA	3.4	NA	NA	3.2	304	NA	11.4	NA	NA	2.2	NA	NA	6.7	NA	NA	NA
Silver	50	µg/l	2.8	NA	1.7	NA	NA	2.6	4	NA	3.4	NA	NA	<10	NA	NA	2.9	NA	NA	NA
Sodium	NE	µg/l	1350000	NA	1040000	NA	NA	5980000	4080000	NA	4810000	NA	NA	4720000	NA	NA	4490000	NA	NA	NA
Zinc	10000	µg/l	73.3	NA	241	NA	NA	49	612	NA	68	NA	NA	14.5	NA	NA	516	NA	NA	NA
Inorganics																				
Alkalinity - Total	NE	mg/l	NA	170	NA	874	NA	NA	145	NA	NA	900	NA	NA	NA	NA	NA	<4	NA	NA
Chloride	250	mg/l	NA	296	NA	234	NA	NA	1040	NA	NA	367	NA	NA	NA	NA	740	673	NA	NA
Sulfate	600	mg/l	NA	3380	NA	1790	NA	NA	8300	NA	NA	11000	NA	NA	NA	NA	NA	11600	NA	NA
Total Dissolved Solids	1000	mg/l	NA	5690	NA	4060	NA	NA	14900	NA	NA	17500	NA	NA	NA	NA	NA	17200	NA	NA
Field Tests																				
Field pH	6 - 9	pH units	6.15	NA	6.82	NA	6.49	5.14	5.75	NA	6.55	NA	8.29	8.7	6.39	4.39	8.11	NA	NA	4.04
Field Conductivity	NE	microsiemens	4760	NA	3780	NA	<20	12070	10610	NA	12270	NA	<10	8920	11860	12410	12350	NA	10860	10860
Field Temperature	NE	degrees Celsius	18.9	NA	18.9	NA	10	14.3	17.9	NA	19.1	NA	12.1	13.2	11.3	16.9	17.9	NA	12	12
Field Dissolved Oxygen	NE	mg/l	NA	NA	NA	NA	1.19	NA	NA	NA	NA	NA	8.45	8.9	2.23	4.6	NA	NA	3.05	3.05

µg/l - micrograms per liter
mg/l - milligrams per liter
msl - mean sea level
NA - not analyzed
NE - Not Established
TOC - top of casing

Constituents appearing bold shown exceedance for at least one sample obtained in during 2002.

Figure 3
 BTEX Concentration and Groundwater Elevation vs. Time
 San Juan River Plant
 MW-5




Figure 4
 BTEX Concentration and Groundwater Elevation vs. Time
 San Juan River Plant
 MW-8









Figure 5
 BTEX Concentration and Groundwater Elevation vs. Time
 San Juan River Plant
 MW-9











TDS ISOCONCENTRATION MAP
AUGUST 2002
SAN JUAN RIVER PLANT

EL PASO NATURAL GAS

FIGURE 9

5.0 CONCLUSIONS AND RECOMMENDATIONS

The following conclusions and recommendations are provided based on the information presented in this report.

5.1 SITE-WIDE GROUNDWATER MONITORING PROGRAM

Groundwater sampling performed as part of the site-wide groundwater monitoring at SJRP resulted in the following conclusions and recommendations:

- Groundwater flows radially away from the rise on which SJRP is located. In the north plant area, groundwater flow is towards the north and northwest; in the south plant area groundwater flow is primarily towards the south and southwest.
- Benzene concentrations in the monitoring wells containing dissolved-phase hydrocarbon contamination (MW-8 and MW-9) continue to decline as a result of active remediation efforts. Both monitoring wells had at least one sampling event during 2002 that indicated concentrations were below NMWQCC standards.
- Inorganic constituents were measured above NMWQCC standards during the August 2002 sampling event. While, in some cases, the elevated concentrations of TDS and sulfate may reflect past practices, it is likely that some elevated concentrations are naturally occurring.
- It is recommended that the site-wide groundwater monitoring program continue on an annual basis.

5.2 HYDROCARBON REMEDIATION PROGRAM

The following conclusions and recommendations are provided regarding the hydrocarbon remediation performed near MW-8 and MW-9 at the north end of the site:

- Air sparging activities near monitoring well MW-9 continued to reduce benzene concentrations during 2002. Benzene results for this well were below NMWQCC standards during May, and were only slightly above the standards during August and November.
- It is recommended that air sparging continue at MW-9 until quarterly sampling results reflect compliance with NMWQCC standards, the sparge system will then be turned off for approximately 8 weeks and groundwater samples will be collected from MW-9 to assess the potential for a rebound in concentration. If laboratory analysis indicate no rebound in BTEX concentrations in MW-9, the sparge system will remain off and quarterly closure monitoring will be initiated.
- In-situ oxygenation efforts at monitoring well MW-8 significantly reduced benzene concentrations from a low of 110 $\mu\text{g/l}$ in 2001 to approximately 0.8 $\mu\text{g/l}$ in August 2002. Dissolved oxygen concentrations indicate that there is sufficient oxygen to support natural attenuation processes.
- If quarterly analytical results for samples continue to indicate BTEX concentrations below NMWQCC standards in MW-8, the ORC socks will be removed and quarterly closure monitoring will be initiated.

6.0 REFERENCES

- AE Schmidt Environmental, 2002, *Air Sparge Pilot Test Data, San Juan River Plant, Kirtland, NM*, prepared for Montgomery Watson Harza, Inc., Albuquerque, New Mexico, February 2002.
- El Paso Energy Corporation, November 27, 2001, Electronic communication from Mr. Scott Pope (EPNG) to Mr. William Olson, New Mexico Oil Conservation Division, *Proposal to install an Oxygen Release Compound (ORC) sock for oxygenation of MW-8 in lieu of sparging*, documenting conversation between the parties on November 26, 2001.
- El Paso Energy Corporation, September 19, 2001, Letter to Mr. William Olson, New Mexico Oil Conservation Division, *Revised Work Plan for Groundwater Remediation for the San Juan River Plant*.
- El Paso Energy Corporation, January 24, 2001, Letter to Mr. William Olson, New Mexico Oil Conservation Division, RE: *Work Plan for Groundwater Remediation and 2000 Groundwater Sample Results for the San Juan River Plant*.
- El Paso Energy, November 19, 1992, *Summary of Analytical Data from the San Juan River Plant*: Memorandum from N.K. Prince, Environmental Affairs, to S. D. Miller
- New Mexico Oil Conservation Division, October 13, 1999. Letter from NMOCD requiring annual groundwater sampling.
- New Mexico Oil Conservation Division, June 4, 2001, Letter to Mr. Scott Pope, El Paso Energy Corporation, Case #GW039R, *Groundwater Monitoring Results and Remediation Work Plan*, San Juan River Plant, Kirtland, New Mexico.
- Philip Services Corporation, 2000, San Juan River Plant: *Groundwater Remediation Work Plan, Prepared for El Paso Natural Gas*, Farmington, New Mexico, December 2000.
- Philip Environmental, 1998, *Summary of Investigations at the San Juan River Plant, Kirtland, New Mexico*, prepared for El Paso Natural Gas Company, Farmington, New Mexico, June 1998.
- Philip Environmental, 1995, *Soil-Gas and Soil Survey, San Juan River Plant, Kirtland, New Mexico*, prepared for El Paso Natural Gas Company, Farmington, New Mexico, August 1995.

APPENDIX A

2002 DOCUMENTATION OF FIELD ACTIVITIES

Product Recovery and Well Observation Data

Project Name: San Juan River Basin

Project No: 220013

Project Manager: Debra Belcin

Date: 12/27/02

Client Company: MWH

Site Name: San Juan River plant - Kirtland

[illegible]

COMMENTS: Compressor running O.K. Repair on PVC +
Slow gauge O.K.

1.5 psi on gauge / hose connected to high-pressure. - pressure in well.

10.56 D.O.

14.3°C temp

Signature:

Date:

Du hast Bebi

12/27/82

WELL DEVELOPMENT AND SAMPLING LOG

Project No: 220013 Project Name: San Juan River Basin Client: MWH
Location: San Juan River Plant Well No: MW-4 Development ☐ Sampling ☐ Field Parameters ☐
Project Manager Ashley Lowe Date 11-12-02 Start Time 11:39 Weather 45, Sunny
Depth to Water 53.095 Depth to Product NA Product Thickness NA Measuring Point TOC
Water Column Height 3.815 Well Dia. 2"

[illegible][illegible]

COMMENTS: _____

INSTRUMENTATION: pH Meter ☒ _____ Temperature Meter ☒ _____
DO Monitor ☒ _____ Other ☐ _____
Conductivity Meter ☒ _____

Water Disposal Kutz Plant

Sample ID _____ Sample Time _____ BTEX ☐ VOCs ☐ Alkalinity ☐
TDS ☐ Cations ☐ Anions ☐ Nitrate ☐ Nitrite ☐ Ammonia ☐ TKN ☐ NM WQCC Metals ☐
Total Phosphorus ☐ _____ ☐ _____ ☐ _____ ☐ _____
MS/MSD _____ BD _____ BD Name/Time _____ TB _____

WELL DEVELOPMENT AND SAMPLING LOG

Project No: 220013 Project Name: San Juan River Basin Client: MWH
Location: San Juan River Plant Well No: MW-5 Development ☐ Sampling ☐ Field Parameters ☐
Project Manager Ashley Lowe Date 11-12-02 Start Time 12:54 Weather 45° Sunny
Depth to Water 17.31 Depth to Product NA Product Thickness NA Measuring Point TOC
Water Column Height 14.5 Well Dia. 4' TD 31.89

[illegible][illegible]

COMMENTS: _____

INSTRUMENTATION: pH Meter ☒ _____ Temperature Meter ☒ _____
DO Monitor ☐ _____ Other ☐ _____
Conductivity Meter ☒ _____

Water Disposal Kutz Plant

Sample ID _____ Sample Time _____ BTEX ☐ VOCs ☐ Alkalinity ☐
TDS ☐ Cations ☐ Anions ☐ Nitrate ☐ Nitrite ☐ Ammonia ☐ TKN ☐ NM WQCC Metals ☐
Total Phosphorus ☐ _____ ☐ _____ ☐ _____ ☐ _____
MS/MSD _____ BD _____ BD Name/Time _____ TB _____

WELL DEVELOPMENT AND SAMPLING LOG

Project No: 220013 Project Name: San Juan River Basin Client: MWH
Location: San Juan River Well No: MW-10 Development ☐ Sampling ☐ Field Parameters ☐
Project Manager: Ashley Lowe Date 11-12-02 Start Time 12:26 Weather 45, Sunny
Depth to Water 31.755 Depth to Product NA Product Thickness NA Measuring Point TDC
Water Column Height 10.38 Well Dia. 4" TD 42.13

[illegible][illegible]

COMMENTS: _____

INSTRUMENTATION: pH Meter ☒ _____ Temperature Meter ☒ _____
DO Monitor ☒ _____ Other ☐ _____
Conductivity Meter ☒ _____

Water Disposal Kutz Plant

~~Sample ID _____ Sample Time _____ BTEX ☐ VOCs ☐ Alkalinity ☐~~
~~TDS ☐ Cations ☐ Anions ☐ Nitrate ☐ Nitrite ☐ Ammonia ☐ TKN ☐ NM WQCC Metals ☐~~
~~Total Phosphorus ☐ _____ ☐ _____ ☐ _____ ☐~~
~~MS/MSD _____ BD _____ BD Name/Time _____ TB _____~~

WELL DEVELOPMENT AND SAMPLING LOG

Project No: 220013 Project Name: San Juan River Basin Client: MWH
Location: San Juan River Plant Well No: MW-7 Development ☐ Sampling ☐ Field Parameters ☒
Project Manager: Ashley Lowe Date: 11-12-02 Start Time: 11:25 Weather: 45, Sunny
Depth to Water: 32.8 Depth to Product: NA Product Thickness: NA Measuring Point: TDC
Water Column Height: 5.95 Well Dia: 4" TD: 32.8

Sampling Method: Submersible Pump ☐ Centrifugal Pump ☐ Peristaltic Pump ☐ Other ☐
 Bottom Valve Bailer ☒ Double Check Valve Bailer ☐ Stainless-Steel Kemmerer ☐
 Criteria: 3 to 5 Casing Volumes of Water Removal ☐ Stabilization of Indicator Parameters ☐ Other 1 well casing w/

Gal/ft x ft of water	Water Volume In Well		Gal/oz to be removed
	Gallons	Ounces	
0.65 x 5.45	3.94		

[illegible][illegible]

COMMENTS: _____

INSTRUMENTATION:

pH Meter	☒	_____	Temperature Meter	☒	_____
DO Monitor	☒	_____	Other	☐	_____
Conductivity Meter	☒	_____			

Water Disposal Kutz Plant

Sample ID _____ Sample Time _____ BTEX ☐ VOCs ☐ Alkalinity ☐
TDS ☐ Cations ☐ Anions ☐ Nitrate ☐ Nitrite ☐ Ammonia ☐ TKN ☐ NM WQCC Metals ☐
Total Phosphorus ☐ _____ ☐ _____ ☐ _____ ☐
MS/MSD _____ BD _____ BD Name/Time _____ TB _____

WELL DEVELOPMENT AND SAMPLING LOG

Project No.: 220013 Project Name: San Juan River Basin Client: MWH
Location: San Juan River Plant Well No: MW-8 Development ☐ Sampling ☒
Project Manager Ashley Lowe Date 11-12-02 Start Time 10:20 Weather 40° Sunny
Depth to Water 12.115 Depth to Product NA Product Thickness NA Measuring Point TDC
Water Column Height 10.09 Well Dia. 4" TD 22.18

Sampling Method: Submersible Pump ☐ Centrifugal Pump ☐ Peristaltic Pump ☐ Other ☐
Bottom Valve Bailer ☒ Double Check Valve Bailer ☐ Stainless-Steel Kemmerer ☐
Criteria: 3 to 5 Casing Volumes of Water Removal ☒ Stabilization of Indicator Parameters ☐ Other or bail dry

Gal/ft x ft of water	Water Volume In Well		Gal/oz to be removed
	Gallons	Ounces	
0.65 x 10.04	6.5 x 3		19.5 gal

[illegible]

Time	pH	SC	Temp	Eh-ORP	D.O.	Turbidity	Ferrous Iron	Vol Evac.	Comments/Flow rate
10:45		>19,000	12.9		7.27				

COMMENTS: Pulled socks on 11/7/02 to allow water level to recover. Replaced after sampling. pH meter is broken. Well went dry prior to purging 3 well volumes

INSTRUMENTATION: pH Meter ☒ _____ Temperature Meter ☒ _____
 DO Monitor ☐ _____ Other ☐ _____
 Conductivity Meter ☒ _____

Water Disposal Kutz Plant
Sample ID San Juan River Plant ^{MMW-8} Sample Time 10:45 BTEX ☒ VOCs ☐ Alkalinity ☐
DOS ☐ Cations ☐ Anions ☐ Nitrate ☐ Nitrite ☐ Ammonia ☐ TKN ☐ NM WQCC Metals ☐
Total Phosphorus ☐ _____
MS/MSD _____ BD _____ BD Name/Time _____ TB TB02111201

WELL DEVELOPMENT AND SAMPLING LOG

Project No: 220013 Project Name: San Juan River Basin Client: MWH
Location: San Juan River Flats Well No: MW-9 Development ☐ Sampling ☒
Project Manager Ashley Lowe Date 11-12-02 Start Time 9:07 Weather 40° Sunny
Depth to Water 6.86 Depth to Product NA Product Thickness NA Measuring Point TDC
Water Column Height 15.06 Well Dia. 4" TD 21.95

Sampling Method: Submersible Pump ☐ Centrifugal Pump ☐ Peristaltic Pump ☐ Other ☐
Bottom Valve Bailer ☒ Double Check Valve Bailer ☐ Stainless-Steel Kemmerer ☐
Criteria: 3 to 5 Casing Volumes of Water Removal ☒ Stabilization of Indicator Parameters ☐ Other or bail dry

Gal/ft x ft of water	Water Volume In Well		Gal/oz to be removed
	Gallons	Ounces	
0.65 x 15.06	9.8 x 3		29.4 gal

[illegible]

Time	pH	SC	Temp	Eh-ORP	D.O.	Turbidity	Ferrous Iron	Vol Evac.	Comments/Flow rate
9:40	4.04	10860	12.0		3.05			22 gal	

COMMENTS: Turned off sparge system 11/7/02 to allow water level to recover. Well bailed dry prior to purging 3 well casing volumes. Turned sparge system back on after replacing flow gage.

INSTRUMENTATION:

pH Meter	☒	_____	Temperature Meter	☒	_____
DO Monitor	☒	_____	Other	☐	_____
Conductivity Meter	☒	_____			

Water Disposal Kutz Plant

Sample ID San Juan River Plant MW-9 Sample Time 9:40 BTEX ☒ VOCs ☐ Alkalinity ☐

TDS ☐ Cations ☐ Anions ☐ Nitrate ☐ Nitrite ☐ Ammonia ☐ TKN ☐ NM WQCC Metals ☐

Total Phosphorus ☐ _____ ☐ _____ ☐ _____ ☐ _____ ☐ _____

MS/MSD _____ BD _____ BD Name/Time _____ TB TB02111201

Product Recovery and Well Observation Data

Project Name: San Juan River Basin
 Project Manager: Ashley Lowe
 Client Company: MWH
 Site Name: San Juan River Plant

Project No: 220013
 Date: 11-12-02

Well	Time	Depth to Water (ft)	Depth to Product (ft)	Total Well Depth (ft)	Product Thickness (ft)	Volume Removed	Comments
W-2	12:00	55.56	—	64.37	—	—	
MW-4	11:39 11:39	24.58 53.895	—	32.34	—	—	field parameters
MW-5	12:54	17.31	—	31.89	—	—	field parameters
MW-6	12:26	31.755	—	42.13	—	—	field parameters
MW-7	11:25	32.8	—	32.8	—	—	field parameters
MW-8	10:20	12.115	—	22.2	—	—	ground water sample
MW-9	9:07	6.86	—	21.92	—	—	ground water sample

COMMENTS: MW-9: turned sparge system back on at 10:00 after replacing flow gage. Flow gage = 6 scfm. Pressure in well = 0.25 psi after 15 mins. May be low because it was purged dry.

MW-8: replaced socks after sampling

Signature: Ashley L Lowe

Date: 11/12/02

LABORATORY APR 17

Contract El Paso Corp., San Jaun River Basin

MWH

Phone (801) 617-3200 FAX (801) 617-4200

MWH Contact Brian Butters

Project San Juan River Basin

Project Number 220013

Date Due 21 days

Sampler's Name Ashley Lowe
(print/clearly)

Chain of Custody ID 02112AL01
Page 1 of 1
Air Bill No. 83638167657

[illegible]

Product Recovery and Well Observation Data

Project Name: San Juan River Basin
 Project Manager: Ashley Lowe
 Client Company: MWH
 Site Name: San Juan River Plant

Project No: 220013
 Date: 10/23/02

Well	Time	Depth to Water (ft)	Depth to Product (ft)	Total Well Depth (ft)	Product Thickness (ft)	Volume Removed	Comments
MW-9	13:18	6.60	NA NA	21.95	—	—	DO = 3.81 @ 18.3 °C

COMMENTS: Spurge apparatus was disconnected at top of flow meter. This has happened often & flow meter may need to be replaced. Adjusted float so that meter would work. Re-connected & tightened all joints. After letting system run for ~15 mins, measured pressure at well as 3.75 psi

Signature: Ashley L Lowe

Date: 10/23/02

Product Recovery and Well Observation Data

Project Name: San Juan River Basin
 Project Manager: Ashley Lowe
 Client Company: MWH
 Site Name: San Juan River Plant

Project No: 220013
 Date: 10/07/02

Well	Time	Depth to Water (ft)	Depth to Product (ft)	Total Well Depth (ft)	Product Thickness (ft)	Volume Removed	Comments
MW-9	9:45	6.815	—	21.95	—	—	DO = 4.28 19.20

COMMENTS: Sparge apparatus was leaking air at bottom of flow gage.
Used teflon tape to repair. Hose had blown off of compressor.
Tightened both ends of hose
Turned system off to measure depth to water & DO.

Signature: Ashley L Lowe

Date: 10/07/02

Product Recovery and Well Observation Data

Project Name: San Juan River Basin
 Project Manager: Ashley Lowe
 Client Company: MWH
 Site Name: San Juan River Plant

Project No: 220013
 Date: 09/27/02

Well	Time	Depth to Water (ft)	Depth to Product (ft)	Total Well Depth (ft)	Product Thickness (ft)	Volume Removed	Comments
SW-9	10:02	6.72	—	21.95	—	—	DO = 3.56 mg/L
MW <i>sparg not recovering</i>							@ 21.2 °C

COMMENTS: Sparge system was shut off to measure water levels & DO.
Measured air flow in SW-9 before shutting off = 3.6 psi

Signature: Ashley L Lowe

Date: 09/27/02

Product Recovery and Well Observation Data

Project Name: San Juan River Basin
 Project Manager: Ashley Lowe
 Client Company: MWH
 Site Name: San Juan River Plant

Project No: 220013
 Date: 09/20/02

Well	Time	Depth to Water (ft)	Depth to Product (ft)	Total Well Depth (ft)	Product Thickness (ft)	Volume Removed	Comments
MW-9	11:15	6.778	—	21.95	—	—	DO = 3.24 mg/L @ 20.8°C

COMMENTS: 04mi measured water levels & DO prior to turning sparge system back on. Set clock to 11:25, on time = 6am, off time = 2pm.

Sparge pump works!
Sparge apparatus was disconnected at top of flow meter. Reconnected all joints. Let system run. At 12:02, measured pressure in MW-9.

P = 3.75 psi

Left system running


Meter house was shifted over well. May have turned over & been uprighed. Needs to be staked down.

Signature: Ashley L Lowe


Date: 09/20/02

8.27.02

Data found on the following sheets for SJRP W-2, MW-4, MW-5, MW-6, MW-7, MW-8, and MW-9 dated 8.21.02 have not been entered in the database. These wells were sampled (lab analyses and field parameters) on 8.15.02, however the samples that were sent to the lab had a problem with the bottles requiring that the wells be resampled. The field forms from 8.21.02 are only to document the resample. Field parameters for these wells for the month of August should be dated 8.15.02.



Date _____



Development
Purging

Page 1 of 1

Project Manager	Ashley Lowe
Site Address	Kirtland, NM

Project No. 220013
Phase Task No.

☐ 3 to 5 Casing Volumes of Water Removal

☐ Stabilization of Indicator Parameters

☐ Other

Water Volume Calculation
Initial Depth of Well (feet)
Initial Depth to Water (feet)
Height of Water Column
Diameter (inches): Well

Instruments
☒ PH Meter

Serial No. (if applicable)

☐ DO Monitor

Pump	☐ Centrifugal	☐ Bottom Valve
☐ Submersible	☐ Double Check Valve	
☐ Peristaltic	☐ Stainless-steel Kemm	

Gal/ft $\times$ ft of water	Water Volume in Well		Gal/oz to be removed
	Gallons	Ounces	
Total			

☐ Stainless-steel Kemmerer

☐ Other

Water Disposal

Kutz Plant

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (mmhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Increment	Cumulative					
08/21/02	14:34		✓		3002	24.6	7.07	3860		sample collected in 1L bottle.
		d(in)	gal/lit							
		2	0.16							
		4	0.65							
		6	1.47							

Circle the date and time that the development criteria was met.


Circle the date and time that the development criteria are met.

Comments	This well was sampled 08/13/02 ('purged'). Preserved bottles were used at that time. A sample was collected using a clean disposable bailer directly from the top of the water column today in unpreserved bottles (TDS, Anions, Alkalinity).		
Developer's Signature (s)	Barney Lowe	Date	08/21/02
		Reviewer	
		Date	

Reviewer

Date 08/21/02

Date _____



MW-5

Developing Purging

WELL DEVELOPMENT AND PURGING DATA

Page 1 of 1

Project Name San Juan River Basin
Client Company Montgomery Watson Harza
Site Name 1 San Juan River Plant

Project Manager Ashley Lowe

Project No: 220013
Phase: Task No.

Site Name	1 San Juan River Plant	Site Address	Kirtland, NM
-----------	------------------------	--------------	--------------

☐ 3 to 5 Casing Volumes of Water Removal
☐ Stabilization of Indicator Parameters
☐ Other

Water Volume Calculation

Initial Depth of Well (feet)	
Initial Depth to Water (feet)	18.678' BTDC
Height of Water Column in Well (feet)	
Diameter (inches): Well	Gravel Pack

Pump	☐ Centrifugal	☐ Bottom Valve
	☐ Submersible	☐ Double Check Valve
	☐ Peristaltic	☐ Stainless-steel Kemmerer
		Bailer

Diameter (inches): Well

Gal/ft ³ × ft of water	Water Volume in Well		Gal/oz to be removed
	Gallons	Ounces	
Total			

Water Disposal

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (munhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Increment	Cumulative					
8/21/02	15:55		✓		112.07	20.8	7.68	14310		sample collected in unpreserved 1L bottle
		d(in)	gal/n							
		2	0.16							
		4	0.65							
		6	1.47							


Circle the date and time that the development criteria are met.

Comments	Developer's Signature (s)	Date	Reviewer	Date
This well was sampled 08/15/02 (i purged). Preserved bottles were used at that time. A sample was collected using a clean disposable bailer directly from the top of the water column today in unpreserved bottles (TDS, Anio Alka	Ashley J Lowe	08/21/02		


Developer's Signature (s)

Date	08/21/02	Reviewer
------	----------	----------

Date _____



Date _____



Site Name	Site Address
1 San Juan River Plant	Kirtland, NM

Kutz Plant

Date _____

Well Number

MW-8

Development
Purging

WELL DEVELOPMENT AND PURGING

Page 1 of 1

Project Name San Juan River Basin Project Manager Ashley Lowe
Client Company Montgomery Watson Harza
Site Name 1 San Juan River Plant Site Address Kirtland, NM
Project No. 220013 Phase Task No. _____

Development Criteria

- ☐ 3 to 5 Casing Volumes of Water Removal
☐ Stabilization of Indicator Parameters
☐ Other _____

Water Volume Calculation

Initial Depth of Well (feet) _____
Initial Depth to Water (feet) 11.86 BTDC
Height of Water Column in Well (feet) _____
Diameter (inches): Well _____ Gravel Pack _____

Methods of Development

- Pump**
☐ Centrifugal
☐ Submersible
☐ Peristaltic
☐ Other _____
- Bailer**
☐ Bottom Valve
☐ Double Check Valve
☐ Stainless-steel Kemmerer

Instruments
☒ pH Meter

☐ DO Monitor

☒ Conductivity Meter

☒ Temperature Meter

☐ Other _____

Serial No. (if applicable) _____

Water Disposal


Kutz Plant

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons) Increment	Temperature (°C)	pH	Conductivity (microhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer						
8/21/02	15:10		☒	18.02	22.6	6.99	10750		sample collected in 1L bottle
									replaced ORC (socks) - had been removed for sampling last week. 11.86' is a better water level reading, since water in well had time to settle
		d(in)	gal/n						
		2	0.16						
		4	0.65						
		6	1.47						

Circle the date and time that the development criteria are met.

Comments This well was sampled 08/15/02 (i purged). Preserved bottles were used at that time. A sample was collected using a clean disposable bailer directly from the top of the water column today in unpreserved bottles (TDS, Anions, Alkalinity)
Developer's Signature (s) Ashley Lowe Date 08/21/02 Reviewer _____ Date _____



Date _____

LABORATORY APCL

Contract El Paso Corp., San Jaun River Basin

MWH

Phone (801) 617-3200 FAX (801) 617-4200

MWH Contact Brian Butters

Project San Juan River Basin

Project Number 4270032-020105

Date Due 21 days

Sampler's Name Ashley Lowe
(print clearly)

Chain of Custody ID 020821AL01

Page -

Alr Bill No. 834715209690

[illegible]

Well Number W-2

Development
Purging

WELL DEVELOPMENT AND PURGING DATA

Page 1 of 1

Project Name San Juan River Basin Project Manager Ashley Lowe Project No. 220013
Client Company Montgomery Watson Harza Phase Task No. _____
Site Name San Juan River Plant Site Address Kirtland, NM

Development Criteria
☒ 3 to 5 Casing Volumes of Water Removal
Stabilization of Indicator Parameters
☒ Other or bail dry

Methods of Development
Pump ☐ Centrifugal ☐ Submersible ☐ Peristaltic
☐ Other _____
Bailer ☒ Bottom Valve ☐ Double Check Valve ☐ Stainless-steel Kemmerer
Instruments ☒ pH Meter ☒ DO Monitor ☒ Conductivity Meter ☒ Temperature Meter ☐ Other _____
Serial No. (if applicable) _____
Water Disposal Kutz Plant

Gal/ft x ft of water	Water Volume in Well		Gal/oz to be removed
	Gallons	Ounces	
$0.116 \times 6.82 =$	1.1	3	3.3 gal
Total			

Water Volume Calculation
Initial Depth of Well (feet) 64.37 'BTDC'
Initial Depth to Water (feet) 57.95 'BTDC'
Height of Water Column in Well (feet) 6.82'
Diameter (inches): Well 2" Gravel Pack

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)	Temperature (°C)	pH	Conductivity (microhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Incremental					
8/15/02	10:31		☒		22.8	6.08	5540		clear
				64	20.7	6.12	4910		
				96	19.7	6.14	4870		
				128	18.9	6.14	4870		
				146	18.8	6.16	4840		light yellow color bailing down
		d(in)	gal/n	154	18.7	6.18	4750		hardly any water - letting recover ~10 mins
		2	0.16	162	18.9	6.15	4790		
		4	0.65	166	18.9	6.15	4760		will sample - almost dry
		6	1.47						sample at 10:53 for BTEX & general chem

Circle the date and time that the development criteria are met.

Comments Took many tries to fill 2 50cc bottles & 1L bottle. Had to stop frequently to let well recover
Samples contain a lot of silt
Developer's Signature (s) Ashley Lowe Date 08/15/02 Reviewer _____ Date _____

AESE906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116 (9120/fax)

Well Number

MW-4

Development

Purging

WELL DEVELOPMENT AND PURGING DATA

Page 1 of 1

Project Name San Juan River Basin Project Manager Ashley Lowe Project No. 220013Client Company Montgomery Watson Harza Phase Task No. _____Site Name San Juan River Plant Site Address Kirtland, NM**Development Criteria**

3 to 5 Casing Volumes of Water Removal

Stabilization of Indicator Parameters

☒ Other or bail dry**Water Volume Calculation**Initial Depth of Well (feet) 56.91 BTDCInitial Depth to Water (feet) 52.93 BTDCHeight of Water Column in Well (feet) 3.99Diameter (inches): Well 2" Gravel Pack _____**Methods of Development**

Pump

☐ Centrifugal☐ Submersible☐ Peristaltic

Bailer

☒ Bottom Valve☐ Double Check Valve☐ Stainless-steel Kemmerer☐ Other _____

Instruments

☒ pH Meter☒ DO Monitor☒ Conductivity Meter☒ Temperature Meter☐ Other _____

Serial No. (if applicable) _____

Water Disposal

Kutz Plant**Water Removal Data**

Date	Time	Development Method		Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (micro/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Increment	Cumulative					
8/15/02	11:40		☒		32.02	23.8	7.38	4890		light brown, cloudy
					60	21.2	7.12	3740		already bailing down
					88	19.8	6.99	3730		grayer color w/ black silt
					104	18.9	6.92	3760		not recovering
					120	18.9	6.89	3780		too little recovery - almost dry
		d(in)								
		2								sample at 11:52 for BTEX general chem
		4								
		6								

Circle the date and time that the development criteria are met.

Comments sampled before purged 3 volumes b/c well went dryDeveloper's Signature (s) Ashley Lowe

Date

08/15/02

Reviewer

Date

Project Name San Juan River Basin Project Manager Ashley Lowe Project No. 220013
Client Company Montgomery Watson Harza Phase Task No. _____
Site Name San Juan River Plant Site Address Kirtland, New Mexico

Development Criteria

- ☒ 3 to 5 Casing Volumes of Water Removal
☐ Stabilization of Indicator Parameters
☒ Other or bail dry

Methods of Development

- Pump ☐ Centrifugal ☒ Bottom Valve
☐ Submersible ☐ Double Check Valve
☐ Peristaltic ☐ Stainless-steel Kemmerer

☐ Other _____

Water Volume Calculation

Initial Depth of Well (feet) 31.89' BTDC
Initial Depth to Water (feet) 18.61' BTDC
Height of Water Column in Well (feet) 13.28'
Diameter (inches): Well 4" Gravel Pack _____

Gal/ft x ft of water	Water Volume in Well		Gal/oz to be removed
	Gallons	Ounces	
<u>0.65 x 13.28 =</u>	<u>8.63</u>	<u>3.3</u>	<u>25.9 gal</u>
Total			

Serial No. (if applicable) _____

Instruments
☒ PH Meter

☒ DO Monitor

☒ Conductivity Meter

☒ Temperature Meter

☐ Other _____

Water Disposal

Kutz Plant

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Increment	Cumulative					
8/15/02	8:24		☒		0.5 gal	16.9	5.42	12080		clear, light brown
					2	15.5	5.35	12120		
					4	14.6	5.31	12140		
					6	14.4	5.30	12140		
					8	14.4	5.29	11950		cloudy - dark brown
					10	14.4	5.27	11920		
					11	14.2	5.26	11890		silty & suspy
					13	14.3	5.13	12110		
					15	14.3	5.14	12070		

Circle the date and time that the development criteria are met.

Comments

Developer's Signature (s) Ashley Lowe

Date 08/15/02

Reviewer _____

Date _____



Well Number MW-5

Development Purging

WELL DEVELOPMENT AND PURGING DATA

906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116 (9120fax)

Page 2 of 2

Project Name San Juan River Basin Project Manager Ashley Lowe Project No. 220013
Client Company Montgomery Watson Harza Phase Task No. 1
Site Name San Juan River Plant Site Address Kirtland, NM

Development Criteria
☒ 3 to 5 Casing Volumes of Water Removal
☐ Stabilization of Indicator Parameters
☒ Other or bail dry

Methods of Development
 Pump ☐ Centrifugal ☐ Submersible ☐ Peristaltic
☒ Bottom Valve ☐ Double Check Valve ☐ Stainless-steel Kemmerer

Water Volume Calculation
 Initial Depth of Well (feet) 31.89 'BTDC
 Initial Depth to Water (feet) 18.61 'BTDC
 Height of Water Column in Well (feet) 13.28
 Diameter (inches): Well 4" Gravel Pack

Gal/ft x ft of water	Water Volume in Well		Gal/oz to be removed
	Gallons	Ounces	
<u>0.65 x 13.28</u>	<u>8.63</u>	<u>x 3</u>	<u>25.9 gal</u>
Total			

Instruments ☒ PH Meter ☒ DO Monitor ☒ Conductivity Meter ☒ Temperature Meter ☐ Other _____
 Serial No. (if applicable) _____
 Water Disposal Kutz Plant

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)	Temperature (°C)	pH	Conductivity (microhm/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer						
8/15/02			☒	17	14.4	5.10	12040		
				19	14.9	5.11	12040		bailing down
				19.4	14.3	5.14	11810		
				19.6	14.7	5.15	12010		almost dry sample at 9:20 for BTEX & general chem
		d(in)							
		2	gal/ft						
		4	0.16						
		6	0.65						
			1.47						

Circle the date and time that the development criteria are met.
 Comments Sampled before 3 volumes purged b/c almost dry & parameters had stabilized
Poor recovery after 18 gal. Bailed before 3 volumes purged b/c almost dry & parameters had stabilized
This well needs a new dedicated bailer & a well cap. High salt content
 Developer's Signature (s) Ashley Lowe Date 08/15/02 Reviewer _____ Date _____

AESE906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116(9120fax)

Well Number

MW-6

Development

Purging

WELL DEVELOPMENT AND PURGING DATA

Page 1 of 2

Project Name San Juan River Basin

Project Manager Ashley Lowe

Project No. 220013

Client Company Montgomery Watson Harza

Phase Task No.

Site Name San Juan River Plant

Site Address Kirtland, NM

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal☐ Stabilization of Indicator Parameters☒ Other or bail dry

Water Volume Calculation

Initial Depth of Well (feet) 42.725' BTDC

Initial Depth to Water (feet) 31.50' BTDC

Height of Water Column in Well (feet) 11.2'

Diameter (inches): Well 4" Gravel Pack

Methods of Development

Pump

☐ Centrifugal☐ Submersible☐ Peristaltic

Bailer

☒ Bottom Valve☐ Double Check Valve☐ Stainless-steel Kemmerer☐ Other

Instruments

☒ pH Meter☒ DO Monitor☒ Conductivity Meter☒ Temperature Meter☐ Other

Serial No. (if applicable)

Water Disposal

Kutz Plant

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)	Temperature (°C)	pH	Conductivity (mmhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Increment					
2/5/02	9:38		☒	1 gal	20.8	5.46	11260		light yellow, slightly cloudy
				3	19.8	5.46	9900		
				5	19.2	5.49	10210		dark brown, silty
				7	18.7	5.51	10080		
				9	18.4	5.55	10380		
		d(in)	gal/n	11	18.4	5.60	10750		
		2	0.16	13	18.5	5.66	10760		
		4	0.65	15	17.9	5.69	10640		very silty
		6	1.47	17	17.9	5.75	10610		

Circle the date and time that the development criteria are met.

Comments

Developer's Signature (s) Ashley R Lowe

Date

08/15/02

Reviewer

Date



Page 2 of 2
Project No. 220013
Phase, Task No.

Water Removal Data

Date _____

AESE906 San Juan Blvd. Ste.D
Farmington, NM 87401
505.566.9116(9120fax)

Well Number

MW-7

Development

Purging

WELL DEVELOPMENT AND PURGING DATA

Page 1 of 2

Project Name San Juan River Basin

Project Manager

Ashley Lowe

Project No. 220013

Client Company Montgomery Watson Harza

Phase Task No.

Site Name San Juan River Plant

Site Address

Kirtland, NM

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal☐ Stabilization of Indicator Parameters☒ Other or bail dry

Water Volume Calculation

Initial Depth of Well (feet) 32.80' BTDC

Initial Depth to Water (feet) 27.00' BTDC

Height of Water Column in Well (feet) 5.7'

Diameter (inches): Well 4" Gravel Pack

Methods of Development

Pump

☐ Centrifugal☐ Submersible☐ Peristaltic

Bailer

☒ Bottom Valve☐ Double Check Valve☐ Stainless-steel Kemmerer☐ Other

Instruments

☒ PH Meter☐ DO Monitor☒ Conductivity Meter☒ Temperature Meter☐ Other

Water Disposal

Kutz Plant

Serial No. (if applicable)

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (mmhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Increment	Cumulative					
8/10/02	12:04		☒		0.5	25.4	7.08	12310		light yellow, clear
					1.5	22.4	7.01	12310		cloudy - brown silt
					2.5	21.2	6.97	12290		
					3.5	19.7	6.83	12360		
					4.5	19.8	6.66	12490		
		d(in)	gal/n		5.5	19.7	6.59	12530		bailing down
		2	0.16		6.2	19.4	6.57	12480		
		4	0.65		7	19.2	6.53	12220		
		6	1.47		7.3	19.1	6.55	1220		

Circle the date and time that the development criteria are met.

Comments

Developer's Signature (s)

Ashley & Lowe

Date

08/15/02

Reviewer

Date

**906 San Juan Blvd.Ste.D
Farmington, NM 87401
505.566.9116(9120fax)**

Page.. 2 of 2

Project Name	San Juan River Basin	Project Manager	Ashley Lowe	Project No.	220013
Client Company	Montgomery Watson Harza	Site Address	Kirtland NM	Phase/Task No.	
Site Name	San Juan River Plant				

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal

Stabilization of Indicator, Parameters

☒ Other or bail dry.

Water Volume Calculation

Initial Depth of Well (feet)

Initial Depth to Water (feet) 27.045 'BTX

Height of Water Column in Well (feet) 57

Diameter (inches):	Well	Gravel Pack
4"		

Methods of Development

Pump

☐ Centrifugal!☐ Submersible☐ Peristaltic

Bailer

☒ Bottom Valve☐ Double Check Valve☐ Stainless-steel Kemmerer☐ Other

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Increment	Cumulative					
8/15/02			✓		7.8	19.1	6.54	12250		no recovery, almost dry - will sample
					8	19.0	6.56	12220		sample at 12:28 for BTEX & general char
		d(in)	gal/ft							
		2	0.16							
		4	0.65							
		6	1.47							

Circle the date and time that the development criteria are met.

Comments	Circle the date and time that the development criteria are met.
sampled before purged 3 volumes b/c well went dry	

Developer's Signature (s) Anthony J. Lent Date 08/15/02 Reviewer _____ Date _____



Well Number

MW-8

Development
Purging

WELL DEVELOPMENT AND PURGING DATA

906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116(9120fax)

Page 1 of 2

Project Name San Juan River Basin Project Manager Ashley Lowe Project No. 220013

Client Company Montgomery Watson Harza Phase, Task No. _____

Site Name San Juan River Plant Site Address Kirtland, NM

Development Criteria

- ☒ 3 to 5 Casing Volumes of Water Removal
- ☐ Stabilization of Indicator Parameters
- ☒ Other or bail dry

Water Volume Calculation

Initial Depth of Well (feet) 22.20 'BTC

Initial Depth to Water (feet) 12.90 'BTC

Height of Water Column in Well (feet) 9.3

Diameter (inches): Well 4" Gravel Pack _____

Methods of Development

- Pump _____
- Bailer ☒ Bottom Valve
- ☐ Centrifugal ☐ Double Check Valve
- ☐ Submersible ☐ Stainless-steel Kemmerer
- ☐ Peristaltic

Gal/ft x ft of water	Water Volume in Well		Gal/oz to be removed
	Gallons	Ounces	
$0.65 \times 9.3 =$	<u>6.05</u>	<u>3</u>	<u>18.1 gal</u>
Total			

Instruments

- ☒ PH Meter
- ☒ DO Monitor

Serial No. (if applicable)

- ☒ Conductivity Meter

- ☒ Temperature Meter

- ☐ Other _____

Water Disposal

Kutz Plant

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)	Temperature (°C)	pH	Conductivity (microhm/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Increment					
8/15/02	12:43		☒	1 gal	27.4	6.93	13350	12.00	clear, light yellow, sweet smell
				5	21.5	7.19	12980		
				7.5	19.3	7.60	12540		
				8.5	18.8	7.70	12341		cloudy w/silt
				9.5	18.4	7.83	12280		
		d(in)		10	18.1	7.89	12270		
		2		12	19.3	8.08	12380		
		4		12.5	18.8	8.11	12490		
		6		13	17.9	8.11	12350		bailing down

Circle the date and time that the development criteria are met.

Comments ORC (socks) in well - removed & left out. Will take water level in 2 weeks & reinstall socks

Developer's Signature (s)

Ashley Lowe

Date

08/15/02

Reviewer

Date

AESE906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116(9120fax)

Well Number

MW-8

Development

Purging

WELL DEVELOPMENT AND PURGING DATA

Page 2 of 2

Project Name San Juan River Basin Project Manager Ashley Lowe Project No. 220013

Client Company Montgomery Watson Harza Phase Task No.

Site Name San Juan River Plant Site Address Kirtland, NM

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal

Stabilization of Indicator Parameters

☒ Other or bail dry

Water Volume Calculation

Initial Depth of Well (feet) 22.20' BTDC

Initial Depth to Water (feet) 12.90' BTDC

Height of Water Column in Well (feet) 9.3'

Diameter (inches): Well 4" Gravel Pack

Methods of Development

Pump

☐ Centrifugal☐ Submersible☐ Peristaltic

Bailor

☒ Bottom Valve☐ Double Check Valve☐ Stainless-steel Kemmerer

Instruments

☒ PH Meter☒ DO Monitor☒ Conductivity Meter☒ Temperature Meter☐ Other

Serial No. (if applicable)

☐ Other

Water Disposal

Kutz Plant

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (umhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailor	Increment	Cumulative					
8/15/02			☒		13.5	17.8	8.11	12190	1	
					14	17.6	8.10	12110		
					14.4	17.5	8.10	12090		almost dry - will sample
		d(in)								sample at 13:14 for BTEX general Chem
		2								
		4								
		6								

Circle the date and time that the development criteria are met.

Comments One 50cc vial contains air bubbles - CO₂ in water reacting w/HCl preservative. Triple rinsed 2nd vial & used unpreserved. No road to MW-8 - 4-wheeled to get truck close.

Developer's Signature (s) Ashley L. Gaur

Date 08/15/02

Date

AESE906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116(9120fax)

Well Number

MW-9

Development
Purging**WELL DEVELOPMENT AND PURGING DATA**

Page 1 of 2

Project Name San Juan River Basin Project Manager Ashley Lowe Project No. 220013

Client Company Montgomery Watson Harza Phase Task No.

Site Name San Juan River Plant Site Address Kirtland, NM

Development Criteria☒ 3 to 5 Casing Volumes of Water Removal☐ Stabilization of Indicator Parameters☒ Other or bail dry**Water Volume Calculation**

Initial Depth of Well (feet) 21.92 'BTDC

Initial Depth to Water (feet) 6.925 'BTDC

Height of Water Column in Well (feet) 14.995'

Diameter (inches): Well 4" Gravel Pack

Methods of Development

Pump

☐ Centrifugal☐ Submersible☐ Peristaltic

Bailer

☒ Bottom Valve☐ Double Check Valve☐ Stainless-steel Kemmerer☐ Other

Serial No. (if applicable)

Instruments

☒ pH Meter☐ DO Monitor☒ Conductivity Meter☒ Temperature Meter☐ Other

Water Disposal

Kutz Plant

Water Removal Data

Date	Time	Development Method		Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (munhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Increment	Cumulative					
2/15/02	13:25		☒		0.5 gal	28.3	7.49	13970	14.2	light yellow, clear
					3.5	25.4	7.34	14230		
					6	22.8	6.56	13570		cloudy w/ silt
					8	21.4	6.14	13320		
					10	20.2	5.73	13080		
		d(in)			12	19.6	5.26	12960		
		2	0.16		14	19.1	5.03	12730		
		4	0.65		16	17.7	5.00	12660		
		6	1.47		17.5	18.3	5.00	12760		bailing down

Circle the date and time that the development criteria are met.

Comments

Developer's Signature (s)

Ashley Lowe

Date

28/15/02

Reviewer

Date

Project Name San Juan River Basin Project Manager Ashley Lowe
 Client Company Montgomery Watson Harza
 Site Name San Juan River Plant Site Address Kirtland, NM

Development Criteria
☒ 3 to 5 Casing Volumes of Water Removal
☐ Stabilization of Indicator Parameters
☒ Other or bail dry

Methods of Development
 Pump
☐ Centrifugal
☐ Submersible
☐ Peristaltic
☐ Other

Bailer
☒ Bottom Valve
☐ Double Check Valve
☐ Stainless-steel Kemmerer

Water Volume Calculation
 Initial Depth of Well (feet) 21.92 'BTDC'
 Initial Depth to Water (feet) 6.925 'BTDC'
 Height of Water Column in Well (feet) 14.995
 Diameter (inches): Well 4" Gravel Pack

Date	Time	Development Method		Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (nmhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer	Increment	Cumulative					
8/5/02			☒		18	17.6	5.01	12790		
					18.4	17.3	4.99	12650		
					18.6	17.2	4.99	12630	1.94	almost dry - will sample
										sample at 13:57 for BTEX & general Chem
		d(in)								
		2								
		4								
		6								

Developer's Signature (s) Ashley Lowe Date 08/15/02 Reviewer _____ Date _____

Comments 1 50-cc bottle has bubbles - CO2 in water reacting w/HCl preservative Triple rinsed 2nd bottle filled unpreserved - Turned sparge system back on after sampling

Circle the date and time that the development criteria are met.

AESE

WELL OBSERVATION DATA

906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116(9120fax)

Project Name San Juan River Basin

Project No. 220013

Project Manager Ashley Lowe

Date 08/15/02

Client Company Montgomery Watson Harza

Site Name San Juan River Plant

Well	Time	Depth to Water (ft)	Depth to Product (ft)	Total Well Depth (ft)	Product Thickness (ft)	Comments
MW-5	8:24	18.61	—	31.89'	—	sampled, no cap on well
MW-6	9:38	31.50	—	42.73	—	not a solid bottom - silt on probe sampled
W-2	10:31	57.55	—	64.37	—	not a solid bottom - sampled
MW-4	11:40	52.93	—	56.91	—	sampled
MW-7	12:04	27.07	—	32.80	—	sampled
MW-8	12:43	12.90	—	22.20	—	ORC inspection, sampled
MW-9	13:25	6.925	—	21.92	—	OGM, sampled DO=

Comments

MW-8: socks are very hard - removed, then took water level & sampled
left socks out, will get water level again in 2 wks, then will reinstall
08/16/02 water level = 12.095' BTOC
SW-9: OGM - turned sparge system back on - timer set to 6am - 2pm for run time
SCFM at flow gage = 4
Pressure at MW-9 = X compressor at MW-9 was running at 7:30am on 8/16/02
but shut off b/c pump got too hot. Did not get pressure reading - needs electrician.
MW-9: DO before bailing = 14.2 mg/L; after purging = 1.94 mg/L

Called Lynn Benally & left message about Sparge Pump 8/16/02 9am
Also called Marc Greeley & left message 9:15am
After consulting w/MWH, will decide how to proceed.

Signature Ashley X Lowe

Date 08/15/02

CHAIN OF CUSTODY RECORD/LAB WORK REQUEST

LABORATORY APCL

Contract El Paso Corp., San Juan River Basin

MWH

Phone (801) 617-3200 FAX (801) 617-4200

MWH Contact Brian Butters

Project San Juan River Basin

Project Number 4270032-020105

Date Due 21 days

Sampler's Name Ashley Lowe
(print clearly)

Chain of Custody ID 020815AL01
Page 1 of 1
Air Bill No. 834715209873

MWH Contact <u>Brian Butters</u>										EPC San Juan River Basin									
Project <u>San Juan River Basin</u>										Juin River Plant									
Project Number <u>4270032-020105</u>																			
Date Due <u>21 days</u>																			
Sampler's Name <u>Ashley Lowe</u>										(print clearly)									

Location ID	Sample ID	Depth Interval (ft)	Date Collected	Time Collected	Matrix (a)	Sampling Technique (b)	ANALYSES REQUESTED										
							BTEX SW-846 8021B	Alkalinity SM 2320B	TDS USEPA 160.1	NM WQCC Metals SW-846 6010B & 7470A	Cations SW-846 6010B	Anions USEPA 300.0	Nitrate USEPA 300.0	Nitrite USEPA 300.0			
SJ	MW-5		8/15/02	9:20	WG	B	X										
SJ	MW-5-A		8/15/02	9:20	WG	B		X	X	X	X	X	X	X	X	X	
SJ	MW-6		8/15/02	10:31	WG	B	X										
SJ	MW-6-A		8/15/02	10:39	WG	B		X	X	X	X	X	X	X	X	X	
SJ	W-2		8/15/02	10:53	WG	B	X										
SJ	W-2-A		8/15/02	10:53	WG	B		X	X	X	X	X	X	X	X	X	
SJ	MW-4		8/15/02	11:52	WG	B	X										
SJ	MW-4-A		8/15/02	11:52	WG	B		X	X	X	X	X	X	X	X	X	
SJ	MW-7		8/15/02	12:28	WG	B	X										
SJ	MW-7-A		8/15/02	12:28	WG	B		X	X	X	X	X	X	X	X	X	
SJ	MW-8		8/15/02	13:14	WG	B	X										
SJ	MW-8-A		8/15/02	13:14	WG	B		X	X	X	X	X	X	X	X	X	
SJ	MW-9		8/15/02	13:57	WG	B	X										
SJ	MW-9-A		8/15/02	13:57	WG	B		X	X	X	X	X	X	X	X	X	

(a) Matrix: AA - Air
SO - Soil
WS - Surface Water
WG - Ground Water

(b) Sampling Technique: Composite=C
Grab=G
Hand Auger=HA

Submersible Pump=SP
Bladder Pump=BP
Bailer=B
Wellhead Faucet=WF
Hydropunch=HP

Location IDs:
North Flare Pit=NF
South Flare Pit=SF
San Juan River Plant=SJ

Groundwater Sites=GW
Bisli=BI
Jaquez=JA

Relinquished by/Affiliation	Received by/Affiliation	Date	Time
<u>Ashley Lowe / APCL</u>		<u>8/15/02</u>	<u>4:00</u>

WELL OBSERVATION DATA

906 San Juan Blvd.Ste.D
Farmington, NM 87401
505.566.9116(9120fax)

Project Name San Juan River Basin

Project No. 220013

Project Manager Ashley Lowe

Date 07/22/02

Client Company Montgomery Watson Harza

Site Name San Juan River Plant

[illegible]

Comments MW-8: sacks are pretty hard
No road to MWS & SW's anymore - have to walk from gate

MW-9: still no electricity. According to Rick, will be on next week

Signature Ashley Lowe

Date 07/22/02

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal

☐ Stabilization of Indicator Parameters

☒ Other or bail dry

Water Volume Calculation

Initial Depth of Well (feet)

22.18' BTDC

Height of Water Column in Well (feet)

12.60' BTDC

Height of Water Column in Well (feet)

9.58'

Diameter (inches): Well 4" Gravel Pack

Methods of Development

Pump

☐ Centrifugal

☐ Submersible

☐ Peristaltic

Bailer

☒ Bottom Valve

☐ Double Check Valve

☐ Stainless-steel Kemmerer

☐ Other

Serial No. (if applicable)

Instruments

☒ PH Meter

☐ DO Monitor

☒ Conductivity Meter

☒ Temperature Meter

☐ Other

Water Disposal

in container, then taken to Bloomfield

Water Removal Data

Date	Time	Development Method		Removal Rate (gal/min)	Intake Depth (feet)	Ending Water Depth (feet)	Water Volume Removed (gallons)		Product Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (microhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer				Increment	Cumulative	Increment	Cumulative					
05/24/08	8:30						1				11.2	6.1	8770		yellowish color
							3				13.5	7.10	8740		slightly clearer
							7				13.1	7.88	8760		yellowish greenish
							8				13.4	8.1	8780		
		d(in)					9				13.5	8.19	8880		
		2					10.5				12.7	8.28	8650		cloudy
		4					12				13.0	8.41	8820		sudsy water
		6					13				13.2	8.83	8450		
											12.5	8.70	8860		

Circle the date and time that the development criteria are met.

Comments noticed sweet odor after bailed 13 gals; smell got stronger as more water was bailed. Recovery remained remained strong throughout bailing process. Put socks back in well (had been removed 24 hrs prior to bailing)

Developer's Signature (s) Ashley Lane

Date 05/23/08

Reviewer

Date

0204230908

AESE906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116 (9120 fax)

Well Number

MW-8

Development
Purging

WELL DEVELOPMENT AND PURGING DATA

Serial No.

WDPD-

Page 2 of 2

Project Name

San Juan River Plant

Project Manager

Martin Nee

Project No.

6204

Client Company

Montgomery Watson / El Paso

Phase, Task No.

Site Name

Site Address

Kirtland, NM

Development Criteria

- ☐ 3 to 5 Casing Volumes of Water Removal
- ☐ Stabilization of Indicator Parameters

☐ Other

Water Volume Calculation

Initial Depth of Well (feet)

Initial Depth to Water (feet)

Height of Water Column in Well (feet)

Diameter (inches): Well

Gravel Pack

Serial No. (if applicable)

Instruments
☐ pH Meter☐ DO Monitor

Methods of Development

Pump

☐ Centrifugal☐ Submersible☐ Peristaltic

Bailer

☐ Bottom Valve☐ Double Check Valve☐ Stainless-steel Kemmerer☐ Other

Water Disposal

Water Removal Data

Date	Time	Development Method		Removal Rate (gal/min)	Intake Depth (feet)	Ending Water Depth (feet)	Water Volume Removed (gallons)		Product Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (microhm/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer				Increment	Cumulative	Increment	Cumulative					
								13.7			12.7	8.79	8860		slight odor from water in bailer
								14.7			12.6	8.89	8940		
								15.7			13.1	8.89	8930		
								16.4			13.0	8.90	8930		very cloudy
								17			12.7	8.96	8800		
		d(in)						18			12.9	8.90	8950		
		2						19			13.0	8.84	8920		gray color-odor
		4						19.5			13.0	8.80	8960		very strong odor
		6						19.8			13.2	8.79	8920		

Circle the date and time that the development criteria are met.

Comments

see front page

after sample; DO = 8.90 mg/L
DW 20.38' BTW

9:16

Developer's Signature (s)

Ashley Rowe

Reviewer

Date 05/23/02

Date

0205231110



WELL DEVELOPMENT AND PURGING DATA

Development
Purging

906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116 (9120fax)

Well Number MW-9Serial No. WD9DPage 1 of 3

Project Name

San Juan River Plant

Project Manager

Martin NeProject No. 62104

Client Company

Montgomery Watson/EL Paso

Phase Task No.

Site Name

Site Address Kirtland, NM

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal
☐ Stabilization of Indicator Parameters

☐ Other

Water Volume Calculation

Initial Depth of Well (feet) 21.94Initial Depth to Water (feet) 5.45Height of Water Column in Well (feet) 16.49Diameter (inches): Well 4 Gravel Pack

Methods of Development

Pump

☐ Centrifugal
☐ Submersible
☐ Peristaltic

Bailer

☒ Bottom Valve
☐ Double Check Valve
☐ Stainless-steel Kemmerer

☐ Other

Instruments

☒ pH Meter
☒ DO Monitor
☐ Conductivity Meter
☐ Temperature Meter
☐ Other

Serial No. (if applicable)

Water Disposal

Bloomfield

Water Removal Data

Date	Time	Development Method		Removal Rate (gal/min)	Intake Depth (feet)	Ending Water Depth (feet)	Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (mmhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Unifier				Increment	Cumulative					
05/23/02	10:20						1 gal		21.1	6.49	12400		slight green-yellow color
							3.9		18.8	5.92	12260		
							5		16.9	5.39	12500		sudsy
							7		16.4	5.12	12210		sudsy
							9		16.3	4.96	12430		
		d(in)	gal/n				12		16.5	5.01	12360		
		2	0.16				13		16.5	4.79	12330		
		4	0.65				15		16.3	4.89	12350		
		6	1.47				18		16.3	4.87	12210		

Circle the date and time that the development criteria are met.

Comments

sparg system was running when we arrived; turned off & waited ~50 mins for water level to return to normal before bailing; lost recovery after 20 gals, but never went dry; water remained mostly clear, no odors

Developer's Signature (s)

Dobley & Lowe

Reviewer

Date 05/23/02

Date



906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116 (9120fax)

Well Number MW-9

Development
Purging

WELL DEVELOPMENT AND PURGING DATA

Serial No. WDPD-

Page 2 of 3

Project Name

San Juan River Plant

Project Manager

Martin Nee

Project No. 6204

Client Company

Montgomery Watson/El Paso

Phase Task No.

Site Name

Kirtland, NM

Site Address

Development Criteria

- ☒ 2 to 5 Casing Volumes of Water Removal
☐ Stabilization of Indicator Parameters

☐ Other

Water Volume Calculation

Initial Depth of Well (feet)
Initial Depth to Water (feet)
Height of Water Column in Well (feet)
Diameter (inches): Well Gravel Pack

Methods of Development

- Pump ☐ Centrifugal ☐ Submersible ☐ Peristaltic
Bailer ☒ Bottom Valve ☐ Double Check Valve ☐ Stainless-steel Kemmerer

☐ Other

Serial No. (if applicable)

Instruments
☒ pH Meter

☒ DO Monitor

☒ Conductivity Meter

☒ Temperature Meter

☐ Other

Water Disposal

Water Removal Data

Date	Time	Development Method		Removal Rate (gal/min)	Intake Depth (feet)	Ending Water Depth (feet)	Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (microsiemens/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer				Increment	Cumulative					
								20	16.4	4.62	12280		well drying
								21	16.0	4.52	12330		water hitting bottom
								23	16.1	4.63	12490		
								23.8	16.0	4.65	12540		
								24	16.3	4.69	12340		
		d(in)						24.5	16.2	4.70	12180		losing recovery
		2						25	16.3	4.61	12270		
		4						26.3	16.1	4.74	12200		cloudier - slightly yellow
		6						27	16.1	4.75	12260		

Circle the date and time that the development criteria are met.

Comments

see front page

Developer's Signature (s) Ashley Lave

Date 05/23/02

Reviewer

Date

020523 1110

AESE906 San Juan Blvd. Ste. D
Farmington, NM 87401
505.566.9116 (9120fax)

Well Number

MW-9

Serial No.

WDHD-

Project Name

San Juan River Plant

Project Manager

Martin Nee

Client Company

Montgomery Watson/El Paso

Site Name

Site Address

Kirtland, NM

Page 3 of 3

Project No.

6204

Phase/Task No.

Development Criteria

- ☒ 3 to 5 Casing Volumes of Water Removal
☐ Stabilization of Indicator Parameters

☐ Other

Water Volume Calculation

Initial Depth of Well (feet)

Initial Depth to Water (feet)

Height of Water Column in Well (feet)

Diameter (inches): Well Gravel Pack

Instruments

☒ pH Meter☒ DO Monitor

Methods of Development

Pump

☐ Centrifugal☐ Submersible☐ Peristaltic

Bailer

☒ Bottom Valve☐ Double Check Valve☐ Stainless-steel Kemmerer☐ Other

Water Removal Data

Date	Time	Development Method		Removal Rate (gal/min)	Intake Depth (feet)	Existing Water Depth (feet)	Water Volume Removed (gallons)		Product Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (mmhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer				Increment	Cumulative	Increment	Cumulative					
5/23/02	11:06							27.5			16.4	4.63	12250		
								28.5			16.4	4.63	12260		
								29.5			17.4	4.71	12450		
								30.5			16.9	4.73	12460		
								31.5			17.1	4.42	12470		
								32.5			16.9	4.39	12410		
															sample

Circle the date and time that the development criteria are met.

Comments

after sampling: DTW = 5.45' BTO
DO = 4.6 mg/L

Developer's Signature (s)

Ashley Lowe

Reviewer

Date 05/23/02

Date

906 San Juan Blvd Ste D
Farmington, NM 87401
505_566.9116/9120fax)

Serial No. WDPD-

Serial No.

Project Name

Air Spray Pilot Test

Project Manager

Martin Lee

Project No.

Client Company

new H

Site Name Santa Rosa River Chatt

Site Address

99 CR 6500

Phase Task No.

Development Criteria

- ☒ 3 to 5 Casing Volumes of Water Removal
☐ Stabilization of Indicator Parameters
☐ Other

Water Volume Calculation

Initial Depth of Well (feet)	21.92	B70C
Initial Depth to Water (feet)	7.16	B70C
Height of Water Column in Well (feet)	14.76	
Diameter (inches): Well	4	Gravel Pack

Methods of Development

- | | | |
|---------------|--------------------------------------|---|
| Pump | ☐ Centrifugal | ☒ Bottom Valve |
| | ☐ Submersible | ☐ Double Check Valve |
| | ☐ Peristaltic | ☐ Stainless-steel Kemmerer |
| Bailer | | |

Item	Water Volume in Well		Gallons to be Removed
	Cubic Feet	Gallons	
Well Casing		4.57	28.78
Gravel Pack			
Drilling Fluids			
Total		9.57	28.78

Instruments
☒ pH Meter
☒ DO Monitor

Serial No. (if applicable)

☒ Conductivity Meter☒ Temperature Meter☐ Other

Water Disposal

Water Removal Data

[illegible]

Trip blank	020221130	Diameter	at side
------------	-----------	----------	---------

Sample W-9020221115

906 San Juan Blvd Ste D
Farmington, NM 87401
505.566.9116/(9120fax)

Serial No. WDPD-

Project No. 6204

Project Name San Juan River Plant

Project Manager MJN

Client Company Montgomery Watson

Phase Task No.

Site Name San Juan River Plant

Site Address CR 6500 Kirtland

Development Criteria

☒ 3 to 5 Casing Volumes of Water Removal

☒ Stabilization of Indicator Parameters

☐ Other

Methods of Development

Pump

☐ Centrifugal

☐ Submersible

☐ Peristaltic

Bailer

☐ Bottom Valve

☐ Double Check Valve

☐ Stainless-steel Kemmerer

☐ Other

Water Volume Calculation

Initial Depth of Well (feet) 2200

Initial Depth to Water (feet) 727

Height of Water Column in Well (feet) 1473

Diameter (inches): Well 4 Gravel Pack

Item	Water Volume in Well		Gallons to be Removed
	Cubic Feet	Gallons	
Well Casing		<u>457</u>	<u>2872</u>
Gravel Pack			
Drilling Fluids			
Total			

Instruments

☒ PH Meter

☒ DO Monitor

☒ Conductivity Meter

☒ Temperature Meter

☐ Other Kutz

Water Disposal

Water Removal Data

Date	Time	Development Method		Removal Rate (gal/min)	Intake Depth (feet)	Ending Water Depth (feet)	Water Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (microhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer				Increment	Cumulative					
<u>1/25</u>	<u>0920</u>					<u>727</u>		<u>0</u>					
	<u>0820</u>							<u>1</u>	<u>7.3</u>	<u>530</u>	<u><100</u>	<u>441</u>	<u>Clear Sludge</u>
	<u>0835</u>							<u>34</u>	<u>9.2</u>	<u>540</u>	<u><10</u>		
								<u>10</u>	<u>10.4</u>	<u>491</u>	<u><10</u>		
								<u>8</u>	<u>10.4</u>	<u>400</u>	<u><10</u>		
								<u>13</u>	<u>10.5</u>	<u>441</u>	<u><10</u>		
								<u>17</u>	<u>10.4</u>	<u>442</u>	<u><10</u>		
	<u>0850</u>							<u>21</u>	<u>10.4</u>	<u>444</u>	<u><10</u>		<u>Clear Sludge</u>
	<u>0900</u>					<u>706</u>		<u>23</u>	<u>10</u>	<u>458</u>			<u>Backflowing</u>
	<u>0910</u>					<u>1721</u>						<u>322</u>	

ER6500 Kir / and Nor

C:\000\Admin\Forms\WELDEV-long.doc

51
JAMES W. SACKS
INSITU

mu-5

Developing Purging

WELL DEVELOPMENT AND PURGING DATA

Page. of.

Project Name

Project Manager

22

Project No.

Client Company

Client Company Montgomery Watson

Site Name Sandy van Rijn Plant

Site Address CR 6500 Kivland Ave 87

Development Criteria

☐ 3 to 5 Casing Volumes of Water Removal

☐ Stabilization of Indicator Parameters

☐ Other

Water Volume Calculation

Initial Depth of Well (feet)

Initial Depth to Water (feet)

Height of Water Column in Well (feet)

Diameter (inches): Well

Methods of Development

Pump

☐ Centrifugal

☐ Submersible

☐ Peristaltic

Bailor

☒ Bottom Valve

☐ Double Check Valve☐ Stainless-steel Kemmerer☐ Other

Water Removal Data

Date	Time	Development Method		Removal Rate (gal/min)	Intake Depth (feet)	Ending Water Depth (feet)	Water Volume Removed (gallons)		Product Volume Removed (gallons)		Temperature (°C)	pH	Conductivity (mmhos/cm)	Dissolved Oxygen (mg/L)	Comments
		Pump	Bailer				Increment	Cumulative	Increment	Cumulative					
1/25	0740										13.2	6.7	<20	1.9	clean
											11.1	6.04	<20		clean gray
	1002										9.9	6.53	<20		
											10	6.55	<20		
											9.9	6.53			
											10.1	6.54			
	1020										2.0				Well is dry
	1027					30.11					2.3				

APPENDIX B
2002 LABORATORY REPORTS

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:

Montgomery Watson Harza

Attention: Brian Buttars

10619 South Jordan Gateway

Salt Lake City UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

Service ID #: 801-026092

Collected by: Ashley Lowe

Collected on: 11/12/02

Sample Description: Water

Project Description: 220013 San Juan River Basin

Received: 11/13/02

Extracted: N/A

Tested: 11/14/02

Reported: 11/25/02

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-8	MW-9	TB02111201
				02-06092-1	02-06092-2	02-06092-3
BTXE						
Dilution Factor				1	1	1
BENZENE	8021B	µg/L	0.5	3.0	13.0	<0.5
ETHYLBENZENE	8021B	µg/L	0.5	2.4	2.4	1.1
TOLUENE	8021B	µg/L	0.5	0.4J	0.3J	<0.5
O-XYLENE	8021B	µg/L	0.5	0.3J	<0.5	0.3J
M,P-XYLENE	8021B	µg/L	1	2.5	1	1

PQL: Practical Quantitation Limit.

MDL: Method Detection Limit.

CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,


Dominic Lau

Laboratory Director

Applied P & Ch Laboratory

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL QA/QC Report

Submitted to:

Montgomery Watson Harza

Attention: Brian Butters

10619 South Jordan Gateway

Salt Lake City, UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

Service ID #: 801-026092

Collected by: Ashley Lowe

Collected on: 11/12/02

Sample description:

Water

Project: San Juan River Basin /220013

Received: 11/13/02

Tested: 11/14/02

Reported: 12/10/02

Analysis of Water

801-026092QC

Component Name	Analysis Batch #	CCV (µg/L)	CCV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	%Diff
BTXE												
Benzene	02G4679	100	100	N.D.	µg/L	18.0	90	87	92	6	68-130	31
Toluene	02G4679	100	104	N.D.	µg/L	70.0	90	97	102	5	66-133	33
Ethylbenzene	02G4679	100	108	N.D.	µg/L	18.0	95	94	101	7	65-134	35
m/p-Xylene	02G4679	200	100	N.D.	µg/L	70.0	91	96	102	6	65-134	35
o-Xylene	02G4679	100	102	N.D.	µg/L	25.0	91	99	105	6	65-134	35

Notation: ICV - Initial Calibration Verification
CCV - Continuation Calibration Verification
LCS - Lab Control Spike
MS - Matrix Spike
MSD - Matrix Spike Duplicate
ICS - Interference Check Standard
MD - Matrix Duplicate
N.D. - Not detected or less than PQL

CCB - Continuation Calibration Blank
M-blank - Method Blank
SP Level - Spike Level
%Rec - Recovery Percent
%RPD - Relative Percent Differences
%Diff - Control Limit for %RPD
ICP-SD - ICP Serial Dilution
N.A. - Not Applicable

Respectfully submitted,


Regina Kirakozova,
Associate QA/QC Director
Applied P & Ch Laboratory

FORM-2A

Applied P & Ch Laboratory

Surrogate Recovery Summary for Method 8021B

Client Name: Montgomery Watson Harza

Contract No:

Lab Code: APCL

Case No:

SAS No:

SDG Number: 026092

Project ID: San Juan River Basin

Project No: 220013

Sample Matrix: Water

Batch No: 02G4679

#	Client Sample No	Lab Sample ID	S1 % #	TOT OUT
1		02G4679-LCS-01	82	0
2		02G4679-LSD-01	85	0
3		02G4679-MB-02	86	0
4	MW-8	02-6092-1	91	0
5	MW-9	02-6092-2	90	0
6	TB02111201	02-6092-3	87	0
7	MW-8	02-6092-1MS	87	0
8	MW-8	02-6092-1MSD	86	0
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

S1 = 4-BROMO-FLUOROBENZENE (PID)

QC Control Limit
65-134

Column to be used to flag recovery values:

* - Values outside of contract required QC Limits

D - Surrogate diluted out

I - Matrix Interference

LABORATORY APCL
Contract El Paso Corp., San Jaun River Basin

Phone (801) 617-3200 FAX (801) 617-4200

Project San Juan River Basin

Date Due 21 days

Sampler's Name Ashley Lowe
(print/clearly)

Page 1 of 1
Air Bill No. 836381676576

[illegible]

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:

Montgomery Watson Harza

Attention: Brian Buttars

10619 South Jordan Gateway

Salt Lake City UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

Service ID #: 801-024524

Collected by: Ashley Lowe

Collected on: 08/21/02

Received: 08/24/02

Extracted: N/A

Tested: 08/26-30/02

Reported: 09/11/02

Sample Description: Water

Project Description: 4270032-020105 San Juan River Basin

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-4	MW-5	MW-6
				02-04524-1	02-04524-2	02-04524-3
ALKALINITY	EPA310.1	mg/L	4	874	459	145
TOTAL DISSOLVED SOLIDS	EPA160.1	mg/L	10	4,060	20,300	14,900
Dilution Factor				80	400	400
CHLORIDE	EPA300.0	mg/L	0.25	234	331	1,040
SULFATE	EPA300.0	mg/L	0.25	1,790	14,400	8,300

Component Analyzed	Method	Unit	PQL	Analysis Result			
				MW-7	MW-8	MW-9	W-2
				02-04524-4	02-04524-5	02-04524-6	02-04524-7
ALKALINITY	EPA310.1	mg/L	4	900	4,420	<4	170
TOTAL DISSOLVED SOLIDS	EPA160.1	mg/L	10	17,500	13,200	17,200	5,690
Dilution Factor				400	200	400	200
CHLORIDE	EPA300.0	mg/L	0.25	367	318	673	296
SULFATE	EPA300.0	mg/L	0.25	11,000	5,450	11,600	3,380

PQL: Practical Quantitation Limit.

MDL: Method Detection Limit.

CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau
Laboratory Director

Applied P & Ch Laboratory

SEP 23 2002

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL QA/QC Report

at the request of Watson

Submitted to:

Montgomery Watson Harza

Attention: Brian Buttars

10619 South Jordan Gateway

Salt Lake City, UT 84095

Tel: (801) 617-3200 Fax: (801) 617-4200

Service ID #: 801-024524

Collected by: Ashley Lowe

Collected on: 08/21/02

Sample description:

Water

Project: San Juan River Basin /4270 032-020105

Received: 08/24/02

Tested: 08/26-30/02

Reported: 09/13/02

Analysis of Water

801-024524QC


Component Name	Analysis Batch #	CCV (mg/L)	CCV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	Limit %Diff
WET Analysis in Water												
Alkalinity	02W4136	-	-	N.D.	mg/L	100	101	101*	101*	0	90-110	10
Chloride Cl^- , by IC	02W4087	4.00	96	N.D.	mg/L	1600	100	96	100	4	75-125	25
Sulfate SO_4^{--} , by IC	02W4087	15.0	101	N.D.	mg/L	6000	101	103	105	2	75-125	25
Solids, Total Dissolved (TDS)	02W4066	-	-	N.D.	mg/L	400	103	100	99	1	80-119	20

*: LCS/LCSD is used.

Notation: ICV - Initial Calibration Verification
 CCV - Continuation Calibration Verification
 LCS - Lab Control Spike
 MS - Matrix Spike
 MSD - Matrix Spike Duplicate
 ICS - Interference Check Standard
 MD - Matrix Duplicate
 N.D. - Not detected or less than PQL

CCB - Continuation Calibration Blank
 M-blank - Method Blank
 SP Level - Spike Level
 %Rec - Recovery Percent
 %RPD - Relative Percent Differences
 %Diff - Control Limit for %RPD
 ICP-SD - ICP Serial Dilution
 N.A. - Not Applicable

Respectfully submitted,


 Regina Kirakozova,
 Associate QA/QC Director
 Applied P & Ch Laboratory

CHAIN OF CUSTODY RECORD/LAB WORK REQUEST

LABORATORY APCL

Contract El Paso Corp., San Juan River Basin

MWH

Phone (801) 617-3200 FAX (801) 617-4200

MWH Contact Brian Butters

Project San Juan River Basin

Project Number 4270032-020105

Date Due 21 days

Sampler's Name Ashley Lowe
(print clearly)

Chain of Custody ID 020821AL01
Page 2 of 2
Air Bill No. 834715209690

MWH Contact <u>Brian Butters</u>			ANALYSES REQUESTED													
Project <u>San Juan River Basin</u>	BTEX SW-846 8021B	✓	Alkalinity SM 2320B	✓	TDS USEPA 160.1	NM WQCC Metals SW-846 6010B & 7470A	Cations SW-846 6010B	Anions USEPA 300.0	Nitrate USEPA 300.0	Nitrite USEPA 300.0						
Project Number <u>42-70032-02010 5</u>	Sampling Technique (b)		Matrix (a)	Time Collected	Date Collected											
Date Due <u>21 days</u>																
Sampler's Name <u>Ashley Lowe</u> (print clearly)																

(a) Matrix: AA - Air
SO - Soil
WS - Surface Water
WG - Ground Water

Sampling Technique: Composite=C
Grab=G
Hand Auger=HA

Location IDs: North Flare Pit=NF
South Flare Pit=SF
San Juan River Plant=SJ

Submersible Pump=SP
Bladder Pump=BP
Bailer=B
Wellhead Faucet=WF
Hydropunch=HP

LABORATORY USE ONLY	
SAMPLES WERE: 1 Shipped or hand delivered Notes: 2 Ambient or Chilled Notes: 3 Temperature _____ 4 Received Broken/Leaking (Improperly Sealed) Y _____ Notes: N _____ 5 Properly Preserved Y _____ Notes: N _____ 6 Received Within Holding Times Y _____ Notes: N _____	
COC Tape Was: 1 Present on Outer Packaging Y _____ N _____ NA _____ 2 Unbroken on Outer Package Y _____ N _____ NA _____ 3 Present on Sample Y _____ N _____ NA _____ 4 Unbroken on Sample Y _____ N _____ NA _____ Notes: _____	
Discrepancies Between Sample Labels and COC Record? Y _____ N _____ Notes: _____	

Relinquished by/Affiliation	Received by/Affiliation	Date	Time
<u>Ashley Lowe / APCL</u>	<u>[Signature]</u>	<u>8/24/02</u>	<u>10:00</u>

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
Montgomery Watson Harza
Attention: Brian Buttars
10619 South Jordan Gateway
Salt Lake City UT 84095
Tel: (801)617-3200 Fax: (801)617-4200

Service ID #: 801-024412
Collected by: Ashley Lowe
Collected on: 08/15/02
Sample Description: Water
Project Description: 4270032-020105 San Juan River Basin

Received: 08/16/02
Extracted: 08/16-19/02
Tested: 08/17-19/02
Revised: 09/19/02

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				SJ MW-2-A 02-04412-8	SJ MW-4-A 02-04412-9	SJ MW-5-A 02-04412-10
METALS						
Dilution Factor				1	1	1
ALUMINUM	SW6010B	µg/L	100	1,130	1,370	2,700
ARSENIC	SW6010B	µg/L	5	4.9J	20.7	10.6
BARIUM	SW6010B	µg/L	10	32.7	27.1	17.5
CADMIUM	SW6010B	µg/L	2	0.79J	1.2J	0.46J
CALCIUM	SW6010B	µg/L	200	402,000	210,000	361,000
CHROMIUM	SW6010B	µg/L	5	5.6	10.2	5.0J
COBALT	SW6010B	µg/L	5	3.5J	191	12.7
COPPER	SW6010B	µg/L	10	116	158	14.0
IRON	SW6010B	µg/L	300	1,760	6,500	3,380
LEAD	SW6010B	µg/L	5	3.1J	11.3	4.8J
MAGNESIUM	SW6010B	µg/L	100	108,000	80,100	168,000
MANGANESE	SW6010B	µg/L	5	216	6,080	3,260
MERCURY	SW7470A	µg/L	0.5	0.12J	0.61	0.077J
MOLYBDENUM	SW6010B	µg/L	5	2.8J	2.7J	< 5
NICKEL	SW6010B	µg/L	5	7.5	261	49.3
Dilution Factor				1	1	20
POTASSIUM	SW6010B	µg/L	400	13,400	8,990	30,900
Dilution Factor				1	1	1
SELENIUM	SW6010B	µg/L	10	108	3.4J	3.2J
SILVER	SW6010B	µg/L	10	2.8J	1.7J	2.6J
Dilution Factor				20	20	20
SODIUM	SW6010B	µg/L	2000	1,350,000	1,040,000	5,980,000
Dilution Factor				1	1	1
ZINC	SW6010B	µg/L	10	73.3	241	49.0

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				SJ MW-6-A 02-04412-11	SJ MW-7-A 02-04412-12	SJ MW-8-A 02-04412-13	SJ MW-9-A 02-04412-14
METALS							
Dilution Factor				1	1	1	1
ALUMINUM	SW6010B	µg/L	100	13,600	3,210	508	8,900
ARSENIC	SW6010B	µg/L	5	7.8	7.2	23.8	8.8
BARIUM	SW6010B	µg/L	10	13.9	44.1	29.0	11.9
CADMIUM	SW6010B	µg/L	2	10.9	1.3J	<2	8.4
CALCIUM	SW6010B	µg/L	200	388,000	416,000	67,200	358,000
CHROMIUM	SW6010B	µg/L	5	30.3	8.1	1,080	7.8
COBALT	SW6010B	µg/L	5	202	11.6	7.0	183
COPPER	SW6010B	µg/L	10	43.4	23.7	14.0	51.2
IRON	SW6010B	µg/L	300	986	4,240	6,890	849
LEAD	SW6010B	µg/L	5	<5	<5	<5	<5
MAGNESIUM	SW6010B	µg/L	100	316,000	173,000	465,000	258,000
MANGANESE	SW6010B	µg/L	5	6,550	4,570	162	6,470
MERCURY	SW7470A	µg/L	0.5	0.095J	0.092J	0.070J	0.13J
MOLYBDENUM	SW6010B	µg/L	5	<5	2.1J	56.8	<5
NICKEL	SW6010B	µg/L	5	272	26.7	251	295
Dilution Factor				20	1	20	1
POTASSIUM	SW6010B	µg/L	400	29,100	26,800	62,900	25,600
Dilution Factor				1	1	1	1
SELENIUM	SW6010B	µg/L	10	304	11.4	2.2J	6.7J
SILVER	SW6010B	µg/L	10	4.0J	3.4J	<10	2.9J
Dilution Factor				20	20	20	20
SODIUM	SW6010B	µg/L	2000	4,080,000	4,810,000	4,720,000	4,490,000
Dilution Factor				1	1	1	1
ZINC	SW6010B	µg/L	10	612	68.0	14.5	516

Component Analyzed	Method	Unit	PQL	Analysis Result			
				SJ MW-2 02-04412-1	SJ MW-4 02-04412-2	SJ MW-5 02-04412-3	SJ MW-6 02-04412-4
BTXE							
Dilution Factor				1	1	1	1
BENZENE	8021B	µg/L	0.5	1.4	0.8	0.4J	0.3J
ETHYLBENZENE	8021B	µg/L	0.5	0.8	1.1	< 0.5	< 0.5
TOLUENE	8021B	µg/L	0.5	0.4J	<0.5	< 0.5	< 0.5
O-XYLENE	8021B	µg/L	0.5	<0.5	<0.5	< 0.5	< 0.5
M,P-XYLENE	8021B	µg/L	1	1J	0.9J	1	0.9J

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result			
				SJ MW-7	SJ MW-8	SJ MW-9	Trip Blank
				02-04412-5	02-04412-6	02-04412-7	02-04412-15
BTXE							
Dilution Factor				1	1	1	1
BENZENE	8021B	µg/L	0.5	0.4J	0.8	11.7	<0.5
ETHYLBENZENE	8021B	µg/L	0.5	0.9	4.4	2.1	<0.5
TOLUENE	8021B	µg/L	0.5	0.4J	<0.5	<0.5	<0.5
O-XYLENE	8021B	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M,P-XYLENE	8021B	µg/L	1	1	7.3	0.9J	0.8J

PQL: Practical Quantitation Limit.

MDL: Method Detection Limit.

CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,


Dominic Lau

Laboratory Director

Applied P & Ch Laboratory

CHAIN OF CUSTODY RECORD/LAB WORK REQUEST

LABORATORY APCL

Contract El Paso Corp., San Juan River Basin

MWH

Phone (801) 617-3200 FAX (801) 617-4200

MWH Contact Brian Butters

Project San Juan River Basin

Project Number 4270032-020105

Date Due 21 days

Sampler's Name Ashley Lowe
(print clearly)

EPC San
Juan River
Plant

Chain of Custody ID 020815AL01
Page 1 of 1
Air Bill No. 834715209873

LABORATORY USE ONLY		ANALYSES REQUESTED										Matrix (a)		Time Collected		Date Collected	
SAMPLES WERE:																	
1 Shipped or hand delivered Notes:		BTEX SW-846 8021B	Alkalinity SM 2320B	TDS USEPA 160.1	NM WQCC Metals SW-846 6010B & 7470A	Cations SW-846 6010B	Anions USEPA 300.0	Nitrate USEPA 300.0	Nitrite USEPA 300.0								
2 Ambient or Chilled Notes:																	
3 Temperature																	
4 Received Broken/Leaking (Improperly Sealed) Notes:																	
5 Properly Preserved Notes:																	
6 Received Within Holding Times Notes:																	
COC Tape Was:																	
1 Present on Outer Package Notes:																	
2 Unbroken on Outer Package Notes:																	
3 Present on Sample Notes:																	
4 Unbroken on Sample Notes:																	
Discrepancies Between Sample Labels and COC Record? Notes:																	

Relinquished by/Affiliation	Received by/Affiliation	Date	Time
<u>Ashley Lowe / AEST</u>	<u>[Signature]</u>	<u>08/15/02</u>	<u>4:00</u>
		<u>8/16/02</u>	<u>0930</u>

(a) Matrix: AA - Air
SO - Soil
WS - Surface Water
WG - Ground Water

(b) Sampling Technique: Composite=C
Grab=G
Hand Auger=HA

(c) Location IDs: North Flare Pit=NF
South Flare Pit=SF
San Juan River Plant=SJ

(d) Sampling Technique: Submersible Pump=SP
Bladder Pump=BP
Bailer=B
Wellhead Faucet=WF
Hydropunch=HP

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL-QA/QC Report

Submitted to:

Montgomery Watson Harza

Attention: Brian Buttars

10619 South Jordan Gateway

Salt Lake City, UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

Received on**SEP 1 2002****at Montgomery Watson**

Service ID #: 801-024412

Collected by: Ashley Lowe

Collected on: 08/15/02

Sample description:

Water

Project: San Juan River Basin /4270032-020105

Received: 08/16/02

Tested: 08/17-19/02

Reported: 09/05/02

Analysis of Water

801-024412QC

Component Name	Analysis Batch #	ICV (mg/L)	ICV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	Limit %Diff
METAL Analysis in Water												
Mercury	02M1931	0.0075	101	N.D.	mg/L	0.0050	98	91	91	0	75-125	20
Aluminum	02M1928	10.0	98	N.D.	mg/L	2.00	97	100	99	1	75-125	20
Antimony	02M1928	4.00	97	N.D.	mg/L	0.500	95	100	99	1	75-125	20
Arsenic	02M1928	1.00	98	N.D.	mg/L	0.500	98	103	102	1	75-125	20
Barium	02M1928	10.0	98	N.D.	mg/L	4.00	102	103	102	1	75-125	20
Beryllium	02M1928	1.00	97	N.D.	mg/L	0.200	94	98	95	2	75-125	20
Cadmium	02M1928	2.00	98	N.D.	mg/L	0.250	99	101	100	1	75-125	20
Calcium	02M1928	100	97	N.D.	mg/L	20.0	93	101	99	2	75-125	20
Chromium	02M1928	1.00	98	N.D.	mg/L	1.00	101	102	101	1	75-125	20
Cobalt	02M1928	4.00	98	N.D.	mg/L	1.00	102	103	103	0	75-125	20
Copper	02M1928	4.00	98	N.D.	mg/L	1.00	96	102	102	0	75-125	20
Iron	02M1928	10.0	97	N.D.	mg/L	1.00	100	101	100	1	75-125	20
Lead	02M1928	1.00	96	N.D.	mg/L	3.00	102	100	99	1	75-125	20
Magnesium	02M1928	50.0	98	N.D.	mg/L	10.0	95	98	96	2	75-125	20
Manganese	02M1928	4.00	98	N.D.	mg/L	1.00	97	98	97	0	75-125	20
Molybdenum	02M1928	4.00	98	N.D.	mg/L	2.00	100	98	98	0	75-125	20
Nickel	02M1928	4.00	97	N.D.	mg/L	1.00	101	102	101	1	75-125	20
Potassium	02M1928	30.0	98	N.D.	mg/L	5.00	82	82*	82*	0	80-120	20
Selenium	02M1928	1.00	96	N.D.	mg/L	0.500	94	98	96	1	75-125	20
Silver	02M1928	2.00	98	N.D.	mg/L	1.00	95	97	96	0	75-125	20
Sodium	02M1928	200	98	N.D.	mg/L	40.0	91	92	90	2	75-125	20
Thallium	02M1928	1.00	98	N.D.	mg/L	0.500	103	99	97	2	75-125	20
Vanadium	02M1928	4.00	98	N.D.	mg/L	2.00	99	98	97	0	75-125	20
Zinc	02M1928	4.00	98	N.D.	mg/L	0.500	102	95	94	1	75-125	20

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL QA/QC Report

Component Name	Analysis Batch #	CCV ($\mu\text{g/L}$)	CCV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	Limit %Diff
BTXE												
Benzene	02G3567	100	100	N.D.	$\mu\text{g/L}$	18.0	90	90*	91*	2	65-129	31
Toluene	02G3567	100	95	N.D.	$\mu\text{g/L}$	70.0	91	90	90	0	66-133	33
Ethylbenzene	02G3567	100	97	N.D.	$\mu\text{g/L}$	18.0	97	91	91	0	65-134	35
m/p-Xylene	02G3567	200	90	N.D.	$\mu\text{g/L}$	70.0	93	91	91	0	65-134	35
o-Xylene	02G3567	100	93	N.D.	$\mu\text{g/L}$	25.0	93	94	93	0	65-134	35

*: LCS/LCSD is used.

Notation: ICV - Initial Calibration Verification
CCV - Continuation Calibration Verification
LCS - Lab Control Spike
MS - Matrix Spike
MSD - Matrix Spike Duplicate
ICS - Interference Check Standard
MD - Matrix Duplicate
N.D. - Not detected or less than PQL

CCB - Continuation Calibration Blank
M-blank - Method Blank
SP Level - Spike Level
%Rec - Recovery Percent
%RPD - Relative Percent Differences
%Diff - Control Limit for %RPD
ICP-SD - ICP Serial Dilution
N.A. - Not Applicable

Respectfully submitted,


Regina Kirakozova,
Associate QA/QC Director
Applied P & Ch Laboratory

FORM-2A

Applied P & Ch Laboratory

Surrogate Recovery Summary for Method 8021B

Client Name: Montgomery Watson Harza

Contract No:

Lab Code: APCL

Case No:

SAS No:

SDG Number: 024412

Project ID: San Juan River Basin

Project No: 4270032-020105

Sample Matrix: Water

Batch No: 02G3567

#	Client Sample No	Lab Sample ID	S1 % #	TOT OUT
1		02G3567-LCS-01	80	0
2		02G3567-LSD-01	82	0
3		02G3567-MB-02	85	0
4	02BBPZ10SWG03	02-4408-7MS	82	0
5	02BBPZ10SWG03	02-4408-7MSD	80	0
6	SJ MW-2	02-4412-1	89	0
7	SJ MW-4	02-4412-2	92	0
8	SJ MW-5	02-4412-3	94	0
9	SJ MW-6	02-4412-4	94	0
10	SJ MW-7	02-4412-5	92	0
11	SJ MW-8	02-4412-6	94	0
12	SJ MW-9	02-4412-7	91	0
13	TRIP BLANK	02-4412-15	90	0
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

QC Control Limit

S1 = 4-BROMO-FLUOROBENZENE (PID)


65-134

Column to be used to flag recovery values:

* - Values outside of contract required QC Limits

D - Surrogate diluted out

I - Matrix Interference



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

Pinnacle Lab ID number **205211**
June 06, 2002

AESE
906 SAN JUAN BLVD. SUITE D
FARMINGTON, NM 87401

EL PASO FIELD SERVICES
614 RIELLY STREET
FARMINGTON, NM 87401

Project Name SAN JUAN RIVER PLANT
Project Number (NONE)

Attention: MARTIN NEE/LYNN BENALLY


On 05/24/02 Pinnacle Laboratories, Inc., (ADHS License No. AZ0592 pending), received a request to analyze **aqueous** samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.

If you have any questions or comments, please do not hesitate to contact us at (505)344-3777.

H. Mitchell Rubenstein, Ph. D.
General Manager


MR: jt

Enclosure



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

CLIENT	: AESE	PINNACLE ID	: 205211
PROJECT #	: (NONE)	DATE RECEIVED	: 05/24/02
PROJECT NAME	: SAN JUAN RIVER PLANT	REPORT DATE	: 06/06/02
PINNACLE			DATE
ID #	CLIENT DESCRIPTION	MATRIX	COLLECTED
205211 - 01	MW-8	AQUEOUS	05/23/02
205211 - 02	MW-9	AQUEOUS	05/23/02
205211 - 03	TRIP BLANK	AQUEOUS	05/07/02



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS

TEST : EPA 8021 MODIFIED
CLIENT : AESE
PROJECT # : (NONE)
PROJECT NAME : SAN JUAN RIVER PLANT

PINNACLE I.D.: 205211


SAMPLE			DATE	DATE	DATE	DIL.
D. #	CLIENT I.D.	MATRIX	SAMPLED	EXTRACTED	ANALYZED	FACTOR
1	MW-8	AQUEOUS	05/23/02	NA	05/29/02	5
2	MW-9	AQUEOUS	05/23/02	NA	05/29/02	1
3	TRIP BLANK	AQUEOUS	5/07/02*	NA	05/28/02	H 1

PARAMETER	DET. LIMIT	UNITS	MW-8	MW-9	TRIP BLANK
BENZENE	0.5	UG/L	200	1.4	< 0.5
OLUENE	0.5	UG/L	< 2.5	< 0.5	< 0.5
THYLBENZENE	0.5	UG/L	7.9	< 0.5	< 0.5
OT KYLENES	1.0	UG/L	17	< 1.0	< 1.0

SURROGATE:
FROM FLUOROBENZENE (%) 107 102 103
SURROGATE LIMITS (80 - 120)

CHEMIST NOTES:

1 = The Trip Blank was received and analyzed past hold time.




2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS
REAGENT BLANK

EST	: EPA 8021 MODIFIED	PINNACLE I.D.	: 205211
LANK I. D.	: 052802	DATE EXTRACTED	: N/A
LIENT	: AESE	DATE ANALYZED	: 05/28/02
ROJECT #	: (NONE)	SAMPLE MATRIX	: AQUEOUS
ROJECT NAME	: SAN JUAN RIVER PLANT		

PARAMETER	UNITS	
ENZENE	UG/L	<0.5
OLUENE	UG/L	<0.5
THYLBENZENE	UG/L	<0.5
OTAL XYLENES	UG/L	<1.0

URROGATE:
ROMOFLUOROBENZENE (%) 98
URROGATE LIMITS: (80 - 120)
HEAT NOTES:
I/A



2709-D Pan American Freeway, NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413


GAS CHROMATOGRAPHY RESULTS
REAGENT BLANK

EST	: EPA 8021 MODIFIED	PINNACLE I.D.	: 205211
LAB I. D.	: 052902	DATE EXTRACTED	: N/A
CLIENT	: AESE	DATE ANALYZED	: 05/29/02
PROJECT #	: (NONE)	SAMPLE MATRIX	: AQUEOUS
PROJECT NAME	: SAN JUAN RIVER PLANT		

PARAMETER	UNITS	
BENZENE	UG/L	<0.5
TOLUENE	UG/L	<0.5
ETHYLBENZENE	UG/L	<0.5
ORTHO XYLENES	UG/L	<1.0

INROGATE:
BROMOFLUOROBENZENE (%) 100

INROGATE LIMITS: (80 - 120)
HEAVY METALS:
/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
LCS / LCSD

EST : EPA 8021 MODIFIED
ATCH # : 052802
LIENT : AESE
ROJECT # : (NONE)
ROJECT NAME : SAN JUAN RIVER PLANT


PINNACLE I.D. : 205211
DATE EXTRACTED : N/A
DATE ANALYZED : 05/28/02
SAMPLE MATRIX : AQUEOUS
UNITS : UG/L

PARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
ENZENE	<0.5	20.0	21.6	108	21.2	106	2	(80 - 120)	20
OLUENE	<0.5	20.0	21.8	109	21.4	107	2	(80 - 120)	20
THYLBENZENE	<0.5	20.0	22.2	111	21.8	109	2	(80 - 120)	20
OTAL XYLENES	<1.0	60.0	68.5	114	67.3	112	2	(80 - 120)	20

HEAT NOTES:
/A

$$\text{Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{PD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
LCS / LCSD


EST	: EPA 8021 MODIFIED				PINNACLE I.D.	:	205211
ATCH #	: 052902				DATE EXTRACTED	:	N/A
LIENT	: AESE				DATE ANALYZED	:	05/29/02
ROJECT #	: (NONE)				SAMPLE MATRIX	:	AQUEOUS
ROJECT NAME	: SAN JUAN RIVER PLANT				UNITS	:	UG/L

ARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
ENZENE	<0.5	20.0	20.7	104	20.3	102	2	(80 - 120)	20
OLUENE	<0.5	20.0	21.1	106	20.6	103	2	(80 - 120)	20
THYLBENZENE	<0.5	20.0	21.6	108	21.0	105	3	(80 - 120)	20
OTAL XYLENES	<1.0	60.0	67.3	112	65.0	108	3	(80 - 120)	20

HEAVY METALS NOTES:
/A

$$\text{Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{PD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
MSMSD

EST : EPA 8021 MODIFIED
ISMSD # : 205205-01
LIENT : AESE
ROJECT # : (NONE)
ROJECT NAME : SAN JUAN RIVER PLANT

PINNACLE I.D. : 205211
DATE EXTRACTED : N/A
DATE ANALYZED : 05/28/02
SAMPLE MATRIX : AQUEOUS
UNITS : UG/L

PARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
ENZENE	<0.5	20.0	20.7	104	21.2	106	2	(80 - 120)	20
OLUENE	<0.5	20.0	21.1	106	21.6	108	2	(80 - 120)	20
THYLBENZENE	<0.5	20.0	21.5	108	22.1	111	3	(80 - 120)	20
OTAL XYLENES	<1.0	60.0	66.3	111	68.2	114	3	(80 - 120)	20

HEALTH NOTES:
/A

$$\text{Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{PD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$

PROJECT MANAGER: Martin Nee

COMPANY:

AFSE

906 San Juan Blvd Ste D

Farmington, NM 87401

505-566-9116

505-566-9120

El Paso / NW 11

8/11/2017

111 Dilling Ave

10712 W/V Examination Ave
9174 Kelly Ave

10518 NW 84th Ave

DATE: _____ TIME: _____ MAIL ROOM: _____

05/23/02	9:08	Wash	0
----------	------	------	---

05/23/02	11:10	WAL	OL
----------	-------	-----	----

5702	1134	AG	03
------	------	----	----

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible][illegible][illegible][illegible][illegible][illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

INFORMATION	PRIOR AUTHORIZATION IS NOT REQUIRED
1. NAME Last Name: _____ First Name: _____ Middle Name: _____	
2. DATE OF BIRTH Month: _____ Day: _____ Year: _____	
3. SEX Male ☐ Female ☐	
4. ADDRESS Street: _____ City: _____ State: _____ Zip: _____	
5. TELEPHONE Home: _____ Office: _____	
6. EMPLOYER Name: _____ Address: _____	
7. EDUCATION School: _____ Degree: _____	
8. PROFESSION Occupation: _____	
9. RELIGION Religion: _____	
10. OTHER INFORMATION _____	

(RUSH) ☐ 24hr ☐ 48hr ☐ 72hr

San River District

DATE	08/11/2017	
TIME	14:00	
LOCATION	010101	
OPERATOR	J. J. J.	
REMARKS	METHANOL PRESERVATION	☐

01-1-10	COMMENTS	FIELD	☐
	METHANOL PRESERVATION		☐

Comments: FIXED FEE ☐

RECEIVED

100

Tie Percent


chemitioner Inc. a 2700 D Ben American Express: NE - All

Abuquerque, N.M. • 2/09-2 Fall American Freeway, NE

SHADED AREAS ARE FOR LAB USE ONLY.

PLEASE FILL THIS FORM IN COMPLETELY.

PROJECT INFORMATION		PRIOR AUTHORIZATION IS REQUIRED FOR RUSH PROJECTS				RELINQUISHED BY: 1		RELINQUISHED BY: 2			
PROJ. NO.:		(RUSH) ☐ 24hr ☐ 48hr ☐ 72hr ☐ 1 WEEK (NORMAL) ☒	Signature: <i>Ashley Lowe</i>		Signature: <i>Ashley Lowe</i>		Signature: _____		Signature: _____		
PROJ. NAME:	<i>San Juan River Plant</i>	CERTIFICATION REQUIRED ☐ NM ☐ SDWA ☐ OTHER ☐	Printed Name: <i>Ashley Lowe</i>		Printed Name: <i>Ashley Lowe</i>		Printed Name: _____		Printed Name: _____		
P.O. NO.:		METHANOL PRESERVATION ☐	Company: <i>AESE</i>		Company: <i>AESE</i>		Company: _____		Company: _____		
SHIPPED VIA: <i>Greyhound Bus</i>		COMMENTS: ☐ FIXED FEE ☐	See reverse side (Force Majeure)		See reverse side (Force Majeure)		See reverse side (Force Majeure)		See reverse side (Force Majeure)		
SAMPLER RECEIPT		<i>Rec'd TB out of hold</i>		RECEIVED BY: 1		RECEIVED BY: 2		RECEIVED BY: 3		RECEIVED BY: 4	
NO. CONTAINERS	<i>5</i>			Signature: _____		Signature: _____		Signature: _____		Signature: _____	
CUSTOMER'S SIGNATURE	<i>[Signature]</i>			Time: _____		Time: _____		Time: _____		Time: _____	
RECEIVED IN	<i>1/15</i>			Date: _____		Date: _____		Date: _____		Date: _____	
SHIP TO	<i>9</i>			Company: _____		Company: _____		Company: _____		Company: _____	



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

Pinnacle Lab ID number **202100**
March 05, 2002

AESE
906 SAN JUAN BLVD.
FARMINGTON, NM 87401

EL PASO FIELD SERVICES
614 RIELLY STREET
FARMINGTON, NM 87401

Project Name SAN JUAN RIVER PLANT
Project Number 6204

Attention: MARTIN NEE/SCOTT POPE


On 02/22/02 Pinnacle Laboratories, Inc., (ADHS License No. AZ0592 pending), received a request to analyze **aqueous** samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.

If you have any questions or comments, please do not hesitate to contact us at (505)344-3777.

H. Mitchell Rubenstein, Ph. D.
General Manager

MR: jt

Enclosure



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

CLIENT	: AESE	PINNACLE ID	: 202100
PROJECT #	: 6204	DATE RECEIVED	: 02/22/02
PROJECT NAME	: SAN JUAN RIVER PLANT	REPORT DATE	: 03/05/02
PINNACLE			DATE
ID #	CLIENT DESCRIPTION	MATRIX	COLLECTED
202100 - 01	MW-9 0202211115	AQUEOUS	02/21/02
202100 - 02	FIELD BLANK 0202211130	AQUEOUS	02/21/02



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS

TEST : EPA 8021 MODIFIED
CLIENT : AESE
PROJECT # : 6204
PROJECT NAME : SAN JUAN RIVER PLANT


PINNACLE I.D.: 202100

SAMPLE			DATE	DATE	DATE	DIL.
D. #	CLIENT I.D.	MATRIX	SAMPLED	EXTRACTED	ANALYZED	FACTOR
01	MW-9 0202211115	AQUEOUS	02/21/02	NA	02/25/02	1
02	FIELD BLANK 0202211130	AQUEOUS	02/21/02	NA	02/25/02	1

PARAMETER	DET. LIMIT	UNITS	MW-9 0202211115	FIELD BLANK 0202211130
BENZENE	0.5	UG/L	48	< 0.5
TOLUENE	0.5	UG/L	< 0.5	< 0.5
ETHYLBENZENE	0.5	UG/L	7.4	< 0.5
TOTAL XYLENES	1.0	UG/L	4.5	< 1.0

SURROGATE:
BROMOFLUOROBENZENE (%) 94 94
SURROGATE LIMITS (80 - 120)

CHEMIST NOTES:
I/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS
REAGENT BLANK

TEST	: EPA 8021 MODIFIED	PINNACLE I.D.	: 202100
BLANK I. D.	: 022502	DATE EXTRACTED	: N/A
CLIENT	: AESE	DATE ANALYZED	: 02/25/02
PROJECT #	: 6204	SAMPLE MATRIX	: AQUEOUS
PROJECT NAME	: SAN JUAN RIVER PLANT		

PARAMETER	UNITS	
BENZENE	UG/L	<0.5
TOLUENE	UG/L	<0.5
ETHYLBENZENE	UG/L	<0.5
TOTAL XYLENES	UG/L	<1.0

SURROGATE:
BROMOFLUOROBENZENE (%) 87
SURROGATE LIMITS: (80 - 120)
TEST NOTES:
N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
LCS/LCSD

TEST : EPA 8021 MODIFIED
BATCH # : 022502
CLIENT : AESE
PROJECT # : 6204
PROJECT NAME : SAN JUAN RIVER PLANT


PINNACLE I.D. : 202100
DATE EXTRACTED : N/A
DATE ANALYZED : 02/25/02
SAMPLE MATRIX : AQUEOUS
UNITS : UG/L

PARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
ENZENE	<0.5	20.0	18.8	94	18.3	92	3	(80 - 120)	20
OLUENE	<0.5	20.0	18.9	95	17.9	90	5	(80 - 120)	20
THYLBENZENE	<0.5	20.0	17.9	90	17.3	87	3	(80 - 120)	20
TOTAL XYLENES	<1.0	60.0	55.7	93	53.6	89	4	(80 - 120)	20

HEMIST NOTES:
/A

$$\text{Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{PD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
MS/MSD

EST : EPA 8021 MODIFIED
ISMSD # : 202102-03
CLIENT : AESE
PROJECT # : 6204
PROJECT NAME : SAN JUAN RIVER PLANT

PINNACLE I.D. : 202100
DATE EXTRACTED : N/A
DATE ANALYZED : 02/25/02
SAMPLE MATRIX : AQUEOUS
UNITS : UG/L

PARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
ENZENE	<0.5	20.0	19.1	96	22.0	110	14	(80 - 120)	20
OLUENE	<0.5	20.0	18.8	94	25.7	129	31	(80 - 120)	20
THYLBENZENE	<0.5	20.0	18.3	92	20.5	103	11	(80 - 120)	20
TOTAL XYLENES	<1.0	60.0	56.6	94	63.1	105	11	(80 - 120)	20

HEMIST NOTES:

The MSD spike recovery and the RPD for Toluene are out of criteria due to matrix interference.

$$\text{Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{PD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$

CHOP OF CUSTODY

PLI Accession #: 202100

[illegible]



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

Pinnacle Lab ID number **201109**
February 22, 2002

AESE
906 SAN JUAN BLVD.
FARMINGTON, NM 87401

EL PASO FIELD SERVICE COMPANY
614 RIELLY STREET
FARMINGTON, NM 87401

Project Name SAN JUAN RIVER PLANT
Project Number 6204

Attention: MARTIN NEE/LYNN BENALLY

On 01/26/02 Pinnacle Laboratories, Inc., (ADHS License No. AZ0592 pending), received a request to analyze **aqueous** samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.

This report is being reissued at the request of the client. Original report was issued on February 19, 2002.

EPA Method 8021 was performed by Pinnacle Laboratories, Inc., Albuquerque, NM.

All other analyses were performed by Severn Trent Laboratories, Pensacola, FL.

If you have any questions or comments, please do not hesitate to contact us at (505)344-3777.

H. Mitchell Rubenstein, Ph. D.
General Manager

MR: jt

Enclosure




2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

CLIENT : AESE
PROJECT # : 6204
PROJECT NAME : SAN JUAN RIVER PLANT

PINNACLE ID : 201109
DATE RECEIVED : 01/26/02
REPORT DATE : 02/22/02

PINNACLE ID #	CLIENT DESCRIPTION	MATRIX	DATE COLLECTED
201109 - 01	MW-5, 0125021025	AQUEOUS	01/25/02
201109 - 02	MW-9, 0125020900	AQUEOUS	01/25/02
201109 - 03	MW-8, 01250750	AQUEOUS	01/25/02
201109 - 04	TRIP BLANK	AQUEOUS	01/21/02



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS

TEST : EPA 8021 MODIFIED
CLIENT : AESE
PROJECT # : 6204
PROJECT NAME : SAN JUAN RIVER PLANT

PINNACLE I.D.: 201109

SAMPLE			DATE	DATE	DATE	DIL.
ID. #	CLIENT I.D.	MATRIX	SAMPLED	EXTRACTED	ANALYZED	FACTOR
01	MW-5, 0125021025	AQUEOUS	01/25/02	NA	01/28/02	1
02	MW-9, 0125020900	AQUEOUS	01/25/02	NA	01/28/02	1
03	MW-8, 01250750	AQUEOUS	01/25/02	NA	01/28/02	1
PARAMETER		DET. LIMIT	UNITS	MW-5, 0125021025	MW-9, 0125020900	MW-8, 01250750
BENZENE		0.5	UG/L	< 0.5	22	110
TOLUENE		0.5	UG/L	< 0.5	< 0.5	< 0.5
ETHYLBENZENE		0.5	UG/L	< 0.5	4.4	2.3
METHYL XYLENES		1.0	UG/L	< 1.0	3.0	9.8

SURROGATE:

BROMOFLUOROBENZENE (%)

105


110

112

SURROGATE LIMITS (80 - 120)

CHEMIST NOTES:

N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS

TEST : EPA 8021 MODIFIED
CLIENT : AESE
PROJECT # : 6204
PROJECT NAME : SAN JUAN RIVER PLANT

PINNACLE I.D.: 201109

SAMPLE		MATRIX	DATE	DATE	DATE	DIL.
ID. #	CLIENT I.D.		SAMPLED	EXTRACTED	ANALYZED	FACTOR
04	TRIP BLANK	AQUEOUS	01/21/02	NA	01/28/02	1
PARAMETER		DET. LIMIT	UNITS	TRIP BLANK		
BENZENE		0.5	UG/L	< 0.5		
TOLUENE		0.5	UG/L	< 0.5		
ETHYLBENZENE		0.5	UG/L	< 0.5		
TOTAL XYLENES		1.0	UG/L	< 1.0		

SURROGATE:


1,2,4-TRIMETHYLBENZENE (%)

104

SURROGATE LIMITS (80 - 120)

CHEMIST NOTES:

N/A




2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS
REAGENT BLANK

TEST	: EPA 8021 MODIFIED	PINNACLE I.D.	: 201109
BLANK I. D.	: 012802	DATE EXTRACTED	: N/A
CLIENT	: AESE	DATE ANALYZED	: 01/28/02
PROJECT #	: 6204	SAMPLE MATRIX	: AQUEOUS
PROJECT NAME	: SAN JUAN RIVER PLANT		

PARAMETER	UNITS	
BENZENE	UG/L	<0.5
TOLUENE	UG/L	<0.5
ETHYLBENZENE	UG/L	<0.5
TOTAL XYLENES	UG/L	<1.0

SURROGATE:
BROMOFLUOROBENZENE (%) 102
SURROGATE LIMITS: (80 - 120)
COMMENTS NOTES:
N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
LCS/LCSD

TEST : EPA 8021 MODIFIED
BATCH ID# : 012802
CLIENT : AESE
PROJECT # : 6204
PROJECT NAME : SAN JUAN RIVER PLANT

PINNACLE I.D. : 201109
DATE EXTRACTED : N/A
DATE ANALYZED : 01/28/02
SAMPLE MATRIX : AQUEOUS
UNITS : UG/L

PARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
BENZENE	<0.5	20.0	19.5	98	19.2	96	2	(80 - 120)	20
TOLUENE	<0.5	20.0	20.0	100	19.8	99	1	(80 - 120)	20
ETHYLBENZENE	<0.5	20.0	20.3	102	20.1	101	1	(80 - 120)	20
TOTAL XYLENES	<1.0	60.0	62.0	103	61.3	102	1	(80 - 120)	20

CHEMIST NOTES:
N/A

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$

SHADED AREAS ARE FOR LAB USE ONLY.

PLEASE FILL THIS FORM IN COMPLETELY.

[illegible]

SEVERN**TRENT****SERVICES****STL Pensacola**

LOG NO: C2-01593

Received: 29 JAN 02

Reported: 12 FEB 02

Ms. Jacinta Tenorio
Pinnacle Laboratories
2709-D Pan American Freeway Northeast
Albuquerque, NM 87107

Project: 201109-AESE/SAN JUAN RIVER PLANT

Sampled By: Client

Code: 084120212

Page 1

REPORT OF RESULTS

LOG NO	SAMPLE DESCRIPTION , LIQUID SAMPLES	DATE/ TIME SAMPLED
01593-1	MW-9,0125020900/201109-02	01-25-02/09:00
PARAMETER	01593-1	
Total Dissolved Solids (160.1), mg/l	18000	
Dilution Factor	1	
Prep Date	01.31.02	
Analysis Date	02.01.02	
Batch ID	TDW011	
Prep Method	160.1	
Analyst	ST	
Chloride (325.2/4500E/9251), mg/l	740	
Dilution Factor	20	
Analysis Date	02.05.02	
Batch ID	CKW007B	
Analyst	CR	
Alkalinity Series (2320B)		
Alkalinity (to pH 4.5) as CaCO ₃ , mg/l	<1.0	
Bicarbonate (2320/4500), mg/l	<1.0	
Carbon Dioxide, mg/l	<1.0	
pH, mg/l	4.5	
Hydroxide, mg/l	<1.0	
Carbonate (2320/4500), mg/l	<1.0	
Dilution Factor	1	
Analysis Date	01.31.02	
Batch ID	AEW007	
Analyst	BE	

STL Pensacola

LOG NO: C2-01593

Received: 29 JAN 02

Reported: 12 FEB 02

Ms. Jacinta Tenorio
Pinnacle Laboratories
2709-D Pan American Freeway Northeast
Albuquerque, NM 87107

Project: 201109-AESE/SAN JUAN RIVER PLANT

Sampled By: Client

Code: 084120212

Page 2

REPORT OF RESULTS

LOG NO	SAMPLE DESCRIPTION , LIQUID SAMPLES	DATE/ TIME SAMPLED
01593-1	MW-9,0125020900/201109-02	01-25-02/09:00
PARAMETER	01593-1	
Nitrate-Nitrite, Nitrogen (353.2)		
Nitrate + Nitrite-N, mg/l	0.10	
Dilution Factor	1	
Analysis Date	02.06.02	
Batch ID	N3W08B	
Analyst	CR	
Sulfate as SO4 (375.4), mg/l	11000	
Dilution Factor	500	
Analysis Date	02.08.02	
Batch ID	SEW011	
Analyst	AB	
Metals, Dissolved (6010B)		
Calcium, Dissolved, mg/l	310	
Iron, Dissolved, mg/l	0.20	
Magnesium, Dissolved, mg/l	310	
Manganese, Dissolved, mg/l	8.0	
Potassium, Dissolved, mg/l	23	
Sodium, Dissolved, mg/l	5200	
Dilution Factor	1;100	
Prep Date	01.31.02	
Analysis Date	01.31.02	
Batch ID	PD014	
Prep Method	N/A	
Analyst	GSP	

SEVERN

TRENT

SERVICES

STL Pensacola

LOG NO: C2-01593

Received: 29 JAN 02

Reported: 12 FEB 02

Ms. Jacinta Tenorio
Pinnacle Laboratories
2709-D Pan American Freeway Northeast
Albuquerque, NM 87107

Project: 201109-AESE/SAN JUAN RIVER PLANT

Sampled By: Client

Code: 084120212

Page 3

REPORT OF RESULTS

LOG NO	SAMPLE DESCRIPTION , QC REPORT FOR LIQUID SAMPLES	DATE/ TIME SAMPLED
01593-2	Method Blank	
01593-3	Lab Control Standard % Recovery	
PARAMETER	01593-2	01593-3
Total Dissolved Solids (160.1), mg/l	<5.0	104 %
Dilution Factor	1	---
Prep Date	01.31.02	---
Analysis Date	02.01.02	---
Batch ID	TDW011	TDW011
Prep Method	160.1	---
Analyst	ST	---
Chloride (325.2/4500E/9251), mg/l	<2.0	103 %
Dilution Factor	1	---
Analysis Date	02.05.02	---
Batch ID	CKW007B	CKW007B
Analyst	CR	---
Alkalinity Series (2320B)		
Alkalinity (to pH 4.5) as CaCO ₃ , mg/l	<1.0	104 %
Bicarbonate (2320/4500), mg/l	<1.0	---
Carbon Dioxide, mg/l	<1.0	---
Hydroxide, mg/l	<1.0	---
Carbonate (2320/4500), mg/l	<1.0	---
Dilution Factor	1	---
Analysis Date	01.31.02	---
Batch ID	AEW007	AEW007
Analyst	BE	---

SEVERN

TRENT

SERVICES

STL Pensacola

LOG NO: C2-01593

Received: 29 JAN 02

Reported: 12 FEB 02

Ms. Jacinta Tenorio
Pinnacle Laboratories
2709-D Pan American Freeway Northeast
Albuquerque, NM 87107

Project: 201109-AESE/SAN JUAN RIVER PLANT

Sampled By: Client

Code: 084120212

Page 4

REPORT OF RESULTS

LOG NO	SAMPLE DESCRIPTION , QC REPORT FOR LIQUID SAMPLES	DATE/ TIME SAMPLED
01593-2	Method Blank	
01593-3	Lab Control Standard % Recovery	
PARAMETER	01593-2	01593-3
Nitrate-Nitrite, Nitrogen (353.2)		
Nitrate + Nitrite-N, mg/l	<0.10	105 %
Dilution Factor	1	---
Analysis Date	02.06.02	---
Batch ID	N3W08B	N3W08B
Analyst	CR	---
Sulfate as SO4 (375.4), mg/l	<5.0	90 %
Dilution Factor	1	---
Analysis Date	02.08.02	---
Batch ID	SEW011	SEW011
Analyst	AB	---
Metals, Dissolved (6010B)		
Calcium, Dissolved, mg/l	<0.50	96 %
Iron, Dissolved, mg/l	<0.10	97 %
Magnesium, Dissolved, mg/l	<0.50	94 %
Manganese, Dissolved, mg/l	<0.010	96 %
Potassium, Dissolved, mg/l	<1.0	91 %
Sodium, Dissolved, mg/l	<1.0	93 %
Dilution Factor	1	1
Prep Date	01.31.02	01.31.02
Analysis Date	01.31.02	01.31.02
Batch ID	PD014	PD014
Prep Method	N/A	N/A
Analyst	GSP	GSP

STL Pensacola

LOG NO: C2-01593

Received: 29 JAN 02

Reported: 12 FEB 02

Ms. Jacinta Tenorio
Pinnacle Laboratories
2709-D Pan American Freeway Northeast
Albuquerque, NM 87107

Project: 201109-AESE/SAN JUAN RIVER PLANT

Sampled By: Client

Code: 084120212

REPORT OF RESULTS


Page 5

LOG NO	SAMPLE DESCRIPTION , QC REPORT FOR LIQUID SAMPLES	DATE/ TIME SAMPLED
01593-2	Method Blank	
01593-3	Lab Control Standard % Recovery	

PARAMETER	01593-2	01593-3
-----------	---------	---------

These test results meet all the requirements of NELAC. All questions regarding this test report should be directed to the STL Project Manager who signed this test report.

See the Project Sample Inspection Form (PSIF) to determine if a sample was received that did not meet EPA requirements for sample collection, preservation, or holding time.


Lance Larson, Project Manager

Final Page Of Report

STL Pensacola PROJECT SAMPLE INSPECTION FORM



Lab Order #: C201593 Date Received: 1-29-02

- | | |
|--|--|
| <p>1. Was there a Chain of Custody? <u>Yes</u> No*</p> <p>2. Was Chain of Custody properly filled out and relinquished? Yes <u>No*</u></p> <p>3. Were samples received cold? <u>Yes</u> No* N/A
(Criteria: 2° - 6°C: STL-SOP)</p> <p>4. Were all samples properly labeled and identified? <u>Yes</u> No*</p> <p>5. Did samples require splitting or compositing*? Yes* <u>No</u>
Req By: PM Client Other*</p> <p>6. Were samples received in proper containers for analysis requested? <u>Yes</u> No*</p> <p>7. Were all sample containers received intact? <u>Yes</u> No*</p> | <p>8. Were samples checked for preservative? <u>Yes</u> No* N/A
(Check pH of all H₂O requiring preservative (STL-PN SOP 917) except VOA vials that require zero headspace)*</p> <p>9. Is there sufficient volume for analysis requested? Yes <u>No*</u> N/A (Can)</p> <p>10. Were samples received within Holding Time? <u>Yes</u> <u>No*</u></p> <p>11. Is Headspace visible > ¼" in diameter in VOA vials? If any headspace is evident, comment in out-of-control section. Yes* No <u>N/A</u></p> <p>12. If sent, were matrix spike bottles returned? Yes No* <u>N/A</u></p> <p>13. Was Project Manager notified of problems? (initials: <u>JK/PS/rf</u>) <u>Yes</u> No* N/A</p> |
|--|--|

Airbill Number(s): 12 878 168 01 4322 4639

Shipped By: WPS

Cooler Number(s): CLIENT

Shipping Charges: N/A

Cooler Weight(s): 24#

Cooler Temp(s) (°C): 2°C

(1129)

(LIST THERMOMETER NUMBER(S) FOR VERIFICATION)

Out of Control Events and Inspection Comments:

2. SAMPLES MW-5, 045021025/201109-01 & MW-8, 01250750/201109-03
WERE NOT RECEIVED WITH SHIPMENT. 1-29-02

9. REFER TO #2 1-29-02

10. SAMPLES FOR NND'S WERE RECEIVED OUT OF HOLD TIME. 1-29-02 N/A 1/29/02

PLI - 02 only sample sent per M.H.R. 1/29/02 Truf

(USE BACK OF PSIF FOR ADDITIONAL NOTES AND COMMENTS)

Inspected By: JK Date: 1-29-02 Logged By: LLK Date: 29-JAN-02

- * Note all Out-of-Control and/or questionable events on Comment Section of this form. For holding times, the analytical department will flag immediate hold time samples (pH, Dissolved O₂, Residual CL) as out of hold time, therefore, these samples will not be documented on this PSIF.
- If Other, note who requested the splitting or compositing of samples on the Comment Section of this form. All volatile samples requested to be split or composited must be done in the Volatile Lab. Document: "Volatile sample values may be compromised due to sample splitting (compositing)"
- * All preservatives for the State of North Carolina, the State of New York, and other requested samples are to be recorded on the sheet provided to record pH results (STL-SOP 938, section 2.2.9).
- * According to EPA, ¼" of headspace is allowed in 40 ml vials requiring volatile analysis, however, STL makes it policy to record any headspace as out-of-control (STL-SOP 938, section 2.2.12).

Network Project Manager: Jacinta A. Tenorio

Jacinta A. Tenorio

Pinnacle Laboratories, Inc.

2709-D Pan American Freeway, NE

Albuquerque, New Mexico 87107

(505) 344-3777 Fax (505) 344-4413

Please filter & preserve samples for dissolved metals.

C-201593

SAMPLE ID	DATE	TIME	MATRIX	LAB ID
NW-5, 012502425	1/25/09-01	1025	AQ	
NW-9, 0125020900	201109-02	0900	↓	
NW-8, 01250750	201109-03	0750	↓	

[illegible]

ANALYSIS REQUEST

[illegible]

PROJECT INFORMATION			SAMPLE RECEIPT		SAMPLES SENT TO:		RELINQUISHED BY:		RELINQUISHED BY:	
PROJECT #:	201109		Total Number of Containers		PENSACOLA - STL-FL		Signature:	Time:		
PROJ. NAME:	AEE		Chain of Custody Seals		ESL - OR		<i>Monica Jones</i>	1700		
QCC LEVEL:	STD.	IV	Received Intact?		STL - CT		Printed Name:	Date:		
QCC REQUIRED:	MS	MSD	Received Good Cond./Cold		ATEL - AZ		<i>Monica Jones</i>	1/28/02		
STAT:	STANDARD	RUSH!!	LAB NUMBER:		ATEL - MARION		Pinnacle Laboratories, Inc.		Company	
					ATEL - MELMORE		RECEIVED BY:		RECEIVED BY:	
					BARRINGER		Signature:	Time:		
					ENVIRO TEST LABS		<i>Adrian</i>	1325		
					WCAS		Printed Name:	Date:		
					WOHL		<i>F. L. Bures</i>	1-29-02		
							Company	S.M. S.		
COMMENTS:										
DUE DATE:			2/11							
RUSH SURCHARGE:			-							
CLIENT DISCOUNT:			-							
SPECIAL CERTIFICATION										
REQUIRED: YES/NO										

SHADED AREAS ARE FOR LAB USE ONLY.

PROJECT MANAGER:				ANALYSIS REQUEST																										
COMPANY: ABSE																														
ADDRESS: 9065 antyambld ste D																														
PHONE: Farmingdale NM 87401																														
FAX: 505 566 9116																														
BILL TO: 505 566 9120																														
COMPANY: BPTS Scott Pope																														
ADDRESS: _____																														
SAMPLE ID	DATE	TIME	MATRIX	LAB ID	Petroleum Hydrocarbons (418.1) TRPH	(MOD.8015) Diesel/Direct Inject	(M8015) Gas/Purge & Trap	8021 (BTEX)/8015 (Gasoline) MTBE	8021 (BTEX) MTBE	8021 (TCL)	8021 (EDX)	8021 (HALO)	8021 (CUST)	504.1 EDB / DBCP	8260 (TCL) Volatile Organics	8260 (Full) Volatile Organics	8260 (CUST) Volatile Organics	8260 (Landfill) Volatile Organics	Pesticides /PCB (608/8081/8082)	Herbicides (615/8151)	Base/Neutral/Acid Compounds GC/MS (625/8270)	Polynuclear Aromatics (610/8310/8270-SIMS)	General Chemistry: Lynn Chen	Priority Pollutant Metals (13)	Target Analyte List Metals (23)	RCRA Metals (8)	RCRA Metals by TCLP (Method 1311)	Metals:	NUMBER CONTAINERS	
mw-5, 0126021025	1/25/02	1025	W	201					X						X									X						2
mw-9, 0126020400	1/25/02	0900	W	202					X						X									X						3
mw-8, 01250750	1/26/02	0750	W	203					X						X									X						2
TAIL BLANK	01.21	1630	AG	204																										1

PROJECT INFORMATION		PRIOR AUTHORIZATION IS REQUIRED FOR RUSH PROJECTS		RELINQUISHED BY:	
PROJ. NO.: 6204	(RUSH) ☐ 24hr ☐ 48hr ☐ 72hr ☐ 1 WEEK (NORMAL) ☒	Signature: [Signature]	Time: 1600	Signature: _____	Time: _____
PROJ. NAME: Santivan River	Application REQUIRED: ☐ NM ☐ SDWA ☐ OTHER	Printed Name: M.T. Nee	Date: 1/25/02	Printed Name: _____	Date: _____
P.O. NO.: _____	METHANOL PRESERVATION ☐	Company: _____	See reverse side (Force Majeure)	Company: _____	
SHIPPED VIA: Greyhound		COMMENTS: Fixed Fee		RECEIVED BY (LAB)	
SAMPLE RECEIPT				Signature: [Signature]	Time: 1336
NO CONTAINERS	910			Printed Name: [Signature]	Date: 1/26/02
CUSTODY SEALS	910			Pinnacle Laboratories Inc.	
RECEIVED INTACT	910				
BLUE ICE	910				

PLEASE FILL THIS FORM IN COMPLETELY.