

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

MAY 22 2008

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

1RP-1719

OPERATOR

☐ Initial Report

XX Final Report

Name of Company	Plains Marketing, L. P.	Contact	Camille Bryant
Address	3112 W. US Hwy 82, Lovington, NM 88260	Telephone No.	(575) 441-0965
Facility Name	RAMSEY "C" 4 AND 6 INCH	Facility Type	6" Steel Pipeline
SRS:	2008-004		

Surface Owner.	Legacy Resources	Mineral Owner.		Lease No.	
----------------	------------------	----------------	--	-----------	--

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
I	24	25S	37E					Lea

Latitude 32° 06' 45.7" North Longitude 103° 06' 41.8" West.

NATURE OF RELEASE

Type of Release	Crude Oil	Volume of Release	20 barrels	Volume Recovered	1 barrels
Source of Release	6-inch Steel Pipeline	Date and Hour of Occurrence	04 Jan 08 @ 1130	Date and Hour of Discovery	04 Jan 08 @ 1145
Was Immediate Notice Given?	XX Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	Pat Richards		
By Whom?	Camille Bryant	Date and Hour	04 Jan 08 @ 1425		
Was a Watercourse Reached?	<input type="checkbox"/> Yes XX <input type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			



If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.* During purging activities Plains operations personnel discovered a leak in the 6 inch pipeline resulting in release of crude oil. A clamp was installed on the line to mitigate the crude oil release. The line is idled; therefore, pressure and volume are not applicable.

Describe Area Affected and Cleanup Action Taken.* The crude oil release site was excavated; the impacted soil placed on a poly-liner adjacent to the excavation, confirmation soil samples were collected from the floor of the excavation. Once the excavation confirmation soil samples were below NMOCD regulatory standards, transporting of the approximately 250 cubic yards of stockpiled material to LSLF was conducted with clean backfill (250 cy3) transported from LSLF to the site. The approximately 300 cubic yards of on-site stockpiled material was utilized as backfill and the site contoured to the original surrounding rangeland topography. Reseeding with approved grass seed will be conducted as prescribed by the landowner.

SEE ATTACHED BASIN ENVIRONMENTAL SERVICE TECHNOLOGIES CLOSURE REQUEST, DATED 22 MAY 08, WITH ATTACHMENTS FOR DETAILS OF REMEDIAL ACTIVITIES CONDUCTED.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases, which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Camille Bryant	Approved by District Supervisor:  ENVIRONMENTAL ENGINEER	
Title: Remediation Coordinator	Approval Date: 5-27-08	Expiration Date: —
E-mail Address: cjbryant@paalp.com	Conditions of Approval: —	1RP-1719
Date: 22 May 2008 Phone: (575) 441-0965		

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

x Initial Report ☐ Final Report

Name of Company Plains Pipeline, LP	Contact Camille Reynolds	
Address 3112 West US Hwy 82, Lovington, NM 88260	Telephone No. 505-441-0965	
Facility Name Ramsey "C" 4 and 6 Inch	Facility Type 6" Steel Pipeline	
Surface Owner Legacy Reserve	Mineral Owner	Lease No.

LOCATION OF RELEASE

Unit Letter I	Section 24	Township 25S	Range 37E	Feet from the	North/South Line	Feet from the	East/West Line	County Lea
------------------	---------------	-----------------	--------------	---------------	------------------	---------------	----------------	---------------

Latitude 32° 06' 45.7" Longitude 103° 06' 41.8"

NATURE OF RELEASE

Type of Release Crude Oil	Volume of Release 20 barrels	Volume Recovered 1 barrel
Source of Release 6" Steel Pipeline	Date and Hour of Occurrence 01/04/2008 @ 11:30	Date and Hour of Discovery 01/04/2008 @ 11:45
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Pat Richards	
By Whom? Camille Reynolds	Date and Hour 01/04/2008 @ 14:25	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

RECEIVED

If a Watercourse was Impacted, Describe Fully.*

JAN 15 2008

HOBBS OCD

Describe Cause of Problem and Remedial Action Taken.* During purging activities discovered leak in the 6 inch pipeline resulting in release of crude oil. A clamp was installed on the line to mitigate the release. The line is idle so information concerning volume and pressure is unavailable.

Describe Area Affected and Cleanup Action Taken.* The impacted soil was excavated and stockpiled on plastic. Aerial extent of surface impact was approximately 6,500 square feet.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Camille Reynolds</i>	OIL CONSERVATION DIVISION	
Printed Name: Camille Reynolds	Approved by District Supervisor: <i>Pat Richards</i> COMPLIANCE OFFICER	
Title: Remediation Coordinator	Approval Date: 1/15/08	Expiration Date: 3/15/08
E-mail Address: cjreynolds@paalp.com	Conditions of Approval: analytical data & final report due by:	Attached <input type="checkbox"/>
Date: 01/09/2008	Phone: 505-441-0965	

* Attach Additional Sheets If Necessary

RP#1719

Basin Environmental Service Technologies, LLC

2800 Plains Highway
P. O. Box 301
Lovington, New Mexico 88260
kdutton@basinenv.com
Office: (575) 396-2378 Fax: (575) 396-1429



MAY 22 2008

HOBBS OCD

22 May 2008

Mr. Larry Johnson
New Mexico Energy, Minerals and Natural Resources Department
New Mexico Oil Conservation Division, District 1
1625 N. French Drive
Hobbs, New Mexico 88240

Re: Closure Request, Ramsey "C" 4 and 6 Inch (231735)
Plains Marketing, L. P. Preliminary Site Investigation Report and
Remediation/Closure Plan, dated 04 March 2008
Unit I (NE ¼, SE ¼) Section 24, Township 25 South, Range 37 East
Lea County, New Mexico
Plains SRS Number: 2008-004
NMOCD File Number: IRP-1719

Dear Mr. Johnson:

Basin Environmental Service Technologies, LLC (Basin), on behalf of Plains Marketing, L. P. (Plains), is submitting this request for closure of the idled Ramsey "C" 4 and 6 Inch remediation site at the above referenced location. Soil remediation activities were successfully accomplished as proposed in the New Mexico Oil Conservation Division (NMOCD) approved Preliminary Site Investigation Report and Remediation/Closure Plan, dated 04 March 2008.

In January 2008, Basin mobilized to the idled Ramsey "C" 4 and 6 Inch crude oil release site responding to a crude oil release for Plains. Plains operations personnel contained the crude oil release by utilizing a pipeline repair clamp. Upon arrival at the release site, Basin initiated excavation of the release point and flow path area with the impacted soil stockpiled on a 6-mil poly liner adjacent to the site. As reported on the initial C-141, dated 09 January 2008, approximately 20 barrels of crude oil were released and 1 barrel was recovered. The NMOCD ranking criteria for the idled Ramsey "C" 4 and 6 Inch release site was 0 – 9, which sets the soil remediation levels for benzene, toluene, ethylbenzene, and xylenes (BTEX), and total petroleum hydrocarbons – gasoline range organics/diesel range organics (TPH-GRO/DRO) at 10 mg/kg for benzene, 50 mg/kg for total BTEX and 5000 mg/kg for TPH-GRO/DRO.

The following NMOCD approved remedial activities were accomplished at the idled Ramsey "C" 4 and 6 Inch release site:

- In January 2008, Basin conducted excavation activities at the release point and flow path area. The final dimensions of the excavated area were approximately 130 feet long by 50 feet wide and ranged in depth from approximately 1.5 to 3 feet below ground surface (bgs). The impacted soils were placed on a 6-mil poly-liner adjacent to the excavation for future remedial activities. Approximately 250 cubic yards of impacted soil and approximately 300 cubic yards of segregated overburden were excavated and stockpiled on-site. See attached Figure 2, Excavation Site Map.
- On 22 January 2008, five (5) confirmation soil samples were collected from the floor and walls of the excavation ranging in depth from approximately 1.5 to 3 feet bgs. Soil samples were analyzed for constituent concentrations of BTEX and TPH-GRO/DRO. Laboratory results indicated that constituent concentrations of BTEX were not detected above laboratory method detection limits for five (5) soil samples. Laboratory results indicated that constituent concentrations of TPH-GRO/DRO were either not detected above laboratory method detection limits for the soil samples or were reported significantly below NMOCD regulatory standards for the five (5) soil samples. Based on the laboratory results, no further excavation was warranted.
- A Preliminary Site Investigation Report and Remediation/Closure Plan (PSIR R/CP), dated 04 March 2008, was submitted to NMOCD Hobbs District I and subsequently approved. The approved plan included no further excavation activities based on laboratory results from excavation and soil sampling activities, the approximately 250 cubic yards of impacted soil would be transported to Lea Station Land Farm (LSLF) and clean backfill material would be transported to the site to be utilized as backfill material. Additionally, the approximately 300 cubic yards of segregated overburden would be utilized as backfill. Upon completion of backfilling the excavation, contour the excavation to the surrounding rangeland grade and reseed the site with approved landowner grass seed.
- In March 2008, in accordance with the approved NMOCD Basin PSIR R/CP, the approximately 250 cubic yards of impacted soil was transported to LSLF with clean backfill transported to the site and utilized as backfill. The approximately 300 cubic yards of segregated overburden on-site was utilized as backfill as indicated in the approved Basin PSIR R/CP. Backfilling of the excavation was completed in April 2008 and the excavation was contoured to the surrounding rangeland grade. Reseeding of the limited disturbed area will be accomplished with approved landowner grass seed.

The remediation activities were completed in accordance with the NMOCD approved Plains Marketing, L. P., Preliminary Site Investigation Report and Remediation/Closure

Plan, dated 04 March 2008. Based on the results of the NMOCD approved remediation activities conducted at the idled Ramsey "C" 4 and 6 Inch release site, Basin, on behalf of Plains, requests that the NMOCD consider the soil issue at this site eligible for closure under the *New Mexico Oil Conservation Division Guidelines for Remediation of Leaks, Spills and Releases (1993)*.

Should you have any questions or comments, please contact me at (505) 441-2124.

Sincerely,

A handwritten signature in black ink, appearing to read "Ken Dutton", with a stylized flourish extending from the end.

Ken Dutton

Basin Environmental Services

Attachments: Table 1, Soil Chemistry Results
Figure 2, Excavation Site Map
Figure 3, Excavation Site Map & Soil Sampling Locations
Digital Photos
NMOCD C-141 (Initial)
NMOCD C-141 (Final)

cc: Mr. Kent Williams, Legacy Reserve

TABLE 1

SOIL CHEMISTRY RESULTS

PLAINS MARKETING, L.P.
 RAMSEY "C" 4 & 6 INCH
 LEA COUNTY, NEW MEXICO

SRS: 2008-004


NMOCD REFERENCE NO: 1RP-1719

SAMPLE LOCATION	SAMPLE DEPTH (Below normal surface grade)	SAMPLE DATE	DATE ANALYZED	SOIL STATUS	METHOD: EPA SW 846-8021B, 5030				METHOD: 8015M		TOTAL TPH
					BENZENE	TOLUENE	ETHYL-BENZENE	XYLENE	GRO	DRO	
					(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
W Stockpile	N/A	01/22/08	01/24/08	Stockpile	0.316	11.1	12.2	52.1	1220	11,100	12,320
E Stockpile	N/A	01/22/08	01/24/08	Stockpile	<0.020	0.290	0.610	2.97	144	1170	1314
R. Point	3' bgs	01/22/08	01/24/08	In-Situ	<0.010	<0.010	<0.010	<0.010	6.25	<50	6
SE Floor	1.5' bgs	01/22/08	01/24/08	In-Situ	<0.010	<0.010	<0.010	<0.010	3.42	<50	3
NE Floor	1.5' bgs	01/22/08	01/24/08	In-Situ	<0.010	<0.010	<0.010	<0.010	1.08	<50	1
SW Floor	1.5' bgs	01/22/08	01/24/08	In-Situ	<0.010	<0.010	<0.010	<0.010	<1	<50	<50
NW Floor	1.5' bgs	01/22/08	01/24/08	In-Situ	<0.010	<0.010	<0.010	<0.010	<1	<50	<50
NMOCD Criteria					10	TOTAL BTEX 50					5000



Plains Marketing, L.P.
Ramsey "C" 4 and 6 Inch
NE/SE S24, T25S, R37E
Lea County, New Mexico
SRS: 2008-004
NMOCD Ref No. 1RP-1719

Stockpiled Material




TITLE	Figure 2 Excavation Site Map
DRAWN BY	Basin Environmental Services kad



Plains Marketing, L.P.
Ramsey "C" 4 and 6 Inch
NE/SE S24, T25S, R37E
Lea County, New Mexico
SRS: 2008-004
NMOCD Ref No. 1RP-1719

Stockpiled Material



TITLE	Figure 3 Excavation Site Map – Soil Sampling Locations
DRAWN BY	Basin Environmental Services kad

Plains Marketing, L. P.
Ramsey "C" 4 and 6 Inch
NE/SE S24, T25S, R37E
Lea County, NM
Plains SRS: 2008-004
NMOCD Ref No: IRP-1719

01/27/2008

Plains Marketing, L. P.
Ramsey "C" 4 and 6 Inch
NE/SE S24, T25S, R37E
Lea County, NM

Plains SRS: 2008-004

NMOC Ref No: HRP-1719

01/27/2008

Plains Marketing, L. P.
Ramsey "C" 4 and 6 Inch
NE/SE S24, T25S, R37E
Lea County, NM
Plains SRS: 2008-004
NMOCD Ref No: 1RP-1719



01/25/2008

Plains Marketing, L. P.
Plains "C" 4 and 6 Inch
Ramsey "C" 4 and 6 Inch
NE/SE S24, T25S, R37E
Lea County, 2008-004
Plains SRS: 1RP-1719
NMOCD Ref No: 1

01/25/2008

Plains Marketing, L.P.
Ramsey "C" 4 & 6 Hch
NE/SE S24, T25S, R37E
Lea County, NM
Plains SRS: 2008-004
NMOC'D Ref No: 1RP-1719

12/18/2007

Plains Marketing, L.P.
Ramsey "C" 4 & 6-inch
NESE S24, T25S, R37E
Lea County, NM
Plains SRS: 2008-004
NMOC D Ref No: 1RP-1719

12/18/2007

Plains Marketing Corp.
Ramsey, "C" 4 & 6-Inch
NE/SE S24, T25S, R37E
Lea County, NM

Plains SRS: 2008-004

NMOCD Ref No: IRP-1719

12/18/2007