

**GW – 352**

**GENERAL  
CORRESPONDENCE**

**YEAR(S): 2008 - 2012**

# STATE OF NEW MEXICO

## County of San Juan:

CONNIE PRUITT, being duly sworn  
That she is the ADVERTISING DIRECTOR  
THE DAILY TIMES, a daily newspaper  
general circulation published in English  
Farmington, said county and state, and  
the hereto attached Legal Notice  
published in a regular and entire issue of  
said DAILY TIMES, a daily newspaper  
qualified for the purpose within the meaning  
Chapter 167 of the 1937 Session Laws of  
State of New Mexico for publication  
appeared in The Daily Times on the following  
June 6/28, 2008

And the cost of the publication is \$ 381.

ON 6/30/08 CONNIE PRUITT  
appeared before me, whom I know personally  
to be the person who signed the above  
document.

*Christine Sellers*  
My Commission Expires 11/05/11

### ATENCIÓN PÚBLICA

Williams Four Corners, LLC, County Road 4900, Bloomfield, NM 87413, han presentado una aplicación de renovación en el mes de mayo del 2008 a la New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division para la descarga antes aprobada planean GW-352 para su Cabresto Compressor Station localizada en el NE/4, NE/4 de la Sección 19, Municipio 30 Norte, Recorren 4 Oeste en Rio Arriba County, New Mexico. La instalación, este de aproximadamente 39 millas localizado de Bloomfield, proporciona servicios de acondicionamiento y compresión de gas naturales.

El plan de descarga se dirige como las caídas, los agujeros, y otras descargas casuales a la superficie serán manejados. Los materiales típicos generados o usados en la instalación incluyen el echar agua condensado/producir de gas natural, el petróleo de lubricación nuevo y usado, echar agua de desecho aceitoso del equipo se lavan abajo, y glicol. La cantidad de wastewater generado es 100 - 5000 galones por año por motor. La instalación no descarga para revestir o subrevestir los echares agua. Toda la basura generada será temporalmente almacenada en tanques o contenedores equipados con la contención secundaria. La basura transportó offsite será dispuesto o reciclado en una instalación permitida por la agencia estatal, federal, o tribal recibir tal basura. Se espera que la profundidad de agua subterránea estimada en el sitio esté en la variedad de 100-400 pies. El total se disolvió se espera que la concentración de sólidos del agua subterránea de área esté en la variedad de 200-2,000 partes por millón.

Cualquier persona interesada o personas pueden obtener la información, presentar comentarios o solicitar para ser colocado en una lista de direcciones específica de instalación para futuros avisos por ponerse en contacto con Leonard Lowe en el Nuevo México OCD en 1220 Sur San, Francis Drive, Santa Fe, Nuevo México 87505, Teléfono (505) 476-3492. El OCD aceptará comentarios y declaraciones del interés en cuanto a la renovación y creará una lista de direcciones específica de instalación para personas que desean recibir futuros avisos.

### PUBLIC NOTICE

Williams Four Corners, LLC, 188 County Road 4900, Bloomfield, New Mexico 87413, submitted a renewal application in May 2008 to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division for the previously approved discharge plan GW-352 for their Cabresto Compressor Station located in the NE/4, NE/4 of Section 19 Township 30 North, Range 4 West in Rio Arriba County, New Mexico. The facility, located approximately 39 miles east of Bloomfield, provides natural gas compression and conditioning services.

The discharge plan addresses how spills, leaks, and other accidental discharges to the surface will be managed. Typical materials generated or used at the facility include natural gas condensate/produced water, new and used lube oil, oily waste water from equipment wash down, and glycol. The quantity of wastewater generated is 100 - 5000 gallons per year per engine. The facility does not discharge to surface or subsurface waters. All wastes generated will be temporarily stored in tanks or containers equipped with secondary containment. Waste shipped offsite will be disposed or recycled at a facility permitted by state, federal, or tribal agency to receive such waste. The estimated ground water depth at the site is expected to be in the range of 100-400 feet. The total dissolved solids concentration of area ground water is expected to be in the range of 200-2,000 parts per million.

Any interested person or persons may obtain information, submit comments or request to be placed on a facility-specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3492. The OCD will accept comments and statements of interest regarding the renewal and will create a facility-specific mailing list for persons who wish to receive future notices.

THE  
**DAILY TIMES**  
FARMINGTON, NEW MEXICO  
THE FOUR CORNERS INFORMATION LEADER

PO Box 450 Farmington, NM 87499

Date: 06/26/08

OIL CONSERVATION DIVISION

**OIL CONSERVATION DIVISIO**  
1220 SOUTH ST. FRANCIS DRIVE  
SANTA FE, NM 87505  
(505) 476-3440

Ad#	Publication	Class	Start	Stop	Times	AS/400 Acct
1001016754	FARMINGTO	0152 - Legal Notices	06/25/2008	06/25/2008	1	781442
1001016754	FARMINGTO	0152 - Legal Notices	06/25/2008	06/25/2008	1	781442
<b>Total Cost:</b>						\$221.86
<b>Payment:</b>						\$0.00
<b>Balance Due:</b>						\$221.86

TEXT:

NOTICE OF PUBLICATIONSTATE OF NEW MEXICOENERGY, MINERALS AND NAT

RECEIVED  
2008 JUN 30 PM 2 12

Please include Ad number on your payment.

# AFFIDAVIT OF PUBLICATION

Ad No. 60354

## STATE OF NEW MEXICO County of San Juan:

BOB WALLER, being duly sworn says: That he is the CLASSIFIED MANAGER of THE DAILY TIMES, a daily newspaper of general circulation published in English at Farmington, said county and state, and that the hereto attached Legal Notice was published in a regular and entire issue of the said DAILY TIMES, a daily newspaper duly qualified for the purpose within the meaning of Chapter 167 of the 1937 Session Laws of the State of New Mexico for publication and appeared in the Internet at The Daily Times web site on the following day(s):

Wednesday June 25, 2008

And the cost of the publication is \$221.86

ON 6/26/08 BOB WALLER appeared before me, whom I know personally to be the person who signed the above document.

*Christine Sellers*

My Commission Expires - 11/05/11

## COPY OF PUBLICATION

### NOTICE OF PUBLICATION

#### STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DE PARTMENT OIL CONSERVATION DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations (20.6.2.3106 NMAC), the following discharge permit application(s) has been submitted to the Director of the New Mexico Oil Conservation Division ("NMOCD"), 1220 S. Saint Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3440:

(GW-149) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their El Cedro Gas plant and compressor station, located in the NE/4 NW/4 of Section 31, Township 29 North, Range 5 West, NMPM, Rio Arriba County, approximately 24 miles east of Blanco, New Mexico. The function of the facility is to remove CO<sub>2</sub> from a portion of the incoming natural gas using an amine treating system, to dehydrate portions of the incoming natural gas, and to compress the treated natural gas for pipeline transmission using compressors. Approximately 100-5000 gal/yr/unit of waste/wash down water; 1000-4000 bbl/year of used glycol; 500-2000 gal/year/engine of used oil and 200 gal/year of lab waste are generated and stored in onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 20-300 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-352) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their Cabresto compressor station, located in the NE/4 NE/4 of Section 19, Township 30 North, Range 4 West, NMPM, Rio Arriba County, approximately 39 miles east of Bloomfield, New Mexico. The facility provides metering and compression services to various producers for the gathering of natural gas for treatment and delivery. Approximately 100-5000 gal/year/unit of waste/wash down water; 1000-4000 bbl/year of used glycol and 500-2000 gal/year/engine of used oil are generated and stored in onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100-400 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

The NMOCD has determined that the application is administratively complete and has prepared a draft permit. The NMOCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further information, submitting comments or requesting to be on a facility-specific mailing list for future notices may contact the Environmental Bureau Chief of the Oil Conservation Division at the address given above. The administrative completeness determination and draft permit may be viewed at the above address between

205 W. A

BUS

Annual Subscription  
\$20

HOME PHONE

CITY

NAME

latest receive...  
UR generation  
living longer  
lead our  
zed to know  
industry

THE SANTA FE  
**NEW MEXICAN**  
Founded 1849

NM EMNRD OIL CONSERV  
1220 S ST FRANCIS DR  
SANTA FE NM 87505

ALTERNATE ACCOUNT: 56689  
AD NUMBER: 00259411 ACCOUNT: 00002212  
LEGAL NO: 85560 P.O. #: 52100-00000075  
328 LINES 1 TIME(S) 286.16  
AFFIDAVIT: 7.00  
TAX: 23.27  
TOTAL: 316.43

**NOTICE OF  
PUBLICATION**

STATE OF NEW MEX-  
ICO  
ENERGY, MINERALS  
AND NATURAL RE-  
SOURCE DEPART-  
MENT  
OIL CONSERVATION  
DIVISION

Notice is hereby given  
that pursuant to New  
Mexico Water Quality  
Control Commission  
Regulations  
(20.6.2.3106 NMAC),  
the following dis-  
charge permit appli-  
cation(s) has been  
submitted to the Di-  
rector of the New  
Mexico Oil Conserva-  
tion Division  
("NMOCD"), 1220 S.  
Saint Francis Drive,  
Santa Fe, New Mexico  
87505, Telephone  
(505) 476-3440:

(GW-283) Southern  
Union Gas L.P., 301  
Commerce Street,  
Suite 700, Fort Worth  
TX, 76102, has submit-  
ted an application for  
their previously ap-  
proved discharge  
plan for their Jal  
south compressor  
station, located in the  
letter F of Section 33,  
Township 25 South,  
Range 37 East, NMPM,  
Lea County, New Mex-  
ico. The facility com-  
presses field gas, re-  
moves excess liquids,  
measures gas volume  
and transports the  
gas to pipelines. Ap-  
proximately 100 - 200  
gal/month of used oil,  
75 - 100 gal/month of  
wash/storm water,  
and 50 - 100  
bbls/month of gas liq-  
uids from scrubbers  
will be stored onsite  
in sufficiently bermed  
containers. Product  
and waste streams  
are to be properly  
designated and iden-  
tified. Groundwater  
most likely to be af-  
fected by a spill, leak  
or accidental dis-  
charge is at a depth

**AFFIDAVIT OF PUBLICATION**

STATE OF NEW MEXICO  
COUNTY OF SANTA FE


I, L. Paquin, being first duly sworn declare and say that I am Legal  
Advertising Representative of THE SANTA FE NEW MEXICAN, a daily  
newspaper published in the English language, and having a general  
circulation in the Counties of Santa Fe and Los Alamos, State of New  
Mexico and being a newspaper duly qualified to publish legal notices and  
advertisements under the provisions of Chapter 167 on Session Laws of  
1937; that the publication # 85560 a copy of which is hereto attached was  
published in said newspaper 1 day(s) between 06/26/2008 and 06/26/2008  
and that the notice was published in the newspaper proper and not in any  
supplement; the first date of publication being on the 26th day of June, 2008  
and that the undersigned has personal knowledge of the matter and things  
forth in this affidavit.

/s/ L. Paquin  
LEGAL ADVERTISEMENT REPRESENTATIVE

Subscribed and sworn to before me on this 26th day of June, 2008

Notary Paula Anne Beach

Commission Expires: May 31, 2011



RECEIVED  
2008 JUN 30 PM 2 14

of approximately 100 feet, with a total dissolved solids concentration of approximately 775 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-149) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their El Cedro Gas plant and compressor station, located in the NE/4 NW/4 of Section 31, Township 29 North, Range 5 West, NMPM, Rio Arriba County, approximately 24 miles east of Blanco, New Mexico. The function of the facility is to remove CO2 from a portion of the incoming natural gas using an amine treating system, to dehydrate portions of the incoming natural gas, and to compress the treated natural gas for pipeline transmission using compressors. Approximately 100-5000 gal/year/unit of waste/wash down water; 1000-4000 bbl/year of used glycol; 500-2000 gal/year/engine of used oil and 200 gal/year of lab waste are generated and stored in onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 20-300 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-352) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist,

mately 39 miles east of Bloomfield, New Mexico. The facility provides metering and compression services to various producers for the gathering of natural gas for treatment and delivery. Approximately 100-5000 gal/year/unit of waste/wash down water; 1000-4000 bbl/year of used glycol and 500-2000 gal/year/engine of used oil are generated and stored in onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100-400 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

The NMOCD has determined that the application is administratively complete and has prepared a draft permit. The NMOCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further information, submitting comments or requesting to be on a facility-specific mailing list for future notices may contact the Environmental Bureau Chief of the Oil Conservation Division at the address given above. The administrative completeness determination and draft permit may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday, or may also be viewed at the NMOCD web site <http://www.emnrd.state.nm.us/ocd/>. Persons interested in obtaining a copy of the application and draft permit may contact the NMOCD at the address given above. Prior to ruling on any

the reasons why a hearing should be held. A hearing will be held if the Director determines that there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed permit based on information available, including all comments received. If a public hearing is held, the director will approve or disapprove the proposed permit based on information in the permit application and information submitted at the hearing.

Para obtener más información sobre esta solicitud en español, sirvase comunicarse por favor: New Mexico Energy, Minerals and Natural Resources Department (Depto. Del Energía, Minerals y Recursos Naturales de Nuevo México), Oil Conservation Division (Depto. Conservación Del Petróleo), 1220 South St. Francis Drive, Santa Fe, New Mexico (Contacto: Dorothy Phillips, 505-476-3461)

GIVEN under the Seal of New Mexico: Oil Conservation Commission at Santa Fe, New Mexico, on this 20th day of June 2008.

STATE OF NEW MEXICO  
OIL CONSERVATION  
DIVISION  
S E A L  
Mark Fesmire,  
Director  
Legal No. 85560  
Pub. June 26, 2008

David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their El Cedro Gas plant and compressor station, located in the NE/4 NW/4 of Section 31, Township 29 North, Range 5 West, NMPM, Rio Arriba County, approximately 24 miles east of Blanco, New Mexico. The function of the facility is to remove CO2 from a portion of the incoming natural gas using an amine treating system, to dehydrate portions of the incoming natural gas, and to compress the treated natural gas for pipeline transmission using compressors. Approximately 100-5000 gal/year/unit of waste/wash down water; 1000-4000 bbl/year of used glycol; 500-2000 gal/year/engine of used oil and 200 gal/year of lab waste are generated and stored in onsite within a bermed area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 20-300 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

(GW-352) Williams Four Corners., Mr. David Bays, Senior Environmental Specialist, 188 County Road 4900, Bloomfield, N.M. 87413, has submitted a renewal application for the previously approved discharge plan for their Cabresto compressor station, located in the NE/4 NE/4 of Section 19, Township 30 North, Range 4 West, NMPM, Rio Arriba County, approxi-

area prior to disposal at an NMOCD approved facility. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 100-400 feet, with a total dissolved solids concentration of approximately 200 - 2000 mg/l. The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

The NMOCD has determined that the application is administratively complete and has prepared a draft permit. The NMOCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further information, submitting comments or requesting to be on a facility-specific mailing list for future notices may contact the Environmental Bureau Chief of the Oil Conservation Division at the address given above. The administrative completeness determination and draft permit may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday, or may also be viewed at the NMOCD web site <http://www.emnrd.state.nm.us/ocd/>. Persons interested in obtaining a copy of the application and draft permit may contact the NMOCD at the address given above. Prior to ruling on any proposed discharge permit or major modification, the Director shall allow a period of at least thirty (30) days after the date of publication of this notice, during which interested persons may submit comments or request that NMOCD hold a public hearing. Requests for a public hearing shall set forth

based on information in the permit application and information submitted at the hearing.

Para obtener más información sobre esta solicitud en español, sírvase comunicarse por favor: New Mexico Energy, Minerals and Natural Resources Department (Depto. Del Energia, Minerales y Recursos Naturales de Nuevo México), Oil Conservation Division (Depto. Conservación Del Petróleo), 1220 South St. Francis Drive, Santa Fe, New Mexico (Contacto: Dorothy Phillips, 505-476-3461)

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 20th day of June 2008.

STATE OF NEW MEXICO  
OIL CONSERVATION  
DIVISION  
SEAL  
Mark Fesmire,  
Director  
Legal No. 85560  
Pub. June 26, 2008