

GW – 109R

**ANNUAL
MONITORING
REPORT**

2/20/2009



Cypress Engineering

7171 Highway 6 North, Suite 102
Houston, Texas 77095-2422

(281) 797-3420, office
(281) 859-1881, fax

February 20, 2009

2009 FEB 23 AM 9 25

Mr. Glenn von Gonten
Environmental Bureau
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: Report of Groundwater Remediation Activities
Transwestern Pipeline Company - WT-1 Station Engine Room Drain Pit Area
Lea County, New Mexico
Case # GW-109R

Dear Glenn,

The enclosed Report of Groundwater Remediation Activities is submitted for your review and files.

If you have any questions or comments regarding this report, please contact me at (281) 797-3420 or Larry Campbell at (505) 625-8022.

Sincerely,

George C. Robinson, PE
President/Principal Engineer

xc w/attachment: Mike Crump
Larry Campbell
Larry Johnson

Transwestern Pipeline Company
Transwestern Pipeline Company
NMOCD Hobbs District Office

Report of Groundwater Remediation Activities

**Transwestern Pipeline Company
WT-1 Compressor Station
Engine Room Drain Pit Area
Lea County, New Mexico**

Case # GW-109R

**Submitted to:
New Mexico Oil Conservation Division**

February 20, 2009

**Prepared For:
Transwestern Pipeline Company
6381 North Main Street
Roswell, NM 88201**

**Prepared by:
Cypress Engineering Services, Inc.
7171 Highway 6 North, Suite 102
Houston, Texas 77095-2422**

TABLE OF CONTENTS

Section	Page
1. Groundwater Monitoring Activities.....	1
1.1 Semi-Annual Groundwater Sampling Events.....	1
1.2 Results/Conclusions from Groundwater Sampling Events	1
1.2.1 Occurrence and Direction of Groundwater Flow	1
1.2.2 Lateral Extent of Phase Separated Hydrocarbon	1
1.2.3 Condition of Affected Groundwater	1
2. Status of Remediation Activities	2
2.1 Remediation Activities Completed through December 2008.....	2
2.2 Remediation Activities Planned for January 2009 through December 2009	2
3. Proposed Modifications	2
3.1 Modifications to the Routine Groundwater Sampling Plan	2
3.2 Reporting Frequency	2

LIST OF FIGURES

Figure

- 1** Facility Site Map
- 2** Site Map – Former Engine Room Pit Area
- 3** Groundwater Surface Elevations, December 10, 2008
- 4** Distribution of BTEX Compounds in Groundwater, December 11, 2008
- 5** Distribution of Halogenated Compounds in Groundwater, December 11, 2008
- 6** Distribution of Inorganic Constituents in Groundwater, December 11, 2008

LIST OF TABLES

Table

- 1** Summary of Groundwater Surface Elevations
- 2** Summary of Groundwater Surface Elevations - Recovery Wells
- 3** Summary of Field Measured Parameters
- 4** Summary of Groundwater Analyses – Selected Organics
- 5** Summary of Groundwater Analyses – Additional Organics
- 6** Summary of Groundwater Analyses – Inorganics
- 7** Summary of Completion Details for Soil Borings Completed as Wells
- 8** Monitor Well Sampling Locations, Frequency, and Sample Analysis Plan

LIST OF APPENDICES

- A** Concentration History Plots for Selected Wells
- B** Laboratory Reports

1. Groundwater Monitoring Activities

1.1 Semi-Annual Groundwater Sampling Events

Two semi-annual groundwater-sampling events have been completed since the last report of remediation activities. These events were completed on June 2, 2008 and December 10, 2008.

Prior to sampling, the depth to water, and the depth to hydrocarbon where phase-separated hydrocarbons (PSH) were present, was determined for each monitoring well. The measured depth to water and the corresponding water table elevation for each monitoring well is presented in Table 1. Similar measurements obtained from the remediation wells are presented in Table 2.

Groundwater samples were collected from selected monitoring wells at the site. Samples were not collected from wells with accumulated PSH in the well casing. Groundwater samples were delivered to a laboratory for analysis for volatile organic compounds (VOCs) by EPA Method 8260, selected inorganic constituents by EPA Methods 6010 or 7470 (mercury), total dissolved solids by EPA Method 160.1, chlorides by EPA Method 325.2, nitrate and nitrite by EPA Method 353.1, and sulfate by EPA Method 375.4. A summary of field measured groundwater quality parameters (pH, temperature, electrical conductivity and dissolved oxygen) is presented in Table 3. A summary of organic and inorganic laboratory results is presented in Tables 4, 5, and 6. A copy of the laboratory results for each of the sampling events is included as an appendix to this report.

1.2 Results/Conclusions from Groundwater Sampling Events

1.2.1 Occurrence and Direction of Groundwater Flow

A water table elevation map based on measurements obtained in the course of the December 10, 2008 sampling event is included as Figure 3. The apparent direction of groundwater flow is consistent with water table elevation maps previously developed for this site.

1.2.2 Lateral Extent of Phase Separated Hydrocarbon

The lateral extent of PSH is currently defined by the intermittent occurrence of PSH at the water table in wells MW-1, MW-2, RW-1, RW-2, RW-3, and RW-8, and the absence of a measurable thickness of PSH in all other wells. In the course of the December 2008 sampling event, PSH was measured in just two wells, MW-1 and MW-2.

1.2.3 Condition of Affected Groundwater

The primary constituents of concern are benzene, 1,1-dichloroethane, and trichloroethene. Contaminant distribution diagrams for BTEX, selected VOCs, and selected inorganic constituents are included as Figure 4, Figure 5, and Figure 6, respectively. Concentration history plots for the ten monitoring wells are included in Appendix A. The condition of affected groundwater has not changed significantly from previous sampling events as evidenced by the information presented in Table 4 and Table 6. However, there has been a downward trend for VOC contaminants at the two downgradient wells, MW-14 and MW-17. A similar downward trend is evident at the easternmost and the westernmost perimeter wells, MW-15 and MW-16.

2. Status of Remediation Activities

2.1 Remediation Activities Completed through December 2008

The following remediation activities have been completed since the last report of groundwater remediation activities:

- 1) Two groundwater-sampling events were completed.

2.2 Remediation Activities Planned for January 2009 through December 2009

There are no planned remediation activities other than continued groundwater monitoring.

3. Proposed Modifications


3.1 Modifications to the Routine Groundwater Sampling Plan

Groundwater monitoring at the site has been ongoing for about 14 years (since November 1994). An extensive volume of monitoring data has been generated during this timeframe. Groundwater monitoring has demonstrated that the distribution of contaminants in groundwater has remained relatively unchanged over the last eight years or more. Furthermore, a downward trend in contaminant concentrations has been established for the two downgradient monitoring wells and for the two furthest cross-gradient perimeter wells. In light of this, the routine groundwater sampling plan is being revised from semiannual to annual sampling events. The revised sample analysis plan is summarized in Table 8.

3.2 Reporting Frequency

Annual reporting will continue with the next scheduled report being submitted to the OCD by February 28, 2010.

FORMER ENGINE ROOM DRAIN AND
FILTER PIT REMEDIATION AREA





STATE OF NEW MEXICO



0 275 ft

Explanation



Facility Site Map

WT-1 COMPRESSOR STATION
TRANSWESTERN PIPELINE COMPANY

CYPRESS ENGINEERING SERVICES, INC.

FIGURE 1




Figure 2

3486

MW-17
3485.00

3488

MW-14
3487.96

3490

MW-8
3490.53

3492
3492.18
MW-6

3494

MW-5
3493.12

MW-2

3496

MW-1
3497.29

3498
MW-16
3498.07

SVE-1
3497.24

3495.02
MW-15

MW-3
P&A
01/00

MW-4
3501.44



Explanation

- Monitor well
- Groundwater elevation (ft. above msl)
- Phase Separated Hydrocarbon

Groundwater Surface Elevations December 10, 2008

WT-1 COMPRESSOR STATION
FORMER ENGINE ROOM PIT AREA

Figure 3




Figure 4




Figure 5




Figure 6

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-1	11/15/94	3547.67	(a)	47.59	(a)	3500.08
	09/14/95		(a)	48.85	(a)	3498.82
	11/12/96		(a)	49.79	(a)	3497.88
	02/04/97		(a)	49.71	(a)	3497.96
	05/10/97		(a)	49.86	(a)	3497.81
	08/06/97		(a)	49.90	(a)	3497.77
	10/08/97		(a)	49.76	(a)	3497.91
	01/21/98		(a)	50.73	(a)	3496.94
	04/15/98		(a)	49.68	(a)	3497.99
	07/16/98		(a)	49.91	(a)	3497.76
	01/26/99		(a)	49.39	(a)	3498.28
	07/08/99		(a)	49.52	sheen	3498.15
	01/26/00		(a)	49.43	sheen	3498.24
	07/17/00		(a)	50.04	sheen	3497.63
	11/21/00	3547.65 (c)	(a)	50.66	(a)	3496.99
	02/17/01		(a)	50.73	sheen	3496.92
	08/20/01		(a)	50.72	sheen	3496.93
	02/27/02		(a)	50.63	(a)	3497.02
	07/31/02		(a)	50.68	sheen	3496.97
	02/10/03		(a)	50.77	sheen	3496.88
	08/04/03		(a)	50.90	sheen	3496.75
	05/25/04		(a)	50.55	(a)	3497.10
	11/09/04		(a)	50.91	(a)	3496.74
	04/11/05		(a)	50.55	(a)	3497.10
	12/01/05		(a)	50.50	(a)	3497.15
	05/10/06		(a)	50.46	(a)	3497.19
	12/13/06		(a)	50.35	(a)	3497.30
	06/20/07		(a)	50.20	(a)	3497.45
	12/06/07		(a)	49.77	(a)	3497.88
	06/02/08		49.90	49.91	0.01	3497.75
	12/10/08		50.18	51.08	0.90	3497.29

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-2	11/15/94	3546.28	PSH	-	-	NA
	09/12/95		PSH	-	-	NA
	11/12/96		49.91	-	NA *	NA *
	02/04/97		49.90	52.15	2.25	3495.93
	05/10/97		50.09	52.18	2.09	3495.77
	08/06/97		50.20	52.17	1.97	3495.69
	10/09/97		50.27	52.22	1.95	3495.62
	01/21/98		50.08	--	NA *	NA *
	04/15/98		49.97	--	NA *	NA *
	07/16/98		50.25	--	NA *	NA *
	01/26/99		50.10	--	NA *	NA *
	07/08/99		50.12	--	NA *	NA *
	01/26/00	3546.28 (c)	50.54	52.17	1.63	3495.41
	07/17/00		50.62	--	NA *	NA *
	11/21/00		50.95	--	NA *	NA *
	02/17/01		51.08	52.23	1.15	3494.97
	08/20/01		51.82	--	NA *	NA *
	02/27/02		51.94	--	NA *	NA *
	07/31/02		52.23	--	NA *	NA *
	02/10/03		(a)	dry (TD=52.32)	NA *	NA *
	08/04/03		(a)	dry (TD=52.32)	NA *	NA *
	05/25/04		(a)	dry (TD=52.32)	NA *	NA *
	11/09/04		(a)	dry (TD=52.32)	NA *	NA *
	04/11/05		(a)	dry (TD=52.32)	NA *	NA *
	12/01/05		(a)	dry (TD=52.32)	NA *	NA *
	05/10/06		52.32	PSH to (TD=52.32)	sheen	NA *
	12/13/06		51.81	PSH to (TD=52.32)	NA *	NA *
	06/20/07		51.53	PSH to (TD=52.32)	NA *	NA *
	12/06/07		51.46	PSH to (TD=52.32)	NA *	NA *
	06/02/08		51.20	PSH to (TD=52.30)	NA *	NA *
	12/10/08		51.38	PSH to (TD=52.35)	NA *	NA *
MW-3	11/16/94	3548.99	(a)	48.71	(a)	3500.28
	09/12/95		(a)	49.49	(a)	3499.50
	11/12/96		(a)	49.76	(a)	3499.23
	02/04/97		(a)	49.57	(a)	3499.42
	05/10/97		(a)	49.81	(a)	3499.18
	08/06/97		(a)	49.81	(a)	3499.18
	10/08/97		(a)	49.84	(a)	3499.15
	01/21/98		(a)	49.29	(a)	3499.70
	07/16/98		(a)	49.42	(a)	3499.57
	01/26/99		(a)	48.62	(a)	3500.37
	07/08/99		(a)	48.99	(a)	3500.00

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-4	12/01/94	3548.29	(a)	47.18	(a)	3501.11
	09/12/95		(a)	47.50	(a)	3500.79
	11/12/96		(a)	47.50	(a)	3500.79
	02/04/97		(a)	47.51	(a)	3500.78
	05/10/97		(a)	47.51	(a)	3500.78
	08/06/97		(a)	47.49	(a)	3500.80
	10/08/97		(a)	47.43	(a)	3500.86
	01/21/98		(a)	47.02	(a)	3501.27
	04/16/98		(a)	46.81	(a)	3501.48
	07/16/98		(a)	46.75	(a)	3501.54
	01/26/99		(a)	46.36	(a)	3501.93
	07/08/99		(a)	46.76	(a)	3501.53
	01/26/00		(a)	46.91	(a)	3501.38
	07/17/00		(a)	47.33	(a)	3500.96
	11/21/00	3548.29 (c)	(a)	47.51	(a)	3500.78
	02/17/01		(a)	47.46	(a)	3500.83
	08/20/01		(a)	47.45	(a)	3500.84
	02/27/02		(a)	47.00	(a)	3501.29
	07/31/02		(a)	47.09	(a)	3501.20
	02/10/03		(a)	46.92	(a)	3501.37
	08/04/03		(a)	46.72	(a)	3501.57
	05/25/04		(a)	47.20	(a)	3501.09
	11/09/04		(a)	47.00	(a)	3501.29
	04/11/05		(a)	46.72	(a)	3501.57
	12/01/05		(a)	46.48	(a)	3501.81
	05/10/06		(a)	47.09	(a)	3501.20
	12/13/06		(a)	46.41	(a)	3501.88
	06/20/07		(a)	46.95	(a)	3501.34
	12/06/07		(a)	46.62	(a)	3501.67
	06/02/08		(a)	46.92	(a)	3501.37
	12/10/08		(a)	46.85	(a)	3501.44



**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-6	11/30/94	3543.29	(a)	50.22	(a)	3493.07
	09/12/95		(a)	50.97	(a)	3492.32
	11/12/96		(a)	51.93	(a)	3491.36
	02/04/97		(a)	51.93	(a)	3491.36
	05/10/97		(a)	52.08	(a)	3491.21
	08/06/97		(a)	52.11	(a)	3491.18
	10/08/97		(a)	51.88	(a)	3491.41
	01/21/98		(a)	51.72	(a)	3491.57
	04/15/98		(a)	51.63	(a)	3491.66
	07/16/98		(a)	51.87	(a)	3491.42
	01/26/99		(a)	51.39	(a)	3491.90
	07/08/99		(a)	51.65	(a)	3491.64
	01/26/00		(a)	51.59	(a)	3491.70
	07/17/00		(a)	52.11	(a)	3491.18
	11/21/00	3543.33 (c)	(a)	52.64	(a)	3490.69
	02/17/01		(a)	52.74	(a)	3490.59
	08/20/01		(a)	52.68	(a)	3490.65
	02/27/02		(a)	52.46	(a)	3490.87
	07/31/02		(a)	52.27	(a)	3491.06
	02/10/03		(a)	52.27	(a)	3491.06
	08/04/03		(a)	52.37	(a)	3490.96
	05/25/04		(a)	51.90	(a)	3491.43
	11/09/04		(a)	52.24	(a)	3491.09
	04/11/05		(a)	51.53	(a)	3491.80
	12/01/05		(a)	51.52	(a)	3491.81
	05/10/06		(a)	51.42	(a)	3491.91
	12/13/06		(a)	51.16	(a)	3492.17
	06/20/07		(a)	51.05	(a)	3492.28
	12/06/07		(a)	49.60	(a)	3493.73
	06/02/08		(a)	50.72	(a)	3492.61
	12/10/08		(a)	51.15	(a)	3492.18

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-7	11/30/94	3541.97	(a)	47.67	(a)	3494.30
	09/12/95		(a)	48.54	(a)	3493.43
	11/12/96		(a)	48.67	(a)	3493.30
	02/04/97		(a)	48.83	(a)	3493.14
	05/10/97		(a)	49.05	(a)	3492.92
	08/06/97		(a)	48.96	(a)	3493.01
	10/08/97		(a)	48.74	(a)	3493.23
	01/21/98		(a)	48.65	(a)	3493.32
	04/15/98		(a)	48.71	(a)	3493.26
	07/16/98		(a)	49.12	(a)	3492.85
	01/26/99		(a)	48.70	(a)	3493.27
	07/08/99		(a)	48.96	(a)	3493.01
	01/26/00		(a)	48.72	(a)	3493.25
	07/17/00		(a)	49.25	(a)	3492.72
	11/21/00	3542.00 (c)	(a)	50.18	(a)	3491.82
	02/17/01		(a)	49.82	(a)	3492.18
	08/20/01		(a)	50.21	(a)	3491.79
	02/27/02		(a)	49.86	(a)	3492.14
	07/31/02		(a)	50.06	(a)	3491.94
	02/10/03		(a)	50.26	(a)	3491.74
	08/04/03		(a)	50.47	(a)	3491.53
	05/25/04		(a)	50.40	(a)	3491.60
	11/09/04		(a)	50.21	(a)	3491.79
	04/11/05		(a)	49.93	(a)	3492.07
	12/01/05		(a)	50.02	(a)	3491.98
	05/10/06		(a)	49.97	(a)	3492.03
	12/13/06		(a)	49.40	(a)	3492.60
	06/20/07		(a)	49.31	(a)	3492.69
	12/06/07		(a)	48.89	(a)	3493.11
	06/02/08		(a)	49.00	(a)	3493.00
	12/10/08		(a)	49.45	(a)	3492.55

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-8	11/30/94	3541.47	(a)	49.20	(a)	3492.27
	09/13/95		(a)	50.14	(a)	3491.33
	11/12/96		(a)	50.73	(a)	3490.74
	02/04/97		(a)	50.79	(a)	3490.68
	05/10/97		(a)	51.03	(a)	3490.44
	08/06/97		(a)	51.08	(a)	3490.39
	10/08/97		(a)	50.90	(a)	3490.57
	01/21/98		(a)	50.73	(a)	3490.74
	04/15/98		(a)	49.62	(a)	3491.85
	07/16/98		(a)	50.96	(a)	3490.51
	01/26/99		(a)	50.55	(a)	3490.92
	07/08/99		(a)	50.84	(a)	3490.63
	01/26/00		(a)	50.72	(a)	3490.75
	07/17/00		(a)	51.23	(a)	3490.24
	11/21/00	3541.49 (c)	(a)	51.75	(a)	3489.74
	02/17/01		(a)	51.93	(a)	3489.56
	08/20/01		(a)	51.89	(a)	3489.60
	02/27/02		(a)	51.88	(a)	3489.61
	07/31/02		(a)	51.92	(a)	3489.57
	02/10/03		(a)	52.09	(a)	3489.40
	08/04/03		(a)	52.18	(a)	3489.31
	05/25/04		(a)	52.02	(a)	3489.47
	11/09/04		(a)	52.15	(a)	3489.34
	04/11/05		(a)	51.47	(a)	3490.02
	12/01/05		(a)	51.47	(a)	3490.02
	05/10/06		(a)	51.35	(a)	3490.14
	12/13/06		(a)	50.91	(a)	3490.58
	06/20/07		(a)	50.76	(a)	3490.73
	12/06/07		(a)	50.29	(a)	3491.20
	06/02/08		(a)	50.45	(a)	3491.04
	12/10/08		(a)	50.96	(a)	3490.53

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-14	09/13/95	3539.71	(a)	51.53	(a)	3488.18
	11/12/96		(a)	51.96	(a)	3487.75
	02/04/97		(a)	52.00	(a)	3487.71
	05/10/97		(a)	52.12	(a)	3487.59
	08/06/97		(a)	52.11	(a)	3487.60
	10/08/97		(a)	51.95	(a)	3487.76
	01/21/98		(a)	51.88	(a)	3487.83
	04/15/98		(a)	51.83	(a)	3487.88
	07/16/98		(a)	52.09	(a)	3487.62
	01/26/99		(a)	51.72	(a)	3487.99
	07/08/99		(a)	51.95	(a)	3487.76
	01/26/00		(a)	51.77	(a)	3487.94
	07/17/00		(a)	52.17	(a)	3487.54
	11/21/00	3539.73 (c)	(a)	52.60	(a)	3487.13
	02/17/01		(a)	53.69	(a)	3486.04
	08/20/01		(a)	52.61	(a)	3487.12
	02/27/02		(a)	52.55	(a)	3487.18
	07/31/02		(a)	52.56	(a)	3487.17
	02/10/03		(a)	52.64	(a)	3487.09
	08/04/03		(a)	52.70	(a)	3487.03
	05/25/04		(a)	52.55	(a)	3487.18
	11/09/04		(a)	52.75	(a)	3486.98
	04/11/05		(a)	52.25	(a)	3487.48
	12/01/05		(a)	52.16	(a)	3487.57
	05/10/06		(a)	52.05	(a)	3487.68
	12/13/06		(a)	51.86	(a)	3487.87
	06/20/07		(a)	51.66	(a)	3488.07
	12/06/07		(a)	51.29	(a)	3488.44
	06/02/08		(a)	51.35	(a)	3488.38
	12/10/08		(a)	51.77	(a)	3487.96

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-15	09/14/95	3542.82	(a)	46.43	(a)	3496.39
	11/12/96		(a)	46.61	(a)	3496.21
	02/04/97		(a)	46.90	(a)	3495.92
	05/10/97		(a)	47.23	(a)	3495.59
	08/06/97		(a)	46.97	(a)	3495.85
	10/08/97		(a)	46.75	(a)	3496.07
	01/21/98		(a)	46.62	(a)	3496.20
	04/15/98		(a)	46.81	(a)	3496.01
	07/16/98		(a)	47.24	(a)	3495.58
	01/26/99		(a)	46.71	(a)	3496.11
	07/08/99		(a)	46.99	(a)	3495.83
	01/26/00		(a)	46.88	(a)	3495.94
	07/17/00		(a)	47.54	(a)	3495.28
	11/21/00	3542.82 (c)	(a)	48.06	(a)	3494.76
	02/17/01		(a)	48.24	(a)	3494.58
	08/20/01		(a)	48.39	(a)	3494.43
	02/27/02		(a)	48.37	(a)	3494.45
	07/31/02		(a)	48.52	(a)	3494.30
	02/10/03		(a)	48.75	(a)	3494.07
	08/04/03		(a)	48.90	(a)	3493.92
	05/25/04		(a)	48.77	(a)	3494.05
	11/09/04		(a)	48.37	(a)	3494.45
	04/11/05		(a)	48.39	(a)	3494.43
	12/01/05		(a)	48.51	(a)	3494.31
	05/10/06		(a)	48.54	(a)	3494.28
	12/13/06		(a)	47.84	(a)	3494.98
	06/20/07		(a)	47.79	(a)	3495.03
	12/06/07		(a)	47.39	(a)	3495.43
	06/02/08		(a)	47.60	(a)	3495.22
	12/10/08		(a)	47.80	(a)	3495.02

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-16	09/14/95	3546.01	(a)	48.86	(a)	3497.15
	11/12/96		(a)	49.42	(a)	3496.59
	02/04/97		(a)	49.41	(a)	3496.60
	05/10/97		(a)	49.51	(a)	3496.50
	08/06/97		(a)	49.57	(a)	3496.44
	10/08/97		(a)	49.36	(a)	3496.65
	01/21/98		(a)	49.00	(a)	3497.01
	04/15/98		(a)	48.84	(a)	3497.17
	07/16/98		(a)	49.02	(a)	3496.99
	01/26/99		(a)	48.46	(a)	3497.55
	07/08/99		(a)	48.79	(a)	3497.22
	01/26/00		(a)	48.96	(a)	3497.05
	07/17/00		(a)	49.18	(a)	3496.83
	11/21/00	3545.68 (c)	(a)	49.65	(a)	3496.03
	02/17/01		(a)	49.73	(a)	3495.95
	08/20/01		(a)	49.62	(a)	3496.06
	02/27/02		(a)	49.78	(a)	3495.90
	07/31/02		(a)	48.35	(a)	3497.33
	02/10/03		(a)	48.28	(a)	3497.40
	08/04/03		(a)	48.21	(a)	3497.47
	05/25/04		(a)	47.79	(a)	3497.89
	11/09/04		(a)	48.12	(a)	3497.56
	04/11/05		(a)	47.32	(a)	3498.36
	12/01/05		(a)	47.52	(a)	3498.16
	05/10/06		(a)	47.76	(a)	3497.92
	12/13/06		(a)	47.46	(a)	3498.22
	06/20/07		(a)	47.48	(a)	3498.20
	12/06/07		(a)	47.25	(a)	3498.43
	06/02/08		(a)	47.42	(a)	3498.26
	12/10/08		(a)	47.61	(a)	3498.07
MW-17	11/09/04	3538.60 (d)	(a)	54.45	(a)	3484.15
	04/11/05		(a)	54.05	(a)	3484.55
	12/01/05		(a)	53.99	(a)	3484.61
	05/10/06		(a)	53.89	(a)	3484.71
	12/13/06		(a)	53.75	(a)	3484.85
	06/20/07		(a)	53.61	(a)	3484.99
	12/06/07		(a)	53.25	(a)	3485.35
	06/02/08		(a)	53.28	(a)	3485.32
	12/10/08		(a)	53.60	(a)	3485.00

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
SVE-1A	01/26/00	3545.58	(a)	47.33	(a)	3498.25
	07/17/00		(a)	47.95	(a)	3497.63
	11/21/00	3545.59 (c)	(a)	48.56	(a)	3497.03
	02/17/01		(a)	48.71	(a)	3496.88
	08/20/01		(a)	48.90	(a)	3496.69
	02/27/02		(a)	48.73	(a)	3496.86
	07/31/02		(a)	48.80	(a)	3496.79
	02/10/03		(a)	48.92	(a)	3496.67
	08/04/03		(a)	49.06	(a)	3496.53
	05/25/04		(a)	48.75	(a)	3496.84
	11/09/04		(a)	49.06	(a)	3496.53
	04/11/05		(a)	48.75	(a)	3496.84
	12/01/05		(a)	48.81	(a)	3496.78
	05/10/06		(a)	48.72	(a)	3496.87
	12/13/06		(a)	48.58	(a)	3497.01
	06/20/07		(a)	48.45	(a)	3497.14
	12/06/07		(a)	48.07	(a)	3497.52
	06/02/08		(a)	48.19	(a)	3497.40
	12/10/08		(a)	48.35	(a)	3497.24

NOTES:

- (a) Not applicable since no measurable thickness of hydrocarbon is present
- (b) Corrections to ground water surface elevation for presence of hydrocarbon is calculated assuming a specific gravity of 0.88 (0.80 used for 07/17/00 and prior)
- (c) Survey by John West Surveying Co. on October 31, 2000
- (d) Survey by Cypress Engineering (GAF) on November 4, 2004
- (e) NA* - No PSH/water interface detected

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-1	11/21/00*	3545.97 (c)	51.86	51.87	0.01	3494.11
	11/30/00		(a)	51.67	sheen	3494.30
	12/06/00		(a)	51.91	sheen	3494.06
	01/25/01		(a)	51.78	sheen	3494.19
	02/06/01		51.67	51.68	0.01	3494.30
	02/17/01*		52.07	52.08	0.01	3493.90
	02/23/01		(a)	51.50	sheen	3494.47
	03/09/01		(a)	51.61	sheen	3494.36
	08/20/01		(a)	52.18	sheen	3493.79
	02/27/02		(a)	52.22	sheen	3493.75
	07/31/02		(a)	52.68	(a)	3493.29
	02/10/03		(a)	52.65	(a)	3493.32
	08/04/03		(a)	52.86	(a)	3493.11
	05/25/04		(a)	52.72	(a)	3493.25
	11/09/04		(a)	52.33	(a)	3493.64
	04/11/05		(a)	52.29	(a)	3493.68
	12/01/05		(a)	52.40	(a)	3493.57
	05/10/06		(a)	52.41	(a)	3493.56
	12/13/06		(a)	51.72	(a)	3494.25
	06/20/07		(a)	51.62	(a)	3494.35
	12/06/07		(a)	51.30	(a)	3494.67
	06/02/08		(a)	51.38	(a)	3494.59
	12/10/08		(a)	51.74	(a)	3494.23
RW-2	11/21/00*	3546.26 (c)	(a)	52.18	(a)	3494.08
	11/30/00		(a)	51.96	(a)	3494.30
	12/06/00		(a)	52.61	sheen	3493.65
	01/25/01		(a)	52.05	sheen	3494.21
	02/06/01		(a)	51.94	sheen	3494.32
	02/17/01*		(a)	52.38	sheen	3493.88
	02/23/01		(a)	51.75	sheen	3494.51
	03/09/01		(a)	51.80	sheen	3494.46
	08/20/01		(a)	52.42	sheen	3493.84
	02/27/02		(a)	52.46	(a)	3493.80
	07/31/02		(a)	52.68	(a)	3493.58
	02/10/03		(a)	52.88	sheen	3493.38
	08/04/03		(a)	53.08	sheen	3493.18
	05/25/04		52.93	52.94	0.01	3493.33
	11/09/04		(a)	52.58	(a)	3493.68
	04/11/05		(a)	52.57	sheen	3493.69
	12/01/05		(a)	52.68	(a)	3493.58
	05/10/06		(a)	52.68	sheen	3493.58
	12/13/06		(a)	52.01	(a)	3494.25
	06/20/07		(a)	51.95	(a)	3494.31
	12/06/07		(a)	51.55	sheen	3494.71
	06/02/08		(a)	51.63	(a)	3494.63
	12/10/08		(a)	52.03	(a)	3494.23

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-3	11/21/00*	3546.41 (c)	52.27	52.29	0.02	3494.14
	11/30/00		52.02	52.07	0.05	3494.38
	12/06/00		52.12	52.13	0.01	3494.29
	01/25/01		52.13	52.19	0.06	3494.27
	02/06/01		51.92	52.00	0.08	3494.47
	02/17/01*		52.41	52.43	0.02	3494.00
	02/23/01		51.80	51.83	0.03	3494.60
	03/09/01		51.81	51.84	0.03	3494.59
	03/30/01		50.92	50.94	0.02	3495.49
	08/20/01		(a)	52.42	(a)	3493.99
	02/27/02		(a)	52.58	sheen	3493.83
	07/31/02		(a)	52.46	(a)	3493.95
	02/10/03		(a)	52.85	sheen	3493.56
	08/04/03		(a)	52.09	(a)	3494.32
	05/25/04		(a)	52.68	(a)	3493.73
	11/09/04		(a)	52.58	(a)	3493.83
	04/11/05		(a)	52.49	(a)	3493.92
	12/01/05		(a)	52.65	(a)	3493.76
	05/10/06		(a)	52.51	(a)	3493.90
	12/13/06		(a)	52.06	(a)	3494.35
	06/20/07		(a)	51.97	(a)	3494.44
	12/06/07		(a)	51.56	(a)	3494.85
	06/02/08		(a)	51.65	(a)	3494.76
	12/10/08		(a)	52.07	(a)	3494.34
RW-4	11/21/00*	3546.96 (c)	(a)	52.45	(a)	3494.51
	11/30/00		(a)	52.20	sheen	3494.76
	12/06/00		(a)	52.33	(a)	3494.63
	01/25/01		(a)	52.29	(a)	3494.67
	02/06/01		(a)	52.09	(a)	3494.87
	02/17/01*		(a)	52.52	(a)	3494.44
	02/23/01		(a)	51.97	(a)	3494.99
	03/09/01		(a)	52.01	(a)	3494.95
	03/30/01		(a)	52.06	sheen	3494.90
	08/20/01		(a)	52.55	(a)	3494.41
	02/27/02		(a)	52.75	(a)	3494.21
	07/31/02		(a)	52.77	(a)	3494.19
	02/10/03		(a)	52.90	(a)	3494.06
	08/04/03		(a)	53.04	(a)	3493.92
	05/25/04		(a)	52.68	(a)	3494.28
	11/09/04		(a)	52.83	(a)	3494.13
	04/11/05		(a)	52.54	(a)	3494.42
	12/01/05		(a)	52.68	(a)	3494.28
	05/10/06		(a)	52.49	(a)	3494.47
	12/13/06		(a)	52.25	(a)	3494.71
	06/20/07		(a)	51.72	(a)	3495.24
	12/06/07		(a)	51.70	(a)	3495.26
	06/02/08		(a)	51.77	(a)	3495.19
	12/10/08		(a)	52.16	(a)	3494.80

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-5	11/21/00*	3546.75 (c)	(a)	50.76	(a)	3495.99
	11/30/00		(a)	50.56	(a)	3496.19
	12/06/00		(a)	50.78	sheen	3495.97
	01/25/01		(a)	50.64	(a)	3496.11
	02/06/01		(a)	50.54	(a)	3496.21
	02/17/01*		(a)	50.98	(a)	3495.77
	02/23/01		(a)	50.39	(a)	3496.36
	03/09/01		(a)	50.44	(a)	3496.31
	03/30/01		(a)	50.60	(a)	3496.15
	08/20/01		(a)	50.95	(a)	3495.80
	02/27/02		(a)	51.03	(a)	3495.72
	07/31/02		(a)	51.12	(a)	3495.63
	02/10/03		(a)	51.24	(a)	3495.51
	08/04/03		(a)	51.32	(a)	3495.43
	05/25/04		(a)	51.03	(a)	3495.72
	11/09/04		(a)	51.37	(a)	3495.38
	04/11/05		(a)	51.10	(a)	3495.65
	12/01/05		(a)	51.11	(a)	3495.64
	05/10/06		(a)	50.92	(a)	3495.83
	12/13/06		(a)	50.88	(a)	3495.87
	06/20/07		(a)	50.76	(a)	3495.99
	12/06/07		(a)	50.32	(a)	3496.43
	06/02/08		(a)	50.35	(a)	3496.40
	12/10/08		(a)	50.80	(a)	3495.95
RW-6	11/21/00*	3546.69 (c)	(a)	50.72	(a)	3495.97
	11/30/00		(a)	50.47	(a)	3496.22
	12/06/00		(a)	50.71	sheen	3495.98
	01/25/01		(a)	50.53	(a)	3496.16
	02/06/01		(a)	50.32	(a)	3496.37
	02/17/01*		(a)	50.87	(a)	3495.82
	02/23/01		(a)	50.20	(a)	3496.49
	03/09/01		(a)	50.27	(a)	3496.42
	03/30/01		(a)	50.39	(a)	3496.30
	08/20/01		(a)	50.82	(a)	3495.87
	02/27/02		(a)	50.85	(a)	3495.84
	07/31/02		(a)	50.83	(a)	3495.86
	02/10/03		(a)	50.95	(a)	3495.74
	08/04/03		(a)	51.04	(a)	3495.65
	05/25/04		(a)	50.55	(a)	3496.14
	11/09/04		(a)	51.07	(a)	3495.62
	04/11/05		(a)	50.57	(a)	3496.12
	12/01/05		(a)	50.64	(a)	3496.05
	05/10/06		(a)	50.37	(a)	3496.32
	12/13/06		(a)	50.62	(a)	3496.07
	06/20/07		(a)	50.33	(a)	3496.36
	12/06/07		(a)	49.95	(a)	3496.74
	06/02/08		(a)	49.99	(a)	3496.70
	12/10/08		(a)	50.28	(a)	3496.41

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-7	11/21/00*	3547.50 (c)	(a)	51.27	(a)	3496.23
	11/30/00		(a)	51.01	(a)	3496.49
	12/06/00		(a)	51.22	sheen	3496.28
	01/25/01		(a)	51.10	(a)	3496.40
	02/06/01		(a)	50.92	sheen	3496.58
	02/17/01*		(a)	51.42	(a)	3496.08
	02/23/01		(a)	50.77	(a)	3496.73
	03/09/01		(a)	50.76	(a)	3496.74
	03/30/01		(a)	50.93	(a)	3496.57
	08/20/01		(a)	51.35	(a)	3496.15
	02/27/02		(a)	51.44	(a)	3496.06
	07/31/02		(a)	51.34	(a)	3496.16
	02/10/03		(a)	51.44	(a)	3496.06
	08/04/03		(a)	51.52	(a)	3495.98
	05/25/04		(a)	50.98	(a)	3496.52
	11/09/04		(a)	51.55	(a)	3495.95
	04/11/05		(a)	50.92	(a)	3496.58
	12/01/05		(a)	50.96	(a)	3496.54
	05/10/06		(a)	50.76	(a)	3496.74
	12/13/06		(a)	50.91	(a)	3496.59
	06/20/07		(a)	50.70	(a)	3496.80
	12/06/07		(a)	50.34	(a)	3497.16
	06/02/08		(a)	50.40	(a)	3497.10
	12/10/08		(a)	50.78	(a)	3496.72
RW-8	11/21/00*	3547.04 (c)	(a)	50.20	(a)	3496.84
	11/30/00		(a)	50.06	sheen	3496.98
	12/06/00		(a)	50.28	(a)	3496.76
	01/25/01		(a)	50.14	(a)	3496.90
	02/06/01		(a)	50.05	sheen	3496.99
	02/17/01*		(a)	50.42	(a)	3496.62
	02/23/01		(a)	49.95	(a)	3497.09
	03/09/01		(a)	50.01	(a)	3497.03
	03/30/01		(a)	50.09	(a)	3496.95
	08/20/01		(a)	50.40	(a)	3496.64
	02/27/02		(a)	50.27	(a)	3496.77
	07/31/02		(a)	50.19	(a)	3496.85
	02/10/03		50.33	50.33	sheen	3496.71
	08/04/03		50.42	50.42	sheen	3496.62
	05/25/04		49.87	50.30	0.43	3497.08
	11/09/04		(a)	50.40	sheen	3496.64
	04/11/05		49.77	49.79	0.02	3497.27
	12/01/05		(a)	49.71	(a)	3497.33
	05/10/06		(a)	49.66	sheen	3497.38
	12/13/06		(a)	49.76	sheen	3497.28
	06/20/07		(a)	49.64	(a)	3497.40
	12/06/07		(a)	49.36	(a)	3497.68
	06/02/08		(a)	49.32	(a)	3497.72
	12/10/08		(a)	49.75	(a)	3497.29

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-9	11/21/00*	3545.84 (c)	(a)	48.41	(a)	3497.43
	11/30/00		(a)	48.17	sheen	3497.67
	12/06/00		(a)	43.42	(a)	3502.42
	01/25/01		(a)	48.25	(a)	3497.59
	02/06/01		(a)	48.12	(a)	3497.72
	02/17/01*		(a)	48.60	(a)	3497.24
	02/23/01		(a)	47.94	(a)	3497.90
	03/09/01		(a)	47.99	(a)	3497.85
	08/20/01		(a)	48.52	(a)	3497.32
	02/27/02		(a)	48.37	(a)	3497.47
	07/31/02		(a)	48.39	(a)	3497.45
	02/10/03		(a)	48.50	(a)	3497.34
	08/04/03	(d)	---	---	---	---
RW-10	11/21/00*	3546.32 (c)	(a)	48.36	(a)	3497.96
	11/30/00		(a)	48.13	(a)	3498.19
	12/06/00		(a)	48.40	(a)	3497.92
	01/25/01		(a)	48.43	(a)	3497.89
	02/06/01		(a)	48.11	(a)	3498.21
	02/17/01*		(a)	48.60	(a)	3497.72
	02/23/01		(a)	47.92	(a)	3498.40
	03/09/01		(a)	50.01	(a)	3496.31
	08/20/01		(a)	48.57	(a)	3497.75
	02/27/02		(a)	48.33	(a)	3497.99
	07/31/02		(a)	48.39	(a)	3497.93
	02/10/03		(a)	48.48	(a)	3497.84
	08/04/03		(a)	48.63	(a)	3497.69
	05/25/04		(a)	48.20	(a)	3498.12
	11/09/04		(a)	48.75	(a)	3497.57
	04/11/05		(a)	48.15	(a)	3498.17
	12/01/05		(a)	48.17	(a)	3498.15
	05/10/06		(a)	48.23	(a)	3498.09
	12/13/06		(a)	47.98	(a)	3498.34
	06/20/07		(a)	48.09	(a)	3498.23
	12/06/07		(a)	47.49	(a)	3498.83
	06/02/08		(a)	47.62	(a)	3498.70
	12/10/08		(a)	47.89	(a)	3498.43

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-11	11/21/00*	3545.74 (c)	(a)	48.51	(a)	3497.23
	11/30/00		(a)	48.01	(a)	3497.73
	12/06/00		(a)	48.55	(a)	3497.19
	01/25/01		(a)	48.24	(a)	3497.50
	02/06/01		(a)	48.30	(a)	3497.44
	02/17/01*		(a)	48.76	(a)	3496.98
	02/23/01		(a)	48.12	(a)	3497.62
	03/09/01		(a)	48.19	(a)	3497.55
	08/20/01		(a)	48.90	(a)	3496.84
	02/27/02		(a)	48.74	(a)	3497.00
	07/31/02		(a)	48.92	(a)	3496.82
	02/10/03		(a)	49.07	(a)	3496.67
	08/04/03		(a)	49.25	(a)	3496.49
	05/25/04		(a)	48.75	(a)	3496.99
	11/09/04		(a)	49.18	(a)	3496.56
	04/11/05		(a)	48.67	(a)	3497.07
	12/01/05		(a)	48.78	(a)	3496.96
	05/10/06		(a)	48.78	(a)	3496.96
	12/13/06		(a)	48.41	(a)	3497.33
	06/20/07		(a)	48.43	(a)	3497.31
	12/06/07		(a)	47.81	(a)	3497.93
	06/02/08		(a)	47.94	(a)	3497.80
	12/10/08		(a)	48.16	(a)	3497.58
RW-12	11/21/00*	3544.43 (c)	(a)	49.44	(a)	3494.99
	11/30/00		(a)	49.11	(a)	3495.32
	12/06/00		(a)	49.17	(a)	3495.26
	01/25/01		(a)	49.53	(a)	3494.90
	02/06/01		(a)	49.24	(a)	3495.19
	02/17/01*		(a)	49.70	(a)	3494.73
	02/23/01		(a)	49.07	(a)	3495.36
	03/09/01		(a)	49.14	(a)	3495.29
	08/20/01		(a)	49.77	(a)	3494.66
	02/27/02		(a)	49.74	(a)	3494.69
	07/31/02		(a)	49.95	(a)	3494.48
	02/10/03		(a)	50.13	(a)	3494.30
	08/04/03		(a)	50.37	(a)	3494.06
	05/25/04		(a)	50.10	(a)	3494.33
	11/09/04		(a)	49.92	(a)	3494.51
	04/11/05		(a)	49.79	(a)	3494.64
	12/01/05		(a)	49.90	(a)	3494.53
	05/10/06		(a)	49.90	(a)	3494.53
	12/13/06		(a)	49.28	(a)	3495.15
	06/20/07		(a)	49.24	(a)	3495.19
	12/06/07		(a)	48.76	(a)	3495.67
	06/02/08		(a)	48.87	(a)	3495.56
	12/10/08		(a)	49.20	(a)	3495.23

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
NOTES: (a) Not applicable since no measurable thickness of hydrocarbon is present (b) Corrections to ground water surface elevation for presence of hydrocarbon is calculated assuming a specific gravity of 0.88 (0.80 used for 07/17/00 and prior) (c) Survey by John West Surveying Co. on October 31, 2000 (d) Well damaged can no longer access to get water level.						

**Table 3. Summary of Field Measured Parameters
TW WT-1 Engine Room Pit Area**

Well ID	Date	Dissolved Oxygen (mg/L) Meter/Hach Kit	pH	Temperature °C	Electrical Conductivity (ms/cm)	Turbidity (NTU/FTU) field / lab	Remarks
MW-1	11/12/96	0.0	6.67	22.2	--	--	strong mercaptin odor, bailed dry 1 gal
	02/04/97	0.0	6.70	17.3	3,100	39.3/127	strong odor, blk color, bailed dry 1 gal
	05/10/96	--	6.92	21.8	3,110	62.0	strong odor, blk/gry color
	08/08/97	0.0	6.88	20.3	3,260	101	clear to gray, strong odor
	10/09/97	1.2	6.89	21.6	3,080	--	gray blk, strong odor
	01/23/98	0.0	6.65	17.1	2,970	--	strong odor, amber color
	04/17/98	0.9	6.96	19.9	3,070	58.0	clear, gold tint, strong odor
	07/17/98	0.1	6.91	22.4	3,400	9.97	clear, light tint, strong odor
	01/27/99	--	6.81	20.8	3,020	--	clear, odor
	08/21/01	0.8	6.78	23.4	2,380	--	gray, odor, pumped dry @ 1 gallon purged
	03/01/02	1.2/0.2	7.06	21.6	2,940	--	clear, odor
	08/01/02	1.0	7.04	27.2	2,960	6.77	clear, odor
	02/12/03	--	--	--	--	--	sheen
	08/05/03	--	--	--	--	12.93	sheen
	05/24/04	1.30	6.62	21.70	2550	--	clear, odor
	11/09/04	1.70	6.95	21.50	2540	13.46	clear, odor, gold color
	12/02/05	1.93	6.94	17.72	2199	13.96	clear, odor
	05/11/06	1.52	6.83	20.64	2342	--	clear
	12/17/06	2.26	6.73	19.32	2248	38.64	clear
	06/21/07	1.66	6.99	23.13	2793	--	clear, odor
	12/07/07	0.99	6.69	17.99	3143	3.55	clear, odor
	06/02/08	1.12	--	23.69	3279	--	clear, odor
MW-4	11/12/96	--	7.10	20.8	--	--	clear, no odor
	02/04/97	4.0	7.17	17.5	3,400	41.8/32	fine red silt, no odor
	05/10/97	3.0	7.09	19.7	3,400	5.46	very slight brn silt, mostly clear
	08/06/97	3.5	7.02	21.7	3,390	45.2	red silty
	10/08/97	3.0	7.05	21.5	3,060	--	slightly silty, light gold to brown
	01/23/98	0.6/0.8	7.11	18.7	2,640	--	clear
	04/16/98	1.8/0.4	7.00	21.1	2,720	2.5	clear
	07/16/98	1.3/0.8	6.99	21.6	3,090	0.67	clear
	01/26/99	1.2	7.01	19.1	2,740	--	clear
	07/08/99	3.3/1.4	7.12	21.0	3,050	0.76	clear, no odor
	01/27/00	--	7.03	19.1	3,070	--	clear
	07/17/00	2.6/2.6	7.06	20.6	3,100	3.49	clear
	02/17/01	3.5	7.07	20.5	3,130	--	clear
	08/21/01	3.1	6.96	20.3	3,010	--	clear
	02/28/02	0.7	7.01	21.1	2,860	--	clear
	08/01/02	1.2	7.03	23.5	3,000	1.19	clear
	02/12/03	1.1	6.97	22.2	3,010	--	clear
	08/05/03	0.9	6.97	22.8	2,910	0.89	clear
	05/24/04	1.5	6.73	20.2	3,110	--	clear
	11/09/04	1.2	6.94	19.9	2,750	0.62	clear
	12/02/05	1.0	7.02	19.4	2,253	2.37	clear
	05/11/06	1.4	6.88	20.0	2,522	--	clear
	12/17/06	1.3	6.76	19.5	2,238	2.59	clear
	06/21/07	1.8	7.09	20.1	2,488	--	clear
	12/07/07	2.1	6.84	19.4	1,986	0.00	clear
	06/02/08	1.9	7.41	20.3	2,744	--	clear
	12/11/08	2.2	7.46	19.1	2,440	1.43	clear

**Table 3. Summary of Field Measured Parameters
TW WT-1 Engine Room Pit Area**

Well ID	Date	Dissolved Oxygen (mg/L) Meter/Hach Kit	pH	Temperature °C	Electrical Conductivity (ms/cm)	Turbidity (NTU/FTU) field / lab	Remarks
MW-5	11/12/96	--	7.00	23.1	--	--	strong odor, bailed dry 3.5 gal
	02/06/97	0.6	7.17	15.7	3,600	303/2040	strong odor, silty, foamy
	05/10/96	0.8	7.25	20.7	3,500	295	strong odor, red-yellow color, bailed dry 3.5g
	08/07/97	4.9	7.47	20.7	2,810	173	silty, red
	10/09/97	0.2	7.12	22.9	2,970	--	red silty, strong odor
	01/24/98	0.8	7.14	18.7	2,870	31.1	clear, amber color, strong odor
	04/17/98	0.6	7.16	20.2	2,840	52.0	clear, amber tint, strong odor
	07/17/98	0.7	7.02	22.5	3,140	43.18	foamy, light tint, strong odor
	01/27/99	0.6	7.10	20.5	2,700	--	clear, odor
	07/08/99	0.9/0.4	7.11	21.5	2,780	36.98	clear, light amber tint
	01/27/00	--	7.06	19.9	2,820	--	clear, strong odor
	07/18/00	0.0	7.12	23.5	2,800	25.00	clear, amber tint, odor
	02/18/01	0.9	7.13	19.5	2,760	--	clear, amber tint, odor
	08/21/01	1.0	7.01	23.7	2,410	--	grayblack, strong odor
	03/01/02	1.0	7.23	20.6	2,610	--	clear, amber tint, odor
	08/01/02	1.0	7.16	26.2	2,680	6.62	clear, odor
	02/12/03	1.0	7.14	22.3	2,580	--	clear, amber tint, odor
	08/05/03	0.4	7.07	24.4	2,370	22.73	clear, odor
	05/24/04	1.4	6.90	22.3	2,470	--	gray blk, strong odor
	11/10/04	1.3	6.94	19.7	2,000	8.07	gold color, strong odor
	12/02/05	1.0	7.10	19.6	2,146	12.57	clear, odor
	05/11/06	1.8	7.03	20.5	2,183	--	clear
	12/17/06	1.5	6.87	19.5	2,099	47.39	clear
	06/21/07	1.4	7.03	23.2	2,267	--	clear, odor
	12/07/07	0.8	6.89	19.8	1,685	5.33	clear, odor
	06/02/08	1.4	--	22.5	2,268	--	clear, odor
	12/11/08	1.8	7.51	18.3	2,071	<100	clear
MW-6	11/12/96	--	--	21.6	--	--	red silty
	02/04/97	2.0	6.56	17.0	3,800	279/600	fine red silt, no odor
	05/10/97	1.8	6.96	21.7	3,800	234	red silty
	08/07/97	1.8	6.89	20.2	3,730	173	red silty
	10/09/97	1.7	6.89	19.3	3,510	--	red silty
	01/23/98	0.6	6.81	19.7	3,460	--	slightly turbid
	04/16/98	0.4	6.87	19.1	3,470	15.36	clear
	07/16/98	2.9/1.6	6.84	22.6	3,810	5.37	clear, took 4 cycles to get final parameters
	01/27/99	1.1	6.79	19.6	3,550	--	clear, odor
	07/08/99	1.8/1.0	6.85	21.2	3,760	4.64	clear, slight odor, took 4 cycles to get final parameters
	01/27/00	--	6.85	19.3	3,800	--	clear, slight odor
	07/18/00	0.5	6.87	21.9	3,790	1.54	clear, slight odor
	02/18/01	1.5	6.88	20.2	3,800	--	clear
	08/21/01	1.5	6.68	22.9	3,560	--	clear with odor
	02/28/02	1.3	6.88	21.6	3,810	--	clear
	08/01/02	1.5	6.89	24.6	3,830	3.57	clear
	02/12/03	1.5	6.87	22.3	3,930	--	clear
	08/05/03	1.1	6.86	24.4	3,910	4.63	clear
	05/24/04	1.4	6.57	21.3	3,610	--	clear
	11/09/04	1.3	6.87	20.5	3,730	4.34	clear
	12/02/05	0.8	6.88	20.3	3,243	22.53	clear
	05/11/06	1.2	6.85	20.4	3,352	--	clear
	12/17/06	1.6	6.65	19.8	3,291	11.38	clear
	06/21/07	1.3	6.93	21.0	3,485	--	clear
	12/07/07	1.7	6.75	19.9	2,738	2.60	clear
	06/02/08	1.6	6.76	21.5	3,660	--	clear
	12/11/08	1.0	7.59	19.6	3,471	1.32	clear, odor

**Table 3. Summary of Field Measured Parameters
TW WT-1 Engine Room Pit Area**

Well ID	Date	Dissolved Oxygen (mg/L) Meter/Hach Kit	pH	Temperature °C	Electrical Conductivity (ms/cm)	Turbidity (NTU/FTU) field / lab	Remarks
MW-7	11/12/97	--	7.16	23.6	--	--	red silty
	02/04/97	2.0	6.89	--	2,900	539/2080	fine red silt, no odor
	05/10/97	2.0	7.17	21.1	2,970	>1000	red silty/sandy
	08/07/97	2.0	7.18	20.2	2,970	18.8	slight red silt
	10/09/97	2.6	7.20	19.6	2,750	--	red silty
	01/23/98	1.1/1.6	7.10	18.7	2,730	--	clear
	04/17/98	2.5/2.6	7.21	18.0	2,720	1.64	clear
	07/16/98	3.5	7.12	21.7	2,970	1.81	clear
	01/27/99	2.6	7.10	19.9	2,740	--	clear
	07/08/99	3.4	7.16	20.7	2,850	1.12	clear
	01/27/00	--	7.13	18.9	2,840	--	clear
	07/18/00	2.3	7.22	21.9	2,780	1.98	clear
	02/18/01	2.8	7.18	19.8	2,790	--	clear
	08/21/01	4.0	7.11	22.5	2,660	--	clear
	02/28/02	2.5	7.21	20.6	2,800	--	clear
	08/01/02	--	--	--	--	--	turbid, pulled pump and bailed
	02/12/03	2.6	7.12	22.2	2,820	--	red turbid
	08/05/03	3.3	7.16	22.0	2,450	> 100	Red sand/ turbid
	05/24/04	2.6	6.94	20.2	2,640	--	Red sand/ slightly turbid
	11/09/04	1.6	6.80	19.3	2,641	41.67	Cloudy
	12/02/05	1.6	7.17	19.2	2,212	30.50	Cloudy
	05/11/06	3.0	6.99	20.3	2,885	--	turbid
	12/14/06	1.9	6.82	19.4	2,270	29.80	clear
	06/21/07	1.4	7.01	20.5	2,310	--	clear
	12/07/07	1.2	6.85	19.3	2,194	5.58	clear
	06/02/08	3.1	7.18	20.8	2,454	--	Slightly turbid
	12/11/08	1.6	7.51	18.9	2,248	23.40	turbid/silt
MW-8	11/12/96	--	6.91	22.1	--	--	very fine red silt,
	02/06/97	2.0	6.95	14.1	3,000	<1000/590	red, silty, no odor
	05/10/97	1.6	7.00	22.0	3,040	193	red silt/sand
	08/07/97	1.1	6.97	20.1	3,040	237	red silt
	10/09/97	2.9	6.95	20.8	2,800	--	red silty
	01/24/98	0/0.2	6.90	19.0	2,810	26.17	Lt. amber color, clear
	04/17/98	0.9	6.97	19.2	2,860	25.46	clear, Lt. amber color
	07/17/98	0.2/0.0	6.85	22.5	3,070	4.10	clear, odor
	01/27/99	0.8/0.0	6.84	19.4	2,830	--	clear, odor
	07/08/99	1.9	6.87	22.1	2,950	2.79	clear
	01/27/00	--	6.87	19.2	2,960	--	clear, odor
	07/18/00	0.8	6.95	22.6	2,910	6.70	clear, odor
	02/18/01	1.2	6.91	20.3	2,910	--	clear
	08/21/01	1.2	6.82	22.3	2,730	--	clear
	02/28/02	1.6	6.96	20.3	2,900	--	clear
	08/01/02	1.4	6.95	25.6	2,880	2.61	clear
	02/12/03	1.5	6.91	22.5	2,860	--	clear
	08/05/03	1.4	6.92	26.4	2,800	6.73	clear
	05/24/04	1.2	6.64	21.4	2,670	--	clear, odor
	11/09/04	1.4	6.87	19.8	2,740	0.89	clear, odor
	12/02/05	1.2	6.90	20.7	2,392	5.19	clear
	05/11/06	1.1	6.74	20.4	2,434	--	clear
	12/17/06	1.5	6.72	20.1	2,114	9.97	clear
	06/21/07	1.1	6.96	21.5	2,393	--	clear
	12/07/07	1.2	6.61	19.9	1,982	5.46	clear, odor
	06/02/08	3.0	--	22.8	2,724	--	clear, odor
	12/11/08	0.8	7.56	19.6	2,489	<100	clear

**Table 3. Summary of Field Measured Parameters
TW WT-1 Engine Room Pit Area**

Well ID	Date	Dissolved Oxygen (mg/L) Meter/Hach Kit	pH	Temperature °C	Electrical Conductivity (ms/cm)	Turbidity (NTU/FTU) field / lab	Remarks
MW-14	11/12/96	--	7.07	19.9	--	--	mostly clear, slight silt
	02/04/97	3.0	7.06	15.3	3,600	70.1/92	clear initially, red silty, no odor
	05/10/97	2.0	7.04	21.2	3,390	16.2	slight red sand/silt
	08/07/97	1.0	7.09	20.4	3,340	2.8	clear
	10/08/97	1.5	6.74	20.7	3,170	--	clear
	01/23/98	0.7	6.97	17.5	3,150	--	clear
	04/17/98	1.2	7.08	21.1	3,180	0.79	clear
	07/17/98	0.6	6.94	21.8	3,520	2.25	clear
	01/27/99	--	6.92	19.9	3,260	--	clear
	07/08/99	1.3	6.96	20.9	3,460	0.87	clear
	01/27/00	--	6.96	19.5	3,420	--	clear
	07/18/00	0.2/0.6	7.00	20.9	3,330	1.65	clear
	02/18/01	0.9	6.98	20.3	3,350	--	clear
	08/21/01	3.5	7.10	22.3	2,690	--	clear
	02/28/02	2.2	7.03	21.5	3,340	--	clear
	08/01/02	1.4	7.03	24.2	3,330	1.32	clear
	02/12/03	1.1	6.96	22.4	3,360	--	clear
	08/05/03	0.8	6.96	23.6	3,280	2.72	clear
	05/24/04	1.3	6.74	21.3	3,160	--	clear
	11/10/04	1.3	6.90	19.7	2,830	2.16	clear
	12/02/05	0.9	6.97	20.1	2,883	7.97	clear
	05/11/06	1.0	6.81	20.1	2,957	--	clear
	12/17/06	1.3	6.73	19.2	2,948	1.79	clear
	06/21/07	1.2	7.03	20.5	3,072	--	clear
	12/07/07	1.0	6.81	20.2	2,432	13.45	clear
	06/02/08	1.8	7.10	22.0	3,342	--	clear
	12/11/08	0.7	7.46	19.6	3,033	1.75	clear, odor
MW-15	11/12/96	--	7.21	24.6	--	--	clear
	02/04/97	8.0	6.90	18.3	3,200	34.5/133	fine red silt, no odor
	05/10/97	--	7.28	20.0	3,230	63.1	silty red sand
	08/07/97	7.4	7.13	20.5	3,160	159	red silt
	10/08/97	7.4	7.26	21.0	2,900	--	red sand/ fine silt
	01/23/98	5.2	7.24	18.8	2,930	--	turbid
	04/16/98	4.9	7.13	19.4	2,940	5.69	clear
	07/17/98	5.8/5.0	7.04	22.1	3,210	11.05	clear
	01/26/99	4.5	7.08	19.4	2,830	--	clear
	07/08/99	6.1	7.08	20.2	2,840	11.34	clear
	01/27/00	--	7.11	18.9	2,850	--	clear
	07/17/00	5.6	7.07	20.6	2,750	5.62	clear
	02/17/01	5.4	7.13	19.9	2,750	--	clear
	08/21/01	5.6	7.06	20.6	2,600	--	clear
	02/28/02	4.9	7.19	21.4	2,770	--	clear
	08/01/02	5.0	7.20	23.1	2,750	1.74	clear
	02/12/03	4.7	7.13	21.9	2,730	--	clear
	08/05/03	5.7	7.14	23.6	2,650	4.76	clear
	05/24/04	3.8	6.87	21.1	2,380	--	clear
	11/09/04	3.5	7.14	20.1	2,500	3.38	clear
	12/02/05	3.5	7.12	19.4	2,222	30.87	clear
	05/11/06	4.2	6.97	19.9	2,222	--	clear
	12/17/06	4.6	6.89	19.2	1,958	8.31	clear
	06/21/07	3.5	7.17	20.1	2,062	--	cloudy
	12/07/07	3.7	6.88	19.4	1,691	49.37	cloudy
	06/02/08	5.1	6.98	20.9	2,235	--	Slightly turbid
	12/11/08	4.2	7.43	18.6	2,009	--	Clear

**Table 3. Summary of Field Measured Parameters
TW WT-1 Engine Room Pit Area**

Well ID	Date	Dissolved Oxygen (mg/L) Meter/Hach Kit	pH	Temperature °C	Electrical Conductivity (ms/cm)	Turbidity (NTU/FTU) field / lab	Remarks
MW-16	11/12/96	--	6.7	22.7	--	--	mostly clear, slight red silt
	02/04/97	4.0	6.49	17.2	4,900	139/830	fine red silt, no odor
	05/10/97	1.4	6.91	20.1	4,800	203	red sand/silt
	08/06/97	3.3	6.87	21.3	4,540	670	very silty, red
	10/08/97	3.3	6.88	21.3	4,190	--	red silty
	01/23/98	1.9	6.84	18.6	3,940	--	slightly turbid
	04/16/98	1.4/1.0	6.88	20.8	3,990	1.27	clear
	07/16/98	2.2	6.81	21.2	4,380	0.43	clear
	01/26/99	1.3	6.82	19.5	3,980	--	clear
	07/08/99	1.6/1.0	6.84	20.7	4,520	0.80	clear, no odor
	01/27/00	--	6.80	19.3	4,540	--	clear
	07/17/00	0.9	6.83	20.7	4,520	2.12	clear
	02/17/01	2.0	6.85	20.0	4,230	--	clear
	08/21/01	1.1	6.73	20.6	4,030	--	clear
	02/28/02	1.6	6.89	21.6	4,090	--	clear
	08/01/02	1.4	6.90	23.2	4,300	3.71	clear
	02/12/03	0.8	6.85	22.2	4,350	--	clear
	08/05/03	1.6	6.87	23.1	4,110	0.92	clear
	05/24/04	1.0	6.62	21.0	4,140	--	clear
	11/09/04	1.6	6.87	20.1	4,020	1.34	clear
	12/02/05	0.9	6.87	19.9	3,286	26.45	clear
	05/11/06	1.0	6.71	20.0	3,382	--	clear
	12/17/06	1.9	6.64	19.6	3,314	11.18	clear
	06/21/07	1.0	6.94	20.5	3,465	--	clear
	12/07/07	1.4	6.66	19.8	2,738	0.88	clear
	06/02/08	2.1	6.82	21.0	3,757	--	clear
	12/11/08	0.8	7.52	19.5	3,440	1.09	clear
MW-17	11/10/04	4.3	7.05	19.7	2,880	>100	red sand/turbid
	12/02/05	1.8	7.03	19.5	2,912	>100	red sand/turbid
	05/11/06	--	--	--	--	--	--
	12/15/06	2.3	6.9	19.7	3,015	>100	red sand/turbid
	06/21/07	2.3	7.1	21.1	3,152	--	clear
	12/07/07	2.0	6.8	20.2	2,467	3.96	clear
	06/02/08	2.0	7.6	21.2	3,391	--	red sand/turbid
	12/11/08	1.5	7.6	19.3	3,121	>100	clear
SVE-1A	01/26/00	--	7.07	18.2	2,800	--	turbid, odor
	07/18/00	0.0	7.09	21.3	2,890	--	turbid, odor
	02/18/01	--	--	--	--	--	turbid, odor, insufficient h2o for parameters
	08/21/01	1.3	7.09	21.4	2420.0	--	grayblack, strong odor, bailed dry @ 0.75 gallons
	03/01/02	1.3	7.25	21.9	2820.0	--	red, turbid, odor
	08/01/02	--	--	--	--	--	turbid, odor, insufficient h2o for parameters
	02/12/03	0.3	7.10	22.3	2,700	--	turbid
	08/05/03	0.8	7.08	23.4	2,600	9.28	clear
	05/24/04	1.6	6.82	21.0	2,610	--	turbid, strong odor
	11/10/04	1.91	6.74	19.9	2,621	55	cloudy
	12/02/05	0.77	7.07	19.5	2,300	89	cloudy
	05/11/06	1.55	6.87	20.1	2,338	--	clear
	12/14/06	1.26	6.77	20.2	2,353	>100	turbid, odor
	06/21/07	1.81	7.06	21.0	2,479	--	turbid, odor
	12/07/07	0.74	6.79	20.1	1,926	9.75	slightly turbid, odor
	06/02/08	2.47	--	21.3	2,634	--	slightly turbid, odor
	12/11/08	1.23	6.87	19.4	2,062	28.27	clear, odor

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-1	11/15/94	12 ^a	100 ^a	10 ^a	110 ^a	na	na	<2.0 ^a	<2.0 ^a	690 ^a	6.7 ^a	2.2 ^a	2.8 ^a	420 ^a	na	16 ^a	<2.0 ^a	28 ^a	<2.0 ^a
	09/14/95	13	90	8	110	2000	400	<10	<5	730	13	9	na	170	1800	19	57	24	<10
	11/12/96	9	66	<5	39	630	100	<10	<5	480	9	<5	na	88	1500	12	<5	20	<10
	02/04/97	13	94	8	80	790	300	<10	<5	480	10	<5	<5	89 ^b	1700	9	<5	29	11
	05/10/97	10	75	6	45	470	<100	<10	<5	470	9	<5	<5	<50	1000	8	9	20	<10
	08/07/97	<50	<50	<50	<50	1100	1100	<50	<50	590	<50	<50	<50	200	1200	<50	<50	<50	<100
	10/09/97	<50	132	<50	97	1660	<1000	<100	<50	597	<50	<50	<50	221 ^b	1650	<50	<50	<50	<100
	01/23/98	11	82	7	85	2300	93	<10	<5	530	<5	<5	<5	230	2000	8	<5	24	<10
	04/17/98	11	84	7	85	2100	52	<10	<5	480	8	<5	<5	360	1600	6	<5	24	<10
	04/17/98	14	93	8	96	2400	100	11	<5	460	11	<5	<5	230	2100	8	<5	30	<10
Dup (MW-17)	07/17/98	15	93	8	97	<2000	98	<10	<5	820	8	12	<5	330	1800	14	93	21	<10
	01/27/99	15	58	9	93	330	120	4	<1	460	8	4	3	310	2100	10	18	26	<2
	08/21/01	12.8	62.7	6.5	92.8	198	71.3	3.25	<1	791	6.89	20	4.1	133	1200	28.1	147	18.8	2.65
	03/01/02	<50.0	51.4	<50.0	50.2	<500	<250	<50.0	<50.0	544	<50.0	<50.0	<50.0	<250	1750	<50.0	<50.0	<50.0	<50.0
	08/01/02	12	49	<10	81	<1300	<2500	<10	<10	470	<10	12	<10	84	1900	20	42	24	<20
	02/12/03	14	41	<10	84	340	<500	<20	<10	360	<10	<10	<10	52	2100	11	14	26	<20
	08/05/03	15	38	<10	94	270	<100	<20	<10	440	<10	<10	<10	62	2100	10	25	26	<20
	05/25/04	25	63	14	120	63	<50	<10	<5	640	7.1	21	8.5	190	2200	32	170	38	<5
	11/09/04	23	53	16	160	<100	<100	<20	<10	410	<10	<10	<10	<30	2800	11	39	42	<10
	04/12/05	26	60	18	150	110	<50	<10	<5	250	6.4	<5	8.9	17	2400	13	22	37	<5
MW-3	12/02/05	37	94	23	190	140	<50	10	<5	440	<5	12	9.9	100	1900	32	89	54	13
	05/11/06	26	61	17	120	120	<50	<10	<5	280	6.7	5.4	6.4	<15	1700	19	15	30	<5
	12/17/06	48	130	32	210	<100	<100	<20	<10	380	<10	<10	12	<30	2400	20	18	58	<10
	06/21/07	25	66	16	92	290	54	3.1	<1	350	3.1	4.9	5.6	9.0	1400	42	31	41	1.6
	12/07/07	20	62	11	79	1000	170	<10	<10	600	<10	<10	<10	<30	1200	46	38	58	<10
	06/02/08	29	80	15	100	500	100	<20	<10	760	<10	14	<10	<30	1900	76	94	66	<10
	11/16/94	5	<0.5	<0.5	0.5	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)													
Well ID	Sampling Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-4	12/01/94	<0.5	<0.5	<0.5	<0.5	na	na	<0.2	7.6	0.9	<0.2	4.7	<0.2	<2.0	na	0.5	<0.2	<0.2	<0.2
	09/12/95	<1	<5	<5	<5	<100	<100	<10	6	<5	<5	<5	na	<5	<50	<5	<5	<5	<10
	11/12/96	<5	<5	<5	<5	<100	<100	<10	6	<5	<5	<5	na	<5	<50	<5	<5	<5	<10
	02/04/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<5	100	<5	<5	<5	<10
	05/10/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<50	<50	<5	<5	<5	<10
	08/06/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	5.4	<5	<5	<50	<5	<5	<5	<10
	10/08/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<5	<50	<5	<5	<5	<10
	01/23/98	<5	<5	<5	<5	<100	<20	<10	5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
	04/16/98	<5	<5	<5	<5	<100	<20	<10	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
	07/16/98	<5	<5	<5	<5	<100	<20	<10	5	<5	<5	5	<5	<5	<10	<5	<5	<5	<10
	01/26/99	<1	<1	<1	<1	<20	<20	<2	4	<1	<1	4	<1	<2	<10	<1	<1	<1	<2
	07/08/99	<1	<1	<1	<1	<20	<20	<2	4	1	<1	4	<1	<2	<10	<1	<1	<1	<2
	01/27/00	<1	<1	<1	<1	<20	<20	<2	4	1	<1	4	<1	<2	<10	<1	<1	<1	<2
	07/17/00	<1	<1	<1	<1	<20	<20	<2	4	1	<1	3	<1	<2	<10	<1	<1	<1	<2
	02/17/01	<1.00	<1.00	<1.00	<1.00	<10.00	<10.00	<1.00	2.79	<1.00	<1.00	3.62	<1.00	<5.00	<5.00	<1.00	<1.00	<1.00	<1.00
	08/21/01	<1	<1	<1	<3	<10	<10	<1	2.3	<1	<1	<1	3.6	<1	<5	<5	<1	<1	<1
02/28/02	<1	<1	<1	<2	<10	<5	<1	2.00	<1	<1	<1	2.92	<1	<5	<5	<1	<1	<1	
08/01/02	<1.0	<1.0	<1.0	<1.0	<25	<50	<1.0	2.1	1.8	<1.0	<1.0	3.5	<1.0	<3.0	<15	<1.0	<1.0	<2.0	
02/12/03	<1.0	<1.0	<1.0	<1.0	<25	<50	<2.0	<1.0	<1.0	<1.0	2.3	<1.0	<3.0	<15	<1.0	<1.0	<1.0	<2.0	
08/05/03	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	<1.0	<1.0	1.9	<1.0	<3.0	<10	<1.0	<1.0	<1.0	<2.0	
05/25/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	<1.0	<1.0	1.6	<1.0	<3.0	<10	<1.0	<1.0	<1.0	<1.0	
11/09/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<10	<1.0	<1.0	<1.0	<1.0	
04/12/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.2	1.4	<1.0	1.3	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	
12/02/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<3.0	<10	<1.0	<1.0	<1.0	
05/11/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	<1.0	<2.0	<1.0	<1.0	1.1	<1.0	<3.0	<10	<1.0	<1.0	<1.0	
12/17/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<3.0	<10	<1.0	<1.0	<1.0	
06/21/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<3.0	<10	<1.0	<1.0	<1.0	
12/07/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<3.0	<10	<1.0	<1.0	<1.0	
06/02/08	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<3.0	<10	<1.0	<1.0	<1.0	
12/11/08	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<3.0	<10	<1.0	<1.0	<1.0	

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)			Other VOCs (ug/L)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		Benzene	Toluene	Ethylbenzene	Xylenes (total)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
Dup (MW-24)	12/02/05	21	7.7	6.4	16	17	< 10	3.9	< 1.0	71	1.7	3.3	61	< 3	< 10	2.4	2.0	66	2.2
	05/11/06	14	4.1	4.5	10	< 10	< 10	2.2	< 1.0	95	3	2.1	39	< 3	< 10	1.6	< 1.0	47	< 1.0
	12/17/06	58	16	19	49	< 50	< 10	< 10	< 5.0	240	9.3	5.8	150	< 15	< 50	< 5.0	< 5.0	170	< 5.0
	12/17/06	47	16	17	42	< 50	< 10	< 10	< 5.0	210	8.7	5.8	120	< 15	< 50	< 5.0	< 5.0	150	< 5.0
Dup (MW-2)	06/21/07	15	5.7	5.6	12	< 10	< 10	2.7	< 1.0	73	1.3	2.6	36	< 1	< 10	1.8	1.1	43	< 1.0
	12/07/07	15	4.7	4.3	11	< 10	< 10	< 2.0	< 1.0	71	2.9	2.1	30	< 1	< 10	2.6	1.5	38	< 1.0
	12/07/07	17	6.0	5.0	12	11	< 10	< 2.0	< 1.0	80	3.4	2.4	31	< 1	< 10	2.3	1.4	41	< 1.0
	06/02/08	14	3.6	4.2	7.5	< 10	< 10	< 2.0	< 1.0	72	1.1	2.0	31	< 3	< 10	< 1.0	< 1.0	39	< 1.0
Dup (MW-18)	12/11/08	20	6.3	4.1	16	< 10	< 10	< 2.0	< 1.0	95	1.5	2.5	31	< 3	< 10	2.6	< 1.0	38	< 1.0
	12/11/08	19	5.5	6.6	15	< 10	< 10	< 2.0	< 1.0	97	1.5	2.7	32	< 3	< 10	2.4	1.6	40	< 1.0

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
	NMWQCC Standard	10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-6	11/30/94	1.8	< 0.5	< 0.5	0.5	na	na	0.5	< 0.2	13	< 0.2	2.9	6.8	< 2.0	na	0.4	< 0.2	15	< 0.2
	09/12/95	2	< 5	< 5	< 5	< 100	< 100	< 10	< 5	17	< 5	< 5	na	< 5	< 50	< 5	< 5	21	< 10
	11/12/96	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	12	< 5	< 5	na	< 5	< 50	< 5	< 5	15	< 10
	02/04/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	11	< 5	< 5	6	< 50	< 50	< 5	< 5	18	< 10
	05/10/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	10	< 5	< 5	< 5	< 50	< 50	< 5	< 5	14	< 10
	08/07/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	12	< 5	< 5	7	< 5	< 50	< 5	< 5	16	< 10
	10/09/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	12	< 5	< 5	7	< 5	< 50	< 5	< 5	16	< 10
	01/23/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	< 5	14	< 5	< 5	7	< 5	< 10	< 5	< 5	15	< 10
	04/16/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	< 5	13	< 5	< 5	8	< 5	< 10	< 5	< 5	17	< 10
	07/16/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	< 5	12	< 5	< 5	7	< 5	< 10	< 5	< 5	14	< 10
	01/27/99	1	< 1	< 1	< 1	< 20	< 20	< 2	< 1	11	< 1	3	8	< 2	< 10	< 1	< 1	16	< 2
	07/08/99	2	< 1	< 1	< 1	< 20	< 20	< 2	< 1	12	< 1	2	9	< 2	< 10	< 1	< 1	18	< 2
	01/27/00	2	< 1	< 1	< 1	< 20	< 20	< 2	< 1	14	< 1	3	9	< 2	< 10	< 1	< 1	19	< 2
	07/18/00	2	< 1	< 1	< 1	< 20	< 20	< 2	< 1	14	< 1	3	10	< 2	< 10	< 1	< 1	19	< 2
	02/18/01	1.60	< 1.00	< 1.00	< 1.00	< 10.00	< 10.00	< 1.00	< 1.00	12.1	< 1.00	2.09	9.49	< 5.00	< 5.00	< 1.00	< 1.00	16.4	< 1.00
	08/21/01	1.5	< 1	< 1	< 3	< 10	< 10	< 1	< 1	10	< 1	2.02	8.28	< 5	< 5	< 1	< 1	15.5	< 1
	02/28/02	1.6	< 1.00	< 1.00	< 2.00	< 10.0	< 5.00	< 1.00	< 1.00	11.8	< 1.00	1.88	8.60	< 5.00	< 5.00	< 1.00	< 1.00	16.4	< 1.00
	08/01/02	1.3	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	11	< 1.0	2.5	8.4	< 3.0	< 15	< 1.0	< 1.0	17	< 2.0
	02/12/03	1.1	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	8.5	< 1.0	1.4	6.2	< 3.0	< 15	< 1.0	< 1.0	13	< 2.0
	08/05/03	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	8.2	< 1.0	1.2	6.0	< 3.0	< 10	< 1.0	< 1.0	13	< 2.0
	05/25/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	6.9	< 1.0	1.1	5.2	< 3.0	< 10	< 1.0	< 1.0	12	< 1.0
	11/09/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	5.5	< 1.0	< 1.0	4.6	< 3.0	< 10	< 1.0	< 1.0	10	< 1.0
	04/12/05	1.1	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	6.7	< 1.0	1.3	5.1	< 3.0	< 10	< 1.0	< 1.0	10	< 1.0
	12/02/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	5.3	< 1.0	< 1.0	4.2	< 3.0	< 10	< 1.0	< 1.0	10	< 1.0
	05/11/06	1.1	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2.0	< 1.0	6.4	< 1.0	1.2	4.6	< 1.0	< 10	< 1.0	< 1.0	9.9	< 1.0
	12/17/06	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2.0	< 1.0	6.5	< 1.0	< 1.0	4.1	< 1.0	< 10	< 1.0	< 1.0	11	< 1.0
	06/21/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 1.0	4.7	< 1.0	< 1.0	3.5	< 3.0	< 10	< 1.0	< 1.0	9.1	< 1.0
	12/07/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 1.0	4.1	< 1.0	< 1.0	3.1	< 3.0	< 10	< 1.0	< 1.0	9.1	< 1.0
	06/02/08	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 1.0	5.3	< 1.0	< 1.0	3.5	< 3.0	< 10	< 1.0	< 1.0	9.2	< 1.0
	12/11/08	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 1.0	3.6	< 1.0	< 1.0	3.2	< 3.0	< 10	< 1.0	< 1.0	8.5	< 1.0

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)														
Well ID	Sampling Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride	
NM/QCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1	
MW-7	11/22/94	7	< 0.5	< 0.5	< 0.5	na	< 0.2	< 0.2	< 0.2	23	0.3	2.3	7.3	< 2.0	na	0.4	1.6	14	0.3	
	09/12/95	6	< 5	< 5	< 5	< 100	< 10	< 10	< 5	22	< 5	< 5	na	< 5	< 50	< 5	< 5	13	< 10	
	11/12/96	9	< 5	< 5	< 5	< 100	< 100	< 10	< 5	22	24	< 5	na	< 5	< 50	< 5	< 5	18	< 10	
	02/04/97	8	< 5	< 5	< 5	< 100	< 100	< 10	< 5	18	< 5	< 5	7	< 50	< 50	< 5	< 5	15	< 10	
	05/10/97	6	< 5	< 5	< 5	< 100	< 100	< 10	< 5	16	< 5	< 5	< 5	< 50	< 50	< 5	< 5	13	< 10	
	08/07/97	9	< 5	< 5	< 5	< 100	< 100	< 10	< 5	22	< 5	< 5	< 5	< 5	< 50	< 5	< 5	17	< 10	
	10/09/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	20	< 5	< 5	6	< 5	< 50	< 5	< 5	16	< 10	
	01/23/98	6	< 5	< 5	< 5	< 100	< 20	< 10	< 5	21	< 5	< 5	6	< 5	< 10	< 5	< 5	13	< 10	
	04/17/98	6	< 5	< 5	< 5	< 100	< 20	< 10	< 5	20	< 5	< 5	8	< 5	< 10	< 5	< 5	14	< 10	
	07/16/98	7	< 5	< 5	< 5	< 100	< 20	< 10	< 5	19	< 5	< 5	7	< 5	< 10	< 5	< 5	12	< 10	
	01/27/99	7	< 1	< 1	< 1	< 20	< 20	< 2	1	19	< 1	3	10	< 2	< 10	< 1	< 1	12	< 2	
	07/08/99	7	< 1	< 1	< 1	< 20	< 20	< 2	1	20	< 1	2	10	< 2	< 10	< 1	< 1	12	< 2	
	01/27/00	8	< 1	< 1	< 1	< 20	< 20	< 2	1	24	< 1	2	13	< 2	< 10	< 1	< 1	12	< 2	
	07/18/00	6	< 1	< 1	< 1	< 20	< 20	< 2	1	19	< 1	2	11	< 2	< 10	< 1	< 1	9	< 2	
	02/18/01	7.90	< 1.00	< 1.00	< 1.00	< 10.00	< 10.00	< 1.00	1.36	24.3	< 1.00	< 1.00	2.24	16.0	< 5.00	< 1.00	< 1.00	12.1	< 1.00	
	08/21/01	4.25	< 1	< 1	< 1	< 3	< 10	< 10	< 1	< 1	21.6	< 1	1.79	15	< 5	< 5	< 1	< 1	11.2	< 1
	02/28/02	< 1.00	< 1.00	< 1.00	< 2.00	< 10.0	< 5.00	< 1.00	1.27	34.3	< 1.00	< 1.00	2.37	24.8	< 5.00	< 1.00	< 1.00	15.3	< 1.00	
08/01/02	< 1.0	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	1.7	30	< 1.0	< 1.0	2.9	24	< 3.0	< 15	< 1.0	< 1.0	15	< 2.0	
02/12/03	< 1.0	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	24	< 1.0	< 1.0	2.0	20	< 3.0	< 15	< 1.0	< 1.0	11	< 2.0	
08/05/03	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	36	< 1.0	< 1.0	2.0	34	< 3.0	< 10	< 1.0	< 1.0	15	< 2.0	
05/25/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	29	< 1.0	< 1.0	1.4	28	< 3.0	< 10	< 1.0	< 1.0	12	< 1.0	
11/10/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	28	< 1.0	< 1.0	< 1.0	31	< 3.0	< 10	< 1.0	< 1.0	12	< 1.0	
04/12/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	1.6	32	< 1.0	< 1.0	1.9	34	< 3.0	< 10	< 1.0	< 1.0	13	< 1.0	
12/02/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	30	< 1.0	< 1.0	1.4	33	< 3.0	< 10	< 1.0	< 1.0	12	< 1.0	
05/11/06	< 1.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 2.0	< 1.0	1.2	30	< 1.0	1.3	25	< 3.0	< 10	< 1.0	< 1.0	9.8	< 1.0	
12/14/06	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	< 1.0	38	< 1.0	1.4	41	< 3.0	< 10	< 1.0	< 1.0	21	< 1.0	
06/21/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 1.0	< 1.0	< 1.0	30	< 1.0	1.4	36	< 1.0	< 10	< 1.0	< 1.0	10	< 1.0	
12/07/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 1.0	< 1.0	< 1.0	33	< 1.0	1.2	36	< 1.0	< 10	< 1.0	< 1.0	9.7	< 1.0	
06/02/08	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 1.0	< 1.0	< 1.0	32	< 1.0	1.4	33	< 1.0	< 10	< 1.0	< 1.0	8.8	< 1.0	
12/11/08	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 1.0	< 1.0	< 1.0	41	< 1.0	1.6	48	< 1.0	< 10	< 1.0	< 1.0	10	< 1.0	

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)													
Well ID	Sampling Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWWQC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-8	11/30/94	12	<0.5	<0.5	<0.5	na	na	0.5	<0.2	71	0.9	1.3	18	<2.0	na	<0.2	<0.2	17	0.2
	09/13/95	18	<5	<5	<5	<100	<100	<10	<5	92	<5	<5	na	<5	<50	<5	<5	45	<10
	11/12/96	19	<5	<5	<5	<100	<100	<10	<5	86	<5	6	na	<5	<50	<5	<5	59	<10
	02/06/97	24	<5	<5	<5	<100	<100	<10	<5	80	<5	<5	28	5.2 ^a	<50	<5	<5	52	<10
Dup (MW-17)	05/10/97	19	42	<5	<5	<100	<100	25	<5	74	<5	<5	120	<50	130	<5	<5	44	<10
	08/07/97	21	<5	<5	<5	<100	<100	25	<5	86	<5	7.4	30	<5	<50	<5	<5	49	<10
	08/07/97	21	<5	<5	<5	<100	<100	25	<5	88	<5	7.8	32	<5	<50	<5	<5	51	<10
	10/09/97	25	<5	<5	<5	<100	<100	<10	<5	104	<5	<5	34	7 ^b	<50	<5	<5	67	<10
Dup (MW-17)	01/24/98	21	<5	<5	<5	<100	<20	<10	<5	100	<5	<5	33	<5	0	<5	<5	52	<10
	04/17/98	19	<5	<5	<5	<100	<20	<10	<5	89	<5	<5	33	<5	<10	<5	<5	51	<10
	07/17/98	20	<5	<5	<5	<100	<20	<10	<5	91	<5	<5	32	<5	<10	<5	<5	51	<10
	07/17/98	20	<5	<5	<5	<100	<20	<10	<5	88	<5	<5	31	<5	<10	<5	<5	52	<10
Dup (MW-17)	01/27/99	20	<1	<1	<1	<20	<20	<2	<1	94	2	5	37	<2	<10	<1	<1	54	<2
	07/09/99	17	<1	<1	<1	<20	<20	<2	<1	99	2	5	39	<2	<10	<1	<1	59	<2
	07/09/99	16	<1	<1	<1	<20	<20	<2	<1	95	2	5	39	<2	<10	<1	<1	59	<2
	01/27/00	21	<1	<1	<1	<20	<20	<2	<1	110	2	5	43	<2	<10	<1	<1	59	<2
Dup (MW-17)	07/18/00	21	<1	<1	<1	<20	<20	<2	<1	100	2	5	45	<2	<10	<1	<1	59	<2
	07/18/00	20	<1	<1	<1	<20	<20	<2	<1	100	2	5	44	<2	<10	<1	<1	59	<2
	02/18/01	17.8	<1.00	<1.00	<1.00	<10.00	<10.00	<1.00	<1.00	89.2	1.49	4.52	42.0	<5.00	<5.00	<1.00	<1.00	52.8	<1.00
	08/21/01	17.7	<1	<1	<3	<10	<10	<1	<1	97.9	1.59	4.74	42.6	<5	<5	<1	<1	54.1	1.13
Dup (MW-17)	08/21/01	17.8	<1	<1	<3	<10	<10	<1	<1	100	1.42	4.47	45.8	<5	<5	<1	<1	52.9	1.11
	02/28/02	22.1	<1.00	<1.00	<2.00	<10.0	<5.00	<1.00	<1.00	108	2.33	4.50	47.1	<5.00	<5.00	<1.00	<1.00	56.6	2.92
	08/01/02	25	<1.0	<1.0	<1.0	<25	<50	<2.0	<1.0	120	1.7	6.1	51	<3.0	<15	<1.0	<1.0	68	<2.0
	08/01/02	24	<1.0	<1.0	<1.0	<25	<50	<2.0	<1.0	130	1.6	6.0	48	<3.0	<15	<1.0	<1.0	59	<2.0
Dup (MW-18)	02/12/03	23	<1.0	<1.0	<1.0	<25	<50	<2.0	<1.0	95	1.7	5.0	49	<3.0	<15	<1.0	<1.0	52	<2.0
	08/05/03	19	<2.0	<2.0	<2.0	<20	<20	<4.0	<2.0	120	<2	5.0	62	<6.0	<20	<2.0	<2.0	61	<4.0
	08/05/03	22	<2.0	<2.0	<2.0	<20	<20	<4.0	<2.0	150	2.0	6.4	77	<6.0	<20	<2.0	<2.0	76	<4.0
	05/25/04	12	<2.0	<2.0	<2.0	<20	<20	<4.0	<2.0	120	2.1	5.5	72	<6.0	<20	<2.0	<2.0	58	<2.0
Dup (MW-19)	11/09/04	7.5	<5.0	<5.0	<5.0	<50	<50	<10	<5.0	92	<5.0	<5.0	59	<15	<50	<5.0	<5.0	54	<5.0
	04/12/05	6.4	<5.0	<5.0	<5.0	<50	<50	<10	<5.0	63	<5.0	<5.0	36	<15	<50	<5.0	<5.0	35	<5.0
	12/02/05	5.6	<1.0	<1.0	<1.0	<10	<10	<2	<1.0	67	1.4	3.7	47	<3	<10	<1.0	<1.0	42	2.6
	12/02/05	5.6	<1.0	<1.0	<1.0	<10	<10	<2	<1.0	72	1.5	3.6	49	<3	<10	<1.0	<1.0	41	2.4

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
	05/11/06	4	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2	< 1.0	82	3.1	3.4	46	< 3	< 10	< 1.0	< 1.0	35	1.2
Dup (MW-24)	05/11/06	4.4	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2	< 1.0	85	3.3	3.7	51	< 3	< 10	< 1.0	< 1.0	40	1.2
	12/17/06	2.1	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2	< 1.0	33	1.1	1.2	19	< 3	< 10	< 1.0	< 1.0	18	< 1.0
	06/21/07	2.8	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2	< 1.0	45	< 1.0	2.3	30	< 3	< 10	< 1.0	< 1.0	29	< 1.0
Dup (MW-24)	06/21/07	2.7	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2	< 1.0	44	< 1.0	2.3	31	< 3	< 10	< 1.0	< 1.0	28	< 1.0
	12/07/07	3.9	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2	< 1.0	68	2.7	3.4	48	< 3	< 10	< 1.0	< 1.0	41	< 1.0
	06/02/08	3.6	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2	< 1.0	66	1.1	3.7	50	< 3	< 10	< 1.0	< 1.0	40	< 1.0
Dup (MW-18)	06/02/08	3.7	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2	< 1.0	67	1.2	3.8	51	< 3	< 10	< 1.0	< 1.0	41	< 1.0
	12/11/08	3.5	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2	< 1.0	78	1.2	3.6	66	< 3	< 10	< 1.0	< 1.0	41	< 1.0

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEX (ug/L)				Other VOCs (ug/L)										Trichloroethene	Vinyl chloride
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	
NIMWQCC Standard		10	750	750	620	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100
MW-14	09/13/95	1	<5	<5	<5	<100	<10	<5	24	<10	<5	na	<5	<50	<5	<5	<10
	11/12/96	<5	<5	<5	<5	<100	<10	<5	25	<10	<5	na	<5	<50	<5	<5	<10
	02/04/97	<5	<5	<5	<5	<100	<10	<5	21	<5	<5	<5	<50	<50	<5	<5	<10
	05/10/97	<5	<5	<5	<5	<100	<10	<5	22	<5	<5	<5	<50	<50	<5	<5	<10
	08/07/97	<5	<5	<5	<5	<100	<10	<5	27	<5	<5	<5	<5	<50	<5	<5	<10
	10/09/97	<5	<5	<5	<5	<100	<10	<5	27	<5	<5	<5	6 ^b	<50	<5	<5	<10
	01/23/98	<5	<5	<5	<5	<100	<10	<5	31	<5	<5	5	<5	<10	<5	<5	<10
	04/17/98	<5	<5	<5	<5	<100	<10	<5	28	<5	<5	<5	<5	<10	<5	<5	<10
	07/17/98	<5	<5	<5	<5	<100	<10	<5	26	<5	<5	<5	<5	<10	<5	<5	<10
	01/27/99	<1	<1	<1	<1	<20	<2	<1	27	<1	2	5	<2	<10	1	<1	<2
	07/09/99	<1	<1	<1	<1	<20	<2	<1	29	<1	2	5	<2	<10	1	<1	<2
	01/27/00	<1	<1	<1	<1	<20	<2	<1	29	<1	2	5	<2	<10	1	<1	<2
	07/18/00	<1	<1	<1	<1	<20	<2	<1	32	<1	2	6	<2	<10	1	<1	<2
	02/18/01	<1.00	<1.00	<1.00	<1.00	<10.00	<1.00	<1.00	31.50	<1.00	1.78	5.95	<5.00	<5.00	1.18	<1.00	<1.00
	08/21/01	<1	<1	<1	<3	<10	<1	<1	37.1	<1.00	1.61	5.93	<5	<5	<1	<1	15.7
	02/28/02	<1.00	<1.00	<1.00	<2.00	<10.0	<1.00	<1.00	37.1	<1.00	1.52	6.97	<5.00	<5.00	<1.00	<1.00	16.5
	08/01/02	<1.0	<1.0	<1.0	<1.0	<25	<1.0	<1.0	37	<1.0	2.4	7.6	<3.0	<15	1.7	<1.0	18
	02/12/03	<1.0	<1.0	<1.0	<1.0	<25	<2.0	<1.0	26	<1.0	1.2	5.4	<3.0	<15	1.1	<1.0	12
	08/05/03	<1.0	<1.0	<1.0	<1.0	<10	<2.0	<1.0	33	<1.0	1.2	6.2	<3.0	<10	<1.0	<1.0	14
	05/25/04	<1.0	<1.0	<1.0	<1.0	<10	<2.0	<1.0	29	<1.0	<1.0	5.8	<3.0	<10	<1.0	<1.0	12
	11/10/04	<1.0	<1.0	<1.0	<1.0	<10	<2.0	<1.0	24	<1.0	<1.0	5.0	<3.0	<10	<1.0	<1.0	<1.0
	04/12/05	<1.0	<1.0	<1.0	<1.0	<10	<2.0	<1.0	27	<1.0	1.0	5.3	<3.0	<10	<1.0	<1.0	9.8
	12/02/05	<1.0	<1.0	<1.0	<1.0	<10	<2.0	<1.0	26	<1.0	<1.0	5.0	<3.0	<10	<1.0	<1.0	8.9
	05/11/06	<1.0	<1.0	<1.0	<3.0	<10	<2.0	<1.0	28	<1.0	<1.0	4.1	<3.0	<10	<1.0	<1.0	6.8
	12/17/06	<1.0	<1.0	<1.0	<3.0	<10	<2.0	<1.0	28	<1.0	<1.0	4.5	<3.0	<10	<1.0	<1.0	7.4
	06/21/07	<1.0	<1.0	<1.0	<1.5	<10	<2.0	<1.0	19	<1.0	<1.0	3.1	<3.0	<10	<1.0	<1.0	5.2
	12/07/07	<1.0	<1.0	<1.0	<1.5	<10	<2.0	<1.0	18	<1.0	<1.0	2.4	<3.0	<10	<1.0	<1.0	4.7
	06/02/08	<1.0	<1.0	<1.0	<1.5	<10	<2.0	<1.0	19	<1.0	<1.0	2.4	<3.0	<10	<1.0	<1.0	4.3
	12/11/08	<1.0	<1.0	<1.0	<1.5	<10	<2.0	<1.0	19	<1.0	<1.0	2.7	<3.0	<10	<1.0	<1.0	3.7

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-15	09/14/95	<1	<5	<5	<5	<100	<100	<10	<5	<5	<5	5	na	<5	<50	<5	<5	<5	<10
	11/12/96	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	5	na	<5	<50	<5	<5	<5	<10
	02/04/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<50	<50	<5	<5	<5	<10
	05/10/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<50	<50	<5	<5	<5	<10
	08/07/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<50	<50	<5	<5	<5	<10
	10/08/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	6 ^b	<50	<5	<5	<5	<10
	01/23/98	<5	<5	<5	<5	<100	<20	<10	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
	04/16/98	<5	13	<5	<5	<100	<20	<10	<5	<5	<5	5	<5	<5	<10	<5	<5	<5	<10
	07/17/98	<5	<5	<5	<5	<100	<20	<10	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
	01/26/99	<1	<1	<1	<1	<20	<20	<2	2	3	<1	5	<1	<2	<10	<1	1	<1	<2
	07/08/99	<1	<1	<1	<1	<20	<20	<2	2	4	<1	4	<1	<2	<10	<1	2	<1	<2
	01/27/00	<1	<1	<1	<1	<20	<20	<2	2	4	<1	5	<1	<2	<10	<1	2	<1	<2
Dup (MW-17)	07/17/00	<1	<1	<1	<1	<20	<20	<2	2	3	<1	4	<1	<2	<10	<1	2	<1	<2
	02/17/01	<1.00	<1.00	<1.00	<1.00	<10.00	<10.00	<1.00	1.77	3.54	<1.00	3.97	<1.00	<5.00	<5.00	<1.00	1.81	<1.00	<1.00
	08/21/01	<1	<1	<1	<3	<10	<5	<1	1.39	3.18	<1	3.59	<1	<5	<5	<1	1.72	<1	<1
	02/28/02	<1.00	<1.00	<1.00	<2.00	<10.0	<5.00	<1.00	1.68	3.56	<1.00	3.66	<1.00	<5.00	<5.00	<1.00	1.87	<1.00	<1.00
	08/01/02	<1.0	<1.0	<1.0	<1.0	<25	<50	<2.0	1.9	3.6	<1.0	3.8	<1.0	<3.0	<15	<1.0	2.1	<1.0	<2.0
	02/12/03	<1.0	<1.0	<1.0	<1.0	<25	<50	<2.0	1.4	2.5	<1.0	3.1	<1.0	<3.0	<15	<1.0	1.6	<1.0	<2.0
	08/05/03	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.0	2.5	<1.0	2.4	<1.0	<3.0	<10	<1.0	2.2	<1.0	<2.0
	05/25/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.1	2.5	<1.0	2.6	<1.0	<3.0	<10	<1.0	1.9	<1.0	<2.0
	05/25/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.1	2.4	<1.0	2.6	<1.0	<3.0	<10	<1.0	1.9	<1.0	<1.0
	11/09/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	2.5	<1.0	1.9	<1.0	<3.0	<10	<1.0	2.7	<1.0	<1.0
	04/12/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.8	3.7	<1.0	2.6	<1.0	<3.0	<10	<1.0	1.9	<1.0	<1.0
	12/02/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.0	2.5	<1.0	2.1	<1.0	<3.0	<10	<1.0	1.9	<1.0	<1.0
05/11/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	1.4	2.3	<1.0	2.4	<1.0	<3.0	<10	<1.0	1.7	<1.0	<1.0	
12/17/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	<1.0	3.1	<1.0	1.7	<1.0	<3.0	<10	<1.0	1.9	<1.0	<1.0	
06/21/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	2.1	<1.0	1.6	<1.0	<3.0	<10	<1.0	1.4	<1.0	<1.0	
12/07/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	1.7	<1.0	1.4	<1.0	<3.0	<10	<1.0	1.1	<1.0	<1.0	
06/02/08	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	2.0	<1.0	1.9	<1.0	<3.0	<10	<1.0	1.1	<1.0	<1.0	
12/11/08	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	1.6	<1.0	1.7	<1.0	<3.0	<10	<1.0	1.0	<1.0	<1.0	

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-16	09/14/95	< 1	< 5	< 5	< 5	< 100	< 100	< 10	< 5	6	< 5	< 5	na	< 5	< 50	6	< 5	< 5	< 10
	11/12/96	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	6	< 5	< 5	na	< 5	< 50	21	< 5	< 5	< 10
	02/04/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	< 5	< 5	< 5	< 5	< 50	< 50	17	< 5	< 5	< 10
	05/10/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	< 5	< 5	< 5	< 5	< 50	< 50	< 5	< 5	< 5	< 10
	08/06/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	< 5	< 5	< 5	< 5	6	< 50	14	< 5	< 5	< 10
	10/08/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	< 5	< 5	< 5	< 5	7 ^b	< 50	15	< 5	< 5	< 10
	01/23/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 10	13	< 5	< 5	< 10
	04/16/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 10	< 5	< 5	< 5	< 10
	07/16/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 10	16	< 5	< 5	< 10
	01/26/99	< 1	< 1	< 1	< 1	< 20	< 20	< 2	< 1	3	< 1	3	< 1	< 2	< 10	16	< 1	1	< 2
	07/08/99	< 1	< 1	< 1	< 1	< 20	< 20	< 2	< 1	3	< 1	3	< 1	< 2	< 10	14	< 1	< 1	< 2
	01/27/00	< 1	< 1	< 1	< 1	< 20	< 20	< 2	< 1	3	< 1	3	< 1	< 2	< 10	14	< 1	1	< 2
	07/17/00	< 1	< 1	< 1	< 1	< 20	< 20	< 2	< 1	3	< 1	2	< 1	< 2	< 10	13	< 1	1	< 2
	02/17/01	< 1.00	< 1.00	< 1.00	< 1.00	< 10.00	< 10.00	< 1.00	< 1.00	2.43	< 1.00	3.13	< 1.00	< 5.00	< 5.00	10.5	< 1.00	< 1.00	< 1.00
	08/21/01	< 1	< 1	< 1	< 3	< 10	< 10	< 1	< 1	2.03	< 1	3.15	< 1	< 5	< 5	8.22	< 1	< 1	< 1
	02/28/02	< 1	< 1	< 1	< 2	< 10	< 5	< 1	< 1	2.33	< 1	2.45	< 1	< 5	< 5	6.53	< 1	< 1	< 1
08/01/02	< 1.0	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	2.9	< 1.0	2.7	< 1.0	< 3.0	< 15	9.6	< 1.0	1.2	< 2.0	
02/12/03	< 1.0	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	1.8	< 1.0	1.8	< 1.0	< 3.0	< 15	10	< 1.0	< 1.0	< 2.0	
08/05/03	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	1.7	< 1.0	1.8	< 1.0	< 3.0	< 10	8.4	< 1.0	< 1.0	< 2.0	
05/25/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	1.5	< 1.0	2.1	< 1.0	< 3.0	< 10	6.6	< 1.0	< 1.0	< 1.0	
11/09/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	1.3	< 1.0	1.0	< 1.0	< 3.0	< 10	8.3	< 1.0	< 1.0	< 1.0	
04/12/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	2.3	< 1.0	2.0	< 1.0	< 3.0	< 10	5.6	< 1.0	< 1.0	< 1.0	
12/02/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	< 2.0	< 1.0	1.4	< 1.0	< 3.0	< 10	5.2	< 1.0	< 1.0	< 1.0	
05/11/06	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2.0	< 1.0	< 2.0	< 1.0	1.8	< 1.0	< 3.0	< 10	5.1	< 1.0	1.3	< 1.0	
12/17/06	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2.0	< 1.0	< 2.0	< 1.0	1.2	< 1.0	< 3.0	< 10	4.0	< 1.0	1.3	< 1.0	
06/21/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 1.0	< 1.0	1.1	< 1.0	1.2	< 1.0	< 3.0	4.8	< 1.0	< 1.0	< 1.0	
12/07/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	3.9	< 1.0	< 1.0	< 1.0	
06/02/08	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	4.0	< 1.0	< 1.0	< 1.0	
12/11/08	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	4.3	< 1.0	< 1.0	< 1.0	

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEx (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-17	11/10/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.6	1.9	<1.0	2.6	<1.0	<3.0	<10	1.7	<1.0	<1.0	<1.0
	04/12/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	2.4	3.0	<1.0	2.8	<1.0	<3.0	<10	1.7	<1.0	<1.0	<1.0
	12/02/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.7	2.1	<1.0	2.7	<1.0	<3.0	<10	2.1	<1.0	<1.0	<1.0
	05/11/06	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.6	1.7	<1.0	<1.0	<1.0	<3.0	<10	1	<1.0	<1.0	<1.0
	12/15/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	1.1	<2.0	<1.0	1.9	<1.0	<3.0	<10	1.4	<1.0	1.2	<1.0
	06/21/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	1.4	1.5	<1.0	2.0	<1.0	<3.0	<10	1.7	<1.0	<1.0	<1.0
	12/07/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	1.0	1.2	<1.0	1.6	<1.0	<3.0	<10	1.7	<1.0	<1.0	<1.0
	06/02/08	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	1.2	1.5	<1.0	1.8	<1.0	<3.0	<10	1.6	<2.0	<1.0	<1.0
12/11/08	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	1.4	1.2	<1.0	1.6	<1.0	<3.0	<10	1.8	<1.0	<1.0	<1.0	
SVE-1A	01/26/00	59	16	14	57	<20	<20	11	<1	240	2	8	54	5	240	8	44	59	<2
	07/18/00	59	16	15	59	<20	<20	9	<1	230	3	8	62	3	480	3	33	57	<2
	02/18/01	45.6	29.6	14.2	101.12	<50.0	<50.0	14.2	<5.00	466	5.45	15.8	101	<25.0	883	13.8	55.1	98.9	<5.00
	08/21/01	51.9	31.4	16.2	92.6	<10	<10	13.3	<1	607	5.08	21.8	116	<5	610	7.65	62.5	133	3.6
	03/01/02	47.7	41.5	16.0	89.2	<100	<50.0	<10.0	<10.0	334	<10.0	10.8	101	<50.0	842	<10.0	14.9	84.7	<10.0
	08/01/02	60	57	17	110	<250	<500	<20	<10	480	<10	21	170	<30	1000	11	33	150	<20
	02/12/03	55	78	20	120	<250	<500	<20	<10	370	<10	11	160	<30	1100	<10	19	130	<20
	08/05/03	69	83	24	170	<100	<100	<20	<10	630	<10	16	240	<30	1500	<10	34	180	<20
	05/25/04	90	47	25	95	<100	<100	<20	<10	380	<10	10	120	<30	420	<10	40	80	<10
	11/10/04	91	99	32	190	<50	<50	18	<5.0	680	<5.0	19	310	<15	1500	<5.0	41	140	<5.0
	04/12/05	85	36	29	79	<100	<100	<20	<10	150	<10	<10	85	<30	550	<10	<10	35	<10
	12/02/05	170	37	60	110	<100	<100	<20	<10	150	<10	<10	76	<30	180	<10	12	48	<10
	05/11/06	110	23	41	89	<50	<50	<10	<5	150	8.1	<5	74	<15	260	<5	<5	37	<5
	12/14/06	160	31	65	120	<100	<100	<20	<10	230	<10	<10	95	<30	200	<10	15	60	<10
	06/21/07	72	12	28	56	<10	<10	8	<1	240	1.4	9.2	59	<3	58	7.9	21	42	1.1
	12/07/07	73	8.8	25	39	<50	<50	<10	<5	96	<5	<5	37	<15	<50	<5	6.2	24	<5
	06/02/08	140	22	59	81	<50	<50	<10	<5	180	<5	7.7	61	<15	69	15	16	41	<5
	12/11/08	71	7.5	29	35	<10	<10	3.9	<1	150	3.7	5.2	42	<3	27	6.5	12	22	<1

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1

NOTES:

- (a) Sample analyzed at 10x dilution
- (b) Constituent also detected in laboratory blank sample
- (c) na - Analysis for this constituent was not run on samples collected during this sample event

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
MW-1	10/09/97	1,1,2,2-Tetrchloroethane	107	50
	01/23/98	1,2,4-Trimethylbenzene	36	5
	01/23/98	1,3,5-Trimethylbenzene	13	5
	01/23/98	2-Hexanone	25	10
	04/17/98	Naphthalene	11	5
	04/17/98	1,2,4-Trimethylbenzene	39	5
	04/17/98	1,3,5-Trimethylbenzene	13	5
	04/17/98	2-Hexanone	18	10
Dup(MW-17)	04/17/98	Naphthalene	24	5
	04/17/98	1,2,4-Trimethylbenzene	40	5
	04/17/98	1,3,5-Trimethylbenzene	14	5
	04/17/98	2-Hexanone	26	10
	07/17/98	Napthalene	13	5
	07/17/98	1,2,4-Trimethylbenzene	32	5
	07/17/98	1,3,5-Trimethylbenzene	11	5
	07/17/98	2-Hexanone	18	10
	01/27/99	Carbon disulfide	1	1
	01/27/99	Isopropylbenzene	2	1
	01/27/99	n-Propylbenzene	3	1
	01/27/99	1,3,5-Trimethylbenzene	14	1
	01/27/99	1,2,4-Trimethylbenzene	38	1
	01/27/99	4-Isopropyltoluene	2	1
	01/27/99	1,2-Dichlorobenzene	1	1
	01/27/99	Naphthalene	14	1
	08/21/01	1,2,4-Trimethylbenzene	27.8	5
	08/21/01	1,2-Dichlorobenzene	1.02	1
	08/21/01	1,3,5-Trimethylbenzene	15.3	1
	08/21/01	n-Propylbenzene	1.12	1
	08/21/01	Naphthalene	11.2	2
	08/01/02	1,2,4-Trimethylbenzene	33	10
	08/01/02	1,3,5-Trimethylbenzene	16	10
	02/12/03	1,2,4-Trimethylbenzene	45	10
	02/12/03	1,3,5-Trimethylbenzene	15	10
	08/05/03	1,2,4-Trimethylbenzene	41	10
	08/05/03	1,3,5-Trimethylbenzene	18	10
	05/25/04	1,2,4-Trimethylbenzene	50	5
	05/25/04	1,3,5-Trimethylbenzene	22	5
	05/25/04	Naphthalene	21	10
	11/09/04	1,2,4-Trimethylbenzene	62	10
	11/09/04	1,3,5-Trimethylbenzene	22	10
	11/09/04	Naphthalene	23	20
	04/12/05	1,2,4-Trimethylbenzene	61	5
	04/12/05	1,3,5-Trimethylbenzene	25	5
	04/12/05	Naphthalene	30	5

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
	04/12/05	4-Isopropyltoluene	5.7	5
	04/12/05	n-Butylbenzene	6.5	5
	04/12/05	n-Propylbenzene	5.9	5
	12/02/05	1,2,4-Trimethylbenzene	72	5
	12/02/05	1,3,5-Trimethylbenzene	36	5
	12/02/05	Naphthalene	31	10
	12/02/05	2-Methylnaphthalene	32	20
	05/11/06	1,2,4-Trimethylbenzene	45	5
	05/11/06	1,3,5-Trimethylbenzene	23	5
	05/11/06	Naphthalene	27	5
	12/17/06	1,2,4-Trimethylbenzene	90	10
	12/17/06	1,3,5-Trimethylbenzene	40	10
	12/17/06	Naphthalene	32	20
	06/21/07	1,2,4-Trimethylbenzene	51	1
	06/21/07	1,3,5-Trimethylbenzene	21	1
	06/21/07	Naphthalene	22	2
	06/21/07	1-Methylnaphthalene	6.9	4
	06/21/07	2-Methylnaphthalene	9.6	4
	06/21/07	2-Chlorotoluene	1.3	1
	06/21/07	Isopropylbenzene	2.9	1
	06/21/07	4-Isopropyltoluene	1.7	1
	06/21/07	n-Butylbenzene	2.4	1
	06/21/07	n-Propylbenzene	4.1	1
	12/07/07	1,2,4-Trimethylbenzene	47	1
	12/07/07	1,3,5-Trimethylbenzene	19	1
	06/02/08	1,2,4-Trimethylbenzene	64	10
	06/02/08	1,3,5-Trimethylbenzene	23	10
	06/02/08	Naphthalene	22	20
MW-4	12/01/94	Bromodichloromethane	0.2	0.2
	02/12/03	Chlorobenzene	1.3	1
	08/05/03	Chlorobenzene	1.8	1
	05/25/04	Chlorobenzene	3.1	1
	11/09/04	Chlorobenzene	5.6	1
	11/09/04	sec-Butylbenzene	1.1	1
	04/12/05	Chlorobenzene	3.7	1
	12/02/05	Chlorobenzene	2.7	1
	12/02/05	sec-Butylbenzene	1.1	1
	12/17/06	Chlorobenzene	1.4	1

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
MW-5	12/01/94	1,2-Dichlorobenzene	0.5	0.2
	11/12/96	Bromodichloromethane	94	5
	01/24/98	Naphthalene	48	5
	01/24/98	1,2,4-Trimethylbenzene	17	5
	01/24/98	1,3,5-Trimethylbenzene	10	5
Dup(MW-17)	01/24/98	Naphthalene	40	5
	01/24/98	1,2,4-Trimethylbenzene	17	5
	01/24/98	1,3,5-Trimethylbenzene	10	5
	04/17/98	Naphthalene	5	5
	04/17/98	1,2,4-Trimethylbenzene	6	5
	07/17/98	Naphthalene	7	5
	07/17/98	1,2,4-Trimethylbenzene	6	5
	01/27/99	trans-1,2-Dichloroethene	1	1
	01/27/99	1,3,5-Trimethylbenzene	6	1
	01/27/99	1,2,4-Trimethylbenzene	9	1
	01/27/99	4-Isopropyltoluene	1	1
	01/27/99	1,2-Dichlorobenzene	1	1
	01/27/99	Naphthalene	9	1
Dup(MW-17)	01/27/99	1,3,5-Trimethylbenzene	7	1
Dup(MW-17)	01/27/99	1,2,4-Trimethylbenzene	10	1
Dup(MW-17)	01/27/99	4-Isopropyltoluene	1	1
Dup(MW-17)	01/27/99	1,2-Dichlorobenzene	1	1
Dup(MW-17)	01/27/99	Naphthalene	9	1
	07/09/99	1,3,5-Trimethylbenzene	6	1
	07/09/99	1,2,4-Trimethylbenzene	9	1
	07/09/99	4-Isopropyltoluene	1	1
	07/09/99	Naphthalene	9	1
Dup(MW-17)	01/27/00	1,3,5-Trimethylbenzene	8	1
Dup(MW-17)	01/27/00	1,2,4-Trimethylbenzene	13	1
Dup(MW-17)	01/27/00	4-Isopropyltoluene	2	1
Dup(MW-17)	01/27/00	Naphthalene	12	1
	01/27/00	1,3,5-Trimethylbenzene	8	1
	01/27/00	1,2,4-Trimethylbenzene	13	1
	01/27/00	4-Isopropyltoluene	2	1
	01/27/00	Naphthalene	13	1
	01/27/00	1,3,5-Trimethylbenzene	9	1
	01/27/00	1,2,4-Trimethylbenzene	15	1
	01/27/00	4-Isopropyltoluene	2	1
	01/27/00	Naphthalene	11	1
Dup(MW-19)	02/18/01	1,2-Dichlorobenzene	1.04	1.00
Dup(MW-19)	02/18/01	p-Isopropyltoluene	2.10	2.00
Dup(MW-19)	02/18/01	n-Propylbenzene	1.12	1.00
Dup(MW-19)	02/18/01	1,2,4-Trimethylbenzene	16.6	1.00
Dup(MW-19)	02/18/01	1,3,5-Trimethylbenzene	9.35	1.00
	02/18/01	1,2-Dichlorobenzene	1.04	1.00
	02/18/01	p-Isopropyltoluene	2.18	2.00
	02/18/01	Napthalene	14.4	2.00

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
	02/18/01	n-Propylbenzene	1.12	1.00
	02/18/01	1,2,4-Trimethylbenzene	16.7	1.00
	02/18/01	1,3,5-Trimethylbenzene	9.23	1.00
	08/21/01	1,2,4-Trimethylbenzene	11.8	1
	08/21/01	1,3,5-Trimethylbenzene	7.71	1
	08/21/01	Napthalene	9.4	1
	08/21/01	trans-1,2-Dichloroethene	1.15	1
Dup(MW-19)	03/01/02	Carbon disulfide	2.1	1
Dup(MW-19)	03/01/02	trans-1,2-Dichloroethene	1.14	1
Dup(MW-19)	03/01/02	1,3,5-Trimethylbenzene	8.06	1
Dup(MW-19)	03/01/02	1,2,4-Trimethylbenzene	9.37	1
Dup(MW-19)	03/01/02	p-Isopropyltoluene	3.50	1
Dup(MW-19)	03/01/02	Napthalene	8.39	1
	03/01/02	Carbon disulfide	1.19	1
	03/01/02	trans-1,2-Dichloroethene	1.42	1
	03/01/02	1,3,5-Trimethylbenzene	7.79	1
	03/01/02	1,2,4-Trimethylbenzene	8.96	1
	03/01/02	p-Isopropyltoluene	3.36	1
	03/01/02	Napthalene	10.5	1
	08/01/02	1,2,4-Trimethylbenzene	9.2	5
	08/01/02	1,3,5-Trimethylbenzene	2.2	5
	08/01/02	Napthalene	7	4
	08/01/02	4-Isopropyltoluene	2.5	2
	08/01/02	n-Propylbenzene	2.2	2
	08/01/02	trans-1,2-Dichloroethene	2.4	2
Dup(MW-19)	02/12/03	1,2,4-Trimethylbenzene	7.1	2
Dup(MW-19)	02/12/03	1,3,5-Trimethylbenzene	7.7	2
Dup(MW-19)	02/12/03	Napthalene	6.6	4
Dup(MW-19)	02/12/03	4-Isopropyltoluene	2.7	2
	02/12/03	1,2,4-Trimethylbenzene	7.6	2
	02/12/03	1,3,5-Trimethylbenzene	8.0	2
	02/12/03	Napthalene	7.4	4
	02/12/03	4-Isopropyltoluene	2.7	2
	08/05/03	1,2,4-Trimethylbenzene	8	5
	08/05/03	1,3,5-Trimethylbenzene	8.3	5
	05/25/04	1,2,4-Trimethylbenzene	8.4	5
	05/25/04	1,3,5-Trimethylbenzene	6.3	5
	04/12/05	1,2,4-Trimethylbenzene	12	5
	04/12/05	1,3,5-Trimethylbenzene	9.2	5
	04/12/05	Napthalene	11	10
	04/12/05	4-Isopropyltoluene	5.4	5
	12/02/05	1,2,4-Trimethylbenzene	12	1
	12/02/05	1,3,5-Trimethylbenzene	6.5	1
	12/02/05	Napthalene	9.8	1
	12/02/05	2-Methylnapthalene	5.8	4
	12/02/05	4-Isopropyltoluene	1.8	1
	05/11/06	1,2,4-Trimethylbenzene	8.2	1

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
	05/11/06	1,3,5-Trimethylbenzene	4.2	1
	05/11/06	Napthalene	8.5	2
	05/11/06	4-Isopropyltoluene	2.3	1
	05/11/06	1,2-Dichlorobenzene	1.1	1
	12/17/06	1,2,4-Trimethylbenzene	35	5
	12/17/06	1,3,5-Trimethylbenzene	17	5
	12/17/06	Napthalene	24	10
	12/17/06	4-Isopropyltoluene	5.2	5
Dup(MW-24)	12/17/06	1,2,4-Trimethylbenzene	32	5
Dup(MW-24)	12/17/06	1,3,5-Trimethylbenzene	17	5
Dup(MW-24)	12/17/06	Napthalene	21	10
	06/21/07	1,2,4-Trimethylbenzene	12	1
	06/21/07	1,3,5-Trimethylbenzene	5.7	1
	06/21/07	Napthalene	9.7	2
	06/21/07	4-Isopropyltoluene	1.4	1
	12/07/07	1,2,4-Trimethylbenzene	12	1
	12/07/07	1,3,5-Trimethylbenzene	5.6	1
	12/07/07	Napthalene	8.7	1
	12/07/07	4-Isopropyltoluene	1.3	1
Dup(MW-2)	12/07/07	1,2,4-Trimethylbenzene	14	1
Dup(MW-2)	12/07/07	1,3,5-Trimethylbenzene	6.6	1
Dup(MW-2)	12/07/07	Napthalene	11	1
Dup(MW-2)	12/07/07	4-Isopropyltoluene	1.5	1
	06/02/08	1,2,4-Trimethylbenzene	9.7	1
	06/02/08	1,3,5-Trimethylbenzene	4.5	1
	06/02/08	Napthalene	9	1
	06/02/08	4-Isopropyltoluene	1.8	1
	12/11/08	1,2,4-Trimethylbenzene	21	1
	12/11/08	1,3,5-Trimethylbenzene	8.5	1
	12/11/08	Napthalene	15	2
	12/11/08	2-Methylnaphthane	5.9	4
	12/11/08	4-Isopropyltoluene	1.6	1
Dup(MW-18)	12/11/08	1,2,4-Trimethylbenzene	19	1
	12/11/08	1,3,5-Trimethylbenzene	7.5	1
	12/11/08	Napthalene	15	2
	12/11/08	1-Methylnaphthane	5.5	4
	12/11/08	2-Methylnaphthane	6.6	4
	12/11/08	4-Isopropyltoluene	1.4	1

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
MW-6	11/30/94	1,2-Dichlorobenzene	0.3	0.2
MW-8	11/30/94	1,2-Dichlorobenzene	0.4	0.2
	01/24/98	P-Isopropyltoluene	10	5
	01/27/99	Isopropylbenzene	2	1
	01/27/99	4-Isopropyltoluene	2	1
	01/27/99	1,2-Dichlorobenzene	1	1
Dup(MW-17)	07/09/99	1,2-Dichlorobenzene	1	1
	07/09/99	1,2-Dichlorobenzene	1	1
	01/27/00	1,2-Dichlorobenzene	1	1
	07/18/00	1,2-Dichlorobenzene	1	1
Dup(MW-17)	07/18/00	1,2-Dichlorobenzene	1	1
	02/18/01	1,2-Dichlorobenzene	1.14	1.00
	08/21/01	1,2-Dichlorobenzene	1.08	1
	02/28/02	1,2-Dichlorobenzene	1.33	1
	02/28/02	trans 1,2 Dichloroethene	1.01	1
	08/01/02	1,2-Dichlorobenzene	1.3	1
	08/01/02	Isopropylbenzene	1.0	1
	08/01/02	trans-1,2-Dichloroethene	1.7	1
Dup(MW-18)	08/01/02	1,2-Dichlorobenzene	1.3	1
	08/01/02	Isopropylbenzene	1.1	1
	08/01/02	trans-1,2-Dichloroethene	1.5	1
	02/12/03	1,2-Dichlorobenzene	1.2	1
	12/02/05	1,3,5-Trimethylbenzene	1.6	1
	12/02/05	trans-1,2-Dichloroethene	1.3	1
	12/02/05	Isopropylbenzene	1.3	1
Dup(MW-20)	12/02/05	Isopropylbenzene	1.2	1
	12/02/05	sec-Butylbenzene	1	1
	12/02/05	trans-1,2-Dichloroethene	1.3	1
	05/11/06	1,2-Dichlorobenzene	1.4	1
	05/11/06	Isopropylbenzene	1.1	1
	05/11/06	trans-1,2-Dichloroethene	1.1	1
Dup(MW-24)	05/11/06	1,2-Dichlorobenzene	1.5	1
	05/11/06	Isopropylbenzene	1.1	1
	05/11/06	trans-1,2-Dichloroethene	1	1
	12/07/07	Isopropylbenzene	1	1
	06/02/08	1,2-Dichlorobenzene	1.1	1
Dup(MW-18)	06/02/08	1,2-Dichlorobenzene	1.1	1
	12/11/08	1,2-Dichlorobenzene	1.2	1

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
SVE-1A	01/26/00	Isopropylbenzene	2	1
	01/26/00	n-Propylbenzene	3	1
	01/26/00	1,3,5-Trimethylbenzene	19	1
	01/26/00	1,2,4-Trimethylbenzene	30	1
	01/26/00	4-Isopropyltoluene	2	1
	01/26/00	Naphthalene	14	1
	07/18/00	Isopropylbenzene	2	1
	07/18/00	n-Propylbenzene	3	1
	07/18/00	1,3,5-Trimethylbenzene	21	1
	07/18/00	1,2,4-Trimethylbenzene	33	1
	07/18/00	4-Isopropyltoluene	2	1
	07/18/00	Naphthalene	15	1
	02/18/01	1,2,4-Trimethylbenzene	44.5	5.00
	02/18/01	1,3,5-Trimethylbenzene	25.2	5.00
	08/21/01	1,1,2-Trichloroethane	1.48	1
	08/21/01	1,2,4-Trimethylbenzene	47.2	5
	08/21/01	1,3,5-Trimethylbenzene	23.8	1
	08/21/01	Isopropylbenzene	2.44	2
	08/21/01	n-Propylbenzene	3.12	1
	08/21/01	Naphthalene	16.2	2
	08/21/01	trans-1,2-Dichloroethene	1.06	1
	03/01/02	1,3,5-Trimethylbenzene	27	1
	03/01/02	1,2,4-Trimethylbenzene	57	1
	03/01/02	n-Propylbenzene	12	1
	02/12/03	1,2,4-Trimethylbenzene	73	10
	08/05/03	1,3,5-Trimethylbenzene	40	10
	08/05/03	1,2,4-Trimethylbenzene	75	10
	05/24/04	1,3,5-Trimethylbenzene	54	10
	05/24/04	1,2,4-Trimethylbenzene	36	10
	05/24/04	Naphthalene	23	20
	11/10/04	1,2,4-Trimethylbenzene	94	5
	11/10/04	1,3,5-Trimethylbenzene	44	5
	11/10/04	1,2-Dichloroethane	6.3	5
	11/10/04	Naphthalene	26	10
	11/10/04	2-Methylnaphthalene	21	20
	11/10/04	Isopropylbenzene	7.7	5
	11/10/04	n-Propylbenzene	8.1	5
	04/12/05	1,2,4-Trimethylbenzene	53	10
	04/12/05	1,3,5-Trimethylbenzene	35	10
	04/12/05	Naphthalene	28	20
	04/12/05	n-Propylbenzene	10	10
	12/2/2005	1,2,4-Trimethylbenzene	100	10
	12/2/2005	1,3,5-Trimethylbenzene	69	10
	12/2/2005	Naphthalene	39	20
	12/2/2005	2-Methylnaphthalene	51	40
	12/2/2005	Isopropylbenzene	10	10
	12/2/2005	sec-Butylbenzene	96	10

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
	5/11/2006	1,2,4-Trimethylbenzene	77	5
	5/11/2006	1,3,5-Trimethylbenzene	54	5
	5/11/2006	Naphthalene	33	5
	5/11/2006	Isopropylbenzene	7.1	5
	5/11/2006	4-Isopropyltoluene	7.0	5
	5/11/2006	n-Butylbenzene	8.2	5
	5/11/2006	n-Propylbenzene	8.2	5
	12/14/2006	1,2,4-Trimethylbenzene	94	10
	12/14/2006	1,3,5-Trimethylbenzene	70	10
	12/14/2006	Naphthalene	37	20
	12/14/2006	n-Propylbenzene	14	10
	6/21/2007	1,2,4-Trimethylbenzene	46	1
	6/21/2007	1,3,5-Trimethylbenzene	35	1
	6/21/2007	Naphthalene	21	2
	6/21/2007	1-Methylnaphthalene	6.8	4
	6/21/2007	2-Methylnaphthalene	8.5	4
	6/21/2007	Isopropylbenzene	4.3	1
	6/21/2007	4-Isopropyltoluene	2.1	1
	6/21/2007	n-Butylbenzene	3.1	1
	6/21/2007	n-Propylbenzene	5.2	1
	12/7/2007	1,2,4-Trimethylbenzene	46	5
	12/7/2007	1,3,5-Trimethylbenzene	36	5
	12/7/2007	Naphthalene	19	10
	6/2/2008	1,2,4-Trimethylbenzene	85	5
	6/2/2008	1,3,5-Trimethylbenzene	74	5
	6/2/2008	Naphthalene	44	10
	6/2/2008	Isopropylbenzene	8	5
	6/2/2008	4-Isopropyltoluene	5.2	5
	6/2/2008	n-Propylbenzene	11	5
	12/11/2008	1,2,4-Trimethylbenzene	39	1
	12/11/2008	1,3,5-Trimethylbenzene	35	1
	12/11/2008	Naphthalene	21	2
	12/11/2008	1-Methylnaphthalene	8	4
	12/11/2008	2-Methylnaphthalene	12	4
	12/11/2008	Isopropylbenzene	4	1
	12/11/2008	4-Isopropyltoluene	2.6	1
	12/11/2008	n-Butylbenzene	2.6	1
	12/11/2008	n-Propylbenzene	5.7	1
	12/11/2008	sec-Butylbenzene	1.2	1
MW-17	5/11/2006	1,2,4-Trimethylbenzene	1.7	1

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)										
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc
NMW/QCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10
MW-1	11/15/94	2900	190	< 5	< 0.06	485	59.1	175	216	1610	0.11	24	< 0.0005	< 0.01	< 0.01	0.325	< 0.002	< 0.0002	0.1	< 0.005	< 0.01	na
	09/14/95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
	11/12/96	2370	165	< 50	na	na	na	na	na	na	0.13	22.9	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.05	< 0.04	< 0.01	na
	02/04/97	2460	172	< 5.0	na	na	na	na	na	na	0.12	20	< 0.01	< 0.01	< 0.01	0.25	< 0.03	< 0.0002	0.03	< 0.04	< 0.01	< 0.03
											0.13	22	< 0.01	< 0.01	< 0.01	10	< 0.03	< 0.0002	0.05	< 0.04	< 0.01	< 0.03
	05/10/97	2840	162	< 5.0	< 0.05	na	na	na	na	na	0.15	22.5	< 0.01	< 0.01	< 0.01	0.21	< 0.03	< 0.0002	0.02	< 0.04	< 0.01	< 0.03
	08/07/97	2910	150	< 5.0	5.4	na	na	na	na	na	0.11	27	< 0.01	< 0.01	< 0.01	0.21	< 0.03	< 0.0002	0.02	< 0.04	< 0.01	< 0.03
	10/09/97	2690	175	< 5.0	< 0.05	na	na	na	na	na	0.16	26	< 0.01	< 0.01	0.04	0.11	< 0.03	< 0.0002	0.02	< 0.04	< 0.01	0.46
	01/23/98	1890	160	9	0.15	na	na	na	na	na	0.2	27.2	< 0.005	< 0.01	< 0.01	0.54	< 0.05	< 0.0002	0.020	< 0.1	< 0.01	< 0.02
	04/17/98	2100	150	200	0.90	na	na	na	na	na	0.2	26.8	< 0.005	< 0.01	< 0.01	8.42	< 0.05	< 0.0002	0.018	< 0.1	< 0.01	< 0.02
Dup (MW-17)	04/17/98	1800	150	7	1.29	na	na	na	na	na	0.1	24.9	< 0.005	< 0.01	< 0.01	8.92	< 0.05	< 0.0002	0.019	< 0.1	< 0.01	< 0.02
	07/17/98	2200	156	9	< 0.1	na	na	na	na	na	0.15	32.2	< 0.005	< 0.01	< 0.01	15.1	< 0.05	< 0.0002	0.023	< 0.005	< 0.01	< 0.02
	08/21/01	3000	157	< 1	0.103	na	na	na	na	na	0.152	10.9	na	na	na	4.93	na	< 0.0002	0.0201	na	na	na
	08/01/02	5900	150	< 5.0	< 2.0	na	na	na	na	na	0.25	33	na	na	na	3.0	na	na	0.010	na	na	na
	08/05/03	2100	180	0.73	< 0.2	na	na	na	na	na	0.17	27	na	na	na	8.1	na	na	0.012	na	na	na
	11/09/04	1900	180	0.80	< 0.50	na	na	na	na	na	0.15	25	na	na	na	8.7	na	na	0.014	na	na	na
	12/02/05	1700	250	4.1	< 0.50	na	na	na	na	na	0.21	24	na	na	na	8.8	na	na	0.014	na	na	na
	12/17/06	1700	280	< 0.50	< 5.0	na	na	na	na	na	0.20	25	na	na	na	9.1	na	na	0.013	na	na	na
	12/07/07	3200	270	0.52	< 1.0	na	na	na	na	na	0.16	55	na	na	na	20	na	na	0.036	na	na	na

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)											
		TDS	Chloride	Sulfate	NO ₃ /NO ₂ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc	
		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10	
MW-4	12/01/94	2800	540	1000	20	332	5.9	153	353	273	0.007	0.025	< 0.0005	< 0.01	< 0.01	< 0.05	< 0.002	< 0.0002	0.024	0.02	< 0.01	na	
	09/12/95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
	11/12/96	2500	430	1000	na	na	na	na	na	na	< 0.03	0.03	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.03	< 0.04	< 0.01	na	
	02/04/97	2370	416	416	na	na	na	na	na	na	< 0.03	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.0002	< 0.01	< 0.04	< 0.01	< 0.03	
											< 0.03	0.03	< 0.01	< 0.01	< 0.01	< 0.01	0.57	< 0.03	< 0.0002	0.03	< 0.04	< 0.03	
	05/10/97	2660	410	778	10.7	na	na	na	na	na	< 0.03	0.02	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	< 0.03
	08/06/97	2620	435	863	12.8	na	na	na	na	na	< 0.03	0.33	< 0.01	0.02	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	< 0.01	0.08	< 0.01	0.25
	10/08/97	2470	380	879	9.6	na	na	na	na	na	< 0.03	0.92	< 0.01	< 0.01	< 0.01	0.14	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	0.4	
	01/23/98	1920	300	581	< 0.05	na	na	na	na	na	< 0.1	0.017	< 0.005	< 0.01	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.188	< 0.1	< 0.01	< 0.02
	04/16/98	1600	320	800	11.6	na	na	na	na	na	< 0.1	0.026	< 0.005	< 0.01	< 0.01	0.07	< 0.05	< 0.0002	0.201	< 0.1	< 0.01	0.03	
	07/16/98	2300	301	900	14.1	na	na	na	na	na	0.011	0.020	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.154	0.018	< 0.01	< 0.02	
	07/08/99	2200	320	710	14.0	na	na	na	na	na	0.010	0.0213	< 0.0020	< 0.0050	< 0.0020	< 0.010	< 0.025	< 0.00020	0.0381	0.020	< 0.0030	< 0.010	
	07/17/00	2240	370	820	15.0	na	na	na	na	na	0.010	0.0206	na	na	na	0.030	na	< 0.00020	0.0011	na	na	na	na
	08/21/01	2400	411	782	5.11	na	na	na	na	na	na	< 0.05	0.0196	na	na	na	< 0.05	na	< 0.0002	< 0.01	na	na	na
	08/01/02	2200	310	570	10	na	na	na	na	na	na	< 0.010	0.023	na	na	na	< 0.020	na	na	0.085	na	na	na
08/05/03	2100	280	630	6.5	na	na	na	na	na	na	< 0.020	0.042	na	na	na	< 0.020	na	na	0.15	na	na	na	
11/09/04	2000	270	580	6.7	na	na	na	na	na	na	< 0.020	0.022	na	na	na	< 0.020	na	na	0.18	na	na	na	
12/02/05	1800	240	590	9.6	na	na	na	na	na	na	< 0.020	0.024	na	na	na	0.026	na	na	0.24	na	na	na	
12/17/06	1800	220	610	10	na	na	na	na	na	na	< 0.020	0.025	na	na	na	< 0.05	na	na	0.22	na	na	na	
12/07/07	2000	260	730	16	na	na	na	na	na	na	< 0.020	0.024	na	na	na	< 0.05	na	na	< 0.002	na	na	na	
12/11/08	1900	260	660	12	na	na	na	na	na	na	< 0.020	0.022	na	na	na	< 0.05	na	na	< 0.002	na	na	na	

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)											
		TDS	Chloride	Sulfate	NO ₃ /NO ₃ -N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc	
NMWQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10	
MW-5	12/01/94	2000	360	< 5	< 0.06	185	6.1	200	326	1080	0.036	17.3	< 0.0005	< 0.01	< 0.01	0.097	< 0.002	< 0.0002	0.112	< 0.005	< 0.01	na	
	09/12/95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
	11/12/96	2610	495	< 25	na	na	na	na	na	na	0.06	25.9	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.43	< 0.04	< 0.01	na	
	02/06/97	2300	4400	< 5.0	na	na	na	na	na	na	0.04	21	< 0.01	< 0.01	< 0.01	0.21	< 0.03	< 0.0002	0.02	< 0.04	< 0.01	0.04	
Dup (MW-17)										(Unfiltered metals analysis)	0.12	22	< 0.01	0.02	0.02	27	0.04	< 0.0002	0.56	< 0.04	< 0.01	0.09	
	05/10/97	2340	380	< 5.0	< 0.05	na	na	na	na	na	0.05	22.2	< 0.01	< 0.01	< 0.01	0.12	< 0.03	< 0.0002	0.01	< 0.04	< 0.01	< 0.03	
	08/07/97	1870	300	< 5.0	0.09	na	na	na	na	na	< 0.03	16	< 0.01	< 0.01	< 0.01	0.08	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	0.24	
	10/09/97	2090	320	< 5.0	< 0.05	na	na	na	na	na	< 0.03	23	< 0.01	< 0.01	< 0.01	0.02	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	0.23	
	10/09/97	2100	340	< 5.0	< 0.05	na	na	na	na	na	< 0.03	16	< 0.01	< 0.01	< 0.01	0.01	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	0.23	
	01/24/98	1640	300	4	< 0.05	na	na	na	na	na	< 0.05	15.5	< 0.005	< 0.01	< 0.01	0.19	< 0.05	< 0.0002	0.017	< 0.1	< 0.01	< 0.02	
	01/24/98	1680	300	4	< 0.05	na	na	na	na	na	0.1	16.4	< 0.005	< 0.01	< 0.01	0.19	< 0.05	< 0.0002	0.015	< 0.1	< 0.01	< 0.02	
	04/17/98	1400	290	200	0.88	na	na	na	na	na	< 0.1	14.4	< 0.005	< 0.01	< 0.01	1.29	< 0.05	< 0.0002	0.022	< 0.1	< 0.01	0.03	
	07/17/98	1600	281	3	< 0.1	na	na	na	na	na	0.020	13.7	< 0.005	< 0.01	< 0.01	4.61	< 0.05	< 0.0002	0.018	< 0.005	< 0.01	< 0.02	
	07/09/99	1800	260	< 25	< 0.01	na	na	na	na	na	0.019	13.3	< 0.0020	< 0.0050	< 0.0020	2.50	< 0.025	< 0.00020	0.0224	< 0.010	< 0.0030	< 0.010	
Dup (MW-24)	08/21/01	1740	270	< 3.0	< 0.01	na	na	na	na	na	0.022	13.2	na	na	na	2.80	na	< 0.00020	0.0233	na	na	na	
	08/01/02	1860	253	< 1	0.0842	na	na	na	na	na	< 0.05	4.09	na	na	na	1.34	na	< 0.0002	0.025	na	na	na	
	08/01/02	1700	240	< 5	< 2	na	na	na	na	na	0.12	14	na	na	na	0.30	na	na	0.027	na	na	na	
	08/05/03	1600	250	< 0.5	< 0.2	na	na	na	na	na	< 0.02	12	na	na	na	3.0	na	na	0.035	na	na	na	
	11/10/04	1500	210	1.6	< 0.50	na	na	na	na	na	< 0.020	13	na	na	na	4.9	na	na	0.049	na	na	na	
	12/02/05	1600	220	0.61	< 0.50	na	na	na	na	na	< 0.020	15	na	na	na	5.9	na	na	0.049	na	na	na	
	12/17/06	1600	240	< 5	< 0.50	na	na	na	na	na	< 0.020	15	na	na	na	2.5	na	na	0.042	na	na	na	
	12/17/06	1500	240	< 5	< 0.50	na	na	na	na	na	0.036	15	na	na	na	3.8	na	na	0.046	na	na	na	
	12/07/07	1400	240	1.2	< 1	na	na	na	na	na	< 0.020	14	na	na	na	5.3	na	na	0.052	na	na	na	
	Dup (MW-2)	12/07/07	1500	250	0.61	< 1	na	na	na	na	na	< 0.020	13	na	na	na	4.9	na	na	0.050	na	na	na
Dup (MW-18)	12/11/08	1400	240	< 0.5	< 1	na	na	na	na	na	< 0.020	14	na	na	na	6.0	na	na	0.059	na	na	na	
	12/11/08	1400	240	< 0.5	< 1	na	na	na	na	na	< 0.020	14	na	na	na	6.7	na	na	0.061	na	na	na	

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)											
		TDS	Chloride	Sulfate	NO ₃ /NO ₂ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc	
NMWQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05		
MW-6	11/30/94	2400	700	410	< 0.06	293	7.1	197	267	624	< 0.005	0.109	< 0.0005	< 0.01	0.014	< 0.05	< 0.002	< 0.0002	0.562	< 0.005	< 0.01	na	
	09/12/95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
	11/12/96	2460	715	527	na	na	na	na	na	na	< 0.03	0.37	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.95	< 0.04	< 0.01	na	
	02/04/97	2390	700	467	na	na	na	na	na	na	< 0.03	0.12	< 0.01	< 0.01	< 0.01	0.01	< 0.03	< 0.0002	0.79	< 0.04	< 0.01	< 0.03	
											< 0.03	0.55	< 0.01	0.02	0.03	14	< 0.03	< 0.0002	1.1	< 0.04	< 0.01	0.05	
	05/10/97	2550	700	463	< 0.05	na	na	na	na	na	< 0.03	0.1	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.69	< 0.04	< 0.01	< 0.03	
	08/07/97	2660	720	427	0.4	na	na	na	na	na	< 0.03	0.8	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.93	< 0.04	< 0.01	0.29	
	10/09/97	2710	710	468	< 0.05	na	na	na	na	na	< 0.03	0.95	< 0.01	< 0.01	< 0.01	0.18	< 0.03	< 0.0002	0.91	< 0.04	< 0.01	0.4	
	01/23/98	2190	700	378	< 0.05	na	na	na	na	na	< 0.1	0.121	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.933	< 0.1	< 0.01	< 0.02	
	04/16/98	1700	720	500	0.89	na	na	na	na	na	< 0.1	0.112	< 0.005	< 0.01	< 0.01	0.7	< 0.05	< 0.0002	0.844	< 0.1	< 0.01	< 0.02	
	07/16/98	2100	620	550	< 0.1	na	na	na	na	na	0.008	0.110	< 0.005	< 0.01	< 0.01	0.70	< 0.05	< 0.0002	0.832	< 0.005	< 0.01	< 0.02	
	07/08/99	2400	720	390	< 0.01	na	na	na	na	na	< 0.010	0.114	< 0.0020	< 0.0050	< 0.0020	0.638	< 0.025	< 0.00020	0.888	< 0.010	< 0.0030	< 0.010	
	07/18/00	2390	780	450	< 0.01	na	na	na	na	na	< 0.010	0.1140	na	na	na	0.707	na	< 0.00020	0.804	na	na	na	na
08/21/01	3380	802	411	0.0636	na	na	na	na	na	< 0.05	< 0.01	na	na	na	0.103	na	< 0.0002	< 0.01	na	na	na	na	
08/01/02	2700	740	490	< 0.2	na	na	na	na	na	0.025	0.11	na	na	na	0.36	na	na	na	0.88	na	na	na	
08/05/03	2600	720	560	< 0.2	na	na	na	na	na	< 0.020	0.12	na	na	na	1.0	na	na	na	0.93	na	na	na	
11/09/04	2600	680	540	< 0.50	na	na	na	na	na	< 0.020	0.088	na	na	na	0.74	na	na	na	0.83	na	na	na	
12/02/05	2400	720	560	< 0.50	na	na	na	na	na	< 0.020	0.097	na	na	na	0.99	na	na	na	0.85	na	na	na	
12/17/06	2400	700	570	< 0.50	na	na	na	na	na	< 0.020	0.084	na	na	na	0.96	na	na	na	0.83	na	na	na	
12/07/07	2500	740	610	< 1.0	na	na	na	na	na	< 0.020	0.079	na	na	na	1.1	na	na	na	0.83	na	na	na	
12/11/08	2800	690	580	< 1.0	na	na	na	na	na	< 0.020	0.083	na	na	na	1.1	na	na	na	0.87	na	na	na	

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

		Major Ions (mg/L)										Metals (mg/L)											
Well ID	Sampling Date	TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc	
NMWQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.05	0.002	0.2	0.05	0.05	0.05
MW-7	11/30/94	2400	400	920	6.8	323	7.9	148	244	327	0.006	0.032	< 0.0005	< 0.01	0.014	< 0.05	< 0.002	< 0.0002	0.069	0.008	< 0.01	na	na
	09/12/95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
	11/12/96	2240	400	823	na	na	na	na	na	na	< 0.03	1.27	< 0.01	0.01	na	na	< 0.03	< 0.0002	0.6	< 0.04	< 0.01	na	na
	02/04/97	2100	380	779	na	na	na	na	na	na	< 0.03	0.04	< 0.01	< 0.01	< 0.01	< 0.01	0.01	< 0.03	< 0.0002	0.04	< 0.04	< 0.01	< 0.03
											0.12	3.2	< 0.01	0.04	0.06	41	0.04	< 0.0002	1.2	< 0.04	< 0.01	0.14	0.14
	05/10/97	2250	390	757	7.3	na	na	na	na	na	< 0.03	0.02	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.04	< 0.04	< 0.01	< 0.03	< 0.03
	08/07/97	2310	370	716	4.1	na	na	na	na	na	< 0.03	0.61	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.09	< 0.04	< 0.01	0.22	0.22
	10/09/97	2190	410	784	7	na	na	na	na	na	< 0.03	0.81	< 0.01	< 0.01	< 0.01	0.19	< 0.03	< 0.0002	0.07	< 0.04	< 0.01	0.35	0.35
	01/23/98	1700	400	646	8.4	na	na	na	na	na	< 0.1	0.018	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.042	< 0.1	< 0.01	< 0.02	< 0.02
	04/17/98	1800	410	900	8.38	na	na	na	na	na	< 0.1	0.021	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.051	< 0.1	< 0.01	0.02	0.02
	07/16/98	1900	301	800	8.2	na	na	na	na	na	0.007	0.019	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.061	0.012	< 0.01	< 0.02	< 0.02
	07/08/99	2100	360	670	8.0	na	na	na	na	na	< 0.010	0.0191	< 0.0020	< 0.0050	< 0.0020	< 0.010	< 0.025	< 0.00020	0.0517	0.012	< 0.01	< 0.02	< 0.02
	07/18/00	2040	390	730	8.0	na	na	na	na	na	< 0.010	0.0184	na	na	na	< 0.010	na	< 0.00020	0.0384	na	na	na	< 0.010
	08/21/01	2290	394	632	3.46	na	na	na	na	na	< 0.05	0.0215	na	na	na	< 0.05	na	< 0.0002	0.0459	na	na	na	na
	08/01/02	2000	380	650	7.5	na	na	na	na	na	< 0.010	0.022	na	na	na	< 0.020	na	na	0.061	na	na	na	na
	08/05/03	2000	380	660	6.7	na	na	na	na	na	< 0.020	0.019	na	na	na	< 0.020	na	na	na	na	na	na	na
	11/10/04	2000	340	610	6.1	na	na	na	na	na	< 0.020	0.023	na	na	na	0.12	na	na	0.060	na	na	na	na
	12/02/05	1800	350	590	5.2	na	na	na	na	na	< 0.020	0.034	na	na	na	0.31	na	na	0.090	na	na	na	na
	12/20/06	1800	340	540	4.4	na	na	na	na	na	< 0.020	0.022	na	na	na	< 0.05	na	na	0.068	na	na	na	na
	12/07/07	1700	340	520	4.2	na	na	na	na	na	< 0.020	0.021	na	na	na	0.11	na	na	0.079	na	na	na	na
	12/11/08	1600	320	480	3.8	na	na	na	na	na	< 0.020	0.023	na	na	na	0.064	na	na	0.090	na	na	na	na

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)										
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc
MMWQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10
MW-8	11/30/94	1900	590	330	0.44	247	6	137	221	441	0.006	0.052	< 0.0005	< 0.01	0.014	< 0.05	< 0.002	< 0.0002	0.136	< 0.005	< 0.01	na
	09/13/95	na	na	na	na	na	na	na	na	na	na	0.13	< 0.01	< 0.01	na	na	na	na	na	na	na	na
	11/12/96	2010	555	395	na	na	na	na	na	na	< 0.03	0.08	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.41	< 0.04	< 0.01	na
	02/06/97	2000	575	222	na	na	na	na	na	na	< 0.03	0.27	< 0.01	0.02	0.02	8.9	< 0.03	< 0.0002	0.72	< 0.04	< 0.01	0.05
Dup (MW-17)	05/10/97	1990	550	263	< 0.05	na	na	na	na	na	< 0.03	0.06	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.52	< 0.04	< 0.01	< 0.03
	08/07/97	2020	540	251	0.07	na	na	na	na	na	< 0.03	0.8	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.67	< 0.04	< 0.01	0.24
	10/09/97	2100	570	242	< 0.05	na	na	na	na	na	< 0.03	0.7	< 0.01	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.86	< 0.04	< 0.01	0.25
	01/24/98	1740	500	248	< 0.05	na	na	na	na	na	< 0.1	0.071	< 0.005	< 0.01	< 0.01	< 0.03	< 0.05	< 0.0002	0.543	< 0.1	< 0.01	< 0.02
	04/17/98	1300	550	400	0.88	na	na	na	na	na	< 0.1	0.071	< 0.005	< 0.01	< 0.01	0.65	< 0.05	< 0.0002	0.751	< 0.1	< 0.01	< 0.02
	07/17/98	1500	557	400	< 0.1	na	na	na	na	na	0.008	0.063	< 0.005	< 0.01	< 0.01	0.03	< 0.05	< 0.0002	0.506	< 0.005	< 0.01	< 0.02
	07/17/98	1500	578	30	< 0.1	na	na	na	na	na	0.008	0.070	< 0.005	< 0.01	< 0.01	0.09	< 0.05	< 0.0002	0.654	< 0.005	< 0.01	< 0.02
	07/09/99	1900	550	250	0.09	na	na	na	na	na	< 0.010	0.0731	< 0.0020	< 0.0050	< 0.0020	0.141	< 0.025	< 0.00020	0.781	< 0.010	< 0.0030	< 0.010
	07/09/99	1900	540	250	0.11	na	na	na	na	na	< 0.010	0.0728	< 0.0020	< 0.0050	0.0029	0.242	< 0.025	< 0.00020	0.731	< 0.010	< 0.0030	< 0.010
	07/18/00	1790	580	240	0.02	na	na	na	na	na	< 0.010	0.0703	na	na	na	0.082	na	< 0.00020	0.734	na	na	na
Dup (MW-17)	07/18/00	1830	580	240	0.02	na	na	na	na	na	< 0.010	0.0712	na	na	na	0.107	na	< 0.00020	0.734	na	na	na
Dup (MW-17)	08/21/01	2430	576	195	< 0.01	na	na	na	na	na	< 0.05	0.0717	na	na	na	0.0909	na	< 0.0002	0.903	na	na	na
Dup (MW-17)	08/21/01	2460	647	172	0.0813	na	na	na	na	na	< 0.05	0.078	na	na	na	0.097	na	< 0.0002	0.948	na	na	na
Dup (MW-18)	08/01/02	1900	490	170	< 2.0	na	na	na	na	na	< 0.010	0.082	na	na	na	0.026	na	na	na	na	na	na
Dup (MW-18)	08/01/02	1800	510	170	< 2.0	na	na	na	na	na	< 0.010	0.080	na	na	na	0.024	na	na	na	na	na	na
Dup (MW-18)	08/05/03	1700	470	180	< 0.2	na	na	na	na	na	< 0.020	0.11	na	na	na	0.18	na	na	na	na	na	na
Dup (MW-19)	08/05/03	1700	490	170	< 0.2	na	na	na	na	na	< 0.020	0.16	na	na	na	0.18	na	na	na	na	na	na
Dup (MW-19)	11/09/04	1800	430	160	< 0.50	na	na	na	na	na	< 0.020	0.069	na	na	na	0.15	na	na	na	na	na	na
Dup (MW-19)	12/02/05	1700	460	150	< 0.50	na	na	na	na	na	< 0.020	0.077	na	na	na	0.14	na	na	na	na	na	na
Dup (MW-20)	12/02/05	1700	460	150	< 0.50	na	na	na	na	na	< 0.020	0.077	na	na	na	0.13	na	na	na	na	na	na
Dup (MW-20)	12/17/06	1500	370	340	< 0.50	na	na	na	na	na	< 0.020	0.098	na	na	na	< 0.05	na	na	na	na	na	na
Dup (MW-20)	12/07/07	1700	490	140	< 1.0	na	na	na	na	na	< 0.020	0.098	na	na	na	0.48	na	na	na	na	na	na
Dup (MW-20)	12/11/08	1800	430	120	< 1.0	na	na	na	na	na	< 0.020	0.092	na	na	na	0.26	na	na	na	na	na	na

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)											
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc	
NMWQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10	
MW-14	09/13/95	2360	515	700	1.91	276	7	147	170	444	< 0.05	0.14	< 0.005	< 0.01	na	na	< 0.05	< 0.0002	na	< 0.1	< 0.01	na	
	11/12/96	2510	550	837	na	na	na	na	na	na	< 0.03	0.05	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.07	< 0.04	< 0.01	na	
	02/04/97	2510	575	757	na	na	na	na	na	na	< 0.03	0.07	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.06	< 0.04	< 0.01	< 0.03	
	(Unfiltered metals analysis)	2530	520	715	2.2	na	na	na	na	na	na	< 0.03	0.13	< 0.01	< 0.01	< 0.01	1.9	< 0.03	< 0.0002	0.1	< 0.04	< 0.01	< 0.03
		08/07/97	2420	520	662	1.9	na	na	na	na	na	< 0.03	0.02	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.07	< 0.04	< 0.01	< 0.03
		10/08/97	2490	550	769	2.3	na	na	na	na	na	< 0.03	0.73	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.11	< 0.04	< 0.01	0.22
		01/23/98	2200	500	663	2.9	na	na	na	na	na	< 0.03	0.54	< 0.01	< 0.01	< 0.01	0.18	< 0.03	< 0.0002	0.11	< 0.04	< 0.01	0.22
	04/17/98	2000	540	800	3.72	na	na	na	na	na	< 0.1	0.018	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.080	< 0.1	< 0.01	< 0.02	
	07/17/98	1800	557	700	2.8	na	na	na	na	na	< 0.1	0.028	< 0.005	< 0.01	< 0.01	0.03	0.05	< 0.0002	0.119	< 0.1	< 0.01	0.02	
	07/09/99	2400	530	640	2.7	na	na	na	na	na	0.011	0.021	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.136	0.010	< 0.01	0.02	
	07/18/00	2310	570	690	2.1	na	na	na	na	na	< 0.010	0.0216	< 0.0020	< 0.0050	0.0025	< 0.010	< 0.025	< 0.00020	0.111	< 0.010	< 0.0030	< 0.010	
	08/21/01	2900	593	597	0.817	na	na	na	na	na	< 0.010	0.0182	na	na	na	< 0.010	na	< 0.00020	0.105	na	na	na	
	08/01/02	2300	510	580	1.2	na	na	na	na	na	< 0.05	0.0228	na	na	na	< 0.05	na	< 0.0002	0.173	na	na	na	
	08/05/03	2300	560	610	0.71	na	na	na	na	na	na	< 0.010	0.026	na	na	na	< 0.020	na	na	0.31	na	na	na
11/10/04	2300	560	590	0.95	na	na	na	na	na	na	< 0.020	0.280	na	na	na	< 0.020	na	na	0.42	na	na	na	
12/02/05	2200	610	650	1.2	na	na	na	na	na	na	< 0.020	0.025	na	na	na	< 0.020	na	na	0.44	na	na	na	
12/17/06	2300	570	620	1.2	na	na	na	na	na	na	< 0.020	0.027	na	na	na	< 0.020	na	na	0.51	na	na	na	
12/07/07	2300	560	670	2.1	na	na	na	na	na	na	< 0.020	0.026	na	na	na	< 0.050	na	na	0.62	na	na	na	
12/11/08	2200	530	620	1.6	na	na	na	na	na	na	< 0.020	0.024	na	na	na	< 0.050	na	na	0.62	na	na	na	
												0.026	na	na	na	< 0.050	na	na	0.67	na	na	na	

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

		Major Ions (mg/L)										Metals (mg/L)												
Well ID	Sampling Date	TDS	Chloride	Sulfate	NO ₃ /NO ₂ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc		
NMWQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05			
MW15	09/14/95	2500	442	900	13.2	291	6.5	137	206	286	< 0.05	0.02	< 0.005	< 0.01	na	na	< 0.05	< 0.0002	na	< 0.1	0.01	na	na	
	11/12/96	2420	435	892	na	na	na	na	na	na	< 0.03	0.06	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.02	< 0.04	< 0.01	na	na	
	02/04/97	2360	420	924	na	na	na	na	na	na	< 0.03	0.03	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	< 0.03	< 0.03	
											< 0.03	0.17	< 0.01	< 0.01	< 0.01	2.3	< 0.03	< 0.0002	0.06	< 0.04	< 0.01	< 0.03	< 0.03	
	05/10/97	2530	860	1020	10.2	na	na	na	na	na	< 0.03	0.02	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	< 0.03	< 0.03	
	08/07/97	2510	410	825	10.2	na	na	na	na	na	< 0.03	0.63	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	< 0.03	0.26	
	10/08/97	2400	420	941	5.8	na	na	na	na	na	< 0.03	0.53	< 0.01	< 0.01	< 0.01	0.19	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	< 0.03	0.23	
	01/23/98	2150	400	766	12.54	na	na	na	na	na	< 0.1	0.014	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	< 0.005	< 0.1	< 0.01	< 0.03	< 0.03	
	04/16/98	1700	420	1000	19.6	na	na	na	na	na	< 0.1	0.020	< 0.005	< 0.01	< 0.01	0.06	< 0.05	< 0.0002	< 0.005	< 0.1	< 0.01	< 0.03	< 0.03	
	07/17/98	1800	386	1000	11.9	na	na	na	na	na	0.012	0.018	< 0.005	< 0.01	< 0.01	0.24	< 0.05	< 0.0002	< 0.005	0.020	< 0.01	< 0.02	< 0.02	
	07/08/99	2100	340	710	13.0	na	na	na	na	na	< 0.010	0.0231	< 0.0020	< 0.0050	< 0.0020	0.144	< 0.025	< 0.00020	0.0014	0.016	< 0.0030	< 0.010	< 0.010	
	07/17/00	1970	350	730	13.0	na	na	na	na	na	< 0.010	0.0226	na	na	na	na	0.042	na	< 0.00020	0.002	na	na	na	na
	08/21/01	2290	368	736	4.96	na	na	na	na	na	< 0.05	0.0283	na	na	na	< 0.05	na	< 0.0002	< 0.01	na	na	na	na	na
	08/01/02	2000	340	740	12	na	na	na	na	na	0.043	0.045	na	na	na	< 0.020	na	na	< 0.002	na	na	na	na	na
	08/05/03	2000	320	730	11	na	na	na	na	na	< 0.020	0.022	na	na	na	< 0.020	na	na	< 0.002	na	na	na	na	na
	11/09/04	1900	280	630	8.7	na	na	na	na	na	< 0.020	0.024	na	na	na	< 0.020	na	na	0.0030	na	na	na	na	na
	12/02/05	1800	290	640	7.8	na	na	na	na	na	< 0.020	0.021	na	na	na	0.020	na	na	< 0.002	na	na	na	na	na
	12/17/06	1600	240	540	7.6	na	na	na	na	na	< 0.020	0.022	na	na	na	< 0.05	na	na	< 0.002	na	na	na	na	na
	12/07/07	1700	260	580	8.8	na	na	na	na	na	< 0.020	0.055	na	na	na	0.24	na	na	na	0.057	na	na	na	na
	12/11/08	1500	240	530	8.6	na	na	na	na	na	< 0.020	0.039	na	na	na	< 0.020	na	na	< 0.002	na	na	na	na	na

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)										
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc
NMWWCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10
MW-16	09/14/95	2570	624	850	2.62	320	9.7	188	211	410	< 0.05	0.22	< 0.005	0.02	na	na	< 0.05	0.0003	na	< 0.1	< 0.01	na
	11/12/96	3550	995	1020	na	na	na	na	na	na	< 0.03	0.06	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	1.21	< 0.04	< 0.01	na
	02/04/97	3470	950	830	na	na	na	na	na	na	< 0.03	0.05	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	1.1	< 0.04	< 0.01	< 0.03
											0.07	0.37	< 0.01	0.02	0.04	27	0.04	< 0.0002	1.8	< 0.04	< 0.01	0.1
	05/10/97	3520	420	1110	1.6	na	na	na	na	na	< 0.03	0.02	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	1.07	< 0.04	0.02	0.02
	08/06/97	3480	860	1010	1.7	na	na	na	na	na	< 0.03	0.06	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	1.1	< 0.04	0.02	0.29
	10/08/97	3370	860	904	0.95	na	na	na	na	na	< 0.03	0.52	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	1.14	< 0.04	0.02	0.25
	01/23/98	2730	800	824	0.91	na	na	na	na	na	< 0.1	0.019	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.971	< 0.1	< 0.01	< 0.02
	04/16/98	2400	710	1100	1.78	na	na	na	na	na	< 0.065	0.026	< 0.005	< 0.01	< 0.01	< 0.04	< 0.05	< 0.0002	0.941	< 0.1	< 0.01	< 0.02
	07/16/98	2500	620	1100	1.2	na	na	na	na	na	< 0.005	0.023	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.913	< 0.005	< 0.01	0.03
	07/08/99	3200	830	920	1.8	na	na	na	na	na	< 0.010	0.0240	< 0.0020	< 0.0050	0.0020	< 0.010	< 0.025	< 0.00020	0.781	< 0.010	< 0.0030	< 0.010
	07/17/00	3080	890	1000	2.1	na	na	na	na	na	< 0.010	0.0204	na	na	na	0.0140	na	< 0.00020	0.957	na	na	na
	08/21/01	3530	809	937	0.295	na	na	na	na	na	< 0.05	0.019	na	na	na	< 0.05	na	< 0.0002	1.52	na	na	na
	08/01/02	3000	690	930	1.5	na	na	na	na	na	0.040	0.028	na	na	na	< 0.020	na	na	0.85	na	na	na
MW-17	08/05/03	3000	700	980	1.4	na	na	na	na	na	< 0.020	0.016	na	na	na	< 0.020	na	na	0.61	na	na	na
	11/09/04	3000	680	960	2.0	na	na	na	na	na	< 0.020	0.021	na	na	na	< 0.020	na	na	0.31	na	na	na
	12/02/05	2700	560	930	< 0.5	na	na	na	na	na	< 0.020	< 0.020	na	na	na	0.025	na	na	1.5	na	na	na
	12/17/06	2700	590	950	< 0.5	na	na	na	na	na	< 0.002	< 0.020	na	na	na	< 0.050	na	na	1.4	na	na	na
	12/07/07	2700	570	910	< 1.0	na	na	na	na	na	< 0.020	< 0.020	na	na	na	< 0.050	na	na	1.6	na	na	na
	12/11/08	2700	530	890	< 1.0	na	na	na	na	na	< 0.020	< 0.020	na	na	na	< 0.050	na	na	1.4	na	na	na
	11/10/04	2500	570	680	8.5	na	na	na	na	na	< 0.020	0.056	na	na	na	0.021	na	na	0.019	na	na	na
	12/02/05	2300	590	670	7.6	na	na	na	na	na	< 0.020	0.067	na	na	na	0.086	na	na	0.0022	na	na	na
SVE-1A	12/15/06	2300	600	640	7.1	na	na	na	na	na	< 0.020	0.065	na	na	na	< 0.020	na	na	< 0.0020	na	na	na
	12/07/07	2400	590	660	8.7	na	na	na	na	na	< 0.020	0.065	na	na	na	0.068	na	na	0.0041	na	na	na
	12/11/08	2500	540	650	7.9	na	na	na	na	na	< 0.020	0.061	na	na	na	< 0.020	na	na	< 0.0020	na	na	na
	07/18/01	1870	300	< 3.0	0.03	na	na	na	na	na	0.067	30.7	na	na	na	6.79	na	0.00020	0.0257	na	na	na
	08/21/01	2030	193	6.69	< 0.01	na	na	na	na	na	0.109	8.71	na	na	na	0.531	na	< 0.0002	0.0112	na	na	na
	08/01/02	1700	190	< 5.0	< 2.0	na	na	na	na	na	0.21	29	na	na	na	0.29	na	na	0.010	na	na	na
	08/05/03	1700	240	< 0.5	< 0.2	na	na	na	na	na	0.12	24	na	na	na	5.3	na	na	0.0092	na	na	na
	11/10/04	1700	260	0.59	< 0.50	na	na	na	na	na	0.12	23	na	na	na	6.8	na	na	0.015	na	na	na
	12/02/05	1700	310	< 0.5	< 0.5	na	na	na	na	na	0.062	26	na	na	na	8.6	na	na	0.030	na	na	na
	12/14/06	1600	340	< 0.5	< 5.0	na	na	na	na	na	0.046	25	na	na	na	7.9	na	na	0.024	na	na	na
12/07/07	1700	370	< 0.5	< 1.0	na	na	na	na	na	0.047	27	na	na	na	11	na	na	0.034	na	na	na	
12/11/08	1600	360	< 0.5	< 1.0	na	na	na	na	na	0.033	24	na	na	na	8.5	na	na	0.033	na	na	na	

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)							Metals (mg/L)														
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc	
MMWQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	0.05	10

NOTES:
(a) na - Analysis for this constituent was not run on samples collected during this sample event

Table 7. Summary of Completion Details for Soil Borings Completed as Wells
TW WT-1 Station Engine Room Pit Area

Well ID	Source ^a	Date of Completion	Measuring Point Elevation ^b (ft)	Northing (ft)	Easting (ft)	Total Depth of Boring (ft bgs)	Measured Depth of Well (ft from TOC)	Surface Completion Type	Casing Diameter (in.)	Screen Interval (ft bgs)	Top of Sand Pack (ft bgs)
MW-1	SH&B/B&R	08/12/92	3,547.65	-36.2	-661.8	53.5	55.04	Stickup	2	43.5-53.5	41.0
MW-2	SH&B/B&R	09/01/92	3,546.28	-2.8	-552.0	50.0	52.31	Stickup	2	40-50	38.0
MW-3	SH&B/B&R	08/28/92	3,548.99	-174.5	-619.3	48.5	50.00	Flush Mount	2	38.5-48.5	35.5
MW-3 P&A	CMB	01/08/00	--	--	--	--	--	--	--	--	--
MW-4	Eades/DBS&A	11/29/94	3,548.29	-322.5	-664.2	80.0	58.25	Flush Mount	2	43.5-58.5	41.0
MW-5	Eades/DBS&A	11/29/94	3,543.60	52.4	-642.0	59.6	59.75	Flush Mount	2	44.6-59.6	41.0
MW-6	Eades/DBS&A	11/28/94	3,543.33	132.1	-834.3	61.0	61.20	Flush Mount	2	46-61	42.5
MW-7	Eades/DBS&A	11/21/94	3,542.00	129.5	-470.6	56.0	54.88	Flush Mount	2	40-55	37.0
MW-8	Eades/DBS&A	11/20/94	3,541.49	195.3	-639.1	59.0	59.20	Flush Mount	2	44-59	42.0
MW-14	Eades/DBS&A	09/11/95	3,539.73	353.3	-671.4	61.0	60.25	Flush Mount	2	45.5-60.5	43.0
MW-15	Eades/DBS&A	09/12/95	3,542.82	-84.1	-345.5	60.5	57.85	Flush Mount	2	43-58	40.5
MW-16	Eades/DBS&A	09/12/95	3,545.68	-76.1	-930.0	61.0	60.02	Flush Mount	2	45-60	42.0
MW-17	Atkins/CES	10/28/04	3,538.60	487.6	-699.1	75.0	74.83	Flush Mount	2	44-74	42.0
SVE-1A	Eades/DBS&A	11/18/94	3,545.59	-73.0	-616.0	53.0	52.63	Flush Mount	2	42.5-52.5	41.2
SVE-1B	Eades/DBS&A	11/18/94	3,545.61	-73.0	-616.0	37.5	NA	Flush Mount	2	21-36	18.3
RW-1	GPI/CES	09/07/00	3,545.97	-4.6	-507.7	60.2	62.36	Stickup	4.5	Open hole 43-60.2	None
RW-2	GPI/CES	09/08/00	3,546.26	-3.1	-536.5	60.4	62.45	Stickup	4.5	Open hole 43-60.4	None
RW-3	GPI/CES	09/09/00	3,546.41	-3.1	-566.3	60.0	61.65	Stickup	4.5	Open hole 43-60	None
RW-4	GPI/CES	09/10/00	3,546.96	-2.9	-597.4	60.0	62.10	Stickup	4.5	Open hole 43-60	None
RW-5	GPI/CES	09/11/00	3,546.75	-3.9	-627.0	60.0	62.35	Stickup	4.5	Open hole 43-60	None
RW-6	GPI/CES	09/12/00	3,546.69	-4.0	-656.5	60.0	62.12	Stickup	4.5	Open hole 43-60	None
RW-7	GPI/CES	09/13/00	3,547.50	-3.7	-687.2	60.2	62.52	Stickup	4.5	Open hole 43-60.2	None
RW-8	GPI/CES	09/14/00	3,547.04	-4.2	-716.3	60.1	62.17	Stickup	4.5	Open hole 43-60.1	None
RW-9	GPI/CES	09/20/00	3,545.84	-54.9	-690.0	60.2	59.98	Stickup	4.5	Open hole 43-60.2	None

Table 7. (Page 1 of 2)

**Table 7. Summary of Completion Details for Soil Borings Completed as Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Source ^a	Date of Completion	Measuring Point Elevation ^b (ft)	Northing (ft)	Easting (ft)	Total Depth of Boring (ft bgs)	Measured Depth of Well (ft from TOC)	Surface Completion Type	Casing Diameter (in.)	Screen Interval (ft bgs)	Top of Sand Pack (ft bgs)
RW-10	GPI/CES	09/21/00	3,546.32	-107.0	-661.4	60.1	59.90	Stickup	4.5	Open hole 43-60.1	None
RW-11	GPI/CES	09/22/00	3,545.74	-107.8	-568.2	60.2	59.97	Stickup	4.5	Open hole 43-60.2	None
RW-12	GPI/CES	09/23/00	3,544.43	-55.4	-541.4	60.2	60.09	Stickup	4.5	Open hole 43-60.2	None


NOTES:
 (a) Driller/Consultant
 (b) Survey by John W. West Engineering
 (c) Survey by Cypress Engineering (GAF) on November 4, 2004 for well MW-17

**Table 8. Monitor Well Sampling Locations, Frequency, and Sample Analysis Plan
TW WT-1 Station Engine Room Pit Area**


Well ID	Analytical Requirements for Annual Event	1,1-DCA (ppb) Latest Result	Comments
MW-1	VOC's & Inorganics	760	Well contains PSH intermittently
MW-2	na	na	Well contains PSH
MW-3	na	na	Well abandoned
MW-4	VOC's & Inorganics	< 1	
MW-5	VOC's & Inorganics	97	
MW-6	VOC's & Inorganics	3.6	
MW-7	VOC's & Inorganics	41	
MW-8	VOC's & Inorganics	78	
MW-14	VOC's & Inorganics	19	
MW-15	VOC's & Inorganics	1.6	
MW-16	VOC's & Inorganics	< 1	
MW-17	VOC's & Inorganics	1.2	
SVE-1A	VOC's & Inorganics	150	
Notes: 1) VOC's by 8260 2) Inorganics include TDS, Cl, NO2/NO3 as N, As, Ba, Fe & Mn 3) "Comments" are provided for wells that will not be sampled during one or more events			

Concentration History Plots


Concentration History at Well SVE-1A
WT-1 Station Pit Area Remediation Site




Concentration History at Well MW-1
WT-1 Station Pit Area Remediation Site




Concentration History at Well MW-5 WT-1 Station Pit Area Remediation Site




Concentration History at Well MW-6
WT-1 Station Pit Area Remediation Site




Concentration History at Well MW-7 WT-1 Station Pit Area Remediation Site




Concentration History at Well MW-8 WT-1 Station Pit Area Remediation Site




Concentration History at Well MW-14
WT-1 Station Pit Area Remediation Site




Concentration History at Well MW-15 WT-1 Station Pit Area Remediation Site



Concentration History at Well MW-16 WT-1 Station Pit Area Remediation Site



Concentration History at Well MW-17
WT-1 Station Pit Area Remediation Site



Laboratory Reports

COVER LETTER

Tuesday, June 10, 2008

Sandra Sharp
Cypress Engineering
7171 Highway 6 North
Suite 102
Houston, TX 770952422
TEL: (281) 797-3420
FAX (281) 859-1881

RE: TWP WT-1 Stat. ERP Area GW Sampling

Order No.: 0806050

Dear Sandra Sharp:

Hall Environmental Analysis Laboratory, Inc. received 13 sample(s) on 6/4/2008 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent.

Reporting limits are determined by EPA methodology. No determination of compounds below these (denoted by the ND or < sign) has been made.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,



Andy Freeman, Business Manager
Nancy McDuffie, Laboratory Manager

NM Lab # NM9425
AZ license # AZ0682
ORELAP Lab # NM100001



Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: TRIP BLANK

Lab Order: 0806050

Collection Date:

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-01

Matrix: TRIP BLANK

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Toluene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Ethylbenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Naphthalene	ND	2.0		µg/L	1	6/7/2008 1:40:21 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 1:40:21 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 1:40:21 AM
Acetone	18	10		µg/L	1	6/7/2008 1:40:21 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 1:40:21 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 1:40:21 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Chloroethane	ND	2.0		µg/L	1	6/7/2008 1:40:21 AM
Chloroform	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
cis-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 1:40:21 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 1:40:21 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 1:40:21 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: TRIP BLANK

Lab Order: 0806050

Collection Date:

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-01

Matrix: TRIP BLANK

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 1:40:21 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 1:40:21 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 1:40:21 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 1:40:21 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 1:40:21 AM
Xylenes, Total	ND	1.5		µg/L	1	6/7/2008 1:40:21 AM
Surr: 1,2-Dichloroethane-d4	93.9	68.1-123		%REC	1	6/7/2008 1:40:21 AM
Surr: 4-Bromofluorobenzene	97.6	53.2-145		%REC	1	6/7/2008 1:40:21 AM
Surr: Dibromofluoromethane	87.8	68.5-119		%REC	1	6/7/2008 1:40:21 AM
Surr: Toluene-d8	96.2	64-131		%REC	1	6/7/2008 1:40:21 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-4

Lab Order: 0806050

Collection Date: 6/2/2008 12:20:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-02

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Toluene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Ethylbenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Naphthalene	ND	2.0		µg/L	1	6/7/2008 2:09:03 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 2:09:03 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 2:09:03 AM
Acetone	ND	10		µg/L	1	6/7/2008 2:09:03 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 2:09:03 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 2:09:03 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Chloroethane	ND	2.0		µg/L	1	6/7/2008 2:09:03 AM
Chloroform	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
cis-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 2:09:03 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 2:09:03 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 2:09:03 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-4

Lab Order: 0806050

Collection Date: 6/2/2008 12:20:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-02

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 2:09:03 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 2:09:03 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 2:09:03 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 2:09:03 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 2:09:03 AM
Xylenes, Total	ND	1.5		µg/L	1	6/7/2008 2:09:03 AM
Surr: 1,2-Dichloroethane-d4	94.7	68.1-123		%REC	1	6/7/2008 2:09:03 AM
Surr: 4-Bromofluorobenzene	95.7	53.2-145		%REC	1	6/7/2008 2:09:03 AM
Surr: Dibromofluoromethane	88.2	68.5-119		%REC	1	6/7/2008 2:09:03 AM
Surr: Toluene-d8	97.9	64-131		%REC	1	6/7/2008 2:09:03 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-16

Lab Order: 0806050

Collection Date: 6/2/2008 12:56:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-03

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Toluene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Ethylbenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Naphthalene	ND	2.0		µg/L	1	6/7/2008 3:35:54 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 3:35:54 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 3:35:54 AM
Acetone	ND	10		µg/L	1	6/7/2008 3:35:54 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 3:35:54 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 3:35:54 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Chloroethane	ND	2.0		µg/L	1	6/7/2008 3:35:54 AM
Chloroform	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
cis-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 3:35:54 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 3:35:54 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 3:35:54 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-16

Lab Order: 0806050

Collection Date: 6/2/2008 12:56:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-03

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 3:35:54 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 3:35:54 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 3:35:54 AM
Tetrachloroethene (PCE)	4.0	1.0		µg/L	1	6/7/2008 3:35:54 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 3:35:54 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 3:35:54 AM
Xylenes, Total	ND	1.5		µg/L	1	6/7/2008 3:35:54 AM
Surr: 1,2-Dichloroethane-d4	96.5	68.1-123		%REC	1	6/7/2008 3:35:54 AM
Surr: 4-Bromofluorobenzene	101	53.2-145		%REC	1	6/7/2008 3:35:54 AM
Surr: Dibromofluoromethane	87.7	68.5-119		%REC	1	6/7/2008 3:35:54 AM
Surr: Toluene-d8	100	64-131		%REC	1	6/7/2008 3:35:54 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-15

Lab Order: 0806050

Collection Date: 6/2/2008 1:36:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-04

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Toluene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Ethylbenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Naphthalene	ND	2.0		µg/L	1	6/7/2008 4:04:37 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 4:04:37 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 4:04:37 AM
Acetone	ND	10		µg/L	1	6/7/2008 4:04:37 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 4:04:37 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 4:04:37 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Chloroethane	ND	2.0		µg/L	1	6/7/2008 4:04:37 AM
Chloroform	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
cis-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 4:04:37 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,1-Dichloroethane	2.0	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,1-Dichloroethene	1.9	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 4:04:37 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 4:04:37 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-15

Lab Order: 0806050

Collection Date: 6/2/2008 1:36:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-04

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 4:04:37 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 4:04:37 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 4:04:37 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 4:04:37 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 4:04:37 AM
Xylenes, Total	ND	1.5		µg/L	1	6/7/2008 4:04:37 AM
Surr: 1,2-Dichloroethane-d4	95.5	68.1-123		%REC	1	6/7/2008 4:04:37 AM
Surr: 4-Bromofluorobenzene	98.4	53.2-145		%REC	1	6/7/2008 4:04:37 AM
Surr: Dibromofluoromethane	89.2	68.5-119		%REC	1	6/7/2008 4:04:37 AM
Surr: Toluene-d8	97.2	64-131		%REC	1	6/7/2008 4:04:37 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering **Client Sample ID:** SVE-1A
Lab Order: 0806050 **Collection Date:** 6/2/2008 5:45:00 PM
Project: TWP WT-1 Station ERP Area GW Sampling **Date Received:** 6/4/2008
Lab ID: 0806050-05 **Matrix:** AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	140	5.0		µg/L	5	6/7/2008 4:35:02 AM
Toluene	22	5.0		µg/L	5	6/7/2008 4:35:02 AM
Ethylbenzene	59	5.0		µg/L	5	6/7/2008 4:35:02 AM
Methyl tert-butyl ether (MTBE)	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,2,4-Trimethylbenzene	85	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,3,5-Trimethylbenzene	74	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,2-Dichloroethane (EDC)	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,2-Dibromoethane (EDB)	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Naphthalene	44	10		µg/L	5	6/7/2008 4:35:02 AM
1-Methylnaphthalene	ND	20		µg/L	5	6/7/2008 4:35:02 AM
2-Methylnaphthalene	ND	20		µg/L	5	6/7/2008 4:35:02 AM
Acetone	ND	50		µg/L	5	6/7/2008 4:35:02 AM
Bromobenzene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Bromodichloromethane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Bromoform	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Bromomethane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
2-Butanone	ND	50		µg/L	5	6/7/2008 4:35:02 AM
Carbon disulfide	ND	50		µg/L	5	6/7/2008 4:35:02 AM
Carbon Tetrachloride	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Chlorobenzene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Chloroethane	ND	10		µg/L	5	6/7/2008 4:35:02 AM
Chloroform	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Chloromethane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
2-Chlorotoluene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
4-Chlorotoluene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
cis-1,2-DCE	61	5.0		µg/L	5	6/7/2008 4:35:02 AM
cis-1,3-Dichloropropene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,2-Dibromo-3-chloropropane	ND	10		µg/L	5	6/7/2008 4:35:02 AM
Dibromochloromethane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Dibromomethane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,2-Dichlorobenzene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,3-Dichlorobenzene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,4-Dichlorobenzene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Dichlorodifluoromethane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,1-Dichloroethane	180	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,1-Dichloroethene	7.7	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,2-Dichloropropane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,3-Dichloropropane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
2,2-Dichloropropane	ND	10		µg/L	5	6/7/2008 4:35:02 AM
1,1-Dichloropropene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Hexachlorobutadiene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
2-Hexanone	ND	50		µg/L	5	6/7/2008 4:35:02 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: SVE-1A

Lab Order: 0806050

Collection Date: 6/2/2008 5:45:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-05

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	8.0	5.0		µg/L	5	6/7/2008 4:35:02 AM
4-Isopropyltoluene	5.2	5.0		µg/L	5	6/7/2008 4:35:02 AM
4-Methyl-2-pentanone	69	50		µg/L	5	6/7/2008 4:35:02 AM
Methylene Chloride	ND	15		µg/L	5	6/7/2008 4:35:02 AM
n-Butylbenzene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
n-Propylbenzene	11	5.0		µg/L	5	6/7/2008 4:35:02 AM
sec-Butylbenzene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Styrene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
tert-Butylbenzene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,1,1,2-Tetrachloroethane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	5	6/7/2008 4:35:02 AM
Tetrachloroethene (PCE)	15	5.0		µg/L	5	6/7/2008 4:35:02 AM
trans-1,2-DCE	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
trans-1,3-Dichloropropene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,2,3-Trichlorobenzene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,1,1-Trichloroethane	16	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,1,2-Trichloroethane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Trichloroethene (TCE)	41	5.0		µg/L	5	6/7/2008 4:35:02 AM
Trichlorofluoromethane	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
1,2,3-Trichloropropane	ND	10		µg/L	5	6/7/2008 4:35:02 AM
Vinyl chloride	ND	5.0		µg/L	5	6/7/2008 4:35:02 AM
Xylenes, Total	81	7.5		µg/L	5	6/7/2008 4:35:02 AM
Surr: 1,2-Dichloroethane-d4	99.6	68.1-123		%REC	5	6/7/2008 4:35:02 AM
Surr: 4-Bromofluorobenzene	101	53.2-145		%REC	5	6/7/2008 4:35:02 AM
Surr: Dibromofluoromethane	91.2	68.5-119		%REC	5	6/7/2008 4:35:02 AM
Surr: Toluene-d8	96.4	64-131		%REC	5	6/7/2008 4:35:02 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-1

Lab Order: 0806050

Collection Date: 6/2/2008 6:20:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-06

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	29	10		µg/L	10	6/7/2008 5:05:28 AM
Toluene	80	10		µg/L	10	6/7/2008 5:05:28 AM
Ethylbenzene	15	10		µg/L	10	6/7/2008 5:05:28 AM
Methyl tert-butyl ether (MTBE)	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,2,4-Trimethylbenzene	64	10		µg/L	10	6/7/2008 5:05:28 AM
1,3,5-Trimethylbenzene	23	10		µg/L	10	6/7/2008 5:05:28 AM
1,2-Dichloroethane (EDC)	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,2-Dibromoethane (EDB)	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Naphthalene	22	20		µg/L	10	6/7/2008 5:05:28 AM
1-Methylnaphthalene	ND	40		µg/L	10	6/7/2008 5:05:28 AM
2-Methylnaphthalene	ND	40		µg/L	10	6/7/2008 5:05:28 AM
Acetone	500	100		µg/L	10	6/7/2008 5:05:28 AM
Bromobenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Bromodichloromethane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Bromoform	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Bromomethane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
2-Butanone	100	100		µg/L	10	6/7/2008 5:05:28 AM
Carbon disulfide	ND	100		µg/L	10	6/7/2008 5:05:28 AM
Carbon Tetrachloride	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Chlorobenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Chloroethane	ND	20		µg/L	10	6/7/2008 5:05:28 AM
Chloroform	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Chloromethane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
2-Chlorotoluene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
4-Chlorotoluene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
cis-1,2-DCE	ND	10		µg/L	10	6/7/2008 5:05:28 AM
cis-1,3-Dichloropropene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,2-Dibromo-3-chloropropane	ND	20		µg/L	10	6/7/2008 5:05:28 AM
Dibromochloromethane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Dibromomethane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,2-Dichlorobenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,3-Dichlorobenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,4-Dichlorobenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Dichlorodifluoromethane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,1-Dichloroethane	760	10		µg/L	10	6/7/2008 5:05:28 AM
1,1-Dichloroethene	14	10		µg/L	10	6/7/2008 5:05:28 AM
1,2-Dichloropropane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,3-Dichloropropane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
2,2-Dichloropropane	ND	20		µg/L	10	6/7/2008 5:05:28 AM
1,1-Dichloropropene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Hexachlorobutadiene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
2-Hexanone	ND	100		µg/L	10	6/7/2008 5:05:28 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-1

Lab Order: 0806050

Collection Date: 6/2/2008 6:20:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-06

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
4-Isopropyltoluene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
4-Methyl-2-pentanone	1900	100		µg/L	10	6/7/2008 5:05:28 AM
Methylene Chloride	ND	30		µg/L	10	6/7/2008 5:05:28 AM
n-Butylbenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
n-Propylbenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
sec-Butylbenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Styrene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
tert-Butylbenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,1,1,2-Tetrachloroethane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,1,2,2-Tetrachloroethane	ND	20		µg/L	10	6/7/2008 5:05:28 AM
Tetrachloroethene (PCE)	76	10		µg/L	10	6/7/2008 5:05:28 AM
trans-1,2-DCE	ND	10		µg/L	10	6/7/2008 5:05:28 AM
trans-1,3-Dichloropropene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,2,3-Trichlorobenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,2,4-Trichlorobenzene	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,1,1-Trichloroethane	94	10		µg/L	10	6/7/2008 5:05:28 AM
1,1,2-Trichloroethane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Trichloroethene (TCE)	66	10		µg/L	10	6/7/2008 5:05:28 AM
Trichlorofluoromethane	ND	10		µg/L	10	6/7/2008 5:05:28 AM
1,2,3-Trichloropropane	ND	20		µg/L	10	6/7/2008 5:05:28 AM
Vinyl chloride	ND	10		µg/L	10	6/7/2008 5:05:28 AM
Xylenes, Total	100	15		µg/L	10	6/7/2008 5:05:28 AM
Surr: 1,2-Dichloroethane-d4	95.0	68.1-123		%REC	10	6/7/2008 5:05:28 AM
Surr: 4-Bromofluorobenzene	92.1	53.2-145		%REC	10	6/7/2008 5:05:28 AM
Surr: Dibromofluoromethane	90.9	68.5-119		%REC	10	6/7/2008 5:05:28 AM
Surr: Toluene-d8	94.3	64-131		%REC	10	6/7/2008 5:05:28 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-5

Lab Order: 0806050

Collection Date: 6/2/2008 5:30:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-07

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	14	1.0		µg/L	1	6/7/2008 5:34:17 AM
Toluene	3.6	1.0		µg/L	1	6/7/2008 5:34:17 AM
Ethylbenzene	4.2	1.0		µg/L	1	6/7/2008 5:34:17 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,2,4-Trimethylbenzene	9.7	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,3,5-Trimethylbenzene	4.5	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,2-Dichloroethane (EDC)	1.1	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Naphthalene	9.0	2.0		µg/L	1	6/7/2008 5:34:17 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 5:34:17 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 5:34:17 AM
Acetone	ND	10		µg/L	1	6/7/2008 5:34:17 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 5:34:17 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 5:34:17 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Chloroethane	ND	2.0		µg/L	1	6/7/2008 5:34:17 AM
Chloroform	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
cis-1,2-DCE	31	1.0		µg/L	1	6/7/2008 5:34:17 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 5:34:17 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,1-Dichloroethane	72	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,1-Dichloroethene	2.0	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 5:34:17 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 5:34:17 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-5

Lab Order: 0806050

Collection Date: 6/2/2008 5:30:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-07

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
4-Isopropyltoluene	1.8	1.0		µg/L	1	6/7/2008 5:34:17 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 5:34:17 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 5:34:17 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 5:34:17 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Trichloroethene (TCE)	39	1.0		µg/L	1	6/7/2008 5:34:17 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 5:34:17 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 5:34:17 AM
Xylenes, Total	7.5	1.5		µg/L	1	6/7/2008 5:34:17 AM
Surr: 1,2-Dichloroethane-d4	95.1	68.1-123		%REC	1	6/7/2008 5:34:17 AM
Surr: 4-Bromofluorobenzene	97.1	53.2-145		%REC	1	6/7/2008 5:34:17 AM
Surr: Dibromofluoromethane	89.8	68.5-119		%REC	1	6/7/2008 5:34:17 AM
Surr: Toluene-d8	96.0	64-131		%REC	1	6/7/2008 5:34:17 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-8

Lab Order: 0806050

Collection Date: 6/2/2008 5:15:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-08

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	3.6	1.0		µg/L	1	6/7/2008 6:03:01 AM
Toluene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Ethylbenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,2-Dichloroethane (EDC)	1.1	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Naphthalene	ND	2.0		µg/L	1	6/7/2008 6:03:01 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 6:03:01 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 6:03:01 AM
Acetone	ND	10		µg/L	1	6/7/2008 6:03:01 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 6:03:01 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 6:03:01 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Chloroethane	ND	2.0		µg/L	1	6/7/2008 6:03:01 AM
Chloroform	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
cis-1,2-DCE	50	1.0		µg/L	1	6/7/2008 6:03:01 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 6:03:01 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,2-Dichlorobenzene	1.1	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,1-Dichloroethane	66	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,1-Dichloroethene	3.7	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 6:03:01 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 6:03:01 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-8

Lab Order: 0806050

Collection Date: 6/2/2008 5:15:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-08

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 6:03:01 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 6:03:01 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 6:03:01 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Trichloroethene (TCE)	40	1.0		µg/L	1	6/7/2008 6:03:01 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 6:03:01 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 6:03:01 AM
Xylenes, Total	ND	1.5		µg/L	1	6/7/2008 6:03:01 AM
Surr: 1,2-Dichloroethane-d4	95.9	68.1-123		%REC	1	6/7/2008 6:03:01 AM
Surr: 4-Bromofluorobenzene	96.3	53.2-145		%REC	1	6/7/2008 6:03:01 AM
Surr: Dibromofluoromethane	87.4	68.5-119		%REC	1	6/7/2008 6:03:01 AM
Surr: Toluene-d8	94.9	64-131		%REC	1	6/7/2008 6:03:01 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-18

Lab Order: 0806050

Collection Date: 6/2/2008 5:30:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-09

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	3.7	1.0		µg/L	1	6/7/2008 6:31:42 AM
Toluene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Ethylbenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,2-Dichloroethane (EDC)	1.1	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Naphthalene	ND	2.0		µg/L	1	6/7/2008 6:31:42 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 6:31:42 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 6:31:42 AM
Acetone	ND	10		µg/L	1	6/7/2008 6:31:42 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 6:31:42 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 6:31:42 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Chloroethane	ND	2.0		µg/L	1	6/7/2008 6:31:42 AM
Chloroform	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
cis-1,2-DCE	51	1.0		µg/L	1	6/7/2008 6:31:42 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 6:31:42 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,2-Dichlorobenzene	1.1	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,1-Dichloroethane	67	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,1-Dichloroethene	3.8	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 6:31:42 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 6:31:42 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-18

Lab Order: 0806050

Collection Date: 6/2/2008 5:30:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-09

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 6:31:42 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 6:31:42 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 6:31:42 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Trichloroethene (TCE)	41	1.0		µg/L	1	6/7/2008 6:31:42 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 6:31:42 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 6:31:42 AM
Xylenes, Total	ND	1.5		µg/L	1	6/7/2008 6:31:42 AM
Surr: 1,2-Dichloroethane-d4	95.3	68.1-123		%REC	1	6/7/2008 6:31:42 AM
Surr: 4-Bromofluorobenzene	97.0	53.2-145		%REC	1	6/7/2008 6:31:42 AM
Surr: Dibromofluoromethane	89.7	68.5-119		%REC	1	6/7/2008 6:31:42 AM
Surr: Toluene-d8	96.0	64-131		%REC	1	6/7/2008 6:31:42 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-6

Lab Order: 0806050

Collection Date: 6/2/2008 4:01:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-10

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Toluene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Ethylbenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Naphthalene	ND	2.0		µg/L	1	6/7/2008 7:00:42 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 7:00:42 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 7:00:42 AM
Acetone	ND	10		µg/L	1	6/7/2008 7:00:42 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 7:00:42 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 7:00:42 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Chloroethane	ND	2.0		µg/L	1	6/7/2008 7:00:42 AM
Chloroform	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
cis-1,2-DCE	3.5	1.0		µg/L	1	6/7/2008 7:00:42 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 7:00:42 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,1-Dichloroethane	5.3	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 7:00:42 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 7:00:42 AM

Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-6

Lab Order: 0806050

Collection Date: 6/2/2008 4:01:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-10

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 7:00:42 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 7:00:42 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 7:00:42 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Trichloroethene (TCE)	9.2	1.0		µg/L	1	6/7/2008 7:00:42 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 7:00:42 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 7:00:42 AM
Xylenes, Total	ND	1.5		µg/L	1	6/7/2008 7:00:42 AM
Surr: 1,2-Dichloroethane-d4	93.1	68.1-123		%REC	1	6/7/2008 7:00:42 AM
Surr: 4-Bromofluorobenzene	96.0	53.2-145		%REC	1	6/7/2008 7:00:42 AM
Surr: Dibromofluoromethane	89.9	68.5-119		%REC	1	6/7/2008 7:00:42 AM
Surr: Toluene-d8	99.1	64-131		%REC	1	6/7/2008 7:00:42 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-14

Lab Order: 0806050

Collection Date: 6/2/2008 4:36:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-11

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Toluene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Ethylbenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Naphthalene	ND	2.0		µg/L	1	6/7/2008 7:29:42 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 7:29:42 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 7:29:42 AM
Acetone	ND	10		µg/L	1	6/7/2008 7:29:42 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 7:29:42 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 7:29:42 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Chloroethane	2.1	2.0		µg/L	1	6/7/2008 7:29:42 AM
Chloroform	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
cis-1,2-DCE	2.4	1.0		µg/L	1	6/7/2008 7:29:42 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 7:29:42 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,1-Dichloroethane	19	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 7:29:42 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 7:29:42 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-14

Lab Order: 0806050

Collection Date: 6/2/2008 4:36:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-11

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 7:29:42 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 7:29:42 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 7:29:42 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Trichloroethene (TCE)	4.3	1.0		µg/L	1	6/7/2008 7:29:42 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 7:29:42 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 7:29:42 AM
Xylenes, Total	ND	1.5		µg/L	1	6/7/2008 7:29:42 AM
Surr: 1,2-Dichloroethane-d4	94.8	68.1-123		%REC	1	6/7/2008 7:29:42 AM
Surr: 4-Bromofluorobenzene	95.3	53.2-145		%REC	1	6/7/2008 7:29:42 AM
Surr: Dibromofluoromethane	90.2	68.5-119		%REC	1	6/7/2008 7:29:42 AM
Surr: Toluene-d8	95.8	64-131		%REC	1	6/7/2008 7:29:42 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-17

Lab Order: 0806050

Collection Date: 6/2/2008 5:11:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-12

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Toluene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Ethylbenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Naphthalene	ND	2.0		µg/L	1	6/7/2008 7:58:25 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 7:58:25 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 7:58:25 AM
Acetone	ND	10		µg/L	1	6/7/2008 7:58:25 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 7:58:25 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 7:58:25 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Chloroethane	ND	2.0		µg/L	1	6/7/2008 7:58:25 AM
Chloroform	1.2	1.0		µg/L	1	6/7/2008 7:58:25 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
cis-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 7:58:25 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,1-Dichloroethane	1.5	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,1-Dichloroethene	1.8	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 7:58:25 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 7:58:25 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-17

Lab Order: 0806050

Collection Date: 6/2/2008 5:11:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-12

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 7:58:25 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 7:58:25 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 7:58:25 AM
Tetrachloroethene (PCE)	1.6	1.0		µg/L	1	6/7/2008 7:58:25 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 7:58:25 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 7:58:25 AM
Xylenes, Total	ND	1.5		µg/L	1	6/7/2008 7:58:25 AM
Surr: 1,2-Dichloroethane-d4	94.5	68.1-123		%REC	1	6/7/2008 7:58:25 AM
Surr: 4-Bromofluorobenzene	103	53.2-145		%REC	1	6/7/2008 7:58:25 AM
Surr: Dibromofluoromethane	88.0	68.5-119		%REC	1	6/7/2008 7:58:25 AM
Surr: Toluene-d8	96.8	64-131		%REC	1	6/7/2008 7:58:25 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering

Client Sample ID: MW-7

Lab Order: 0806050

Collection Date: 6/2/2008 6:11:00 PM

Project: TWP WT-1 Station ERP Area GW Sampling

Date Received: 6/4/2008

Lab ID: 0806050-13

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Toluene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Ethylbenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Naphthalene	ND	2.0		µg/L	1	6/7/2008 8:27:28 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 8:27:28 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/7/2008 8:27:28 AM
Acetone	ND	10		µg/L	1	6/7/2008 8:27:28 AM
Bromobenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Bromoform	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Bromomethane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
2-Butanone	ND	10		µg/L	1	6/7/2008 8:27:28 AM
Carbon disulfide	ND	10		µg/L	1	6/7/2008 8:27:28 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Chlorobenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Chloroethane	ND	2.0		µg/L	1	6/7/2008 8:27:28 AM
Chloroform	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Chloromethane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
cis-1,2-DCE	33	1.0		µg/L	1	6/7/2008 8:27:28 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/7/2008 8:27:28 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Dibromomethane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,1-Dichloroethane	32	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,1-Dichloroethene	1.4	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/7/2008 8:27:28 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
2-Hexanone	ND	10		µg/L	1	6/7/2008 8:27:28 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Jun-08

CLIENT: Cypress Engineering **Client Sample ID:** MW-7
Lab Order: 0806050 **Collection Date:** 6/2/2008 6:11:00 PM
Project: TWP WT-1 Station ERP Area GW Sampling **Date Received:** 6/4/2008
Lab ID: 0806050-13 **Matrix:** AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/7/2008 8:27:28 AM
Methylene Chloride	ND	3.0		µg/L	1	6/7/2008 8:27:28 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Styrene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/7/2008 8:27:28 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Trichloroethene (TCE)	8.8	1.0		µg/L	1	6/7/2008 8:27:28 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/7/2008 8:27:28 AM
Vinyl chloride	ND	1.0		µg/L	1	6/7/2008 8:27:28 AM
Xylenes, Total	ND	1.5		µg/L	1	6/7/2008 8:27:28 AM
Surr: 1,2-Dichloroethane-d4	94.5	68.1-123		%REC	1	6/7/2008 8:27:28 AM
Surr: 4-Bromofluorobenzene	94.8	53.2-145		%REC	1	6/7/2008 8:27:28 AM
Surr: Dibromofluoromethane	88.5	68.5-119		%REC	1	6/7/2008 8:27:28 AM
Surr: Toluene-d8	95.2	64-131		%REC	1	6/7/2008 8:27:28 AM

Qualifiers:
 * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

QA/QC SUMMARY REPORT

Client: Cypress Engineering
 Project: TWP WT-1 Station ERP Area GW Sampling

Work Order: 0806050

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: 0806050-02a MSD

MSD

Batch ID: R28831

Analysis Date: 6/7/2008 3:07:06 AM

Benzene	20.70	µg/L	1.0	103	72.4	126	4.51	15	
Toluene	19.99	µg/L	1.0	99.9	79.2	115	0.986	15	
Chlorobenzene	20.43	µg/L	1.0	102	83.1	111	0.722	15	
1,1-Dichloroethene	23.64	µg/L	1.0	114	81.4	122	5.73	17.8	
Trichloroethene (TCE)	19.35	µg/L	1.0	96.7	64.4	118	4.36	19.8	

Sample ID: 5ml rb

MBLK

Batch ID: R28831

Analysis Date: 6/6/2008 9:03:50 AM

Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Methyl tert-butyl ether (MTBE)	ND	µg/L	1.0						
1,2,4-Trimethylbenzene	ND	µg/L	1.0						
1,3,5-Trimethylbenzene	ND	µg/L	1.0						
1,2-Dichloroethane (EDC)	ND	µg/L	1.0						
1,2-Dibromoethane (EDB)	ND	µg/L	1.0						
Naphthalene	ND	µg/L	2.0						
1-Methylnaphthalene	ND	µg/L	4.0						
2-Methylnaphthalene	ND	µg/L	4.0						
Acetone	ND	µg/L	10						
Bromobenzene	ND	µg/L	1.0						
Bromodichloromethane	ND	µg/L	1.0						
Bromoform	ND	µg/L	1.0						
Bromomethane	ND	µg/L	1.0						
2-Butanone	ND	µg/L	10						
Carbon disulfide	ND	µg/L	10						
Carbon Tetrachloride	ND	µg/L	1.0						
Chlorobenzene	ND	µg/L	1.0						
Chloroethane	ND	µg/L	2.0						
Chloroform	ND	µg/L	1.0						
Chloromethane	ND	µg/L	1.0						
2-Chlorotoluene	ND	µg/L	1.0						
4-Chlorotoluene	ND	µg/L	1.0						
cis-1,2-DCE	ND	µg/L	1.0						
cis-1,3-Dichloropropene	ND	µg/L	1.0						
1,2-Dibromo-3-chloropropane	ND	µg/L	2.0						
Dibromochloromethane	ND	µg/L	1.0						
Dibromomethane	ND	µg/L	1.0						
1,2-Dichlorobenzene	ND	µg/L	1.0						
1,3-Dichlorobenzene	ND	µg/L	1.0						
1,4-Dichlorobenzene	ND	µg/L	1.0						
Dichlorodifluoromethane	ND	µg/L	1.0						
1,1-Dichloroethane	ND	µg/L	1.0						
1,1-Dichloroethene	ND	µg/L	1.0						
1,2-Dichloropropane	ND	µg/L	1.0						
1,3-Dichloropropane	ND	µg/L	1.0						

Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
 Project: TWP WT-1 Station ERP Area GW Sampling

Work Order: 0806050

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: 5ml rb

MBLK

Batch ID: R28831 Analysis Date: 6/6/2008 9:03:50 AM

2,2-Dichloropropane	ND	µg/L	2.0
1,1-Dichloropropene	ND	µg/L	1.0
Hexachlorobutadiene	ND	µg/L	1.0
2-Hexanone	ND	µg/L	10
Isopropylbenzene	ND	µg/L	1.0
4-Isopropyltoluene	ND	µg/L	1.0
4-Methyl-2-pentanone	ND	µg/L	10
Methylene Chloride	ND	µg/L	3.0
n-Butylbenzene	ND	µg/L	1.0
n-Propylbenzene	ND	µg/L	1.0
sec-Butylbenzene	ND	µg/L	1.0
Styrene	ND	µg/L	1.0
tert-Butylbenzene	ND	µg/L	1.0
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0
1,1,2,2-Tetrachloroethane	ND	µg/L	2.0
Tetrachloroethene (PCE)	ND	µg/L	1.0
trans-1,2-DCE	ND	µg/L	1.0
cis-1,2-Dichloropropene	ND	µg/L	1.0
1,2,3-Trichlorobenzene	ND	µg/L	1.0
1,2,4-Trichlorobenzene	ND	µg/L	1.0
1,1,1-Trichloroethane	ND	µg/L	1.0
1,1,2-Trichloroethane	ND	µg/L	1.0
Trichloroethene (TCE)	ND	µg/L	1.0
Trichlorofluoromethane	ND	µg/L	1.0
1,2,3-Trichloropropane	ND	µg/L	2.0
Vinyl chloride	ND	µg/L	1.0
Xylenes, Total	ND	µg/L	1.5

Sample ID: 5ml rb

MBLK

Batch ID: R28853 Analysis Date: 6/9/2008 9:10:55 AM

Benzene	ND	µg/L	1.0
Toluene	ND	µg/L	1.0
Ethylbenzene	ND	µg/L	1.0
Methyl tert-butyl ether (MTBE)	ND	µg/L	1.0
1,2,4-Trimethylbenzene	ND	µg/L	1.0
1,3,5-Trimethylbenzene	ND	µg/L	1.0
1,2-Dichloroethane (EDC)	ND	µg/L	1.0
1,2-Dibromoethane (EDB)	ND	µg/L	1.0
Naphthalene	ND	µg/L	2.0
1-Methylnaphthalene	ND	µg/L	4.0
2-Methylnaphthalene	ND	µg/L	4.0
Acetone	ND	µg/L	10
Bromobenzene	ND	µg/L	1.0
Bromodichloromethane	ND	µg/L	1.0
Bromomethane	ND	µg/L	1.0

Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
 Project: TWP WT-1 Station ERP Area GW Sampling

Work Order: 0806050

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: 5ml rb

MBLK

Batch ID: R28853 Analysis Date: 6/9/2008 9:10:55 AM

2-Butanone	ND	µg/L	10
Carbon disulfide	ND	µg/L	10
Carbon Tetrachloride	ND	µg/L	1.0
Chlorobenzene	ND	µg/L	1.0
Chloroethane	ND	µg/L	2.0
Chloroform	ND	µg/L	1.0
Chloromethane	ND	µg/L	1.0
2-Chlorotoluene	ND	µg/L	1.0
4-Chlorotoluene	ND	µg/L	1.0
cis-1,2-DCE	ND	µg/L	1.0
cis-1,3-Dichloropropene	ND	µg/L	1.0
1,2-Dibromo-3-chloropropane	ND	µg/L	2.0
Dibromochloromethane	ND	µg/L	1.0
Dibromomethane	ND	µg/L	1.0
1,2-Dichlorobenzene	ND	µg/L	1.0
1,3-Dichlorobenzene	ND	µg/L	1.0
1,4-Dichlorobenzene	ND	µg/L	1.0
Dichlorodifluoromethane	ND	µg/L	1.0
1,1-Dichloroethane	ND	µg/L	1.0
1,1-Dichloroethene	ND	µg/L	1.0
1,2-Dichloropropane	ND	µg/L	1.0
1,3-Dichloropropane	ND	µg/L	1.0
2,2-Dichloropropane	ND	µg/L	2.0
1,1-Dichloropropene	ND	µg/L	1.0
Hexachlorobutadiene	ND	µg/L	1.0
2-Hexanone	ND	µg/L	10
Isopropylbenzene	ND	µg/L	1.0
4-Isopropyltoluene	ND	µg/L	1.0
4-Methyl-2-pentanone	ND	µg/L	10
Methylene Chloride	ND	µg/L	3.0
n-Butylbenzene	ND	µg/L	1.0
n-Propylbenzene	ND	µg/L	1.0
sec-Butylbenzene	ND	µg/L	1.0
Styrene	ND	µg/L	1.0
tert-Butylbenzene	ND	µg/L	1.0
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0
1,1,2,2-Tetrachloroethane	ND	µg/L	2.0
Tetrachloroethene (PCE)	ND	µg/L	1.0
trans-1,2-DCE	ND	µg/L	1.0
trans-1,3-Dichloropropene	ND	µg/L	1.0
1,2,3-Trichlorobenzene	ND	µg/L	1.0
1,2,4-Trichlorobenzene	ND	µg/L	1.0
1,1,1-Trichloroethane	ND	µg/L	1.0
1,1,2-Trichloroethane	ND	µg/L	1.0

Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 Station ERP Area GW Sampling

Work Order: 0806050

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: 5ml rb

MBLK

Batch ID: R28853 Analysis Date: 6/9/2008 9:10:55 AM

Trichloroethene (TCE)	ND	µg/L	1.0
Trichlorofluoromethane	ND	µg/L	1.0
1,2,3-Trichloropropane	ND	µg/L	2.0
Vinyl chloride	ND	µg/L	1.0
Xylenes, Total	ND	µg/L	1.5

Sample ID: 100ng lcs

LCS

Batch ID: R28831 Analysis Date: 6/6/2008 10:01:38 AM

Benzene	21.08	µg/L	1.0	105	86.8	120
Toluene	19.83	µg/L	1.0	99.2	64.1	127
Chlorobenzene	19.91	µg/L	1.0	99.6	82.4	113
1,1-Dichloroethene	24.42	µg/L	1.0	122	86.5	132
Trichloroethene (TCE)	19.41	µg/L	1.0	97.1	77.3	123

Sample ID: 100 ng lcs

LCS

Batch ID: R28853 Analysis Date: 6/9/2008 10:08:35 AM

Benzene	20.57	µg/L	1.0	103	86.8	120
Toluene	18.93	µg/L	1.0	94.7	64.1	127
Chlorobenzene	19.24	µg/L	1.0	96.2	82.4	113
1,1-Dichloroethene	22.26	µg/L	1.0	111	86.5	132
Trichloroethene (TCE)	19.11	µg/L	1.0	95.5	77.3	123

Sample ID: 0806050-02a MS

MS

Batch ID: R28831 Analysis Date: 6/7/2008 2:38:05 AM

Benzene	21.65	µg/L	1.0	108	72.4	126
Toluene	19.79	µg/L	1.0	99.0	79.2	115
Chlorobenzene	20.58	µg/L	1.0	103	83.1	111
1,1-Dichloroethene	25.04	µg/L	1.0	121	81.4	122
Trichloroethene (TCE)	20.21	µg/L	1.0	101	64.4	118

Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name CYP

Date Received:

6/4/2008

Work Order Number 0806050

Received by: TLS

Checklist completed by:

Jamya Shomin
Signature

6/4/08
Date

Sample ID labels checked by:

TLS
Initials

Matrix:

Carrier name Greyhound

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐ Not Shipped ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	N/A ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Water - VOA vials have zero headspace?	No VOA vials submitted ☐	Yes ☒	No ☐
Water - Preservation labels on bottle and cap match?	Yes ☐	No ☐	N/A ☒
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☒

Container/Temp Blank temperature?

4°

<6° C Acceptable

If given sufficient time to cool.

COMMENTS:

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action _____

Chain of Custody Record

Client: Cypress Engineering Services
 Attn: George Robinson, PE
 Address: 7771 Highway 6 North
Suite 102, Houston, TX 77058
 Phone #: 281-797-3420
 email or Fax #: 281-859-1881

QA/QC Package:
☒ Standard ☐ Level 4 (Full Validation)
☐ Other _____
☐ EDD (Type) _____

Date	Time	Sample Request ID
11/02/08	12:20	TRIP BLANK
	1256	MW-4
	1336	MW-16
	1745	MW-15
	1820	SVE-14
	1730	MW-1
	1715	MW-5
	1730	MW-8
	1601	MW-18
	1636	MW-6
	1711	MW-14
	1811	MW-17
		MW-17

Date: 06/03/08 Time: 1400
 Relinquished by: [Signature]
 Date: _____ Time: _____
 Relinquished by: _____

Turn-Around Time:

☒ Standard ☐ Rush

Project Name: TWP WT-1 Station
ELP Area CW Sample
 Project #: Morton well Sampling
TWP WT-1 Station ELP 2008

Project Manager:

Sandy Sharp


Sampler: John Banfill, PE

Container Type and #
2x400L
3x400L
1000L

Preservative Type
HA
HA

HEAL No.
0806050-1
2
3
4
5
6
7
8
9
10
11
12
13

Received by: 6/4/08
Jamey Shomin
 Received by: _____



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com
 4901 Hawkins NE - Albuquerque, NM 87109
 Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

BTEX + MTBE + TMB's (8021)
 BTEX + MTBE + TPH (Gas only)
 TPH Method 8015B (Gas/Diesel)
 TPH (Method 418.1)
 EDB (Method 504.1)
 EDC (Method 8260)
 8310 (PNA or PAH)
 Anions (F, Cl, NO₃, NO₂, PO₄, SO₄)
 8081 Pesticides / 8082 PCB's
 8260B (VOA)
 8270 (Semi-VOA)
 Air Bubbles (Y or N)

Remarks:

Any Questions please Call
Sandy Sharp @
281-797-3421



COVER LETTER

Monday, January 12, 2009

George Robinson
Cypress Engineering
7171 Highway 6 North
Suite 102
Houston, TX 770952422

TEL: (281) 797-3420

FAX (281) 859-1881

RE: TWP WT-1 ERP

Order No.: 0812275

Dear George Robinson:

Hall Environmental Analysis Laboratory, Inc. received 12 sample(s) on 12/15/2008 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. Below is a list of our accreditations. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites.

Reporting limits are determined by EPA methodology. No determination of compounds below these (denoted by the ND or < sign) has been made.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman, Business Manager
Nancy McDuffie, Laboratory Manager

NM Lab # NM9425

AZ license # AZ0682

ORELAP Lab # NM100001

Texas Lab# T104704424-08-TX



Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-1 ERP
 Lab ID: 0812275-01

Client Sample ID: MW-4
 Collection Date: 12/11/2008 9:51:00 AM
 Date Received: 12/15/2008
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	260	1.0		mg/L	10	12/24/2008 6:12:14 PM
Nitrate (As N)+Nitrite (As N)	12	1.0		mg/L	5	12/29/2008 10:23:29 AM
Sulfate	660	5.0		mg/L	10	12/24/2008 6:12:14 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: NMO
Arsenic	ND	0.020		mg/L	1	12/17/2008 9:10:07 AM
Barium	0.022	0.020		mg/L	1	12/17/2008 9:10:07 AM
Iron	ND	0.050		mg/L	1	12/17/2008 9:10:07 AM
Manganese	ND	0.0020		mg/L	1	12/17/2008 9:10:07 AM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Toluene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Ethylbenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Naphthalene	ND	2.0		µg/L	1	12/16/2008 6:36:42 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 6:36:42 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 6:36:42 PM
Acetone	ND	10		µg/L	1	12/16/2008 6:36:42 PM
Bromobenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Bromoform	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Bromomethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
2-Butanone	ND	10		µg/L	1	12/16/2008 6:36:42 PM
Carbon disulfide	ND	10		µg/L	1	12/16/2008 6:36:42 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Chlorobenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Chloroethane	ND	2.0		µg/L	1	12/16/2008 6:36:42 PM
Chloroform	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Chloromethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
cis-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/16/2008 6:36:42 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Dibromomethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Estimated value
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-01

Client Sample ID: MW-4
Collection Date: 12/11/2008 9:51:00 AM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/16/2008 6:36:42 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
2-Hexanone	ND	10		µg/L	1	12/16/2008 6:36:42 PM
Isopropylbenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/16/2008 6:36:42 PM
Methylene Chloride	ND	3.0		µg/L	1	12/16/2008 6:36:42 PM
n-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
n-Propylbenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
sec-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Styrene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
tert-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/16/2008 6:36:42 PM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
trans-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Trichloroethene (TCE)	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/16/2008 6:36:42 PM
Vinyl chloride	ND	1.0		µg/L	1	12/16/2008 6:36:42 PM
Xylenes, Total	ND	1.5		µg/L	1	12/16/2008 6:36:42 PM
Surr: 1,2-Dichloroethane-d4	105	68.1-123		%REC	1	12/16/2008 6:36:42 PM
Surr: 4-Bromofluorobenzene	94.3	53.2-145		%REC	1	12/16/2008 6:36:42 PM
Surr: Dibromofluoromethane	103	68.5-119		%REC	1	12/16/2008 6:36:42 PM
Surr: Toluene-d8	99.1	64-131		%REC	1	12/16/2008 6:36:42 PM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Total Dissolved Solids 1900 200 mg/L 1 12/16/2008 Analyst: KMS

Qualifiers: * Value exceeds Maximum Contaminant Level B Analyte detected in the associated Method Blank
E Estimated value H Holding times for preparation or analysis exceeded
J Analyte detected below quantitation limits MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit RL Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-02

Client Sample ID: MW-16
Collection Date: 12/11/2008 10:27:00 AM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	530	2.0		mg/L	20	12/29/2008 2:09:47 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/29/2008 10:40:53 AM
Sulfate	890	10		mg/L	20	12/29/2008 2:09:47 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: NMO
Arsenic	ND	0.020		mg/L	1	12/17/2008 9:14:19 AM
Barium	ND	0.020		mg/L	1	12/17/2008 9:14:19 AM
Iron	ND	0.050		mg/L	1	12/17/2008 9:14:19 AM
Manganese	1.4	0.0040		mg/L	2	12/17/2008 10:23:43 AM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Toluene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Ethylbenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Naphthalene	ND	2.0		µg/L	1	12/16/2008 8:03:48 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 8:03:48 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 8:03:48 PM
Acetone	ND	10		µg/L	1	12/16/2008 8:03:48 PM
Bromobenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Bromoform	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Bromomethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
2-Butanone	ND	10		µg/L	1	12/16/2008 8:03:48 PM
Carbon disulfide	ND	10		µg/L	1	12/16/2008 8:03:48 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Chlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Chloroethane	ND	2.0		µg/L	1	12/16/2008 8:03:48 PM
Chloroform	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Chloromethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
cis-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/16/2008 8:03:48 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Dibromomethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-02

Client Sample ID: MW-16
Collection Date: 12/11/2008 10:27:00 AM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/16/2008 8:03:48 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
2-Hexanone	ND	10		µg/L	1	12/16/2008 8:03:48 PM
Isopropylbenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/16/2008 8:03:48 PM
Methylene Chloride	ND	3.0		µg/L	1	12/16/2008 8:03:48 PM
n-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
n-Propylbenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
sec-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Styrene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
tert-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/16/2008 8:03:48 PM
Tetrachloroethene (PCE)	4.3	1.0		µg/L	1	12/16/2008 8:03:48 PM
trans-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Trichloroethene (TCE)	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/16/2008 8:03:48 PM
Vinyl chloride	ND	1.0		µg/L	1	12/16/2008 8:03:48 PM
Xylenes, Total	ND	1.5		µg/L	1	12/16/2008 8:03:48 PM
Surr: 1,2-Dichloroethane-d4	98.7	68.1-123		%REC	1	12/16/2008 8:03:48 PM
Surr: 4-Bromofluorobenzene	99.9	53.2-145		%REC	1	12/16/2008 8:03:48 PM
Surr: Dibromofluoromethane	102	68.5-119		%REC	1	12/16/2008 8:03:48 PM
Surr: Toluene-d8	96.1	64-131		%REC	1	12/16/2008 8:03:48 PM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Analyst: KMS

Total Dissolved Solids	2700	400	mg/L	1	12/16/2008
------------------------	------	-----	------	---	------------

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Estimated value	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MCL Maximum Contaminant Level
	ND Not Detected at the Reporting Limit	RL Reporting Limit
	S Spike recovery outside accepted recovery limits	

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-1 ERP
 Lab ID: 0812275-03

Client Sample ID: MW-15
 Collection Date: 12/11/2008 11:05:00 AM
 Date Received: 12/15/2008
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	240	1.0		mg/L	10	12/24/2008 6:47:04 PM
Nitrate (As N)+Nitrite (As N)	8.6	1.0		mg/L	5	12/29/2008 10:58:18 AM
Sulfate	530	5.0		mg/L	10	12/24/2008 6:47:04 PM
EPA METHOD 6010B: DISSOLVED METALS						Analyst: NMO
Arsenic	ND	0.020		mg/L	1	12/22/2008 1:48:25 PM
Barium	0.039	0.020		mg/L	1	12/22/2008 1:48:25 PM
Iron	ND	0.020		mg/L	1	12/22/2008 1:48:25 PM
Manganese	ND	0.0020		mg/L	1	12/22/2008 1:48:25 PM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Toluene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Ethylbenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Naphthalene	ND	2.0		µg/L	1	12/16/2008 8:32:56 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 8:32:56 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 8:32:56 PM
Acetone	ND	10		µg/L	1	12/16/2008 8:32:56 PM
Bromobenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Bromoform	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Bromomethane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
2-Butanone	ND	10		µg/L	1	12/16/2008 8:32:56 PM
Carbon disulfide	ND	10		µg/L	1	12/16/2008 8:32:56 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Chlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Chloroethane	ND	2.0		µg/L	1	12/16/2008 8:32:56 PM
Chloroform	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Chloromethane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
cis-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/16/2008 8:32:56 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Dibromomethane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Estimated value
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-03

Client Sample ID: MW-15
Collection Date: 12/11/2008 11:05:00 AM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,1-Dichloroethane	1.6	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,1-Dichloroethene	1.7	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/16/2008 8:32:56 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
2-Hexanone	ND	10		µg/L	1	12/16/2008 8:32:56 PM
Isopropylbenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/16/2008 8:32:56 PM
Methylene Chloride	ND	3.0		µg/L	1	12/16/2008 8:32:56 PM
n-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
n-Propylbenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
sec-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Styrene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
tert-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/16/2008 8:32:56 PM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
trans-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,1,1-Trichloroethane	1.0	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Trichloroethene (TCE)	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/16/2008 8:32:56 PM
Vinyl chloride	ND	1.0		µg/L	1	12/16/2008 8:32:56 PM
Xylenes, Total	ND	1.5		µg/L	1	12/16/2008 8:32:56 PM
Surr: 1,2-Dichloroethane-d4	100	68.1-123		%REC	1	12/16/2008 8:32:56 PM
Surr: 4-Bromofluorobenzene	104	53.2-145		%REC	1	12/16/2008 8:32:56 PM
Surr: Dibromofluoromethane	101	68.5-119		%REC	1	12/16/2008 8:32:56 PM
Surr: Toluene-d8	101	64-131		%REC	1	12/16/2008 8:32:56 PM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Analyst: KMS

Total Dissolved Solids	1500	200	mg/L	1	12/16/2008
------------------------	------	-----	------	---	------------

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-04

Client Sample ID: MW-5
Collection Date: 12/11/2008 3:25:00 PM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	240	1.0		mg/L	10	12/24/2008 7:04:29 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/29/2008 11:15:42 AM
Sulfate	ND	0.50		mg/L	1	12/29/2008 2:27:11 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: NMO
Arsenic	ND	0.020		mg/L	1	12/17/2008 9:16:49 AM
Barium	14	0.40		mg/L	20	12/17/2008 10:26:52 AM
Iron	6.0	1.0		mg/L	20	12/17/2008 10:26:52 AM
Manganese	0.059	0.0020		mg/L	1	12/17/2008 9:16:49 AM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	20	1.0		µg/L	1	12/16/2008 9:02:10 PM
Toluene	6.3	1.0		µg/L	1	12/16/2008 9:02:10 PM
Ethylbenzene	7.1	1.0		µg/L	1	12/16/2008 9:02:10 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,2,4-Trimethylbenzene	21	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,3,5-Trimethylbenzene	8.5	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,2-Dichloroethane (EDC)	1.5	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Naphthalene	15	2.0		µg/L	1	12/16/2008 9:02:10 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 9:02:10 PM
2-Methylnaphthalene	5.9	4.0		µg/L	1	12/16/2008 9:02:10 PM
Acetone	ND	10		µg/L	1	12/16/2008 9:02:10 PM
Bromobenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Bromoform	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Bromomethane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
2-Butanone	ND	10		µg/L	1	12/16/2008 9:02:10 PM
Carbon disulfide	ND	10		µg/L	1	12/16/2008 9:02:10 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Chlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Chloroethane	ND	2.0		µg/L	1	12/17/2008 9:29:14 PM
Chloroform	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Chloromethane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
cis-1,2-DCE	31	1.0		µg/L	1	12/16/2008 9:02:10 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/16/2008 9:02:10 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Dibromomethane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-04

Client Sample ID: MW-5
Collection Date: 12/11/2008 3:25:00 PM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,1-Dichloroethane	95	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,1-Dichloroethene	2.5	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/16/2008 9:02:10 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
2-Hexanone	ND	10		µg/L	1	12/16/2008 9:02:10 PM
Isopropylbenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
4-Isopropyltoluene	1.6	1.0		µg/L	1	12/16/2008 9:02:10 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/16/2008 9:02:10 PM
Methylene Chloride	ND	3.0		µg/L	1	12/16/2008 9:02:10 PM
n-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
n-Propylbenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
sec-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Styrene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
tert-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/16/2008 9:02:10 PM
Tetrachloroethene (PCE)	2.6	1.0		µg/L	1	12/16/2008 9:02:10 PM
trans-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Trichloroethene (TCE)	38	1.0		µg/L	1	12/16/2008 9:02:10 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/16/2008 9:02:10 PM
Vinyl chloride	ND	1.0		µg/L	1	12/16/2008 9:02:10 PM
Xylenes, Total	16	1.5		µg/L	1	12/16/2008 9:02:10 PM
Surr: 1,2-Dichloroethane-d4	99.2	68.1-123		%REC	1	12/16/2008 9:02:10 PM
Surr: 4-Bromofluorobenzene	103	53.2-145		%REC	1	12/16/2008 9:02:10 PM
Surr: Dibromofluoromethane	103	68.5-119		%REC	1	12/16/2008 9:02:10 PM
Surr: Toluene-d8	101	64-131		%REC	1	12/16/2008 9:02:10 PM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Total Dissolved Solids 1400 200 mg/L 1 12/16/2008 Analyst: KMS

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Estimated value	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MCL Maximum Contaminant Level
	ND Not Detected at the Reporting Limit	RL Reporting Limit
	S Spike recovery outside accepted recovery limits.	

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-05

Client Sample ID: MW-18
Collection Date: 12/11/2008 8:30:00 AM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	240	1.0		mg/L	10	12/24/2008 7:21:53 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/29/2008 11:33:06 AM
Sulfate	ND	0.50		mg/L	1	12/29/2008 2:44:35 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: NMO
Arsenic	ND	0.020		mg/L	1	12/17/2008 9:20:33 AM
Barium	14	0.40		mg/L	20	12/17/2008 10:29:59 AM
Iron	6.7	1.0		mg/L	20	12/17/2008 10:29:59 AM
Manganese	0.061	0.0020		mg/L	1	12/17/2008 9:20:33 AM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	19	1.0		µg/L	1	12/16/2008 9:31:15 PM
Toluene	5.5	1.0		µg/L	1	12/16/2008 9:31:15 PM
Ethylbenzene	6.6	1.0		µg/L	1	12/16/2008 9:31:15 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,2,4-Trimethylbenzene	19	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,3,5-Trimethylbenzene	7.5	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,2-Dichloroethane (EDC)	1.5	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Naphthalene	15	2.0		µg/L	1	12/16/2008 9:31:15 PM
1-Methylnaphthalene	5.5	4.0		µg/L	1	12/16/2008 9:31:15 PM
2-Methylnaphthalene	6.6	4.0		µg/L	1	12/16/2008 9:31:15 PM
Acetone	ND	10		µg/L	1	12/16/2008 9:31:15 PM
Bromobenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Bromoform	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Bromomethane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
2-Butanone	ND	10		µg/L	1	12/16/2008 9:31:15 PM
Carbon disulfide	ND	10		µg/L	1	12/16/2008 9:31:15 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Chlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Chloroethane	ND	2.0		µg/L	1	12/17/2008 9:57:50 PM
Chloroform	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Chloromethane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
cis-1,2-DCE	32	1.0		µg/L	1	12/16/2008 9:31:15 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/16/2008 9:31:15 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Dibromomethane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-I ERP
 Lab ID: 0812275-05

Client Sample ID: MW-18
 Collection Date: 12/11/2008 8:30:00 AM
 Date Received: 12/15/2008
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,1-Dichloroethane	97	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,1-Dichloroethene	2.7	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/16/2008 9:31:15 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
2-Hexanone	ND	10		µg/L	1	12/16/2008 9:31:15 PM
Isopropylbenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
4-Isopropyltoluene	1.4	1.0		µg/L	1	12/16/2008 9:31:15 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/16/2008 9:31:15 PM
Methylene Chloride	ND	3.0		µg/L	1	12/16/2008 9:31:15 PM
n-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
n-Propylbenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
sec-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Styrene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
tert-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/16/2008 9:31:15 PM
Tetrachloroethene (PCE)	2.4	1.0		µg/L	1	12/16/2008 9:31:15 PM
trans-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,1,1-Trichloroethane	1.6	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Trichloroethene (TCE)	40	1.0		µg/L	1	12/16/2008 9:31:15 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/16/2008 9:31:15 PM
Vinyl chloride	ND	1.0		µg/L	1	12/16/2008 9:31:15 PM
Xylenes, Total	15	1.5		µg/L	1	12/16/2008 9:31:15 PM
Surr: 1,2-Dichloroethane-d4	104	68.1-123		%REC	1	12/16/2008 9:31:15 PM
Surr: 4-Bromofluorobenzene	100	53.2-145		%REC	1	12/16/2008 9:31:15 PM
Surr: Dibromofluoromethane	103	68.5-119		%REC	1	12/16/2008 9:31:15 PM
Surr: Toluene-d8	99.4	64-131		%REC	1	12/16/2008 9:31:15 PM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Analyst: KMS

Total Dissolved Solids	1400	200	mg/L	1	12/16/2008
------------------------	------	-----	------	---	------------

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-06

Client Sample ID: MW-8
Collection Date: 12/11/2008 3:15:00 PM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	430	2.0		mg/L	20	12/29/2008 3:19:25 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/29/2008 11:50:31 AM
Sulfate	120	5.0		mg/L	10	12/24/2008 8:14:07 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: NMO
Arsenic	ND	0.020		mg/L	1	1/12/2009 7:50:41 AM
Barium	0.092	0.020		mg/L	1	1/12/2009 7:50:41 AM
Iron	0.26	0.050		mg/L	1	1/12/2009 7:50:41 AM
Manganese	1.2	0.0040		mg/L	2	1/12/2009 8:33:37 AM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	3.5	1.0		µg/L	1	12/16/2008 10:00:26 PM
Toluene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Ethylbenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,2-Dichloroethane (EDC)	1.2	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Naphthalene	ND	2.0		µg/L	1	12/16/2008 10:00:26 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 10:00:26 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 10:00:26 PM
Acetone	ND	10		µg/L	1	12/16/2008 10:00:26 PM
Bromobenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Bromoform	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Bromomethane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
2-Butanone	ND	10		µg/L	1	12/16/2008 10:00:26 PM
Carbon disulfide	ND	10		µg/L	1	12/16/2008 10:00:26 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Chlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Chloroethane	ND	2.0		µg/L	1	12/16/2008 10:00:26 PM
Chloroform	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Chloromethane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
cis-1,2-DCE	66	1.0		µg/L	1	12/16/2008 10:00:26 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/16/2008 10:00:26 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Dibromomethane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,2-Dichlorobenzene	1.2	1.0		µg/L	1	12/16/2008 10:00:26 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-1 ERP
 Lab ID: 0812275-06

Client Sample ID: MW-8
 Collection Date: 12/11/2008 3:15:00 PM
 Date Received: 12/15/2008
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,1-Dichloroethane	78	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,1-Dichloroethene	3.6	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/16/2008 10:00:26 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
2-Hexanone	ND	10		µg/L	1	12/16/2008 10:00:26 PM
Isopropylbenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/16/2008 10:00:26 PM
Methylene Chloride	ND	3.0		µg/L	1	12/16/2008 10:00:26 PM
n-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
n-Propylbenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
sec-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Styrene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
tert-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/16/2008 10:00:26 PM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
trans-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Trichloroethene (TCE)	41	1.0		µg/L	1	12/16/2008 10:00:26 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/16/2008 10:00:26 PM
Vinyl chloride	ND	1.0		µg/L	1	12/16/2008 10:00:26 PM
Xylenes, Total	ND	1.5		µg/L	1	12/16/2008 10:00:26 PM
Surr: 1,2-Dichloroethane-d4	101	68.1-123		%REC	1	12/16/2008 10:00:26 PM
Surr: 4-Bromofluorobenzene	101	53.2-145		%REC	1	12/16/2008 10:00:26 PM
Surr: Dibromofluoromethane	103	68.5-119		%REC	1	12/16/2008 10:00:26 PM
Surr: Toluene-d8	99.8	64-131		%REC	1	12/16/2008 10:00:26 PM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Analyst: KMS

Total Dissolved Solids	1800	200	mg/L	1	12/16/2008
------------------------	------	-----	------	---	------------

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-1 ERP
 Lab ID: 0812275-07

Client Sample ID: MW-6
 Collection Date: 12/11/2008 1:10:00 PM
 Date Received: 12/15/2008
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	690	2.0		mg/L	20	12/29/2008 3:36:49 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/29/2008 12:07:56 PM
Sulfate	580	5.0		mg/L	10	12/24/2008 9:41:09 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: NMO
Arsenic	ND	0.020		mg/L	1	1/12/2009 7:53:33 AM
Barium	0.083	0.020		mg/L	1	1/12/2009 7:53:33 AM
Iron	1.1	0.10		mg/L	2	1/12/2009 8:31:18 AM
Manganese	0.87	0.0020		mg/L	1	1/12/2009 7:53:33 AM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Toluene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Ethylbenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Naphthalene	ND	2.0		µg/L	1	12/16/2008 10:29:46 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 10:29:46 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 10:29:46 PM
Acetone	ND	10		µg/L	1	12/16/2008 10:29:46 PM
Bromobenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Bromoform	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Bromomethane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
2-Butanone	ND	10		µg/L	1	12/16/2008 10:29:46 PM
Carbon disulfide	ND	10		µg/L	1	12/16/2008 10:29:46 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Chlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Chloroethane	ND	2.0		µg/L	1	12/16/2008 10:29:46 PM
Chloroform	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Chloromethane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
cis-1,2-DCE	3.2	1.0		µg/L	1	12/16/2008 10:29:46 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/16/2008 10:29:46 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Dibromomethane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Estimated value
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-1 ERP
 Lab ID: 0812275-07

Client Sample ID: MW-6
 Collection Date: 12/11/2008 1:10:00 PM
 Date Received: 12/15/2008
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,1-Dichloroethane	3.6	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/16/2008 10:29:46 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
2-Hexanone	ND	10		µg/L	1	12/16/2008 10:29:46 PM
Isopropylbenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/16/2008 10:29:46 PM
Methylene Chloride	ND	3.0		µg/L	1	12/16/2008 10:29:46 PM
n-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
n-Propylbenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
sec-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Styrene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
tert-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/16/2008 10:29:46 PM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
trans-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Trichloroethene (TCE)	8.5	1.0		µg/L	1	12/16/2008 10:29:46 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/16/2008 10:29:46 PM
Vinyl chloride	ND	1.0		µg/L	1	12/16/2008 10:29:46 PM
Xylenes, Total	ND	1.5		µg/L	1	12/16/2008 10:29:46 PM
Surr: 1,2-Dichloroethane-d4	103	68.1-123		%REC	1	12/16/2008 10:29:46 PM
Surr: 4-Bromofluorobenzene	98.8	53.2-145		%REC	1	12/16/2008 10:29:46 PM
Surr: Dibromofluoromethane	97.8	68.5-119		%REC	1	12/16/2008 10:29:46 PM
Surr: Toluene-d8	99.1	64-131		%REC	1	12/16/2008 10:29:46 PM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Analyst: KMS

Total Dissolved Solids	2800	400	mg/L	1	12/16/2008
------------------------	------	-----	------	---	------------

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-08

Client Sample ID: MW-17
Collection Date: 12/11/2008 2:15:00 PM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	540	2.0		mg/L	20	12/29/2008 3:54:13 PM
Nitrate (As N)+Nitrite (As N)	7.9	1.0		mg/L	5	12/29/2008 12:25:21 PM
Sulfate	650	5.0		mg/L	10	12/24/2008 9:58:34 PM
EPA METHOD 6010B: DISSOLVED METALS						Analyst: NMO
Arsenic	ND	0.020		mg/L	1	12/22/2008 1:51:34 PM
Barium	0.061	0.020		mg/L	1	12/22/2008 1:51:34 PM
Iron	ND	0.020		mg/L	1	12/22/2008 1:51:34 PM
Manganese	ND	0.0020		mg/L	1	12/22/2008 1:51:34 PM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Toluene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Ethylbenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Naphthalene	ND	2.0		µg/L	1	12/16/2008 10:58:52 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 10:58:52 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 10:58:52 PM
Acetone	ND	10		µg/L	1	12/16/2008 10:58:52 PM
Bromobenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Bromoform	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Bromomethane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
2-Butanone	ND	10		µg/L	1	12/16/2008 10:58:52 PM
Carbon disulfide	ND	10		µg/L	1	12/16/2008 10:58:52 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Chlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Chloroethane	ND	2.0		µg/L	1	12/16/2008 10:58:52 PM
Chloroform	1.4	1.0		µg/L	1	12/16/2008 10:58:52 PM
Chloromethane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
cis-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/16/2008 10:58:52 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Dibromomethane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-08

Client Sample ID: MW-17
Collection Date: 12/11/2008 2:15:00 PM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,1-Dichloroethane	1.2	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,1-Dichloroethene	1.6	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/16/2008 10:58:52 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
2-Hexanone	ND	10		µg/L	1	12/16/2008 10:58:52 PM
Isopropylbenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/16/2008 10:58:52 PM
Methylene Chloride	ND	3.0		µg/L	1	12/16/2008 10:58:52 PM
n-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
n-Propylbenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
sec-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Styrene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
tert-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/16/2008 10:58:52 PM
Tetrachloroethene (PCE)	1.8	1.0		µg/L	1	12/16/2008 10:58:52 PM
trans-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Trichloroethene (TCE)	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/16/2008 10:58:52 PM
Vinyl chloride	ND	1.0		µg/L	1	12/16/2008 10:58:52 PM
Xylenes, Total	ND	1.5		µg/L	1	12/16/2008 10:58:52 PM
Surr: 1,2-Dichloroethane-d4	100	68.1-123		%REC	1	12/16/2008 10:58:52 PM
Surr: 4-Bromofluorobenzene	96.6	53.2-145		%REC	1	12/16/2008 10:58:52 PM
Surr: Dibromofluoromethane	104	68.5-119		%REC	1	12/16/2008 10:58:52 PM
Surr: Toluene-d8	93.7	64-131		%REC	1	12/16/2008 10:58:52 PM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Total Dissolved Solids 2500 400 mg/L 1 12/16/2008 Analyst: KMS

Qualifiers: * Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-1 ERP
 Lab ID: 0812275-09

Client Sample ID: MW-14
 Collection Date: 12/11/2008 2:45:00 PM
 Date Received: 12/15/2008
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	530	2.0		mg/L	20	12/29/2008 4:46:26 PM
Nitrate (As N)+Nitrite (As N)	1.6	1.0		mg/L	5	12/29/2008 1:17:34 PM
Sulfate	620	5.0		mg/L	10	12/24/2008 10:15:58 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: NMO
Arsenic	ND	0.020		mg/L	1	1/12/2009 7:56:10 AM
Barium	0.026	0.020		mg/L	1	1/12/2009 7:56:10 AM
Iron	ND	0.050		mg/L	1	1/12/2009 7:56:10 AM
Manganese	0.67	0.0020		mg/L	1	1/12/2009 7:56:10 AM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Toluene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Ethylbenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Naphthalene	ND	2.0		µg/L	1	12/16/2008 11:27:54 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 11:27:54 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 11:27:54 PM
Acetone	ND	10		µg/L	1	12/16/2008 11:27:54 PM
Bromobenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Bromoform	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Bromomethane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
2-Butanone	ND	10		µg/L	1	12/16/2008 11:27:54 PM
Carbon disulfide	ND	10		µg/L	1	12/16/2008 11:27:54 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Chlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Chloroethane	ND	2.0		µg/L	1	12/18/2008 1:17:28 AM
Chloroform	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Chloromethane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
cis-1,2-DCE	2.7	1.0		µg/L	1	12/16/2008 11:27:54 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/16/2008 11:27:54 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Dibromomethane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Estimated value
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-1 ERP
 Lab ID: 0812275-09

Client Sample ID: MW-14
 Collection Date: 12/11/2008 2:45:00 PM
 Date Received: 12/15/2008
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,1-Dichloroethane	19	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/16/2008 11:27:54 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
2-Hexanone	ND	10		µg/L	1	12/16/2008 11:27:54 PM
Isopropylbenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/16/2008 11:27:54 PM
Methylene Chloride	ND	3.0		µg/L	1	12/16/2008 11:27:54 PM
n-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
n-Propylbenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
sec-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Styrene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
tert-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/16/2008 11:27:54 PM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
trans-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Trichloroethene (TCE)	3.7	1.0		µg/L	1	12/16/2008 11:27:54 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/16/2008 11:27:54 PM
Vinyl chloride	ND	1.0		µg/L	1	12/16/2008 11:27:54 PM
Xylenes, Total	ND	1.5		µg/L	1	12/16/2008 11:27:54 PM
Surr: 1,2-Dichloroethane-d4	103	68.1-123		%REC	1	12/16/2008 11:27:54 PM
Surr: 4-Bromofluorobenzene	98.2	53.2-145		%REC	1	12/16/2008 11:27:54 PM
Surr: Dibromofluoromethane	98.8	68.5-119		%REC	1	12/16/2008 11:27:54 PM
Surr: Toluene-d8	103	64-131		%REC	1	12/16/2008 11:27:54 PM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Analyst: KMS

Total Dissolved Solids	2200	400	mg/L	1	12/16/2008
------------------------	------	-----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Estimated value
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-1 ERP
 Lab ID: 0812275-10

Client Sample ID: MW-7
 Collection Date: 12/11/2008 4:15:00 PM
 Date Received: 12/15/2008
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	320	1.0		mg/L	10	12/29/2008 5:03:50 PM
Nitrate (As N)+Nitrite (As N)	3.8	1.0		mg/L	5	12/29/2008 1:34:58 PM
Sulfate	480	5.0		mg/L	10	12/24/2008 10:33:23 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: NMO
Arsenic	ND	0.020		mg/L	1	1/12/2009 8:04:54 AM
Barium	0.023	0.020		mg/L	1	1/12/2009 8:04:54 AM
Iron	0.064	0.050		mg/L	1	1/12/2009 8:04:54 AM
Manganese	0.090	0.0020		mg/L	1	1/12/2009 8:04:54 AM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Toluene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Ethylbenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Naphthalene	ND	2.0		µg/L	1	12/16/2008 11:57:12 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 11:57:12 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/16/2008 11:57:12 PM
Acetone	ND	10		µg/L	1	12/16/2008 11:57:12 PM
Bromobenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Bromoform	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Bromomethane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
2-Butanone	ND	10		µg/L	1	12/16/2008 11:57:12 PM
Carbon disulfide	ND	10		µg/L	1	12/16/2008 11:57:12 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Chlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Chloroethane	ND	2.0		µg/L	1	12/16/2008 11:57:12 PM
Chloroform	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Chloromethane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
cis-1,2-DCE	48	1.0		µg/L	1	12/16/2008 11:57:12 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/16/2008 11:57:12 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Dibromomethane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Estimated value
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-10

Client Sample ID: MW-7
Collection Date: 12/11/2008 4:15:00 PM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,1-Dichloroethane	41	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,1-Dichloroethene	1.6	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/16/2008 11:57:12 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
2-Hexanone	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Isopropylbenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
4-Methyl-2-pentanone	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Methylene Chloride	ND	3.0		µg/L	1	12/16/2008 11:57:12 PM
n-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
n-Propylbenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
sec-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Styrene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
tert-Butylbenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/16/2008 11:57:12 PM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
trans-1,2-DCE	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Trichloroethene (TCE)	10	1.0		µg/L	1	12/16/2008 11:57:12 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/16/2008 11:57:12 PM
Vinyl chloride	ND	1.0		µg/L	1	12/16/2008 11:57:12 PM
Xylenes, Total	ND	1.5		µg/L	1	12/16/2008 11:57:12 PM
Surr: 1,2-Dichloroethane-d4	103	68.1-123		%REC	1	12/16/2008 11:57:12 PM
Surr: 4-Bromofluorobenzene	94.6	53.2-145		%REC	1	12/16/2008 11:57:12 PM
Surr: Dibromofluoromethane	102	68.5-119		%REC	1	12/16/2008 11:57:12 PM
Surr: Toluene-d8	97.1	64-131		%REC	1	12/16/2008 11:57:12 PM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Total Dissolved Solids	1600	200	mg/L	1	12/16/2008	Analyst: KMS
------------------------	------	-----	------	---	------------	--------------

Qualifiers:	* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	E Estimated value	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	MCL Maximum Contaminant Level
	ND Not Detected at the Reporting Limit	RL Reporting Limit
	S Spike recovery outside accepted recovery limits	

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
Lab Order: 0812275
Project: TWP WT-1 ERP
Lab ID: 0812275-11

Client Sample ID: SVE-1A
Collection Date: 12/11/2008 4:30:00 PM
Date Received: 12/15/2008
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: RAGS
Chloride	360	2.0		mg/L	20	12/29/2008 5:38:40 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/29/2008 1:52:22 PM
Sulfate	ND	0.50		mg/L	1	12/29/2008 5:21:15 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: NMO
Arsenic	0.033	0.020		mg/L	1	1/12/2009 8:07:56 AM
Barium	24	2.0		mg/L	100	1/12/2009 8:29:03 AM
Iron	8.5	0.050		mg/L	1	1/12/2009 8:07:56 AM
Manganese	0.033	0.0020		mg/L	1	1/12/2009 8:07:56 AM
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	71	1.0		µg/L	1	12/18/2008 2:15:56 AM
Toluene	7.5	1.0		µg/L	1	12/18/2008 2:15:56 AM
Ethylbenzene	29	1.0		µg/L	1	12/18/2008 2:15:56 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,2,4-Trimethylbenzene	39	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,3,5-Trimethylbenzene	35	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,2-Dichloroethane (EDC)	3.7	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Naphthalene	21	2.0		µg/L	1	12/18/2008 2:15:56 AM
1-Methylnaphthalene	8.0	4.0		µg/L	1	12/18/2008 2:15:56 AM
2-Methylnaphthalene	12	4.0		µg/L	1	12/18/2008 2:15:56 AM
Acetone	ND	10		µg/L	1	12/18/2008 2:15:56 AM
Bromobenzene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Bromodichloromethane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Bromoform	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Bromomethane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
2-Butanone	ND	10		µg/L	1	12/18/2008 2:15:56 AM
Carbon disulfide	ND	10		µg/L	1	12/18/2008 2:15:56 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Chlorobenzene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Chloroethane	3.9	2.0		µg/L	1	12/18/2008 2:15:56 AM
Chloroform	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Chloromethane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
2-Chlorotoluene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
4-Chlorotoluene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
cis-1,2-DCE	42	1.0		µg/L	1	12/18/2008 2:15:56 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/18/2008 2:15:56 AM
Dibromochloromethane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Dibromomethane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-1 ERP
 Lab ID: 0812275-11

Client Sample ID: SVE-1A
 Collection Date: 12/11/2008 4:30:00 PM
 Date Received: 12/15/2008
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,1-Dichloroethane	150	5.0		µg/L	5	12/18/2008 1:47:25 AM
1,1-Dichloroethene	5.2	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/18/2008 2:15:56 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
2-Hexanone	ND	10		µg/L	1	12/18/2008 2:15:56 AM
Isopropylbenzene	4.0	1.0		µg/L	1	12/18/2008 2:15:56 AM
4-Isopropyltoluene	2.6	1.0		µg/L	1	12/18/2008 2:15:56 AM
4-Methyl-2-pentanone	27	10		µg/L	1	12/18/2008 2:15:56 AM
Methylene Chloride	ND	3.0		µg/L	1	12/18/2008 2:15:56 AM
n-Butylbenzene	2.6	1.0		µg/L	1	12/18/2008 2:15:56 AM
n-Propylbenzene	5.7	1.0		µg/L	1	12/18/2008 2:15:56 AM
sec-Butylbenzene	1.2	1.0		µg/L	1	12/18/2008 2:15:56 AM
Styrene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
tert-Butylbenzene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/18/2008 2:15:56 AM
Tetrachloroethene (PCE)	6.5	1.0		µg/L	1	12/18/2008 2:15:56 AM
trans-1,2-DCE	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,1,1-Trichloroethane	12	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Trichloroethene (TCE)	22	1.0		µg/L	1	12/18/2008 2:15:56 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/18/2008 2:15:56 AM
Vinyl chloride	ND	1.0		µg/L	1	12/18/2008 2:15:56 AM
Xylenes, Total	35	1.5		µg/L	1	12/18/2008 2:15:56 AM
Surr: 1,2-Dichloroethane-d4	86.9	68.1-123		%REC	1	12/18/2008 2:15:56 AM
Surr: 4-Bromofluorobenzene	97.2	53.2-145		%REC	1	12/18/2008 2:15:56 AM
Surr: Dibromofluoromethane	88.2	68.5-119		%REC	1	12/18/2008 2:15:56 AM
Surr: Toluene-d8	90.4	64-131		%REC	1	12/18/2008 2:15:56 AM

SM 2540 C: TOTAL DISSOLVED SOLIDS

Analyst: KMS

Total Dissolved Solids	1600	200	mg/L	1	12/16/2008
------------------------	------	-----	------	---	------------

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering
 Lab Order: 0812275
 Project: TWP WT-1 ERP
 Lab ID: 0812275-12

Client Sample ID: TRIP BLANK
 Collection Date:
 Date Received: 12/15/2008
 Matrix: TRIP BLANK

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Benzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Toluene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Ethylbenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Naphthalene	ND	2.0		µg/L	1	12/17/2008 12:57:06 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/17/2008 12:57:06 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/17/2008 12:57:06 AM
Acetone	ND	10		µg/L	1	12/17/2008 12:57:06 AM
Bromobenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Bromodichloromethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Bromoform	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Bromomethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
2-Butanone	ND	10		µg/L	1	12/17/2008 12:57:06 AM
Carbon disulfide	ND	10		µg/L	1	12/17/2008 12:57:06 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Chlorobenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Chloroethane	ND	2.0		µg/L	1	12/17/2008 12:57:06 AM
Chloroform	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Chloromethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
2-Chlorotoluene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
4-Chlorotoluene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
cis-1,2-DCE	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/17/2008 12:57:06 AM
Dibromochloromethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Dibromomethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/17/2008 12:57:06 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
2-Hexanone	ND	10		µg/L	1	12/17/2008 12:57:06 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Estimated value
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 12-Jan-09

CLIENT: Cypress Engineering

Client Sample ID: TRIP BLANK

Lab Order: 0812275

Collection Date:

Project: TWP WT-1 ERP

Date Received: 12/15/2008

Lab ID: 0812275-12

Matrix: TRIP BLANK

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: HL
Isopropylbenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	12/17/2008 12:57:06 AM
Methylene Chloride	ND	3.0		µg/L	1	12/17/2008 12:57:06 AM
n-Butylbenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
n-Propylbenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
sec-Butylbenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Styrene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
tert-Butylbenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	12/17/2008 12:57:06 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
trans-1,2-DCE	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	12/17/2008 12:57:06 AM
Vinyl chloride	ND	1.0		µg/L	1	12/17/2008 12:57:06 AM
Xylenes, Total	ND	1.5		µg/L	1	12/17/2008 12:57:06 AM
Surr: 1,2-Dichloroethane-d4	105	68.1-123		%REC	1	12/17/2008 12:57:06 AM
Surr: 4-Bromofluorobenzene	96.4	53.2-145		%REC	1	12/17/2008 12:57:06 AM
Surr: Dibromofluoromethane	100	68.5-119		%REC	1	12/17/2008 12:57:06 AM
Surr: Toluene-d8	96.9	64-131		%REC	1	12/17/2008 12:57:06 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 ERP

Work Order: 0812275

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 300.0: Anions									
Sample ID: 0812275-06BMSD		MSD							
Nitrate (As N)+Nitrite (As N)	2.959	mg/L	0.20	84.5	78.4	118	38.5	20	R
Sulfate	116.4	mg/L	0.50	71.2	59.4	126	0.882	20	E
Sample ID: MB		MBLK							
Chloride	ND	mg/L	0.10						
Nitrate (As N)+Nitrite (As N)	ND	mg/L	0.20						
Sulfate	ND	mg/L	0.50						
Sample ID: MB-2		MBLK							
Chloride	0.1507	mg/L	0.10						B
Nitrate (As N)+Nitrite (As N)	ND	mg/L	0.20						
Sulfate	ND	mg/L	0.50						
Sample ID: MB		MBLK							
Chloride	ND	mg/L	0.10						
Nitrate (As N)+Nitrite (As N)	ND	mg/L	0.20						
Sulfate	ND	mg/L	0.50						
Sample ID: LCS		LCS							
Chloride	4.697	mg/L	0.10	93.9	90	110			
Nitrate (As N)+Nitrite (As N)	3.313	mg/L	0.20	94.7	90	110			
Sulfate	9.653	mg/L	0.50	96.5	90	110			
Sample ID: LCS-2		LCS							
Chloride	4.862	mg/L	0.10	97.2	90	110			B
Nitrate (As N)+Nitrite (As N)	3.462	mg/L	0.20	98.9	90	110			
Sulfate	10.07	mg/L	0.50	101	90	110			
Sample ID: LCS		LCS							
Chloride	4.683	mg/L	0.10	93.7	90	110			
Nitrate (As N)+Nitrite (As N)	3.297	mg/L	0.20	94.2	90	110			
Sulfate	9.605	mg/L	0.50	96.1	90	110			
Sample ID: 0812275-06BMS		MS							
Sulfate	115.4	mg/L	0.50	61.0	59.4	126			E

Method: EPA Method 6010B: Dissolved Metals

Sample ID: MB		MBLK							
Arsenic	ND	mg/L	0.020						
Barium	ND	mg/L	0.020						
Cadmium	ND	mg/L	0.020						
Manganese	ND	mg/L	0.0020						
Sample ID: LCS		LCS							
Arsenic	0.4783	mg/L	0.020	95.7	80	120			
Barium	0.4541	mg/L	0.020	90.8	80	120			
Cadmium	0.4528	mg/L	0.020	90.6	80	120			
Manganese	0.4523	mg/L	0.0020	90.5	80	120			

Qualifiers:

E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 ERP

Work Order: 0812275

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA 6010B: Total Recoverable Metals

Sample ID: 0812275-09CMSD MSD Batch ID: 17977 Analysis Date: 1/12/2009 8:02:06 AM

Barium 0.5220 mg/L 0.010 99.3 75 125 0.150 20
Manganese 1.152 mg/L 0.0020 96.4 75 125 0.104 20

Sample ID: MB-17869 MBLK Batch ID: 17869 Analysis Date: 12/17/2008 8:05:58 AM

Arsenic ND mg/L 0.020
Barium ND mg/L 0.010
Iron ND mg/L 0.050
Manganese ND mg/L 0.0020

Sample ID: MB-17977 MBLK Batch ID: 17977 Analysis Date: 1/12/2009 7:44:58 AM

Arsenic ND mg/L 0.020
Barium ND mg/L 0.010
Iron ND mg/L 0.050
Manganese ND mg/L 0.0020

Sample ID: LCS-17869 LCS Batch ID: 17869 Analysis Date: 12/17/2008 8:09:14 AM

Arsenic 0.4839 mg/L 0.020 96.8 80 120
Barium 0.4786 mg/L 0.010 95.7 80 120
Iron 0.5234 mg/L 0.050 105 80 120
Manganese 0.4786 mg/L 0.0020 95.6 80 120

Sample ID: LCS-17977 LCS Batch ID: 17977 Analysis Date: 1/12/2009 7:47:49 AM

Arsenic 0.5216 mg/L 0.020 100 80 120
Barium 0.4978 mg/L 0.010 99.6 80 120
Iron 0.5034 mg/L 0.050 99.5 80 120
Manganese 0.4958 mg/L 0.0020 99.1 80 120

Sample ID: 0812275-09CMS MS Batch ID: 17977 Analysis Date: 1/12/2009 7:59:16 AM

Barium 0.5212 mg/L 0.010 99.1 75 125
Manganese 1.151 mg/L 0.0020 96.2 75 125

Method: SM 2540 C: Total Dissolved Solids

Sample ID: 0812275-01BMSD MSD Batch ID: 17866 Analysis Date: 12/16/2008

Total Dissolved Solids 12150 mg/L 200 103 80 120 0.247 20

Sample ID: MB-17866 MBLK Batch ID: 17866 Analysis Date: 12/16/2008

Total Dissolved Solids ND mg/L 20

Sample ID: LCS-17866 LCS Batch ID: 17866 Analysis Date: 12/16/2008

Total Dissolved Solids 1009 mg/L 20 101 80 120

Sample ID: 0812275-01BMS MS Batch ID: 17866 Analysis Date: 12/16/2008

Total Dissolved Solids 12120 mg/L 200 102 80 120

Qualifiers:

E Estimated value H Holding times for preparation or analysis exceeded
J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 ERP

Work Order: 0812275

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: 0812275-01a MSD

MSD

Batch ID: R31658

Analysis Date: 12/16/2008 7:34:54 PM

Benzene	19.08	µg/L	1.0	95.4	84.9	122	0.189	15	
Toluene	19.82	µg/L	1.0	97.1	80.3	114	5.52	15	
Chlorobenzene	18.55	µg/L	1.0	92.8	71.9	134	0.910	15	
1,1-Dichloroethene	21.32	µg/L	1.0	103	88	144	5.53	17.8	
Trichloroethene (TCE)	19.44	µg/L	1.0	97.2	87.1	114	0.743	19.8	

Sample ID: b3

MBLK

Batch ID: R31658

Analysis Date: 12/16/2008 3:40:55 PM

Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Methyl tert-butyl ether (MTBE)	ND	µg/L	1.0						
1,2,4-Trimethylbenzene	ND	µg/L	1.0						
1,3,5-Trimethylbenzene	ND	µg/L	1.0						
1,2-Dichloroethane (EDC)	ND	µg/L	1.0						
1,2-Dibromoethane (EDB)	ND	µg/L	1.0						
Naphthalene	ND	µg/L	2.0						
1-Methylnaphthalene	ND	µg/L	4.0						
2-Methylnaphthalene	ND	µg/L	4.0						
Acetone	ND	µg/L	10						
Bromobenzene	ND	µg/L	1.0						
Bromodichloromethane	ND	µg/L	1.0						
Bromoform	ND	µg/L	1.0						
Bromomethane	ND	µg/L	1.0						
2-Butanone	ND	µg/L	10						
Carbon disulfide	ND	µg/L	10						
Carbon Tetrachloride	ND	µg/L	1.0						
Chlorobenzene	ND	µg/L	1.0						
Chloroethane	ND	µg/L	2.0						
Chloroform	ND	µg/L	1.0						
Chloromethane	ND	µg/L	1.0						
2-Chlorotoluene	ND	µg/L	1.0						
4-Chlorotoluene	ND	µg/L	1.0						
cis-1,2-DCE	ND	µg/L	1.0						
cis-1,3-Dichloropropene	ND	µg/L	1.0						
1,2-Dibromo-3-chloropropane	ND	µg/L	2.0						
Dibromochloromethane	ND	µg/L	1.0						
Dibromomethane	ND	µg/L	1.0						
1,2-Dichlorobenzene	ND	µg/L	1.0						
1,3-Dichlorobenzene	ND	µg/L	1.0						
1,4-Dichlorobenzene	ND	µg/L	1.0						
Dichlorodifluoromethane	ND	µg/L	1.0						
1,1-Dichloroethane	ND	µg/L	1.0						
1,1-Dichloroethene	ND	µg/L	1.0						
1,2-Dichloropropane	ND	µg/L	1.0						
1,3-Dichloropropane	ND	µg/L	1.0						

Qualifiers:

E Estimated value
J Analyte detected below quantitation limits
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 ERP

Work Order: 0812275

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: b3 MBLK

Batch ID: R31658 Analysis Date: 12/16/2008 3:40:55 PM

2,2-Dichloropropane	ND	µg/L	2.0
1,1-Dichloropropene	ND	µg/L	1.0
Hexachlorobutadiene	ND	µg/L	1.0
2-Hexanone	ND	µg/L	10
Isopropylbenzene	ND	µg/L	1.0
4-Isopropyltoluene	ND	µg/L	1.0
4-Methyl-2-pentanone	ND	µg/L	10
Methylene Chloride	ND	µg/L	3.0
n-Butylbenzene	ND	µg/L	1.0
n-Propylbenzene	ND	µg/L	1.0
sec-Butylbenzene	ND	µg/L	1.0
Styrene	ND	µg/L	1.0
tert-Butylbenzene	ND	µg/L	1.0
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0
1,1,2,2-Tetrachloroethane	ND	µg/L	2.0
Tetrachloroethene (PCE)	ND	µg/L	1.0
trans-1,2-DCE	ND	µg/L	1.0
trans-1,3-Dichloropropene	ND	µg/L	1.0
1,1,2-Trichlorobenzene	ND	µg/L	1.0
1,2,4-Trichlorobenzene	ND	µg/L	1.0
1,1,1-Trichloroethane	ND	µg/L	1.0
1,1,2-Trichloroethane	ND	µg/L	1.0
Trichloroethene (TCE)	ND	µg/L	1.0
Trichlorofluoromethane	ND	µg/L	1.0
1,2,3-Trichloropropane	ND	µg/L	2.0
Vinyl chloride	ND	µg/L	1.0
Xylenes, Total	ND	µg/L	1.5

Sample ID: b4 MBLK

Batch ID: R31691 Analysis Date: 12/17/2008 10:21:50 AM

Benzene	ND	µg/L	1.0
Toluene	ND	µg/L	1.0
Ethylbenzene	ND	µg/L	1.0
Methyl tert-butyl ether (MTBE)	ND	µg/L	1.0
1,2,4-Trimethylbenzene	ND	µg/L	1.0
1,3,5-Trimethylbenzene	ND	µg/L	1.0
1,2-Dichloroethane (EDC)	ND	µg/L	1.0
1,2-Dibromoethane (EDB)	ND	µg/L	1.0
Naphthalene	ND	µg/L	2.0
1-Methylnaphthalene	ND	µg/L	4.0
2-Methylnaphthalene	ND	µg/L	4.0
Acetone	ND	µg/L	10
Bromobenzene	ND	µg/L	1.0
Bromodichloromethane	ND	µg/L	1.0
Bromoform	ND	µg/L	1.0
Bromomethane	ND	µg/L	1.0

Qualifiers:

E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 ERP

Work Order: 0812275

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: b4

MBLK

Batch ID: R31691 Analysis Date: 12/17/2008 10:21:50 AM

2-Butanone	ND	µg/L	10
Carbon disulfide	ND	µg/L	10
Carbon Tetrachloride	ND	µg/L	1.0
Chlorobenzene	ND	µg/L	1.0
Chloroethane	ND	µg/L	2.0
Chloroform	ND	µg/L	1.0
Chloromethane	ND	µg/L	1.0
2-Chlorotoluene	ND	µg/L	1.0
4-Chlorotoluene	ND	µg/L	1.0
cis-1,2-DCE	ND	µg/L	1.0
cis-1,3-Dichloropropene	ND	µg/L	1.0
1,2-Dibromo-3-chloropropane	ND	µg/L	2.0
Dibromochloromethane	ND	µg/L	1.0
Dibromomethane	ND	µg/L	1.0
1,2-Dichlorobenzene	ND	µg/L	1.0
1,3-Dichlorobenzene	ND	µg/L	1.0
1,4-Dichlorobenzene	ND	µg/L	1.0
Dichlorodifluoromethane	ND	µg/L	1.0
1,1-Dichloroethane	ND	µg/L	1.0
1,1-Dichloroethene	ND	µg/L	1.0
1,2-Dichloropropane	ND	µg/L	1.0
1,3-Dichloropropane	ND	µg/L	1.0
2,2-Dichloropropane	ND	µg/L	2.0
1,1-Dichloropropene	ND	µg/L	1.0
Hexachlorobutadiene	ND	µg/L	1.0
2-Hexanone	ND	µg/L	10
Isopropylbenzene	ND	µg/L	1.0
4-Isopropyltoluene	ND	µg/L	1.0
4-Methyl-2-pentanone	ND	µg/L	10
Methylene Chloride	ND	µg/L	3.0
n-Butylbenzene	ND	µg/L	1.0
n-Propylbenzene	ND	µg/L	1.0
sec-Butylbenzene	ND	µg/L	1.0
Styrene	ND	µg/L	1.0
tert-Butylbenzene	ND	µg/L	1.0
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0
1,1,2,2-Tetrachloroethane	ND	µg/L	2.0
Tetrachloroethene (PCE)	ND	µg/L	1.0
trans-1,2-DCE	ND	µg/L	1.0
trans-1,3-Dichloropropene	ND	µg/L	1.0
1,2,3-Trichlorobenzene	ND	µg/L	1.0
1,2,4-Trichlorobenzene	ND	µg/L	1.0
1,1,1-Trichloroethane	ND	µg/L	1.0
1,1,2-Trichloroethane	ND	µg/L	1.0

Qualifiers:

E Estimated value

J Analyte detected below quantitation limits

R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 ERP

Work Order: 0812275

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: b4

MBLK

Batch ID: R31691 Analysis Date: 12/17/2008 10:21:50 AM

Trichloroethene (TCE)	ND	µg/L	1.0
Trichlorofluoromethane	ND	µg/L	1.0
1,2,3-Trichloropropane	ND	µg/L	2.0
Vinyl chloride	ND	µg/L	1.0
Xylenes, Total	ND	µg/L	1.5

Sample ID: b8

MBLK

Batch ID: R31691 Analysis Date: 12/17/2008 10:26:20 PM

Benzene	ND	µg/L	1.0
Toluene	ND	µg/L	1.0
Ethylbenzene	ND	µg/L	1.0
Methyl tert-butyl ether (MTBE)	ND	µg/L	1.0
1,2,4-Trimethylbenzene	ND	µg/L	1.0
1,3,5-Trimethylbenzene	ND	µg/L	1.0
1,2-Dichloroethane (EDC)	ND	µg/L	1.0
1,2-Dibromoethane (EDB)	ND	µg/L	1.0
Naphthalene	ND	µg/L	2.0
1-Methylnaphthalene	ND	µg/L	4.0
2-Methylnaphthalene	ND	µg/L	4.0
Acetone	ND	µg/L	10
1,4-Dioxane	ND	µg/L	1.0
Bromodichloromethane	ND	µg/L	1.0
Bromoform	ND	µg/L	1.0
Bromomethane	ND	µg/L	1.0
2-Butanone	ND	µg/L	10
Carbon disulfide	ND	µg/L	10
Carbon Tetrachloride	ND	µg/L	1.0
Chlorobenzene	ND	µg/L	1.0
Chloroethane	ND	µg/L	2.0
Chloroform	ND	µg/L	1.0
Chloromethane	ND	µg/L	1.0
2-Chlorotoluene	ND	µg/L	1.0
4-Chlorotoluene	ND	µg/L	1.0
cis-1,2-DCE	ND	µg/L	1.0
cis-1,3-Dichloropropene	ND	µg/L	1.0
1,2-Dibromo-3-chloropropane	ND	µg/L	2.0
Dibromochloromethane	ND	µg/L	1.0
Dibromomethane	ND	µg/L	1.0
1,2-Dichlorobenzene	ND	µg/L	1.0
1,3-Dichlorobenzene	ND	µg/L	1.0
1,4-Dichlorobenzene	ND	µg/L	1.0
Dichlorodifluoromethane	ND	µg/L	1.0
1,1-Dichloroethane	ND	µg/L	1.0
1,1-Dichloroethene	ND	µg/L	1.0
1,2-Dichloropropane	ND	µg/L	1.0
1,3-Dichloropropane	ND	µg/L	1.0

Qualifiers:

E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 ERP

Work Order: 0812275

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: b8 MBLK

Batch ID: R31691 Analysis Date: 12/17/2008 10:26:20 PM

2,2-Dichloropropane	ND	µg/L	2.0
1,1-Dichloropropene	ND	µg/L	1.0
Hexachlorobutadiene	ND	µg/L	1.0
2-Hexanone	ND	µg/L	10
Isopropylbenzene	ND	µg/L	1.0
4-Isopropyltoluene	ND	µg/L	1.0
4-Methyl-2-pentanone	ND	µg/L	10
Methylene Chloride	ND	µg/L	3.0
n-Butylbenzene	ND	µg/L	1.0
n-Propylbenzene	ND	µg/L	1.0
sec-Butylbenzene	ND	µg/L	1.0
Styrene	ND	µg/L	1.0
tert-Butylbenzene	ND	µg/L	1.0
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0
1,1,2,2-Tetrachloroethane	ND	µg/L	2.0
Tetrachloroethene (PCE)	ND	µg/L	1.0
trans-1,2-DCE	ND	µg/L	1.0
trans-1,3-Dichloropropene	ND	µg/L	1.0
1,2,3-Trichlorobenzene	ND	µg/L	1.0
1,2,4-Trichlorobenzene	ND	µg/L	1.0
1,1,1-Trichloroethane	ND	µg/L	1.0
1,1,2-Trichloroethane	ND	µg/L	1.0
Trichloroethene (TCE)	ND	µg/L	1.0
Trichlorofluoromethane	ND	µg/L	1.0
1,2,3-Trichloropropane	ND	µg/L	2.0
Vinyl chloride	ND	µg/L	1.0
Xylenes, Total	ND	µg/L	1.5

Sample ID: 100ng lcs_b

LCS

Batch ID: R31658 Analysis Date: 12/16/2008 3:11:46 PM

Benzene	19.00	µg/L	1.0	93.9	88	116
Toluene	18.52	µg/L	1.0	89.4	82.9	112
Chlorobenzene	18.12	µg/L	1.0	90.6	71.4	133
1,1-Dichloroethene	18.22	µg/L	1.0	91.1	97.9	140
Trichloroethene (TCE)	18.42	µg/L	1.0	92.1	90.5	112

S

Sample ID: 100ng lcs

LCS

Batch ID: R31691 Analysis Date: 12/17/2008 11:19:04 AM

Benzene	20.19	µg/L	1.0	101	88	116
Toluene	19.61	µg/L	1.0	98.1	82.9	112
Chlorobenzene	21.01	µg/L	1.0	105	71.4	133
1,1-Dichloroethene	20.37	µg/L	1.0	102	97.9	140
Trichloroethene (TCE)	18.21	µg/L	1.0	91.1	90.5	112

Sample ID: 100ng lcs

LCS

Batch ID: R31691 Analysis Date: 12/17/2008 11:23:25 PM

Benzene	20.13	µg/L	1.0	101	88	116
Toluene	18.58	µg/L	1.0	92.9	82.9	112
Chlorobenzene	19.66	µg/L	1.0	98.3	71.4	133

Qualifiers:

E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 ERP

Work Order: 0812275

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: 100ng lcs

LCS

Batch ID: R31691 Analysis Date: 12/17/2008 11:23:25 PM

1,1-Dichloroethene 21.55 µg/L 1.0 108 97.9 140

Trichloroethene (TCE) 18.05 µg/L 1.0 90.3 90.5 112

S

Sample ID: 0812275-01a MS

MS

Batch ID: R31658 Analysis Date: 12/16/2008 7:05:37 PM

Benzene 19.12 µg/L 1.0 95.6 84.9 122

Toluene 18.76 µg/L 1.0 91.8 80.3 114

Chlorobenzene 18.39 µg/L 1.0 91.9 71.9 134

1,1-Dichloroethene 20.18 µg/L 1.0 97.6 88 144

Trichloroethene (TCE) 19.30 µg/L 1.0 96.5 87.1 114

Qualifiers:

E Estimated value
J Analyte detected below quantitation limits
R RPD outside accepted recovery limits
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name CYP

Date Received:

12/15/2008

Work Order Number 0812275

Received by: AT

Checklist completed by:

Signature

Date

Sample ID labels checked by:

Initials

Matrix:

Carrier name Greyhound

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐ Not Shipped ☐
Custody seals intact on sample bottles?	Yes ☒	No ☐	N/A ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Water - VOA vials have zero headspace?	No VOA vials submitted ☐	Yes ☒	No ☐
Water - Preservation labels on bottle and cap match?	Yes ☒	No ☐	N/A ☐
Water - pH acceptable upon receipt?	Yes ☒	No ☐	N/A ☐

Container/Temp Blank temperature?

1°

<6° C Acceptable

If given sufficient time to cool.

COMMENTS:

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action _____

Turn-Around Time:

☒ Standard ☐ Rush

Project Name: TRANSWESTERN PIPELINE CO

WT-1 EXP

Project Manager: George Robinson

Sampler: Sandy Sharp

Office: 414 Yes ☒ No ☐

Container Type and #	Preservative Type	Date	Time
3x40ml 500	HCL	1	
3x40ml 500	H ₂ SO ₄ HNO ₃	1	
3x40ml 500	HCL	2	
3x40ml 500	H ₂ SO ₄ HNO ₃	2	
3x40ml 500	HCL	3	
3x40ml 500	H ₂ SO ₄ HNO ₃	3	
3x40ml 500	HCL	4	
3x40ml 500	H ₂ SO ₄ HNO ₃	4	
3x40ml 500	HCL	5	
3x40ml 500	H ₂ SO ₄ HNO ₃	5	
3x40ml 500	HCL	6	
3x40ml 500	H ₂ SO ₄ HNO ₃	6	

Received by: Adna Date: 12/13/03 Time: 1145

Received by: _____ Date: _____ Time: _____

possibility. Any sub-contracted data will be clearly notated on the analytical report

Chain-of-Custody Record

Client: Cypress Engineering Services
771 Hwy 6 North, STE 102
HOUSTON, TX 77095

Mailing Address: HOUSTON, TX 77095

Phone #: 281.297.3420
 email or Fax#: 281.859.1881

QA/QC Package:
☒ Standard
☐ Other
☐ EDD (Type) _____

☐ Level 4 (Full Validation)

Date	Time	Matrix	Sample Request ID
2/10/08	1300	W	MW-10
	1310		"
	1415		MW-17
	1415		"
	1445		MW-14
	1445		"
	1615		MW-7
	1615		"
	1630		Site-1A
	1630		"
			- trip blank -

Date: 2/10/08 Time: 1000
 Relinquished by: [Signature]
 Date: 2/10/08 Time: 1000
 Relinquished by: [Signature]

UNIFORM TIME

☒ Standard ☐ Rush

Project Name: TRANSWESTERN PIPELINE CO
WT-1 EXP

Project #: TWP WT-1 EXP

Project Manager: George Robinson
 Sampler: Sandy Sharp

On-site: YES
 Sample Temperature: _____
 Container Type and #
 Preservative Type
 SEAL No.

3x400ml	ACL	7
3x500ml	H ₂ SO ₄ H ₂ O ₃	7
3x400ml	ACL	8
3x500ml	H ₂ SO ₄ H ₂ O ₃	8
3x400ml	ACL	9
3x500ml	H ₂ SO ₄ H ₂ O ₃	9
3x400ml	ACL	10
3x500ml	H ₂ SO ₄ H ₂ O ₃	10
3x400ml	ACL	11
3x500ml	H ₂ SO ₄ H ₂ O ₃	11
2x400ml	H ₂ O	12

Received by: [Signature] Date: 12/13/07 Time: 1145
 Received by: [Signature] Date: _____ Time: _____



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com
 4901 Hawkins NE - Albuquerque, NM 87109
 Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

BTEX + MTBE + TMB's (8021)	BTEX + MTBE + TPH (Gas only)	TPH Method 8015B (Gas/Diesel)	TPH (Method 418.1)	EDB (Method 504.1)	8310 (PNA or PAH)	RCRA 8 Metals	Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄)	8081 Pesticides / 8082 PCB's	8260B (VOA) VOC's *	8270 (Semi-VOA)	TDS, Chloride, Sulfate	NO ₂ /NO ₃ AS N	Total Metals As, Ba, Fe, Mn	Dissolved Metals As, Ba, Fe, Mn	Air Bubbles (Y or N)
									X		X	X	X		
									X		X	X	X		
									X		X	X	X		
									X		X	X	X		
									X		X	X	X		
									X		X	X	X		
									X		X	X	X		
									X		X	X	X		

Remarks:
 * VOCs including: 1,2-dichloroethane (cis-trans), Acetone, Dichlorobenzene (o-, m-, p-), methyl ethyl ketone, 4 methyl-2-pentanone
 ** MW-17 METALS were field filtered