

625 N. French District II	i Dr., Hobbs, f	NM 88240 W	-VEI	VED S	linerals	and Natura	l Resources			Form C-14 Revised October 10, 200			
District III	,	A	PR 14	0000		vation Div				Submit 2 Copies to appropria District Office in accordance			
000 Rio Brazo District IV	s Koad, Azted	HO	BBS	DCD 122	0 South	St. Franc	is Dr.			with Rule 116 on bac			
					Santa Fe	Fe, NM 87505 side of fo							
			Rele	ease Notif	ication	and Co	orrective A	ction					
		- 1				OPERA				al Report 🔲 Final Rep			
Name of Co Address		John H. Her		poration Aidland, TX		Contact Telephone N	Carolyn E No. 575-390-9		iynes				
Facility Na		Parks West				Facility Typ			ttery				
Surface Ow	vner	Irvin Boyd		Mineral	Owner				Lease M	No.			
	,	n vin Doyu					PARK	5 002 A		125-10263.00 00			
Unit Letter	Section	Township	Range	Feet from the		NOF RE	LEASE Feet from the	Eact/W	Vest Line	County			
M	14	T22S	R37E		Norui	South Ellie	Teet nom the		est Line	Lea			
	<u> </u>	L~	La	titude		Longitud	le	<u> </u>		1			
					TURE	OF REL							
Type of Release Produced oil, water - firemen's foam and water						Volume of Release 110 bbls Volume Recovered 75 bbls							
Source of Re	elease Lig	htening strike	resulting	in tank fire.		Date and H 3:30 PM	lour of Occurren	ce	Date and	Hour of Discovery 4/11/09			
Was Immed	iate Notice (Vec Г] No 🔲 Not	Required	If YES, To Mark Whit							
					Required								
Dy Whom?	Gami Iama	n	By Whom? Gary James Was a Watercourse Reached?						Date and Hour 4-11-09 evening If YES, Volume Impacting the Watercourse.				
		ched?							rcourse.				
Was a Water	rcourse Read	ched?		*					rcourse.				
Was a Water If a Waterco Describe Ca Lightening s berm. 45 bb foam from fi	rcourse Read ourse was Im uuse of Probl strike resulte ols water from irefighting e	ched?	ibe Fully. dial Actio k battery. vas release film of oil	* n Taken.* Oil tank and g ed into berm an	d recovere ne berm. A	If YES, Vo ressel involve d. Berm sur All well were	olume Impacting ed. Estimated 50 rrounding tanks of shut in and will	the Water bbls oil b	ourned, 30 the produ	ced fluids released. Water and			
Was a Water If a Waterco Describe Ca Lightening s berm. 45 bb foam from fi remaining in Describe Aro Drawing and material pure	rcourse Read ourse was Im uuse of Probl strike resulte ols water from irefighting e in the collapse ea Affected d photos are chased from	ched?	ibe Fully. dial Actio k battery. vas release film of oil e intact ta Action Tal a affected r. Oily di	* Oil tank and g ed into berm an I to outside of th nk has been sec ken.* I outside the ber rt will be taken	d recovere he berm. A ured in a to m is appro to Sundan	If YES, Vo ressel involve d. Berm sur All well were emporary tan oximately 34 : ce Disposal.	olume Impacting ed. Estimated 50 rrounding tanks of shut in and will k. x 80'. Oily soils The berm will b	the Water bbls oil b contained remain sh will be so e reconstr	ourned, 30 the produ tut in until craped-up ructed. Ne	ced fluids released. Water and a temporary facility is set. Oil and restored with clean caliche ew gun barrel and holding tanks			
Was a Water If a Waterco Describe Ca Lightening s berm. 45 bb foam from fir remaining in Describe Ard Drawing and material purd will be set. complete. I hereby cert regulations a public health should their or the enviro	rcourse Read ourse was Im uuse of Probl strike resulte ols water from irefighting e n the collapse ea Affected d photos are chased from Ground wat tify that the i all operators n or the envit operations h onment. In a	ched?	ibe Fully. dial Actio k battery. vas release film of oil e intact ta Action Tal a affected r. Oily di BGS at th ven above o report an acceptane dequately DCD accep	* Oil tank and g ed into berm an I to outside of th nk has been sec ken.* I outside the ber rt will be taken is location (Wi e is true and cor nd/or file certain ce of a C-141 re v investigate and	d recovere ne berm. A ured in a ta m is appro- to Sundan Il Cary mo- nplete to th n release n port by the l remediat	If YES, Vo ressel involve d. Berm sur All well were emporary tan oximately 34 : ce Disposal. nitor wells w he best of my otifications a e NMOCD m e contaminati	olume Impacting cd. Estimated 50 rrounding tanks of shut in and will t k. x 80'. Oily soils The berm will b vater levels). A f vater levels). A f vater levels). A f vater levels and nd perform corre- tarked as "Final Fion that pose a th ve the operator of	the Water bbls oil b contained remain sh will be so e reconstr inal repor understan ctive action Report do reat to gro	ourned, 30 the produ aut in until craped-up ructed. Net t will be s id that pur- ons for rel oes not rel ound wate bility for c	ced fluids released . Water and a temporary facility is set. Oil and restored with clean caliche ew gun barrel and holding tank ubmitted when facility work is suant to NMOCD rules and leases which may endanger ieve the operator of liability r, surface water, human health compliance with any other			
Was a Water If a Waterco Describe Ca Lightening s berm. 45 bb foam from fir remaining in Describe Ard Drawing and material purd will be set. complete. I hereby cert regulations a public health should their or the enviro	rcourse Read ourse was Im uuse of Probl strike resulte ols water from irefighting e n the collapse ea Affected d photos are chased from Ground wat tify that the i all operators n or the envit operations h onment. In a	ched?	ibe Fully. dial Actio k battery. vas release film of oil e intact ta Action Tal a affected r. Oily di BGS at th ven above o report an acceptane dequately DCD accep	* Oil tank and g ed into berm an I to outside of th nk has been sec ken.* I outside the ber rt will be taken is location (Wi e is true and cor nd/or file certain ce of a C-141 re v investigate and	d recovere ne berm. A ured in a ta m is appro- to Sundan Il Cary mo- nplete to th n release n port by the l remediat	If YES, Vo ressel involve d. Berm sur All well were emporary tan oximately 34 s ce Disposal. nitor wells w be best of my otifications an e NMOCD m e contaminati oes not reliev	ed. Estimated 50 rrounding tanks of shut in and will the k. x 80°. Oily soils The berm will b vater levels). A f knowledge and nd perform corre- tarked as "Final F ion that pose a the verte operator of OIL CON	the Water bbls oil b contained remain sh will be so e reconstr inal repor understan ctive action Report" do reat to gro responsit SERV.	ourned, 30 the produ aut in until craped-up ructed. Net t will be s id that pur- ons for rel oes not rel ound wate bility for c	ced fluids released . Water and a temporary facility is set. Oil and restored with clean caliche ew gun barrel and holding tanks ubmitted when facility work is suant to NMOCD rules and leases which may endanger ieve the operator of liability r, surface water, human health			
Was a Water If a Waterco Describe Ca Lightening s berm. 45 bb foam from fi remaining in Describe Ard Drawing and material purd will be set. complete. I hereby cert regulations a public health should their or the enviro federal, state	rcourse Read ourse was Im uuse of Probl strike resulte ols water from irefighting e in the collapse ea Affected d photos are chased from Ground wat tify that the i all operators in or the envir operations h onment. In a e, or local law	ched?	dial Actio k battery. vas release film of oil e intact ta Action Tal a affected r. Oily di BGS at th ven above o report an acceptane adequately DCD acceptations.	* Oil tank and g ed into berm an I to outside of th nk has been sec ken.* I outside the ber rt will be taken is location (Wi e is true and cor nd/or file certain ce of a C-141 re v investigate and	d recovere he berm. A ured in a ta m is appro- to Sundan Il Cary mo- nplete to th n release n port by the l remediat	If YES, Vo ressel involve d. Berm sur All well were emporary tan eximately 34 : ce Disposal. nitor wells w ne best of my otifications an e NMOCD m e contaminati oes not reliev	olume Impacting cd. Estimated 50 rrounding tanks of shut in and will t k. x 80'. Oily soils The berm will b vater levels). A f vater levels). A f vater levels). A f vater levels and nd perform corre- tarked as "Final F ion that pose a th ve the operator of	the Water bbls oil b contained remain sh will be so e reconstr inal repor understan ctive action Report" do reat to gro responsit	ourned, 30 the produ aut in until craped-up ructed. Net t will be s id that pur- ons for rel oes not rel ound wate bility for c	leases which may endanger ieve the operator of liability r, surface water, human health compliance with any other			
Was a Water If a Waterco Describe Ca Lightening s berm. 45 bb foam from fir remaining in Describe Ard Drawing and material purd will be set. complete. I hereby cert regulations a public health should their or the enviro federal, state	rcourse Read ourse was Im uuse of Probl strike resulte ols water from irefighting e in the collapse ea Affected d photos are chased from Ground wat tify that the i all operators in or the envir operations h onment. In a e, or local law	em and Reme d in fire at tan m gun barrel v ffort spread a ed tank and the and Cleanup A attached. Are the landowne ter is 90-100' 1 information gi are required to ronment. The nave failed to a uddition, NMC ws and/or regu	dial Actio k battery. vas release film of oil e intact ta Action Tal a affected r. Oily di BGS at th ven above o report an acceptane adequately DCD acceptations.	* Oil tank and g ed into berm an I to outside of th nk has been sec ken.* I outside the ber rt will be taken is location (Wi e is true and cor nd/or file certain ce of a C-141 re v investigate and	d recovere he berm. A ured in a ta m is appro- to Sundan Il Cary mo- noplete to th n release n port by the l remediat	If YES, Vo ressel involve d. Berm sur All well were emporary tan oximately 34 : ce Disposal. nitor wells w be best of my otifications are e NMOCD m e contaminations of the e contamination of the e contamination of the e contamination of the e contamination of the e contamination of the e contamination of the e contamination of the e contamination of the contamination of the e contaminati	blume Impacting ed. Estimated 50 rrounding tanks of shut in and will b k. x 80°. Oily soils The berm will b yater levels). A f knowledge and nd perform correction tarked as "Final H ion that pose a the verte operator of OIL CON $\in N \cup \in N \subseteq R$	the Water bbls oil b contained remain sh will be so e reconstr inal repor understan ctive actio reat to gro responsit SERV.	ourned, 30 the produ aut in until craped-up ructed. Net t will be s id that pur- ons for rel oes not rel ound wate bility for c	ced fluids released . Water and a temporary facility is set. Oil and restored with clean caliche ew gun barrel and holding tanks ubmitted when facility work is suant to NMOCD rules and leases which may endanger ieve the operator of liability r, surface water, human health compliance with any other DIVISION			
Was a Water If a Waterco Describe Ca Lightening s berm. 45 bb foam from fi remaining in Describe Ard Drawing and material purd will be set. complete. I hereby cert regulations a public health should their or the enviro federal, state Signature: Printed Nam Title:	rcourse Read ourse was Im uuse of Probl strike resulte ols water from irefighting e in the collapse ea Affected d photos are chased from Ground wat tify that the i all operators in or the envir operations h onment. In a e, or local law	em and Reme d in fire at tan m gun barrel v ffort spread a ed tank and the and Cleanup A attached. Are the landowne ter is 90-100' 1 information gi are required to ronment. The nave failed to a uddition, NMC ws and/or regu	ibe Fully. dial Actio k battery. vas release film of oil e intact ta Action Tal a affected r. Oily di BGS at th ven above o report an acceptane dequately OCD acceptane dequately OCD acceptane dequately	* Oil tank and g ed into berm an I to outside of th nk has been sec ken.* I outside the ber rt will be taken is location (Wi e is true and cor nd/or file certain ce of a C-141 re v investigate and	d recovere he berm. A ured in a ta m is appro- to Sundan il Cary mo- noplete to th n release n port by the l remediat	If YES, Vo ressel involve d. Berm sur All well were emporary tan oximately 34 s ce Disposal. nitor wells w ne best of my otifications an e NMOCD m e contaminations oes not reliev Approved by Approval Dat	blume Impacting ed. Estimated 50 rrounding tanks of shut in and will in k. x 80'. Oily soils The berm will b vater levels). A f where the operator of OIL CON $\in NV \in NGR$	the Water bbls oil b contained remain sh will be so e reconstr inal repor understan ctive active active active reat to gro responsit SERV	ourned, 30 the produ- nut in until craped-up ructed. Net t will be s nd that pur- ons for rel ourd wate bility for c ATION	ced fluids released . Water and a temporary facility is set. Oil and restored with clean caliche ew gun barrel and holding tank ubmitted when facility work is suant to NMOCD rules and leases which may endanger ieve the operator of liability r, surface water, human health compliance with any other <u>DIVISION</u>			


PGRL0910525947



4-13-09 Parks A West Facility After Lightening Strike Occurring 4-11-09



Parks A West Facility 4-13-09



John H. Hendrix Corp. Parks West Facility 4-11-09