

BASIN DISPOSAL STEP-RATE TEST 4/1/01

01/293/501

30-045-26862
R-PSA

$$\text{AT 3 BPM SURFACE PRESSURE} = 970$$

$$+ \text{HYDROSTATIC } 8.46 \times 3650 \times 1.052 = 1605$$

$$- \text{FRICTION } 1.8 \times 36 = 65$$

$$\text{CALCULATED BHP} \rightarrow 2510$$

$$\text{MEASURED BHP} \rightarrow 2511$$

FROM FRESH WATER FRICTION CHART $\frac{1}{3.5}$ " TBG

$$\text{AT 6 BPM SURFACE PRESSURE} = 1250$$

$$+ \text{HYDROSTATIC} = 1605$$

$$2855$$

$$- \text{FRICTION } 6.5 \times 36 = 234$$

$$\text{CALCULATED BHP} \rightarrow 2621$$

$$\text{MEASURED BHP} \rightarrow 2625$$

$$\text{AT 9 BPM SURFACE PRESSURE} = 1575$$

$$+ \text{HYDROSTATIC} = 1605$$

$$3180$$

$$- \text{FRICTION } 13.3 \times 36 = 478$$

$$\text{CALC. BHP} = 2702$$

$$\text{MEASURED BHP} = 2733$$

CLOSE AGREEMENT IN CALCULATED & MEASURED VALUES SHOW THAT THE ASSUMPTIONS OF 8.46 #/GAL FLUID & FRESH WATER FRICTION CURVES ARE VALID.

ORIGINAL STEP-RATE TEST RUN 4/14/88

$$\text{AT 1.5 BPM SURFACE PRESSURE} = 1750$$

$$+ \text{HYDROSTATIC} = 1605$$

$$3355$$

$$- \text{FRICTION } 1.4 \times 36 = 50$$

$$\text{CALC BHP} = 3305$$

BEFORE BREAKOVER

FROM FRESH WATER CHART $\frac{1}{2.75}$ " TBG

ORIGINAL STEP RATE TEST - CONT.

$$\begin{array}{rcl}
 \text{AT 2 BPM SURFACE PRESSURE} & = & 1940 \\
 + \text{HYDROSTATIC} & & 1605 \\
 \hline
 & & 3545 \\
 - \text{FRICTION } 2.3 \times 36 = & & - 83 \\
 \hline
 \text{CALC. BHP} & & 3462 \\
 \text{PAST BREAKOVER} & &
 \end{array}$$

SINCE THE FRACTURE PRESSURE DURING THE ORIGINAL TEST WAS BETWEEN 3365 PSI AND 3462 PSI BOTTOM HOLE PRESSURE, THEN THE FRACTURE PRESSURE WAS NEVER REACHED ON THE SECOND STEP RATE TEST (4/1/2001) BECAUSE THE MAXIMUM BOTTOM HOLE PRESSURE WAS ONLY 2770 PSI.

BASIN DISPOSAL REQUESTS THAT THE MAXIMUM ALLOWABLE SURFACE INJECTION PRESSURE BE 1650 PSI, WHICH IS THE MAXIMUM PRESSURE ACHIEVED DURING THE 4/1/01 TEST AND IS STILL BELOW THE FORMATION FRACTURE PRESSURE.

Prior to TPF Calc. INT 8400 B/L C 1730 #

$$\begin{array}{rcl}
 \text{FRICTION } 12.5 \text{ \#}/100 \times 36 & = & 450 \\
 \text{HYDROSTATIC} & & 1605 \\
 \text{S.P.} & & 1730 \\
 \hline
 & & 2885
 \end{array}$$

<u>BPM</u>	<u>PRESS. PSIG</u>
0	640
0.5	1000
1.0	1400
1.5	1750
2.0	1940
2.5	2030
3.0	2140

BASIN DISPOSAL, INC.
DISPOSAL NO. 1
Injectivity Test
April 14, 1988

Pressure - Psig

2100

1870

2000

1500

1000

500

0

0.5

1.0

1.5

2.0

2.5

3.0

2605

3005

3355
-50
3305

3545
-83
3462

3635
3.5 x 20 = 70
3565


5 x 36 = 180
3745
-180
3565



BASIN DISPOSAL SWD #1

STEP RATE TEST 4/1/01

PAUL THOMPSON



INJECTION RATE, BPM

SURFACE PRESSURE PSIA

BOTTOM HOLE PRESSURE, PSIA






FIGURE 5





PRESSURE GAUGE DATA

Company: Basin Disposal #1

Well Name: Disposal #1

Date: April 1, 2001

Pressure Test Report

COMPANY INFORMATION

Company Name

Representative

Phone

Fax

Address

Basin Disposal, Inc.

Paul Thompson/Walsh Eng. & Prod.

505-325-6336

#6 Road 5046

Bloomfield, NM 87413

E-Mail Address

Service Company

cobra@cyberport.com

Cobra Slickline Corporation

WELL INFORMATION

Well Name

Well Location

Field and Pool

Status (Oil, Gas, Water, Injection)

Perforated Intervals

Mid-point of Perforated Intervals (MPP)

Drilling Rig Number

Elevations

Kelly Bushing (KB)

Casing Flange (CF)

KB-CF

Ground Level

Plug Back Total Depth

Total Depth

Production Casing

Production Tubing

Disposal #1

Unit F, Sec. 3, T29N, R11W

Mesaverde

Water

3652-3698

12

3868

3909

5 1/2"

3 1/2"

TEST INFORMATION

Type of Test

Date(s) of Test

Dead-weight Gauge Tubing Pressure

Dead-weight Gauge Casing Pressure

Shut-in Date (Duration)

Date / Time on Bottom

Date / Time off Bottom

Injection Test

4/1/01

860

500

Probe Serial Number

Probe Offset from End of Tool String

Run Depth at Probe Pressure Port

V24

3638 GL

PRESSURE TEST RESULTS

Maximum Recorded Probe Pressure

Maximum Recorded Probe Temperature

Final Buildup Pressure

Gradient Survey Information

Extrapolated Pressure to MPP

Final Gradient at Depth

Job Number

2771.7 psig

77.0 deg F



Company Name	Basin Disposal, Inc.
Well Name	Disposal #1
Type of Test	Injection Test
Date(s) of Test	4/1/01

PROBE INFORMATION

Probe Serial Number	V24
Model	Level II
Pressure	
Calibrated Pressure Range	0.0 - 6000.0 psig
Accuracy	0.05% FS
Resolution	0.0015% FS
Temperature	
Calibrated Temperature Range	1.6 - 304.9 deg F
Accuracy	0.25% FS
Resolution	0.002% FS
Calibration File Used for Reports	V24OC13A.CAL

PROGRAMMING DETAILS

<u>Step</u>	<u>Sample Mode</u>	<u>Period</u>	<u>Duration</u>	<u>Comment</u>
0	Pause	5 seconds	25 seconds	Test mode
1	Pressure Trigger	2 minutes	indefinite	Trig @ 50 psi
2	Normal	5 seconds	12 hours	

Program Start Time	Apr 01/2001 @ 11:07:50
Program End Time	Apr 01/2001 @ 16:11:30
Total Samples Taken	3645
Usage for this Test	0.3300 Ah
Generic Data File Name	V24AP01A.GEN



Company Name	Basin Disposal, Inc.
Well Name	Disposal #1
Type of Test	Injection Test
Date(s) of Test	4/1/01

COMMENTS

Reported By


Cobra Slickline Corporation

RAN EQUAL. PROBE TO 3577' & EQUALIZED PLUG-RAN 2 1/2" JDC W/B PROBE & 1 1/2" OIL JARS TO 3577'-RECOVERED 2.31 FWE PLUG-RIG RIGGED DOWN-RAN TANDEM ELECTRONIC GAUGES TO 3638' + 12' = 3650'-AMERICAN ENERGY RAN STEP RATE TEST-RECOVERED GAUGES-RELEASED FROM LOCATION.



Company Name Basin Disposal, Inc.
Well Name Disposal #1
Type of Test Injection Test
Date(s) of Test 4/1/01


Disposal #1





Company Name Basin Disposal, Inc.
Well Name Disposal #1
Type of Test Injection Test
Date(s) of Test 4/1/01


Disposal #1-Steps 2-4





Company Name Basin Disposal, Inc.
Well Name Disposal #1
Type of Test Injection Test
Date(s) of Test 4/1/01


Disposal #1-Steps 5-8





Company Name Basin Disposal, Inc.
Well Name Disposal #1
Type of Test Injection Test
Date(s) of Test 4/1/01


Disposal #1-Steps 9-10





Company Name Basin Disposal, Inc.
Well Name Disposal #1
Type of Test Injection Test
Date(s) of Test 4/1/01

Disposal #1-Steps 11-12





Company Name Basin Disposal, Inc.
Well Name Disposal #1
Type of Test Injection Test
Date(s) of Test 4/1/01

Date	Time	Cum. T. 1 (V24)	Pres 1 (V24)	Temp 1 (V24)
		hr	psig	deg F
2001/04/01	11:07:50	0.0000	856.507	68.716
2001/04/01	11:08:50	0.0167	873.717	68.140
2001/04/01	11:09:50	0.0333	922.366	67.633
2001/04/01	11:10:50	0.0500	980.891	67.235
2001/04/01	11:11:50	0.0667	1067.910	66.972
2001/04/01	11:12:50	0.0833	1201.449	66.861
2001/04/01	11:13:50	0.1000	1373.904	66.942
2001/04/01	11:14:50	0.1167	1578.162	67.273
2001/04/01	11:15:50	0.1333	1797.315	67.953
2001/04/01	11:16:50	0.1500	1981.135	69.037
2001/04/01	11:17:50	0.1667	2148.398	70.351
2001/04/01	11:18:50	0.1833	2319.543	71.328
2001/04/01	11:19:50	0.2000	2424.878	71.188
2001/04/01	11:20:50	0.2167	2429.149	70.374
ON BOTTOM				
2001/04/01	11:21:30	0.2278	2443.666	69.780
2001/04/01	11:21:50	0.2333	2445.048	69.496
2001/04/01	11:22:50	0.2500	2445.355	68.742
2001/04/01	11:23:50	0.2667	2445.669	68.128
2001/04/01	11:24:50	0.2833	2445.979	67.629
2001/04/01	11:25:50	0.3000	2446.276	67.224
2001/04/01	11:26:50	0.3167	2446.569	66.895
2001/04/01	11:27:50	0.3333	2446.858	66.625
2001/04/01	11:28:50	0.3500	2447.119	66.400
2001/04/01	11:29:50	0.3667	2447.361	66.211
2001/04/01	11:30:50	0.3833	2447.607	66.060
2001/04/01	11:31:50	0.4000	2447.839	65.930
2001/04/01	11:32:50	0.4167	2448.056	65.822
2001/04/01	11:33:50	0.4333	2448.255	65.730
2001/04/01	11:34:50	0.4500	2448.458	65.655
2001/04/01	11:35:50	0.4667	2448.628	65.583
2001/04/01	11:36:50	0.4833	2448.816	65.529
2001/04/01	11:37:50	0.5000	2448.996	65.482
2001/04/01	11:38:50	0.5167	2449.154	65.439
2001/04/01	11:39:50	0.5333	2449.314	65.403
2001/04/01	11:40:50	0.5500	2449.457	65.370
2001/04/01	11:41:50	0.5667	2449.614	65.349
2001/04/01	11:42:50	0.5833	2449.748	65.327
2001/04/01	11:43:50	0.6000	2449.869	65.305
2001/04/01	11:44:50	0.6167	2449.994	65.291
2001/04/01	11:45:50	0.6333	2450.122	65.280
2001/04/01	11:46:50	0.6500	2450.234	65.269
2001/04/01	11:47:50	0.6667	2450.337	65.259
2001/04/01	11:48:50	0.6833	2450.432	65.248
2001/04/01	11:49:50	0.7000	2450.542	65.244
2001/04/01	11:50:50	0.7167	2450.633	65.237
2001/04/01	11:51:50	0.7333	2450.722	65.233
2001/04/01	11:52:50	0.7500	2450.808	65.230
2001/04/01	11:53:50	0.7667	2450.883	65.226
2001/04/01	11:54:50	0.7833	2450.968	65.226

Date	Time	Cum. T. 1 (V24)	Pres 1 (V24)	Temp 1 (V24)
		hr	psig	deg F
2001/04/01	11:55:50	0.8000	2451.044	65.226
2001/04/01	11:56:50	0.8167	2451.124	65.230
2001/04/01	11:57:50	0.8333	2451.191	65.230
2001/04/01	11:58:50	0.8500	2451.252	65.226
2001/04/01	11:59:50	0.8667	2451.299	65.226
2001/04/01	12:00:50	0.8833	2451.384	65.230
2001/04/01	12:01:50	0.9000	2451.439	65.230
2001/04/01	12:02:50	0.9167	2451.492	65.230
2001/04/01	12:03:50	0.9333	2451.549	65.233
2001/04/01	12:04:50	0.9500	2451.596	65.233
2001/04/01	12:05:50	0.9667	2451.640	65.233
2001/04/01	12:06:50	0.9833	2451.697	65.237
2001/04/01	12:07:50	1.0000	2451.735	65.237
2001/04/01	12:08:50	1.0167	2451.781	65.241
2001/04/01	12:09:50	1.0333	2451.829	65.244
2001/04/01	12:10:50	1.0500	2451.867	65.244
2001/04/01	12:11:50	1.0667	2451.906	65.248
2001/04/01	12:12:50	1.0833	2451.938	65.248
2001/04/01	12:13:50	1.1000	2451.968	65.248
2001/04/01	12:14:50	1.1167	2452.007	65.251
2001/04/01	12:15:50	1.1333	2452.044	65.255
2001/04/01	12:16:50	1.1500	2452.073	65.255
2001/04/01	12:17:50	1.1667	2452.113	65.259
2001/04/01	12:18:50	1.1833	2452.132	65.255
2001/04/01	12:19:50	1.2000	2452.158	65.255
2001/04/01	12:20:50	1.2167	2452.189	65.259
2001/04/01	12:21:50	1.2333	2452.210	65.255
2001/04/01	12:22:50	1.2500	2452.254	65.262
2001/04/01	12:23:50	1.2667	2452.278	65.262
2001/04/01	12:24:50	1.2833	2452.288	65.259
2001/04/01	12:25:50	1.3000	2452.309	65.259
2001/04/01	12:26:50	1.3167	2452.335	65.259
2001/04/01	12:27:50	1.3333	2452.363	65.262
2001/04/01	12:28:50	1.3500	2452.380	65.262
2001/04/01	12:29:50	1.3667	2452.401	65.262
2001/04/01	12:30:50	1.3833	2452.420	65.266
2001/04/01	12:31:50	1.4000	2452.444	65.269
2001/04/01	12:32:50	1.4167	2452.456	65.269
2001/04/01	12:33:50	1.4333	2452.483	65.273
2001/04/01	12:34:50	1.4500	2452.479	65.269
2001/04/01	12:35:50	1.4667	2452.514	65.277
2001/04/01	12:36:50	1.4833	2452.536	65.280
2001/04/01	12:37:50	1.5000	2452.548	65.280
2001/04/01	12:38:50	1.5167	2452.567	65.284
2001/04/01	12:39:50	1.5333	2452.576	65.284
2001/04/01	12:40:50	1.5500	2452.588	65.284
2001/04/01	12:41:50	1.5667	2452.606	65.287
2001/04/01	12:42:50	1.5833	2452.602	65.284
2001/04/01	12:43:50	1.6000	2452.632	65.291
2001/04/01	12:44:50	1.6167	2452.630	65.287



Company Name Basin Disposal, Inc.
Well Name Disposal #1
Type of Test Injection Test
Date(s) of Test 4/1/01

Date	Time	Cum. T. 1 (V24)	Pres 1 (V24)	Temp 1 (V24)
		hr	psig	deg F
2001/04/01	12:45:50	1.6333	2452.908	65.295
2001/04/01	12:46:50	1.6500	2452.680	65.295
2001/04/01	12:47:50	1.6667	2452.675	65.291
2001/04/01	12:48:50	1.6833	2454.343	65.298
1 BBL/MIN				
2001/04/01	12:49:15	1.6903	2454.223	65.298
2001/04/01	12:49:50	1.7000	2459.241	65.298
2001/04/01	12:50:50	1.7167	2461.945	65.262
2001/04/01	12:51:50	1.7333	2463.653	65.295
2001/04/01	12:52:50	1.7500	2464.978	65.545
2001/04/01	12:53:50	1.7667	2466.112	66.069
2001/04/01	12:54:50	1.7833	2467.072	66.790
2001/04/01	12:55:50	1.8000	2467.871	67.644
2001/04/01	12:56:50	1.8167	2468.549	68.652
2001/04/01	12:57:50	1.8333	2469.318	69.775
2001/04/01	12:58:50	1.8500	2469.982	70.918
2 BBL/MIN				
2001/04/01	12:59:10	1.8556	2470.116	71.281
2001/04/01	12:59:50	1.8667	2475.964	71.987
2001/04/01	13:00:50	1.8833	2479.778	72.982
2001/04/01	13:01:50	1.9000	2482.485	73.940
2001/04/01	13:02:50	1.9167	2484.694	74.833
2001/04/01	13:03:50	1.9333	2486.515	75.596
2001/04/01	13:04:50	1.9500	2488.266	76.199
2001/04/01	13:05:50	1.9667	2489.855	76.611
2001/04/01	13:06:50	1.9833	2491.280	76.867
2001/04/01	13:07:50	2.0000	2492.515	76.982
2001/04/01	13:08:50	2.0167	2493.680	76.986
2001/04/01	13:09:50	2.0333	2494.797	76.903
2001/04/01	13:10:50	2.0500	2495.796	76.752
2001/04/01	13:11:50	2.0667	2496.656	76.552
2001/04/01	13:12:50	2.0833	2497.590	76.318
2001/04/01	13:13:50	2.1000	2498.493	76.055
2001/04/01	13:14:50	2.1167	2499.386	75.774
2001/04/01	13:15:50	2.1333	2507.044	75.486
2001/04/01	13:16:50	2.1500	2509.599	75.178
3 BBL/MIN				
2001/04/01	13:17:15	2.1569	2510.966	75.045
2001/04/01	13:17:50	2.1667	2513.178	74.849
2001/04/01	13:18:50	2.1833	2516.097	74.478
2001/04/01	13:19:50	2.2000	2518.491	74.071
2001/04/01	13:20:50	2.2167	2520.625	73.627
2001/04/01	13:21:50	2.2333	2522.549	73.168
2001/04/01	13:22:50	2.2500	2524.723	72.705
2001/04/01	13:23:50	2.2667	2526.634	72.255
2001/04/01	13:24:50	2.2833	2528.443	71.825
2001/04/01	13:25:50	2.3000	2529.869	71.413
2001/04/01	13:26:50	2.3167	2531.177	71.026
2001/04/01	13:27:50	2.3333	2532.412	70.662
2001/04/01	13:28:50	2.3500	2533.679	70.322

Date	Time	Cum. T. 1 (V24)	Pres 1 (V24)	Temp 1 (V24)
		hr	psig	deg F
2001/04/01	13:29:50	2.3667	2535.179	70.009
2001/04/01	13:30:50	2.3833	2536.697	69.717
4 BBL/MIN				
2001/04/01	13:31:15	2.3903	2537.238	69.597
2001/04/01	13:31:50	2.4000	2537.968	69.440
2001/04/01	13:32:50	2.4167	2544.288	69.192
2001/04/01	13:33:50	2.4333	2550.175	68.949
2001/04/01	13:34:50	2.4500	2554.144	68.707
2001/04/01	13:35:50	2.4667	2557.439	68.459
2001/04/01	13:36:50	2.4833	2560.723	68.216
2001/04/01	13:37:50	2.5000	2562.654	67.982
2001/04/01	13:38:50	2.5167	2564.921	67.766
2001/04/01	13:39:50	2.5333	2567.119	67.566
2001/04/01	13:40:50	2.5500	2569.298	67.392
2001/04/01	13:41:50	2.5667	2571.197	67.228
2001/04/01	13:42:50	2.5833	2573.457	67.078
2001/04/01	13:43:50	2.6000	2575.309	66.936
2001/04/01	13:44:50	2.6167	2577.045	66.808
2001/04/01	13:45:50	2.6333	2578.628	66.677
2001/04/01	13:46:50	2.6500	2580.065	66.567
5 BBL/MIN				
2001/04/01	13:47:15	2.6569	2580.730	66.520
2001/04/01	13:47:50	2.6667	2581.842	66.461
2001/04/01	13:48:50	2.6833	2585.933	66.364
2001/04/01	13:49:50	2.7000	2591.894	66.274
2001/04/01	13:50:50	2.7167	2595.544	66.187
2001/04/01	13:51:50	2.7333	2598.590	66.094
2001/04/01	13:52:50	2.7500	2602.057	66.004
2001/04/01	13:53:50	2.7667	2605.049	65.914
2001/04/01	13:54:50	2.7833	2607.669	65.831
2001/04/01	13:55:50	2.8000	2609.652	65.755
2001/04/01	13:56:50	2.8167	2611.938	65.694
2001/04/01	13:57:50	2.8333	2613.764	65.647
2001/04/01	13:58:50	2.8500	2615.605	65.601
2001/04/01	13:59:50	2.8667	2617.408	65.561
2001/04/01	14:00:50	2.8833	2619.115	65.529
2001/04/01	14:01:50	2.9000	2620.643	65.500
2001/04/01	14:02:50	2.9167	2622.087	65.475
2001/04/01	14:03:50	2.9333	2623.888	65.457
6 BBL/MIN				
2001/04/01	14:04:15	2.9403	2624.609	65.453
2001/04/01	14:04:50	2.9500	2628.552	65.439
2001/04/01	14:05:50	2.9667	2634.298	65.421
2001/04/01	14:06:50	2.9833	2637.771	65.403
2001/04/01	14:07:50	3.0000	2640.790	65.381
2001/04/01	14:08:50	3.0167	2643.516	65.359
2001/04/01	14:09:50	3.0333	2646.029	65.327
2001/04/01	14:10:50	3.0500	2648.312	65.305
2001/04/01	14:11:50	3.0667	2650.403	65.280
2001/04/01	14:12:50	3.0833	2652.471	65.259



Company Name Basin Disposal, Inc.
Well Name Disposal #1
Type of Test Injection Test
Date(s) of Test 4/1/01

Date	Time	Cum. T. 1 (V24)	Pres 1 (V24)	Temp 1 (V24)
		hr	psig	deg F
2001/04/01	14:13:50	3.1000	2654.327	65.237
2001/04/01	14:14:50	3.1167	2656.107	65.219
2001/04/01	14:15:50	3.1333	2657.762	65.205
2001/04/01	14:16:50	3.1500	2659.533	65.190
2001/04/01	14:17:50	3.1667	2660.998	65.179
2001/04/01	14:18:50	3.1833	2662.604	65.165
2001/04/01	14:19:50	3.2000	2664.243	65.165
2001/04/01	14:20:50	3.2167	2665.714	65.154
7 BBL/MIN				
2001/04/01	14:21:15	3.2236	2669.165	65.152
2001/04/01	14:21:50	3.2333	2671.817	65.149
2001/04/01	14:22:50	3.2500	2675.013	65.145
2001/04/01	14:23:50	3.2667	2677.981	65.138
2001/04/01	14:24:50	3.2833	2680.625	65.127
2001/04/01	14:25:50	3.3000	2682.969	65.120
2001/04/01	14:26:50	3.3167	2685.079	65.116
2001/04/01	14:27:50	3.3333	2686.892	65.116
2001/04/01	14:28:50	3.3500	2688.638	65.113
2001/04/01	14:29:50	3.3667	2690.433	65.116
2001/04/01	14:30:50	3.3833	2692.202	65.116
2001/04/01	14:31:50	3.4000	2693.901	65.116
2001/04/01	14:32:50	3.4167	2695.532	65.116
2001/04/01	14:33:50	3.4333	2697.120	65.124
2001/04/01	14:34:50	3.4500	2698.578	65.124
2001/04/01	14:35:50	3.4667	2699.987	65.124
8 BBL/MIN				
2001/04/01	14:36:15	3.4736	2700.543	65.120
2001/04/01	14:36:50	3.4833	2705.692	65.125
2001/04/01	14:37:50	3.5000	2708.773	65.125
2001/04/01	14:38:50	3.5167	2711.507	65.129
2001/04/01	14:39:50	3.5333	2713.892	65.133
2001/04/01	14:40:50	3.5500	2715.964	65.133
2001/04/01	14:41:50	3.5667	2717.907	65.136
2001/04/01	14:42:50	3.5833	2719.840	65.151
2001/04/01	14:43:50	3.6000	2721.474	65.165
2001/04/01	14:44:50	3.6167	2723.034	65.190
2001/04/01	14:45:50	3.6333	2724.627	65.208
2001/04/01	14:46:50	3.6500	2726.056	65.226
2001/04/01	14:47:50	3.6667	2727.423	65.244
2001/04/01	14:48:50	3.6833	2728.773	65.260
2001/04/01	14:49:50	3.7000	2730.053	65.275
2001/04/01	14:50:50	3.7167	2731.562	65.293
2001/04/01	14:51:50	3.7333	2732.944	65.311
9 BBL/MIN				
2001/04/01	14:52:15	3.7403	2733.374	65.318
2001/04/01	14:52:50	3.7500	2735.282	65.325
2001/04/01	14:53:50	3.7667	2739.447	65.347
2001/04/01	14:54:50	3.7833	2741.866	65.372
2001/04/01	14:55:50	3.8000	2743.897	65.404
2001/04/01	14:56:50	3.8167	2745.519	65.437

Date	Time	Cum. T. 1 (V24)	Pres 1 (V24)	Temp 1 (V24)
		hr	psig	deg F
2001/04/01	14:57:50	3.8333	2747.033	65.471
2001/04/01	14:58:50	3.8500	2748.561	65.514
2001/04/01	14:59:50	3.8667	2749.840	65.565
2001/04/01	15:00:50	3.8833	2750.955	65.604
2001/04/01	15:01:50	3.9000	2752.291	65.647
2001/04/01	15:02:50	3.9167	2753.397	65.683
2001/04/01	15:03:50	3.9333	2754.378	65.719
2001/04/01	15:04:50	3.9500	2755.415	65.755
2001/04/01	15:05:50	3.9667	2756.366	65.788
2001/04/01	15:06:50	3.9833	2757.237	65.824
2001/04/01	15:07:50	4.0000	2757.969	65.851
9.85 BBL/MIN				
2001/04/01	15:08:30	4.0111	2759.161	65.872
2001/04/01	15:08:50	4.0167	2739.813	65.881
2001/04/01	15:09:50	4.0333	2721.769	65.901
2001/04/01	15:10:50	4.0500	2717.154	65.908
2001/04/01	15:11:50	4.0667	2726.635	65.910
2001/04/01	15:12:50	4.0833	2742.740	65.946
2001/04/01	15:13:50	4.1000	2749.531	66.020
2001/04/01	15:14:50	4.1167	2754.021	66.063
2001/04/01	15:15:50	4.1333	2757.353	66.078
2001/04/01	15:16:50	4.1500	2759.949	66.088
2001/04/01	15:17:50	4.1667	2762.237	66.121
2001/04/01	15:18:50	4.1833	2764.122	66.160
2001/04/01	15:19:50	4.2000	2765.855	66.207
2001/04/01	15:20:50	4.2167	2767.322	66.252
2001/04/01	15:21:50	4.2333	2768.665	66.285
2001/04/01	15:22:50	4.2500	2770.054	66.317
2001/04/01	15:23:50	4.2667	2746.090	66.348
2001/04/01	15:24:50	4.2833	2761.965	66.367
2001/04/01	15:25:50	4.3000	2766.131	66.407
2001/04/01	15:26:50	4.3167	2768.901	66.436
2001/04/01	15:27:50	4.3333	2770.586	66.454
2001/04/01	15:28:50	4.3500	2759.744	66.468
2001/04/01	15:29:50	4.3667	2757.576	66.479
2001/04/01	15:30:50	4.3833	2756.394	66.493
2001/04/01	15:31:50	4.4000	2755.158	66.511
2001/04/01	15:32:50	4.4167	2754.332	66.522
STOPPED PUMPING				
2001/04/01	15:33:15	4.4236	2754.024	66.519
2001/04/01	15:33:50	4.4333	2753.666	66.508
2001/04/01	15:34:50	4.4500	2735.960	66.484
2001/04/01	15:35:50	4.4667	2723.797	66.452
2001/04/01	15:36:50	4.4833	2715.215	66.429
2001/04/01	15:37:50	4.5000	2708.259	66.407
2001/04/01	15:38:50	4.5167	2702.149	66.385
2001/04/01	15:39:50	4.5333	2696.503	66.375
2001/04/01	15:40:50	4.5500	2691.189	66.362
2001/04/01	15:41:50	4.5667	2686.143	66.348
2001/04/01	15:42:50	4.5833	2681.339	66.337



Company Name Basin Disposal, Inc.
Well Name Disposal #1
Type of Test Injection Test
Date(s) of Test 4/1/01

Date	Time	Cum. T. 1 (V24)	Pres 1 (V24)	Temp 1 (V24)
		hr	psig	deg F
2001/04/01	15:43:50	4.6000	2676.687	66.326
2001/04/01	15:44:50	4.6167	2672.195	66.319
2001/04/01	15:45:50	4.6333	2667.846	66.304
2001/04/01	15:46:50	4.6500	2663.638	66.295
2001/04/01	15:47:50	4.6667	2659.520	66.277
2001/04/01	15:48:50	4.6833	2655.532	66.270
2001/04/01	15:49:50	4.7000	2651.627	66.259
2001/04/01	15:50:50	4.7167	2647.815	66.249
2001/04/01	15:51:50	4.7333	2644.064	66.238
2001/04/01	15:52:50	4.7500	2640.415	66.231
2001/04/01	15:53:50	4.7667	2636.834	66.222
2001/04/01	15:54:50	4.7833	2633.318	66.214
2001/04/01	15:55:50	4.8000	2609.868	66.207
2001/04/01	15:56:50	4.8167	2455.675	66.214
2001/04/01	15:57:50	4.8333	2197.612	66.405
2001/04/01	15:58:50	4.8500	2038.366	66.868
2001/04/01	15:59:50	4.8667	1813.302	67.327
2001/04/01	16:00:50	4.8833	1592.621	67.516
2001/04/01	16:01:50	4.9000	1403.007	67.370
2001/04/01	16:02:50	4.9167	1210.748	67.033
2001/04/01	16:03:50	4.9333	1044.281	66.598
2001/04/01	16:04:50	4.9500	995.854	66.142
2001/04/01	16:05:50	4.9667	33.615	66.524
2001/04/01	16:06:50	4.9833	0.000	67.600
2001/04/01	16:07:50	5.0000	0.000	68.535
2001/04/01	16:08:50	5.0167	0.000	68.787
2001/04/01	16:09:50	5.0333	0.000	68.743
2001/04/01	16:10:50	5.0500	0.000	68.797