Wells Within "Area of Review"

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
CEDAR LAKE # 3-Y			**** NC	PUBLIC RECORD ***	*	
STATE BK # 2	660 FSL 539 FWL SEC 19-T17S-R31E EDDY COUNTY, NM	13-Jul-66	24-Aug-66	OIL PRODUCER		8 5/8 IN @ 495 ft. w/ 50 SX 7 IN @ 1851 ft. w/ 110 SX 5 1/2 IN @ 3056 ft. w/ 65 SX PERFS: 2980 - 3023 openhole 3056 - 3568 P&A'D 5/22/2002
STATE BK # 4	990 FSL 906 FWL SEC 19-T17S-R31E EDDY COUNTY, NM	4-Jun-47	18-Jul-47	OIL PRODUCER		8 5/8 IN @ 505 ft. w/ 50 SX 5 1/2 IN @ 1906 ft. w/ 75 SX PERFS: openhole 1906 -1982 P&A'D 11/17/1999
STATE BK # 6	990 FSL 744 FWL SEC 19-T17S-R31E EDDY COUNTY, NM	20-Sep-62	6-Nov-62	OIL PRODUCER		8 5/8 IN @ 1252 ft. w/ 200 SX 4 1/2 IN @ 7088 ft. w/ 870 SX PERFS: 7034 - 7046 P&A'D 1/1/2001
LEE FEDERAL # 2	1650 FNL 990 FWL SEC 19-T17S-R31E EDDY COUNTY, NM	15-Aug-98	21-May-99	OIL PRODUCER	5300'	8 5/8 IN @ 442 ft. w/ 400 SX 5 1/2 IN @ 5274 ft. w/ 1800 SX PERFS: 4641 - 4973 IP: 23 OIL // 36 GAS // 789 WTR

LEE FEDERAL # 6	1650 FNL 2310 FWL SEC 20-T17S-R31E EDDY COUNTY, NM	27-Jul-99	27-Nov-99	OIL PRODUCER		13 3/8 IN @ 450 ft. w/ 450 SX 8 5/8 IN @ 1368 ft. w/ 700 SX 5 1/2 IN @ 5165 ft. w/ 1235 SX PERFS: 4670 - 5038 16 OIL // 15 GAS // 483 WTR
LEE FEDERAL # 7			**** WEI	LL NEVER DRILLED **	***	
LEE FEDERAL # 8			**** WEI	LL NEVER DRILLED **	***	
LEE FEDERAL # 10	2310 FNL 1650 FWL SEC 20-T17S-R31E EDDY COUNTY, NM	29-Apr-01	13-Jul-01	OIL PRODUCER	5231	13 3/8 IN @ 453 ft. w/ 450 SX 8 5/8 IN @ 1367 ft. w/ 650 SX 5 1/2 IN @ 5231 ft. w/ 1250 SX PERFS: 4642 - 5042 IP: 27 OIL // 48 GAS // 685 WTR
LEE FEDERAL # 17	730 FNL 890 FWL SEC 20-T17S-R31E EDDY COUNTY, NM	4/9/2003	5/29/2003	OIL PRODUCER	5191	13 3/8 IN @ 317 ft. w/ 400 SX 8 5/8 IN @ 1351 ft. w/ 570 SX 5 1/2 IN @ 5190 ft. w/ 800 SX PERFS: 4628 - 4948
FREN OIL CO WI-25	1880 FSL 410 FEL SEC 19-T17S-R31E EDDY COUNTY, NM	7/17/1997	8/14/1997	WATER INJECTOR	3732	8 5/8 IN @ 428 ft. w/ 300 SX 5 1/2 IN @ 3731 ft. w/ 2325 SX PERFS: 3171 - 3300 // 2762 - 3131
FRIESS FEDERAL WI-5	2220 FSL 1434 FEL SEC 19-T17S-R31E EDDY COUNTY, NM	6-Dec-97	27-Jan-98	WATER INJECTOR	3440	8 5/8 IN @ 419 ft. w/ 350 SX 5 1/2 IN @ 3439 ft. w/ 1050 SX 2720 - 3251 FRAC 44000 LB SAND

FRIESS FEDERAL # 5			*** NC) PUBLIC RECORD ****			
TURNER 'B' # 115	1050 FNL 25 FWL SEC 20-T17S-R31E EDDY COUNTY, NM	16-Feb-99	16-Mar-99	OIL PRODUCER	3600	8 5/8 IN @ 425 ft. w/ 725 SX 5 1/2 IN @ 3598 ft. w/ 1700 SX PERFS: 2696 - 3406 IP: 242 OIL	
CHERRY VANILLA # 1	1980 FNL 860 FEL SEC 19-T17S-R31E EDDY COUNTY, NM	10/30/2002	1/9/2002	GAS PRODUCER	11760	13 3/8 IN @ 434 ft. w/ 400 SX 9 5/8 IN @ 4531 ft. w/ 3525 SX 5 1/2 IN @ 11760 ft. w/ 1350 SX PERFS: 11229 - 11236	
CHOCOLATE MOOSE # 1	1600 FSL 990 FWL SEC 20-T17S-R31E EDDY COUNTY, NM	20-Dec-01	10-Jan-02			13 3/8 IN @ 445 ft. w/ 500 SX *** LOST HOLE @ 4503' P&A'D Jan 15, 2002	
CHOCOLATE MOOSE # 1-Y	SEC 20-T17S-R31E EDDY COUNTY, NM	1/17/2002	5/9/2002	GAS PRODUCER	11736	13 3/8 IN @ 440 ft. w/ 700 SX 9 5/8 IN @ 4535 ft. w/ 2175 SX 5 1/2 IN @ 11736 ft. w/ 1050 SX PERFS: 11310 - 11330	

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
FOSTER, V.L. #2	1650'FSL & 2310'FEL SEC 17-T17S-R31E EDDY COUNTY, NM	9/2/49	10/15/49	OIL PRODUCER	2081'/2081'	8 5/8" @ 506' W/50 SXS 7" @ 1935' W/50 SXS OPEN HOLE COMPLETION: 1935- 2081' IP=16 BOPD
FOSTER, V.L. #4	1650'FSL & 1650'FEL SEC 17-T17S-R31E EDDY COUNTY, NM	12/15/49	1 <i>/</i> 28/50	OIL PRODUCER	2029'/2029'	8 5/8" @ 501' W/50 SXS 7" @ 1956' W/150 SXS OPEN HOLE COMPLETION: 1956'- 2029' IP=22 BOPD
FREN OIL COMPANY #1	660'FSL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	6/25/43	8/21/43	OIL PRODUCER	2030/2030	7" @ 507' W/50 SXS 5 1/2" @ 1850' W/100 SXS OPEN HOLE COMPLETION: 1850'- 2030' IP=44 BOPD
			8/20/71			TEMPORARILY ABANDONED
FREN OIL COMPANY #2	660'FSL & 1980'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	10/2/43	11/29/43	OIL PRODUCER	1991'/1991'	8 5/8" @ 460' W/50 SXS 7" @ 1821' W/100 SXS OPEN HOLE COMPLETION: 1821'- 1991' IP=72 BOPD
			3/30/50 12/22/54		3116/3116	PERFORATE: 1942-1989'(OA) - RETURN TO PRODUCTION DEEPEN OPEN HOLE TO 3116' 5 1/2" @ 3065' W/75 SXS
·			7/3/72	WATER INJECTOR	3181'/3181'	OPEN HOLE COMPLETION: 3065'- 3116' - RETURN TO PRODUCTION DEEPEN OPEN HOLE TO 3181' CONVERTED TO WATER INJECTION WELL
FREN OIL COMPANY #3	1980'FSL & 1980'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	3/12/44	4/15/44	OIL PRODUCER		8 5/8" @ 482' W/50 SXS 7" @ 1802' W/100 SXS OPEN HOLE COMPLETION: 1802'- 2002' IP=145 BOPD
			7/1/55		3134'/3134'	DEEPEN OPEN HOLE TO 3134'
			8/9/72		3134/3100	5 1/2" @ 3074' W/80 SXS - RETURN TO PRODUCTION PLUG BACK OPEN HOLE TO 3100' PERFORATE: 2950'- 3044'(OA) - RETURN TO PRODUCTION

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
FREN OIL COMPANY #4	1980'FSL & 660'FEL	12/8/43	1/21/44	OIL PRODUCER	2052 ⁻ /2052	8 5/8" @ 480' W/60 SXS
	SEC 19-T17S-R31E					7" @ 1845' W/100 SXS OPEN HOLE COMPLETION: 1845'- 2052'
	EDDY COUNTY, NM					IP=160 BOPD
			12/18/58		3185'/3185'	DEEPEN OPEN HOLE TO 3185'
			,2,0,0		1	5 1/2" @ 3178' W/85 SXS
						PERFORATE: 3020-3152(OA) - RETURN TO PRODUCTION
			5/14/64		3185'/3170'	SET BRIDGE PLUG @ 3170
						PERFORATE: 2722-3152(OA) - RETURN TO PRODUCTION
			7/8/77			PLUGGED & ABANDONED
FREN OIL COMPANY #5	660'FSL & 660'FEL	1/27/44	2/25/44	OIL PRODUCER	2023'/2023'	8 5/8" @ 485' W/50 SXS
	SEC 19-T17S-R31E			-		7" @ 1806' W/100 SXS
	EDDY COUNTY, NM					OPEN HOLE COMPLETION: 1806'- 2023'
						IP=152 BOPD
			8/20/71			TEMPORARILY ABANDONED
FREN OIL COMPANY #6	990'FSL & 1650'FEL	8/10/46	9/9/46	OIL PRODUCER	2017'/2017'	8 5/8" @ 500' W/75 SXS
	SEC 19-T17S-R31E					7" @ 1818' W/150 SXS
	EDDY COUNTY, NM					OPEN HOLE COMPLETION: 1818'- 2020'
			ļ			IP=106 BOPD
			2/20/64		3643'/3643'	DEEPEN OPEN HOLE TO 3643'
						4 1/2" LINER @ 1767- 3643' W/295 SXS
(ļ			PERFORATE: 2911'- 3546'(OA) - RETURN TO PRODUCTION
			10/13/75			PLUGGED & ABANDONED
FREN OIL COMPANY #7	990'FSL & 2970'FEL	10/19/46	11/19/46	OIL PRODUCER	2023'/2023'	8 5/8" @ 452' W/75 SXS :
	SEC 19-T17S-R31E					7" @ 1809' W/130 SXS
	EDDY COUNTY, NM					OPEN HOLE COMPLETION: 1809'- 2023'
			}	Ì		IP=83 BOPD
		ļ	12/12/63			DEEPEN OPEN HOLE TO 3312' & THEN PLUGGED BACK TO 3100'
				ļ		4 1/2" @ 3094' W/150 SXS. TOC @ 2486'(CBL)
						PERFORATE: 2844'- 3071'(OA) - RETURN TO PRODUCTION
<u>ļ</u>		Į	5/30/80			CEMENT 4 1/2"- 7" ANNULUS FROM 2486' TO SURFACE

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
FREN OIL COMPANY #12	610'FSL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	12/14/54	2/11/55	OIL PRODUCER		8 5/8" @ 499' W/50 SXS 7" @ 3080' W/125 SXS OPEN HOLE COMPLETION: 3080'- 3141' IP=630 BOPD
			6/8/82			DEEPEN OPEN HOLE TO 3200' PERFORATE: 3060'- 3070'(OA) - RETURN TO PRODUCTION
FREN OIL COMPANY #13	660'FSL & 710'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	3/5/55	6/13/55	OIL PRODUCER		8 5/8" @ 514' W/75 SXS 7" @ 3194' W/150 SXS OPEN HOLE COMPLETION: 3194'- 3255'
·.			6/22/72 6/22/82	WATER INJECTOR		PERFORATE: 3153'- 3186'(OA) CONVERT TO WATER INJECTION WELL PERFORATE: 3044'- 3052'(OA) - RETURN TO INJECTION
			9/18/92			CLEAN OUT OPEN HOLE TO 3333' - RETURN TO INJECTION
FREN OIL COMPANY #16	990'FSL & 355'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	8/24/61	9/16/61	OIL PRODUCER		8 5/8" @ 1503' W/550 SXS. CEMENT TO SURFACE. 5 1/2" @ 7067' W/1050 SXS. CEMENT TO SURFACE. PERFORATE: 6972'- 6998'(OA) IP=80 BOPD
			1/1 <i>4/</i> 71 6/3/80		7067'/6918' 7067'/1350'	SET CIBP @ 6918' - TEMPORARILY ABANDONED. SPOT CEMENT PLUG: 6750'- 6916' & 1350'- 1450'
,	900'FSL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	12/11/61	1/1/62	OIL PRODUCER		8 5/8" @ 1489' W/400 SXS. CEMENT TO SURFACE. 4 1/2" @ 7029' W/675 SXS. CEMENT TO SURFACE. PERFORATE: 6928'- 6982'(OA) IP=450 BOPD [
			1/19/71			SET CIBP @ 6875' - TEMPORARILY ABANDONED.

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
FREN OIL COMPANY #18	1650FSL & 1750FWL SEC 19-T17S-R31E EDDY COUNTY, NM	1/2/62	5/11/62	OIL PRODUCER	7150′/7120′	8 5/8" @ 1364' W/650 SXS. CEMENT TO SURFACE. 4 1/2" @ 7120' W/1200 SXS. TOC @ 1435'(CBL) PERFORATE: 7011'- 7022'(OA) IP=192 BOPD
			10/27/78		7150/3200	SQUEEZE PERFORATIONS W/200 SXS. SET CIBP @ 3257' & CAP WITH CEMENT TO 3200'. PERFORATE: 1400'- 1402'. SQUEEZE W/550 SXS, CEMENT TO SURFACE. PERFORATE: 2975'- 3104'(OA) - RETURN TO PRODUCTION
FREN OIL COMPANY #19	1650'FSL & 990'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	3/11/62	4/2/62	OIL PRODUCER	7100′/7096′	8 5/8" @ 1391' W/675 SXS. CEMENT TO SURFACE. 4 1/2" @ 7100' W/1935 SXS. TOC @ 2354'(CBL) PERFORATE: 7026'- 7095'(OA) IP=182 BOPD
			4/22/80			PERFORATE: 2320', 1800', & 1415'. SQUEEZE W/700 SXS. RETURN TO PRODUCTION
FREN OIL COMPANY #20	900'FSL & 1980'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	5/27/62	6/17/62	OIL PRODUCER	7115/7113	9 5/8" @ 1439' W/750 SXS. CEMENT TO SURFACE. 4 1/2" @ 7113' W/1200 SXS. CEMENT TO SURFACE. PERFORATE: 6928'- 7086'(OA) IP=226 BOPD
			1/16/71 5/11/80		7115'/6868'	SET CIBP @ 6868' - TEMPORARILY ABANDONED PERF & SQUEEZE @ 2110' W/1250 SXS. TOC @ 1910'(TEMP SURVEY)
FREN OIL COMPANY #21	560'FSL & 1930'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	3/27/65	6/17/65	GAS PRODUCER		13 3/8" @ 369' W/300 SXS. CEMENT TO SURFACE. 9 5/8" @ 3210' W/600 SXS. CEMENT TO SURFACE. 7" @ 12,275' W/575 SXS. SET CIBP @ 11,500' PERFORATE: 6944'- 6996'(OA) - ABO ZONE PERFORATE: 11,142'- 11,218'(OA) - MORROW ZONE
			1/7/81		·	COMPLETED AS A DUAL GAS WELL SQUEEZE ABO PERFS W/200 SXS PERFORATE & SQUEEZE 5768'- 5770' W/250 SXS PERFORATE & SQUEEZE 5050'- 5052' W/720 SXS. CEMENT TO SURFACE. SQUEEZE CASING LEAKS 8170'- 8385' W/150 SXS RETURN TO PRODUCTION - MORROW ZONE ONLY

LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
2310'FSL & 1650'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	9/15/41	4/15/42	OIL PRODUCER		8 1/4" @ 465' W/50 SXS 7" @ 2719' W/100 SXS OPEN HOLE COMPLETION: 2719- 2870' IP=35 BOPD
		2/16/67 8/13/69			CLEAN OUT OPEN HOLE TO 3470' - RETURN TO PRODUCTION 7" CASING COLLAPSED @ 2442' SET CIBP @ 2431' PERFORATE: 1901'- 1974'(OA) - RETURN TO PRODUCTION
		11/27/72			TEMPORARILY ABANDONED
1980'FSL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	7/18/44	9/1/44	OIL PRODUCER		8 1/4" @ 470' W/50 SXS 7" @ 1804' W/100 SXS OPEN HOLE COMPLETION: 1804'- 1970'
		6/23/55		3110/3110	DEEPEN OPEN HOLE TO 3110' 5 1/2" @ 2981' W/45 9XS. TOC @ 2300' OPEN HOLE COMPLETION: 2981'- 3110' - RETURN TO PRODUCTION
		1/27/67 7/5/72	WATER INJECTOR		DEEPEN OPEN HOLE TO 3255' - RETURN TO PRODUCTION PLUG BACK OPEN HOLE TO 3122'
					CONVERT TO WATER INJECTION WELL
1650'FSL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	5/23/62	7/13/62	OIL PRODUCER		8 5/8" @ 1405' W/200 SXS 5 1/2" @ 7085' W/850 SXS. TOC @ 1454' PERFORATE: 7060'- 7070'(OA) IP=984 BOPD
		5/17/63 4/5/65			PERFORATE: 6955'- 7046'(OA) - RETURN TO PRODUCTION SQUEEZE ALL EXISTING PERFORATIONS W/150 SXS PERFORATE: 6955'- 7005'(OA) - RETURN TO PRODUCTION
		7/8/69		7095'/7095'	DRILLED OUT WELLBORE TO 7095' PERFORATE: 6959'- 7095'(OA), 5 1/2" CASING RUPTURED @ 3541'.
		6/23/70		7095'/3269'	SET CIBP @ 3269', CAPPED WITH CEMENT PERFORATE: 2814'- 3176'(OA) - RETURN TO PRODUCTION
	2310'FSL & 1650'FEL SEC 19-T17S-R31E EDDY COUNTY, NM 1980'FSL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	2310'FSL & 1650'FEL SEC 19-T17S-R31E EDDY COUNTY, NM 1980'FSL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM 1650'FSL & 1980'FEL SEC 19-T17S-R31E	2310FSL & 1650FEL SEC 19-T17S-R31E EDDY COUNTY, NM 2/16/67 8/13/69 11/27/72 1980FSL & 1980FEL SEC 19-T17S-R31E EDDY COUNTY, NM 6/23/55 1/27/67 7/5/72 1650FSL & 1980FEL SEC 19-T17S-R31E EDDY COUNTY, NM 5/17/63 4/5/65 7/8/69	2310FSL & 1650FEL SEC 19-T17S-R31E EDDY COUNTY, NM 2/16/67 8/13/69 11/27/72 1980FSL & 1980FEL SEC 19-T17S-R31E EDDY COUNTY, NM 6/23/55 1/27/67 7/5/72 WATER INJECTOR 1650FSL & 1980FEL SEC 19-T17S-R31E EDDY COUNTY, NM 5/23/62 7/18/69	2310'FSL & 1650'FEL SEC 19-T175-R31E EDDY COUNTY, NM 2/16/67

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
	;						
		•					
				:		I	-
	·						
	·		,				
•		1980'FNL & 1980'FEL SEC 30-T17S-R31E EDDY COUNTY, NM	7/1/57	8/13/57	OIL PRODUCER		10 3/4" @ 586' W/100 SXS 7" @ 3451' W/100 SXS. TQC @ 2400'(TEMP SURVEY) PERFORATE: 2908'- 3274'(OA)
				2/22/60 5/20/62			IP=264 BOPD PERFORATE: 3379'- 3392'(OA) - RETURN TO PRODUCTION PERFORATE: 3382'- 3396'(OA) - TEMPORARILY ABANDONED
				8/3/78 8/13/79			PLUGGED & ABANDONED

	MICE E STARF	LOOKTION	CDUD DATE	00MP 547	MPL TIPE	DEDTIMATE	COMPLETION PEOCOD
	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
•	FRIESS, MAX #4	1980'FNL & 660'FEL SEC 30-T17S-R31E	8/26/57	10/6/57	OIL PRODUCER	3397'/3379'	10 3/4" @ 614' W/100 SXS 7" @ 3396' W/100 SXS. TOC @ 2210'(TEMP SURVEY)
		EDDY COUNTY, NM		İ			PERFORATE: 3358'- 3368'(OA)
				11/11/58			IP=232 BOPD PERFORATE: 3220'- 3240'(OA) - RETURN TO PRODUCTION
				6/22/72	WATER INJECTOR	3397'/3300'	SET CIBP @ 3300'
				9/28/91			CONVERT TO WATER INJECTION WELL CLEAN OUT WELLBORE TO 3390'
							PERFORATE: 2903'- 3390'(OA) - RETURN TO INJECTION
ı							
				ļ	ļ		<u> </u>
۲		1270'FNL & 1460'FEL SEC 30-T17S-R31E	5/5/92	5/21/92	OIL PRODUCER		13 3/8" @ 404' W/375 SXS. CEMENT TO SURFACE. 8 5/8" @ 1443' W/650 SXS. CEMENT TO SURFACE.
		EDDY COUNTY, NM					5 1/2" @ 3937' W/1100 SXS. CEMENT TO SURFACE. PERFORATE: 3089'- 3519'(OA)
l		•					IP=298 BOPD
	•		. I	ı			
l							
1							
- [1	
	}	ì	1				
			İ				

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "A" #16	1980'FNL & 660'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	3/2/44	4/29/44	OIL PRODUCER	1927'/1927'	7" @ 491' W/50 SXS 5 1/2" @ 1876' W/100 SXS OPEN HOLE COMPLETION: 1876'- 1927' IP=60 BOPD
			9/28/85		1927'/1844'	SET CIBP @ 1844' - TEMPORARILY ABANDONED
TURNER "A" #17	1980'FNL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	8/29/44	10/24/44	OIL PRODUCER		7" @ 493' W/50 SXS 5 1/2" @ 1847' W/100 SXS OPEN HOLE COMPLETION: 1847'- 1965' IP=95 BOPD
			10/12/85			PLUGGED & ABANDONED
TURNER "A" #19	1980'FNL & 1980'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	1/28/45	4/28/45	OIL PRODUCER		7" @ 494' W/50 SXS 5 1/2" @ 1837' W/100 SXS OPEN HOLE COMPLETION: 1837'- 1949'
			2/13/76	i		PLUGGED & ABANDONED
TURNER "A" #20	2310'FNL & 990'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	4/15/48	6/8/48	OIL PRODUCER		7" @ 510' W/50 SXS 5 1/2" @ 1866' W/100 SXS OPEN HOLE COMPLETION: 1866'- 1935' IP=15 BOPD PLUGGED & ABANDONED
TURNER "A" #21	2310'FNL & 2310'FEL	10/10/48	11/29/48	OIL PRODUCER		8 5/8" @ 500' W/30 SXS
	SEC 19-T17S-R31E EDDY COUNTY, NM					5 1/2" @ 1855' W/75 SXS OPEN HOLE COMPLETION: 1855'- 1932' IP=10 BOPD
			2/24/76			PLUGGED & ABANDONED
	2310'FNL & 1650'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	8/4/48	10/21/48	OIL PRODUCER		8 1/4" @ 491' W/30 SXS 7" @ 1855' W/75 SXS OPEN HOLE COMPLETION: 1855'- 1940' IP=10 BOPD
			9/5/85		1940/1811'	SET CIBP @ 1811' - TEMPORARILY ABANDONED

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #46	660'FSL & 760'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	5/2/56	7/7/56	OIL PRODUCER	3449/3421	8 5/8" @ 539' W/50 SXS 5 1/2" @ 3449' W/225 SXS PERFORATE: 3208'- 3226'(OA) IP=191 BOPD
			3/11/69 1/28/70 9/14/91	WATER INJECTOR		CONVERT TO WATER INJECTION WELL PERFORATE: 3306- 3316 (OA) - RETURN TO INJECTION PERFORATE: 2936- 3381 (OA) - RETURN TO INJECTION
TURNER "B" #47	560'FNL & 1980'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	4/17/57	6/6/57	OIL PRODUCER		10 3/4" @ 558' W/100 SXS 7" @ 3450' W/100 SXS. TOC @ 2385'(TEMP SURVEY) PERFORATE: 3396'- 3412'(OA) IP=242 BOPD
			4/26/59 3/11/69 1/26/70	WATER INJECTOR	3450'/3305' 3450'/3380'	PERFORATE: 3243'- 3270'(OA) - RETURN TO PRODUCTION SET RBP @ 3305' - CONVERT TO WATER INJECTION WELL PUSH RBP TO 3394'. SET CIBP @ 3380' PERFORATE: 3350'- 3366'(OA) - RETURN TO INJECTION
			7/10/91		3450'/3415'	MILLED ON & PUSHED CIBP TO 3415' PERFORATE: 3045- 3412'(OA) - RETURN TO INJECTION
TURNER "B" #48	560'FNL & 1980'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	7/14/57	8/28/57	OIL PRODUCER		9 5/8" @ 500' W/250 SXS. CEMENT TO SURFACE. 7" @ 3431' W/200 SXS. TOC @ 2200'(TEMP SURVEY) PERFORATE: 3214'- 3224'(OA) IP=222 BOPD
			2/1/70 5/26/80			PERFORATE: 3240'- 3322'(OA) - RETURN TO PRODUCTION PERFORATE & SQUEEZE 1200'- 1202', 2025'- 2027' W/1600 SXS PERFORATE & SQUEEZE 780' W/250 SXS PERFORATE & SQUEEZE 598' W/2325 SXS. CEMENT TO SURFACE.
			4/16/91			RETURN WELL TO PRODUCTION PERFORATE: 3374'- 3386'(OA) - RETURN TO PRODUCTION

LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
1980'FNL & 1980'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	9/2/57	3/6/91	OIL PRODUCER	3600'/3467'	10 3/4" @ 581' W/100 SXS 7" @ 3502' W/100 SXS. TOC @ 2325' OPEN HOLE COMPLETION: 3502'- 3600' SET RBP @ 3467' PERFORATE: 3416'- 3454'(OA) IP=264 BOPD PERFORATE: 3165'- 3314'(OA) - RETURN TO PRODUCTION PERFORATE: 3081'- 3435'(OA) - RETURN TO PRODUCTION
660'FNL & 660'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	10/6/57	11/25/57	OIL PRODUCER		10 3/4" @ 598' W/100 SXS 7" @ 3374' W/100 SXS. TOC@ 2275' PERFORATE: 3306'- 3320'(OA) IP=205 BOPD PERFORATE: 3208'- 3224'(OA) - RETURN TO PRODUCTION
		3/11/69 1/22/70 7/18/91			SET CIBP @ 3295' & CAP W/10' CMT - CONVERT TO WATER INJECTION WELL CLEANED OUT WELLBORE TO 3290' PERFORATE: 3172'- 3285'(OA) - RETURN TO INJECTION DRILLED OUT CIBP & CLEAN OUT WELLBORE TO 3340' PERFORATE: 2978'- 3156'(OA) - RETURN TO INJECTION
2055'FSL & 660'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	12/2/57	1/18/58 3/25/68 3/12/91	OIL PRODUCER		8 5/8" @ 636' W/100 SXS 5 1/2" @ 3210' W/175 SXS. TOC @ 2230' PERFORATE: 3070'- 3087'(OA) IP=264 BOPD PERFORATE: 3128'- 3190'(OA) - RETURN TO PRODUCTION PERFORATE: 2811'- 2938'(OA) - RETURN TO PRODUCTION
1980'FNL & 660'FWL BEC 29-T17S-R31E EDDY COUNTY, NM	12/31/57	2/23/58 2/5/70 11/1/90	OIL PRODUCER	3451'/3439'	10 3/4" @ 558' W/100 SXS. CEMENT TO SURFACE. 5 1/2" @ 3451' W/150 SXS PERFORATE: 3300'- 3320'(OA) IP=216 BOPD PERFORATE: 3330'- 3338'(OA) - RETURN TO PRODUCTION PERFORATE: 3269'- 3352'(OA) - RETURN TO PRODUCTION
	1980'FNL & 1980'FEL SEC 29-T17S-R31E EDDY COUNTY, NM SEC 29-T17S-R31E EDDY COUNTY, NM	1980'FNL & 1980'FEL SEC 29-T17S-R31E EDDY COUNTY, NM 260'FNL & 660'FWL SEC 29-T17S-R31E EDDY COUNTY, NM 2055'FSL & 660'FEL SEC 20-T17S-R31E EDDY COUNTY, NM 2055'FSL & 660'FEL SEC 20-T17S-R31E EDDY COUNTY, NM 2055'FSL & 660'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	1980'FNL & 1980'FEL SEC 29-T17S-R31E EDDY COUNTY, NM 3/6/91 3/12/95 360'FNL & 660'FWL SEC 29-T17S-R31E EDDY COUNTY, NM 6/18/59 3/11/69 1/22/70 7/18/91 2055'FSL & 660'FEL SEC 20-T17S-R31E EDDY COUNTY, NM 3/25/68 3/12/91 980'FNL & 660'FWL 12/31/57 2/23/58 580'FNL & 660'FWL 12/31/57 2/23/58	1980'FNL & 1980'FEL SEC 29-T17S-R31E SEDDY COUNTY, NM 3/6/91 3/12/95 10/6/57 11/25/57 OIL PRODUCER 660'FNL & 660'FWL SEC 29-T17S-R31E SEDDY COUNTY, NM 6/18/59 3/11/69 1/22/70 7/18/91 10/55'FSL & 660'FEL SEC 20-T17S-R31E SEDDY COUNTY, NM 3/25/68 3/12/91 980'FNL & 660'FWL SEC 29-T17S-R31E SEDDY COUNTY, NM 2/5/70 12/31/57 2/23/58 OIL PRODUCER	1980'FNL & 1980'FEL 10/6/57

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #53	1980'FSL & 660'FEL	5/12/58	6/25/58	OIL PRODUCER	3524'/3470'	10 3/4" @ 573' W/100 SXS
	SEC 30-T17S-R31E					5 1/2" @ 3524' W/150 SXS. TOC @ 2670'
}	EDDY COUNTY, NM					PERFORATE: 3488'- 3494'(OA)
						SET CIBP @ 3470
			-			PERFORATE: 3356'- 3372'(OA)
[IP=219 BOPD
1			2/5/70			PERFORATE: 3388'- 3397'(OA) - RETURN TO PRODUCTION
		[11/21/89		3524'/3513'	DRILL OUT CIBP & CLEAN OUT WELLBORE TO 3513'
						RETURN TO PRODUCTION
)	3/27/91		3524'/3524'	MILLED ON COLLAPSED CASING @ 3395". CLEAN OUT WELLBORE TO 3524".
TURNER "B" #54	1980'FNL & 1980'FWL	6/30/58	8/18/58	OIL PRODUCER	3525'/3523'	10 3/4" @ 553' W/100 SXS
}	SEC 29-T17S-R31E					5 1/2" @ 3525" W/125 SXS. TOC @ 2740"
	EDDY COUNTY, NM					PERFORATE: 3366'- 3386'(OA)
į.						IP=216 BOPD
İ			2/2/70	WATER INJECTOR	3525'/3460'	PUSHED MILLED ON PACKER TO 3460
						PERFORATE: 3396'- 3404'(OA)
						CONVERT TO WATER INJECTION WELL
			8/30/91			PERFORATE: 3108'- 3266'(OA) - RETURN TO INJECTION
TURNER "B" #55	1980'FNL & 660'FEL	8/24/58	10/8/58	OIL PRODUCER	3640'/3634'	10 3/4" @ 631' W/100 SXS
	SEC 29-T17S-R31E					5 1/2" @ 3640' W/100 SXS
l	EDDY COUNTY, NM					PERFORATE: 3600'- 3624'(OA)
						IP=204 BOPD
		·	7/20/68		3640'/3580'	SET CIBP @ 3580'
						PERFORATE: 3455'- 3555'(OA) - RETURN TO PRODUCTION
}		1	3/11/69	WATER INJECTOR		CONVERT TO WATER INJECTION WELL
į			9/11/91		3640'/3635'	DRILLED OUT CIBP & CLEAN OUT WELLBORE TO 3635'
				į		PERFORATE: 3115'- 3598'(OA) - RETURN TO INJECTION
	1	ĺ	Í			
			(ľ		
		İ				
	Ì	1	1	İ	·	
		Į	[ļ		

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #65	330'FSL & 1980'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	3/25/60	5/19/60	OIL PRODUCER	7497'/7400'	13 3/8" @ 477' W/795 SXS 8 5/8" @ 3800' W/3300 SXS. CEMENT TO SURFACE. 4 1/2" @ 7497' W/500 SXS. TOC @ 4800'(TEMP SURVEY) PERFORATE: 7120'- 7152'(OA) IP=288 BOPD
			2/4/62		7497'/7130'	SQUEEZE PERFORATIONS W/100 SXS. DRILL OUT CEMENT TO 7130'. PERFORATE: 7122'- 7128'(OA) - RETURN TO PRODUCTION
			1/21/71		7497'/6963'	SET CIBP @ 6963' - TEMPORARILY ABANDONED
TURNER "B" #66	660'FSL & 1980'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	5/16/60	7/2/60	OIL PRODUCER	3706/3703	8 5/8" @ 717' W/100 SXS 4 1/2" @ 3706' W/125 SXS. TOC @ 3003'(TEMP SURVEY) PERFORATE: 3522'- 3546'(OA) IP=238 BOPD
			3/11/69	WATER INJECTOR		CONVERT TO WATER INJECTION WELL
			8/7/91 4/13/96			PERFORATE: 3281'- 3678'(OA) - RETURN TO INJECTION SQUEEZE CASING @ 28'- 35' W/348 SXS - TEMPORARILY ABANDONED
	1650'FSL & 660'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	5/26/60	7/25/60	OIL PRODUCER		13 3/8" @ 470' W/525 SXS. CEMENT TO SURFACE. 8 5/8" @ 3800' W/900 SXS. TOC @ 1010' 4 1/2" LINER @ 3697'- 7221' W/760 SXS. TOC @ 3697' PERFORATE: 3031'- 7054'(OA) IP=192 BOPD
			4/3/69	WATER INJECTOR		SET CIBP @ 6900' & CAP WITH 30' CEMENT SQUEEZE OFF PERFORATIONS 3155'- 3180' W/100 SXS CONVERT TO WATER INJECTION WELL
			1/30/70 3/24/96			PERFORATE: 3060'- 3068'(OA) - RETURN TO INJECTION SQUEEZE CASING LEAK\$ 478'- 513' W/550 SXS - RETURN TO INJECTION

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #68	660'FSL & 660'FEL SEC 29-T17S-R31E	7/23/60	9/2/60	D & A		8 5/8" @ 730' W/100 SXS 4 1/2" @ 3718' W/130 SXS
	EDDY COUNTY, NM		3/11/69	WATER INJECTOR	3718'/3578'	PERFORATE: 3648'- 3664'(OA) - TEMPORARILY ABANDONED SET CIBP @ 3600' AND CAP WITH CEMENT PERFORATE: 3454'- 3512'(OA)
			1/21/70		3718'/3596'	CONVERT TO WATER INJECTION WELL CLEAN OUT WELLBORE TO 3596' PERFORATE: 3564'- 3588'(OA) - RETURN TO INJECTION
			9/11/91			PERFORATE: 3332'- 3630'(OA) - RETURN TO INJECTION
TURNER "B" #69	380FNL & 2310FEL SEC 29-T17S-R31E EDDY COUNTY, NM	7/29/60	9/12/60	OIL PRODUCER		13 3/8" @ 312' W/100 SXS 8 5/8" @ 1600' W/1100 SXS. CEMENT TO SURFACE. 4 1/2" @ 7230' W/1100 SXS. TOC @ 1400'(TEMP SURVEY) PERFORATE: 7108'- 7132'(OA) IP=364 BOPD
			1/21/61		7230′/7196′	SQUEEZE PERFORATIONS 7108'- 7132' W/100 SXS PERFORATE: 7122'- 7128'(OA) - RETURN TO PRODUCTION
			4/17/64			SQUEEZE PERFORATIONS 7122'- 7128' W/105 SXS PERFORATE: 7034'- 7057'(OA) - RETURN TO PRODUCTION
			1/25/71		7230'/6975'	SET CIBP @ 6975' - TEMPORARILY ABANDONED
TURNER "B" #70	330'FSL & 660'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	8/12/60	9/9/60	OIL PRODUCER		8 5/8" @ 1600' W/900 SXS. CEMENT TO SURFACE. 4 1/2" @ 7200' W/1300 SXS. CEMENT TO SURFACE. PERFORATE: 7042'- 7058'(OA) IP=356 BOPD
			1 <i>1</i> 28/71			SET CIBP @ 7000' - TEMPORARILY ABANDONED
	660'FSL & 660'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	9/9/60	10/23/60	OIL PRODUCER		8 5/8" @ 590' W/100 SXS 4 1/2" @ 3672' W/100 SXS. TOC @ 3155' PERFORATE: 3469'- 3480'(OA) IP=294 BOPD
		·	3/25/91			PERFORATE: 3225- 3643'(OA) - RETURN TO PRODUCTION

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #72	330'FSL & 1980'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	9/21/60	11/16/60	OIL PRODUCER	7233 ⁻ /7160	8 5/8" @ 1600' W/600 SXS. CEMENT TO SURFACE. 4 1/2" @ 7233' W/1300 SXS. CEMENT TO SURFACE. PERFORATE: 7164'- 7174'(OA). SQUEEZE PERFORATIONS W/100 SXS. PERFORATE: 7152'- 7158'(OA). SQUEEZE PERFORATIONS W/50 SXS. PERFORATE: 7136'- 7148'(OA). SQUEEZE PERFORATIONS W/50 SXS. PERFORATE: 7119'- 7124'(OA). SQUEEZE PERFORATIONS W/50 SXS. PERFORATE: 7153'- 7157'(OA). SQUEEZE PERFORATIONS W/50 SXS. PERFORATE: 7152'- 7156'(OA)
·			1/27/71 6/7/72 4/13/91			IP=48 BOPD SET CIBP @ 7100' - TEMPORARILY ABANDONED PERFORATE: 3162'- 3286'(OA) - RETURN TO PRODUCTION SQUEEZE PERFORATIONS 3233'- 3286' W/200 SXS PERFORATE: 3182'- 3345'(OA) - RETURN TO PRODUCTION
TURNER "B" #73	380'FNL & 1980'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	9/22/60	9/28/62 5/13/68	OIL PRODUCER WATER DISPOSAL		8 5/8" @ 1600' W/800 SXS. CEMENT TO SURFACE. 4 1/2" @ 7185' W/1100 SXS. TOC @ 590' PERFORATE: 7084'- 7092'(OA) IP=312 BOPD PERFORATE: 6982'- 7036'(OA) - RETURN TO PRODUCTION CONVERT TO SALT WATER DISPOSAL WELL
TURNER "B" #74	380'FNL & 990'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	10/27/60	12/3/60 12/14/61 3/24/65	OIL PRODUCER		8 5/8" @ 1600' W/776 SXS. CEMENT TO SURFACE. 4 1/2" @ 7250' W/1300 SXS. TOC @ 1520' PERFORATE: 7148'- 7160'(OA). SQUEEZE PERFORATIONS W/50 SXS. PERFORATE: 7182'- 7192'(OA) IP=93 BOPD SQUEEZE PERFORATIONS 7182'- 7192'(OA) W/150 SXS PERFORATE:7134'- 7141'(OA) - RETURN TO PRODUCTION SET CIBP @ 7126' & CAP W/25 SXS - TEMPORARILY ABANDONED
TURNER "B" #75	330'FSL & 660'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	11/6/60	1/10/61	D & A	9900/0	8 5/8" @ 1608' W/650 SXS. CEMENT TO SURFACE. PLUGGED & ABANDONED

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #76	660'FSL & 660'FEL	12/20/60	1/29/61	D&A	3597'/0'	8 5/8" @ 542' W/100 SXS
	SEC 30-T17S-R31E					PLUGGED & ABANDONED
· [EDDY COUNTY, NM		3/11/69	WATER INJECTOR	3597'/3570'	4 1/2" @ 3597" W/575 SXS. TOC @ 800"
l						PERFORATE: 3426- 3497'(OA)
						CONVERT TO WATER INJECTION WELL
İ			3/28/72		3597'/3470'	SET CIBP @ 3470' - RETURN TO INJECTION THRU PERFS 3426'- 3446'
			4/28/82			PLUGGED & ABANDONED
TURNER "B" #78	2080'FSL & 1980'FEL	5/12/61	8/6/61	OIL PRODUCER	3600'/3570'	8 5/8" @ 531' W/200 SXS
	SEC 20-T17S-R31E					4 1/2" @ 3600' W/250 SXS. TOC @ 2400'
	EDDY COUNTY, NM				i	PERFORATE: 3046'- 3100'(OA)
	ļ					IP=51 BOPD
·			1/8/68	WATER INJECTOR		PERFORATE: 3421'- 3468'(OA)
						CONVERT TO WATER INJECTION WELL
1			2/1/70			SQUEEZE PERFORATIONS 3044'- 3100' W/170 SXS
1						PERFORATE: 3046-3151'(OA) - RETURN TO INJECTION
			9/25/91			PERFORATE: 2774'- 3544'(OA) - RETURN TO INJECTION
TURNER "B" #79	2050'FSL & 1980'FWL	1/3/68	1/25/68	OIL PRODUCER	3530'/3525'	9 5/8" @ 605' W/350 SXS. CEMENT TO SURFACE.
1	SEC 20-T17S-R31E					7" @ 3530' W/500 SXS. TOC @ 1300'
	EDDY COUNTY, NM					PERFORATE: 2890'- 3124'(OA)
						IP=67 BOPD
TURNER "B" #80	2565'FSL & 1305'FWL	10/21/90	11/13/90	OIL PRODUCER	3600'/3543'	8 5/8" @ 599' W/465 SXS, CEMENT TO SURFACE.
1	SEC 29-T17S-R31E					5 1/2" @ 3597' W/1000 SXS. CEMENT TO SURFACE.
	EDDY COUNTY, NM			•		PERFORATE: 3093'- 3536'(OA)
					ļ	IP=233 BOPD ,
TURNER "B" #81	2545'FSL & 2615'FEL	11/8/90	11/23/90	OIL PRODUCER	3700'/3645'	8 5/8" @ 600' W/465 SXS, CEMENT TO SURFACE.
	SEC 29-T17S-R31E					5 1/2" @ 3698' W/500 SXS. CEMENT TO SURFACE.
i	EDDY COUNTY, NM					PERFORATE: 3230'- 3628'(OA)
						IP=278 BOPD
					i	
	<u> </u>					

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #82	2550'FSL & 1335'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	11/19/90	12/4/90	OIL PRODUCER	3724/3682	8 5/8" @ 602' W/824 SXS. CEMENT TO SURFACE. 5 1/2" @ 3724' W/1040 SXS. CEMENT TO SURFACE. PERFORATE: 3244'- 3616'(OA) IP=301 BOPD
TURNER "B" #83	1385'FNL & 1345'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	7/13/90	8/10/90	OIL PRODUCER	3495/3355	8 5/8" @ 629' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3493' W/950 SXS. CEMENT TO SURFACE. SET CIBP @ 3370' & CAP WITH 15' CEMENT PERFORATE: 3159'- 3270'(OA) IP=90 BOPD
TURNER "B" #84	1305'FNL & 2525'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	9/26/90	10/21/90	OIL PRODUCER	3550'/3496'	8 5/8" @ 626' W/505 SXS. CEMENT TO SURFACE. 5 1/2" @ 3550' W/1650 SXS. CEMENT TO SURFACE. PERFORATE: 3120'- 3472'(OA) IP=220 BOPD
TURNER "B" #85	1305'FNL & 1335'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	10/12/90	10/31/90 5/4/95	OIL PRODUCER	3600'/3535'	8 5/8" @ 630' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3597' W/1000 SXS. CEMENT TO SURFACE. PERFORATE: 3180'- 3154'(OA) IP=228 BOPD PERFORATE: 3057'- 3154'(OA) - RETURN TO PRODUCTION
TURNER "B" #86	1335'FSL & 1305'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	11/28/90	12/16/90	OIL PRODUCER	3720/3711'	8 5/8" @ 601' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3730' W/1225 SXS. CEMENT TO SURFACE. PERFORATE: 3227'- 3627'(OA) IP=64 BOPD
TURNER "B" #87	1335'FSL & 2625'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	12/8/90	12 <i>1</i> 22/90	OIL PRODUCER		8 5/8" @ 605' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3725' W/1000 SXS. CEMENT TO SURFACE. PERFORATE: 3293'- 3658'(OA) IP=110 BOPD
TURNER "B" #88	1335'FSL & 1335'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	12/17/90	1/9/91	OIL PRODUCER		8 5/8" @ 605' W/550 SXS. CEMENT TO SURFACE. 5 1/2" @ 3745' W/1225 SXS. CEMENT TO SURFACE. PERFORATE: 3315'- 3688'(OA) IP=186 BOPD

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #97	2590'FNL & 1200'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	2/22/91	3/19/91	OIL PRODUCER	3800/3769	11 3/4" @ 369' W/400 SXS. CEMENT TO SURFACE. 8 5/8" @ 1369' W/500 SXS. CEMENT TO SURFACE. 5 1/2" @ 3789' W/1050 SXS. CEMENT TO SURFACE. PERFORATE: 2856'- 3582'(OA) IP=145 BOPD
TURNER "B" #98	1270'FSL & 50'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	3/23/91	4/12/91	OIL PRODUCER		12 3/4" @ 398' W/500 SXS. CEMENT TO SURFACE. 8 5/8" @ 1485' W/700 SXS. CEMENT TO SURFACE. 5 1/2" @ 3750' W/1100 SXS. CEMENT TO SURFACE. PERFORATE: 3191'- 3739'(OA) IP=230 BOPD
TURNER "B" #99	2590'FSL & 100'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	2/24/91	3/19/91	OIL PRODUCER		12 3/4" @ 332' W/525 SXS. CEMENT TO SURFACE. 8 5/8" @ 1418' W/800 SXS. CEMENT TO SURFACE. 5 1/2" @ 3700' W/1250 SXS. CEMENT TO SURFACE. PERFORATE: 3110'- 3643'(OA) IP=44 BOPD
TURNER "B" #100	150'FSL & 50'FWL SEC 20-T17'S-R31E EDDY COUNTY, NM	2/9/91	2/18/91	OIL PRODUCER		11 3/4" @ 465' W/425 SXS. CEMENT TO SURFACE. 8 5/8" @ 1422' W/550 SXS. CEMENT TO SURFACE. 5 1/2" @ 3576' W/750 SXS. CEMENT TO SURFACE. PERFORATE: 3213'- 3454'(OA) IP=60 BOPD
TURNER "B" #101	990'FNL & 1150'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	6/7/92	8/21/92	OIL PRODUCER		13 3/8" @ 367' W/400 SXS. CEMENT TO SURFACE. 8 5/8" @ 1246' W/800 SXS. CEMENT TO SURFACE. 5 1/2" @ 3856' W/1100 SXβ. CEMENT TO SURFACE. PERFORATE: 3031'- 3800'(OA) IP=48 BOPD
TURNER "B" #102	990'FNL & 2590'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	5/26/92	7/8/92	OIL PRODUCER		13 3/8" @ 318' W/450 SXS. CEMENT TO SURFACE. 8 5/8" @ 1275' W/700 SXS. CEMENT TO SURFACE. 5 1/2" @ 3815' W/1280 SXS. CEMENT TO SURFACE. PERFORATE: 2688'- 3662'(OA) SQUEEZE PERFORATIONS 2688'- 2703' W/294 SXS & 3165'- 3562' W/45 SXS IP=143 BOPD

TURNER "B" #103 1300'FNL & 1370'FEL SEC 20-T17S-R31E EDDY COUNTY, NM 1500'FNL & 1370'FEL SEC 20-T17S-R31E EDDY COUNTY, NM 1600'FSL & 1370'FWL SEC 17-T17S-R31E EDDY COUNTY, NM 1700'FSL & 1370'FSL & 1370'FWL SEC 17-T17S-R31E EDDY COUNTY, NM 1700'FSL & 1370'FSL & 1370'FWL SEC 17-T17S-R31E EDDY COUNTY, NM 1700'FSL & 1370'FSL	--	--
SEC 17-T17S-R31E EDDY COUNTY, NM 5 1/2" @ 3648' W/1000 SXS. CEMENT TO SURFACE. PERFORATE: 2810'- 3094'(OA) IP=72 BOPD		
TUDNED HOW WARE		
TURNER "B" #105 15'FSL & 2625'FEL SEC 17-T17S-R31E EDDY COUNTY, NM 6/24/92 8/3/92 OIL PRODUCER 3794'/3788' 13 3/8" @ 298' W/400 SXS. CEMENT TO SURFACE. 8 5/8" @ 1298' W/600 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE. 9 1/2" @ 3794' W/900 SXS. CEMENT TO SURFACE.		
TURNER "B" #108 15FSL & 1305'FEL SEC 17-T175-R31E EDDY COUNTY, NM 6/19/92 8/8/92 OIL PRODUCER 3863'/3811' 13 3/8" @ 341' W/400 SXS. CEMENT TO SURFACE. 8 5/8" @ 1316' W/400 SXS. CEMENT TO SURFACE. PERFORATE: 2762-3718'(OA) IP=124 BOPD		

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
 Schuster & Schuster	335'FNL & 2970'FEL SEC 30-T17S-R31E EDDY COUNTY, NM	2/6/47	4/21/47 6/7/56	OIL PRODUCER		8 5/8"
						. 20022 4 / W 11201122

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
STATE "M" #2 James G. Brown & Assoc	330'FNL & 990'FEL SEC 32-T17S-R31E EDDY COUNTY, NM	7/3/61	8/10/61	D&A	3654'/0'	8 5/8" @ 681' W/50 SXS OPEN HOLE: 681'- 3634' PLUGGED & ABANDONED
STATE #3 Mack Energy Corporation	2310'FSL & 906'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	4/15/47	6/3/47	OIL PRODUCER	1955'/1955'	8 5/8" @ 504' W/50 SXS 5 1/2" @ 1870' W/100 SXS OPEN HOLE COMPLETION: 1870'- 1955' IP=40 BOPD
SUPERIOR FEDERAL #2 Trinity University & Closuit	1980'FSL & 1980'FWL SEC 17-T17S-R31E EDDY COUNTY, NM	7/20/41	10/5/41	OIL PRODUCER		8 1/4" @ 555' W/50 SXS 7" @ 3040' W/100 SXS OPEN HOLE COMPLETION: 3040'- 3492' IP=60 BOPD
						į.

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
			. ,		ı	
	ì					
					•	
ţ	•					
FREN OIL COMPANY #1	660'FSL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	6/25/43	8/21/43	OIL PRODUCER		7" @ 507' W/50 SXS 5 1/2" @ 1850' W/100 SXS OPEN HOLE COMPLETION: 1850'- 2030'
			8/20/71			IP=44 BOPD TEMPORARILY ABANDONED

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
•		1980'FSL & 1980'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	3/12/44	4/15/44	OIL PRODUCER	2002/2002	8 5/8" @ 482' W/50 SXS 7" @ 1802' W/100 SXS OPEN HOLE COMPLETION: 1802'- 2002' IP=145 BOPD
				7/1/55		3134'/3134'	DEEPEN OPEN HOLE TO 3134' 5 1/2' @ 3074' W/80 SXS - RETURN TO PRODUCTION
				8/9/72		3134'/3100'	PLUG BACK OPEN HOLE TO 3100' PERFORATE: 2950'- 3044'(OA) - RETURN TO PRODUCTION
	FREN OIL COMPANY #4	1980'FSL & 660'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	12/8/43	1/21/44	OIL PRODUCER		8 5/8" @ 480' W/60 SXS 7" @ 1845' W/100 SXS OPEN HOLE COMPLETION: 1845'- 2052'
				12/18/58			IP=160 BOPD DEEPEN OPEN HOLE TO 3185' 5 1/2" @ 3178' W/85 SXS
	:			5/14/64		318573170	PERFORATE: 3020'- 3152'(OA) - RETURN TO PRODUCTION SET CIBP @ 3170' PERFORATE: 2722'- 3152'(OA) - RETURN TO PRODUCTION
				7/8/77			PLUGGED & ABANDONED
•		660'FSL & 660'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	1/27/44	2/25/44	OIL PRODUCER	2023'/2023'	8 5/8" @ 485' W/50 SXS 7" @ 1806' W/100 SXS OPEN HOLE COMPLETION: 1806'- 2023' IP=152 BOPD
	·			8/20/71			TEMPORARILY ABANDONED
		990'FSL & 1650'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	8/10/46	9/9/46	OIL PRODUCER	2017/2017	8 5/8" @ 500' W/75 SXS 7" @ 1818' W/150 SXS OPEN HOLE COMPLETION: 1818'- 2020' IP=106 BOPD
				2/20/64		l	DEEPEN OPEN HOLE TO 3643' 4 1/2" LINER @ 1767'- 3643' W/295 SXS PERFORATE: 2911'- 3546'(OA) - RETURN TO PRODUCTION
				10/13/75			PLUGGED & ABANDONED

	WELL MAKE	LOCATION	COUD DATE	COMP DATE	MCI I TVDE	DEDTU/DPTD	COMPLETION RECORD
	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
,	FREN OIL COMPANY #8	2310FSL & 2310FWL	11/27/46	12/28/46	OIL PRODUCER	202172021	8 5/8" @ 505' W/75 SXS
		SEC 19-T17S-R31E					7" @ 1792' W/130 SXS
		EDDY COUNTY, NM					OPEN HOLE COMPLETION: 1792'- 2021'
							IP≈60 BOPD
				4/30/64			DEEPEN OPEN HOLE TO 3615'
							4 1/2" @ 3578' W/465 SXS
							PERFORATE: 2755'- 3562'(OA) - RETURN TO PRODUCTION
				3/24/76			PLUGGED & ABANDONED
	FREN OIL COMPANY #9	2310'FSL & 330'FEL	2/6/47	4/28/47	OIL PRODUCER	34 <i>45'/</i> 3121'	8 5/8" @ 506' W/50 SXS
		SEC 19-T17S-R31E					7" @ 2595' W/150 SXS
		EDDY COUNTY, NM					OPEN HOLE COMPLETION: 2595'- 3121'
		·					IP=41 BOPD
				11/25/55		,	5 1/2" @ 2950' W/125 SXS
							OPEN HOLE COMPLETION: 2950'- 3121' - RETURN TO PRODUCTION
	,			11/17/76			PLUGGED & ABANDONED
	FREN OIL COMPANY #10	990'FSL & 330'FEL	1/5/47	1/31/47	OIL PRODUCER	2034'/2034'	8 5/8" @ 494' W/75 SXS
		SEC 19-T17S-R31E					7" @ 1780' W/130 SXS
		EDDY COUNTY, NM					OPEN HOLE COMPLETION: 1780'- 2034'
				Ī			IP≃85 BOPD
				1/7/64		3308'/3255'	DEEPEN OPEN HOLE TO 3308'
							4 1/2" LINER @ 1715'- 3308' W/225 SXS
							PERFORATE: 2925'- 3248'(OA) - RETURN TO PRODUCTION
				6/9/72			PERFORATE: 3116'- 3171'(OA) - RETURN TO PRODUCTION
	FREN OIL COMPANY #11	2310'FSL & 430'FEL	2/6/47	6/4/47	OIL PRODUCER	2042/2042	8 5/8" @ 438' W/50 SXS
		SEC 19-T17S-R31E					7" @ 1809' W/130 SXS
		EDDY COUNTY, NM		ł			OPEN HOLE COMPLETION: 1809'- 2042'
							IP=42 BOPD
				1			
			ļ	Į.			
				1			
				1	į	·.	

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
•		610'FSL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	12/14/54	2/11/55	OIL PRODUCER	3141/3141'	8 5/8" @ 499' W/50 SXS 7" @ 3080' W/125 SXS OPEN HOLE COMPLETION: 3080'- 3141' IP=630 BOPD
				6/8/82		3200'/3200'	DEEPEN OPEN HOLE TO 3200' PERFORATE: 3060'- 3070'(OA) - RETURN TO PRODUCTION
٠		660'FSL & 710'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	3/5/55	6/13/55	OIL PRODUCER	3337/3255	8 5/8" @ 514' W/75 SXS 7" @ 3194' W/150 SXS OPEN HOLE COMPLETION: 3194'- 3255' IP=720 BOPD
				6/22/72	WATER INJECTOR		PERFORATE: 3153'- 3186'(OA) CONVERT TO WATER INJECTION WELL PERFORATE: 3044'- 3052'(OA) - RETURN TO INJECTION
				6/22/82 9/18/92		3337/3337	CLEAN OUT OPEN HOLE TO 3333' - RETURN TO INJECTION
•		990'FSL & 355'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	8/24/61	9/16/61	OIL PRODUCER		8 5/8" @ 1503' W/550 SXS. CEMENT TO SURFACE. 5 1/2" @ 7067' W/1050 SXS. CEMENT TO SURFACE. PERFORATE: 6972'- 6998'(OA) IP=80 BOPD
				1/1 <i>4</i> /71 6/3/80		7067'/6918'	SET CIBP @ 6918' - TEMPORARILY ABANDONED SPOT CEMENT PLUGS: 6750'- 6916' & 1350'- 1450'
٠		900'FSL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	12/11/61	1/1/62	OIL PRODUCER		8 5/8" @ 1489' W/400 SXS. CEMENT TO SURFACE. 4 1/2" @ 7029' W/675 SXS. CEMENT TO SURFACE. PERFORATE: 6928'- 6982'(OA) IP=450 BOPD
l				1/19/71		7036'/6875'	SET CIBP @ 6875' - TEMPORARILY ABANDONED
٠		1650'FSL & 990'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	3/11/62	4/2/62	OIL PRODUCER		8 5/8" @ 1391' W/675 SXS. CEMENT TO SURFACE. 4 1/2" @ 7100' W/1935 SXS. CEMENT TO SURFACE. PERFORATE: 7026'- 7095'(OA) IP=182 BOPD
				4/22/80			PERFORATE: 2320', 1800', & 1415'. SQUEEZE W/700 SXS. RETURN TO PRODUCTION

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
							
٩	FRIESS FEDERAL #3	1650'FSL & 1980'FEL	5/23/62	7/13/62	OIL PRODUCER		8 5/8" @ 1405' W/200 SXS
ı		SEC 19-T17S-R31E					5 1/2" @ 7085' W/850 SXS. TOC @ 1454'
		EDDY COUNTY, NM					PERFORATE: 7060'- 7070'(OA)
							IP=984 BOPD
				5/17/63			PERFORATE: 6955'- 7046'(OA) - RETURN TO PRODUCTION
				4/5/65			SQUEEZED OFF ALL EXISTING PERFORATIONS W/150 SXS
							PERFORATE: 6955'- 7005'(OA) - RETURN TO PRODUCTION
				7/8/69		7095/7095	DRILLED OUT WELLBORE TO TD @ 7095'
							PERFORATE: 6959'- 7095'(OA) - 5 1/2" CASING RUPTURED @ 3541'
			,	6/23/70		7095/3269	SET CIBP @ 3269' & CAP WITH CEMENT
					:		PERFORATE: 2814'- 3176'(OA) - RETURN TO PRODUCTION
٠	FRIESS FEDERAL #4	1680'FSL & 2650'FWL	5/29/96	7/6/96	OIL PRODUCER	3720/3672	8 5/8" @ 390' W/375 SXS. CEMENT TO SURFACE.
		SEC 19-T17S-R31E					5 1/2" @ 3719' W/1350 SXS. CEMENT TO SURFACE.
		EDDY COUNTY, NM		Į			PERFORATE: 2734'- 3322'(OA)
							IP=147 BOPD
٠	FRIESS, MAX #1	660'FNL & 1980'FEL	12/14/43	3/6/43	OIL PRODUCER	2057'/2057'	8 1/4" @ 524' W/50 SXS
		SEC 30-T17S-R31E		5.5.15	5,5,,,,55,55		7" @ 1852' W/100 SXS
		EDDY COUNTY, NM					OPEN HOLE COMPLETION: 1852'- 2057'
					i		IP=10 BOPD
			İ	2/25/55		3200'/2050'	DEEPEN OPEN HOLE TO 3200'. PLUGGED BACK TO 2050'.
					1		RETURN TO PRODUCTION
				10/1/57		3437'/3437'	DEEPENED OPEN HOLE TO 3437'
					ļ		5 1/2" @ 2830' W/100 SXS. TOC @ 1980'
				Į.	į		OPEN HOLE COMPLETION: 2830'- 3437' - RETURN TO PRODUCTION
				7/11/72	WATER INJECTOR	3437/3423'	2 7/8" LINER @ 2615'- 3423' W/155 SXS
					ł		PERFORATE: 3108- 3237'(OA)
				1			CONVERT TO WATER INJECTION WELL
- 1		·					
1							
				1	Ì	·	
ı		İ		1	Ì		
ı				}			.
ı							
							<u> </u>

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
	•		}				
•		1980'FNL & 660'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	3/2/44	4/29/44 9/28/85	OIL PRODUCER		7" @ 491' W/50 SXS 5 1/2" @ 1876' W/100 SXS OPEN HOLE COMPLETION: 1876'- 1927' IP=60 BOPD SET CIBP @ 1844' - TEMPORARILY ABANDONED
•		1980'FNL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	8/29/44	10/24/44 10/12/85	OIL PRODUCER		7" @ 493' W/50 SXS 5 1/2" @ 1847' W/100 SXS OPEN HOLE COMPLETION: 1847'- 1965' IP=95 BOPD PLUGGED & ABANDONED
	TURNER "A" #20	2310/51/1 • 000/51/4/1	4145140	6/0/40	OII DRODUCER	1035/1035	THE ELON WIED CVC
		2310'FNL & 990'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	4/15/48	6/8/48 3/2/76	OIL PRODUCER		7" @ 510' W/50 SXS 5 1/2" @ 1866' W/100 SXS OPEN HOLE COMPLETION: 1866'- 1935' IP=15 BOPD PLUGGED & ABANDONED

	LOCATION 2310'FNL & 2310'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	SPUD DATE 10/10/48	11/29/48 2/24/76	WELL TYPE OIL PRODUCER		COMPLETION RECORD 8 5/8° @ 500° W/30 SXS 5 1/2° @ 1855° W/75 SXS OPEN HOLE COMPLETION: 1855'- 1932' IP=10 BOPD PLUGGED & ABANDONED
	l i	!	 	;	Ĭ	.D
•		i I	· [I	I	

	1		' '	,		1	• · · · · · · · · · · · · · · · · · · ·
	I]				
	1) 1				
			1			I	1
	ı		1 1	U12U1377	(1	p. 200020 w
	I			!			
TURNER "/]:	1800'FNL & 660'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	12/2/67	1/17/68	WATER INJECTOR	3635'/3618'	8 5/8" @ 555' W/350 SXS. CEMENT TO SURFACE. 4 1/2" @ 3635' W/390 SXS. TOC @ 1480'(TEMP SURVEY) PERFORATE: 2930'- 3380'(OA)
				8/24/91			COMPLETED AS A WATER INJECTION WELL FILL 4 1/2"- 8 5/8" ANNULUS FROM 1304" TO SURFACE W/450 SXS
TURNER "/	ļ	1800'FNL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	11/18/67	12/10/67	OIL PRODUCER	3450'/3441'	9 5/8" @ 605' W/350 SXS. CEMENT TO SURFACE. 7" @ 3450' W/450 SXS. TOC @ 1800'(TEMP SURVEY) PERFORATE: 2934'- 3418'(OA) IP=61 BOPD

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
•						<u>:</u> .
						定. *
						•
j	1330'FNL & 1025'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	5/7/96	6/1/96	OIL PRODUCER		8 5/8" @ 392' W/500 SXS. CEMENT TO SURFACE. 5 1/2" @ 3742' W/1875 SXS. CEMENT TO SURFACE. PERFORATE: 2690'- 3429'(OA) IP=382 BOPD
	!		 			
	<u> </u>	·				_

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
JRNER "A" #49	2280'FNL & 2450'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	4/15/96	5/23/96	OIL PRODUCER	3670'/3622'	8 5/8" @ 353' W/350 SXS. CEMENT TO SURFACE. 5 1/2" @ 3669' W/2000 SXS. CEMENT TO SURFACE. PERFORATE: 2741'- 3243'(OA) {P=95 BOPD
URNER "A" #50	2390 FNL & 1210 FEL SEC 19-T17S-R31E EDDY COUNTY, NM	2/15/96	4/5/96	OIL PRODUCER	3775/3730	8 5/8" @ 421' W/650 SXS. CEMENT TO SURFACE. 5 1/2" @ 3774' W/640 SXS. TOC @ 570'(CBL) PERFORATE: 2706'- 3488'(OA) IP=243 BOPD
URNER "A" #51	2632'FNL & 75'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	4/8/96	5/13/96	OIL PRODUCER		8 5/8" @ 428' W/500 SXS. CEMENT TO SURFACE. 5 1/2" @ 3664' W/2300 SXS. CEMENT TO SURFACE. PERFORATE: 2689'- 3402'(OA) IP=200 BOPD
	•	•	'	,	•	,
	1					
onithin A	,	. ,		i	i	
				-		

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #1	990'FSL & 330'FEL SEC 17-T17S-R31E EDDY COUNTY, NM	8/25/38	11/21/38	OIL PRODUCER	3530/3530	8 5/8" @ 595' W/50 SXS 5 3/16" @ 2925' W/100 SXS OPEN HOLE COMPLETION: 2925'- 3530' IP=35 BOPD
TURNER "B" #2	660'FSL & 660'FWL SEC 17-T17S-R31E EDDY COUNTY, NM	4/12/41	6/6/41	OIL PRODUCER	3448'/3448'	8 5/8" @ 554' W/50 SXS 7" @ 2935' W/100 SXS OPEN HOLE COMPLETION: 2935'- 3448' IP=275 BOPD
TURNER "B" #3	330'FNL & 660'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	6/27/41	8/16/41	OIL PRODUCER	3432/3432	8 5/8" @ 535' W/50 SXS 7" @ 2890' W/100 SXS OPEN HOLE COMPLETION: 2890'- 3432' IP=315 BOPD
			12/29/67 12/21/69	WATER INJECTOR	3432'/3428'	CONVERTED TO A WATER INJECTION WELL 4 1/2" @ 3432' W/200 SXS. TOC @ 490'(TEMP SURVEY) PERFORATE: 3300'- 3424'(OA) - RETURN TO INJECTION
TURNER "B" #4	660'FSL & 1980'FWL SEC 17-T17S-R31E EDDY COUNTY, NM	9/27/41	12/1/41	OIL PRODUCER	3430'/3430'	8 5/8" @ 518' W/50 SXS 7" @ 2905' W/100 SXS OPEN HOLE COMPLETION: 2905'- 3430' IP=150 BOPD
·			1/13/70	WATER INJECTOR		4 1/2" @ 3430' W/200 SXS. TOC @ 1140'(TEMP SURVEY) PERFORATE: 3320'- 3422'(OA) CONVERT TO WATER INJECTION WELL
TURNER "B" #5	1980'FSL & 660'FWL SEC 17-T17S-R31E EDDY COUNTY, NM	12/31/41	7/10/42	OIL PRODUCER		8 5/8" @ 525' W/50 SXS 7" @ 2952' W/100 SXS OPEN HOLE COMPLETION: 2952'- 3461'
			12/22/69	WATER INJECTOR	3461'/3456'	IP=130 BOPD 4 1/2" @ 3456' W/150 SXS. TOC @ 1780'(TEMP SURVEY) PERFORATE: 3346'- 3450'(OA) CONVERT TO WATER INJECTION WELL

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #6	330'FNL & 1980'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	1/12/42	8/15/42	OIL PRODUCER	3447'/3447'	8 5/8" @ 528' W/50 SXS 7" @ 2903' W/100 SXS OPEN HOLE COMPLETION: 2903'- 3447' IP=240 BOPD
			8/1/55			PERFORATE: 2879'- 2885'(OA) - RETURN TO PRODUCTION
TURNER "B" #7	660'FSL & 1980'FEL SEC 17-T17S-R31E EDDY COUNTY, NM	2/5/42	8/15/42	OIL PRODUCER	3447'/3447'	8 5/8" @ 550' W/50 SXS 7" @ 2908' W/100 SXS OPEN HOLE COMPLETION: 2908'- 3447'
			10/2/74 12/26/78			IP=120 BOPD SQUEEZE CASING LEAK @ 2540' W/500 SXS - RETURN TO PRODUCTION SQUEEZE CASING LEAK 2515'-2530' W/250 SXS - RETURN TO PRODUCTION
TURNER "B" #8	660'FNL & 1980'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	6/30/42	10/10/42	OIL PRODUCER	3434'/3434'	8 1/4" @ 542' W/50 SXS 7" @ 2802' W/100 SXS OPEN HOLE COMPLETION: 2802'- 3434' IP=270 BOPD
			1/3/68 12/27/69	WATER INJECTOR		CONVERT TO WATER INJECTION WELL DEEPEN OPEN HOLE TO 3450' 4 1/2" @ 3450' W/200 SXS. TOC @ 1490'(TEMP SURVEY) PERFORATE: 3318'- 3448'(OA) - RETURN TO INJECTION
TURNER "B" #9	660'FNL & 660'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	7/28/42	10/14/42	OIL PRODUCER		8 1/4" @ 557' W/50 SXS 7" @ 2832' W/100 SXS OPEN HOLE COMPLETION: 2832'- 3485' IP=130 BOPD
			4/2/54			5" LINER @ 2758'- 3485' PERFORATE: 2929'- 2970'(OA) - RETURN TO PRODUCTION PERFORATE: 3402'- 3448'(OA) - RETURN TO PRODUCTION
TURNER "B" #10	1980'FNL & 1980'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	6/30/42	12/15/42	OIL PRODUCER		8 1/4" @ 528' W/50 SXS 7" @ 2812' W/100 SXS OPEN HOLE COMPLETION: 2814'- 3450' IP=30 BOPD PLUGGED & ABANDONED

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
	•						
	1	,		12000 ;	ı		
		2080'FSL & 660'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	3/13/44	6/6/44	OIL PRODUCER	-	7" @ 609' W/50 SXS 5 1/2" @ 1875' W/100 SXS OPEN HOLE COMPLETION: 1875'- 2022'
١				9/6/85		2022'/1845'	IP=50 BOPD SET CIBP @ 1845' - TEMPORARILY ABANDONED
•		660'FSL & 660'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	5/28/44	8/13/44	OIL PRODUCER		7" @ 534' W/50 SXS 5 1/2" @ 1891' W/100 SXS OPEN HOLE COMPLETION: 1891'- 2051' IP=91 BOPD
				10/20/86			PLUGGED & ABANDONED
۵		660'FSL & 1980'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	6/15/44	8/16/44 3/16/76	OIL PRODUCER	:	7" @ 556' W/50 SXS 5 1/2" @ 1940' W/100 SXS OPEN HOLE COMPLETION: 1940'- 2115' IP=85 BOPD PLUGGED & ABANDONED
۵		1980'FNL & 660'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	8/31/44	11/4/44	OIL PRODUCER	1949/1949	8 1/4" @ 510' W/50 SXS 7" @ 1875' W/100 SXS OPEN HOLE COMPLETION: 1875'- 1949'
			·	10/10/86			IP=100 BOPD PLUGGED & ABANDONED

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
9		565'FNL & 586'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	7/13/46	9/1/46	OIL PRODUCER		7" @ 558' W/50 SXS 5 1/2" @ 1995' W/100 SXS OPEN HOLE COMPLETION: 1995'- 2102' IP=25 BOPD
	1			-			
•		1650'FSL & 330'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	10/15/47	1/2/48	OIL PRODUCER		7" @ 536' W/50 SXS 5 1/2" @ 1932' W/100 SXS OPEN HOLE COMPLETION: 1932'- 2010' IP=20 BOPD PLUGGED & ABANDONED
•		330'FSL & 330'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	10/22/47	12/31/47 3/11/76	OIL PRODUCER		8 1/4" @ 527 W/50 SXS 5 1/2" @ 1939' W/100 SXS OPEN HOLE COMPLETION: 1939'- 2034' IP=12 BOPD PLUGGED & ABANDONED

					· .		
•		LOCATION 2310FNL & 330FWL SEC 20-T17S-R31E	SPUD DATE 4/22/48	COMP DATE 6/8/48	WELL TYPE OIL PRODUCER		COMPLETION RECORD 7" @ 511' W/50 SXS 5 1/2" @ 1873' W/100 SXS
		EDDY COUNTY, NM		3/8/76			OPEN HOLE COMPLETION: 1873'- 1949' IP=15 BOPD PLUGGED & ABANDONED
		•					
		•	. ,		•	,	•
				1	}		
				-			
	,			1	•	1	•

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #34	2310'FNL & 330'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	1/18/51	12/24/51	OIL PRODUCER	2057'/2057'	8 5/8" @ 556' W/50 SXS 7" @ 2057' W/106 SXS PERFORATE: 2009'- 2046'(OA) IP=8 BOPD
			5/12/93		2057/1945	SET CIBP @ 1945' - TEMPORARILY ABANDONED
TURNER "B" #35	330'FSL & 2310'FWL SEC 17-T17S-R31E EDDY COUNTY, NM	11/4/51	11/30/51	OIL PRODUCER	1964'/1964'	8 5/8" @ 543' W/50 SXS 7" @ 1957' W/105 SXS PERFORATE: 1928'- 1931'(OA) - OPEN HOLE: 1957'- 1964'
			3/6/73			TEMPORARILY ABANDONED
TURNER "B" #36	990'FNL & 1650'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	11/19/51	12/21/51	OIL PRODUCER	1994'/1994'	8 5/8" @ 556' W/50 SXS 7" @ 1994' W/100 SXS PERFORATE: 1948'- 1986'(OA)
			3/5/73			IP=16 BOPD TEMPORARILY ABANDONED
TURNER "B" #37	330'FSL & 990'FWL SEC 17-T17S-R31E EDDY COUNTY, NM	9/19/52	10/29/52	OIL PRODUCER	1969/1969	8 5/8" @ 533' W/50 SXS 7" @ 1902' W/100 SXS OPEN HOLE COMPLETION: 1902'- 1969' IP=25 BOPD
TURNER "B" #38	990'FNL & 2310'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	10/28/52	12/5/52 3/1/70	OIL PRODUCER		8 5/8" @ 526' W/50 SXS 7" @ 1892' W/100 SXS 5 1/2" LINER @ 1882'- 1949' PERFORATE: 1909'- 1949'(OA) IP=40 BOPD TEMPORARILY ABANDONED
TURNER "B" #39	2310'FNL & 1650'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	11/3/52	12/10/52	OIL PRODUCER		8 5/8" @ 535' W/50 SXS 7" @ 1955' W/100 SXS OPEN HOLE COMPLETION: 1955'- 2010' IP=40 BOPD
			5/5/93		2010/1925	SET CIBP @ 1925' - TEMPORARILY ABANDONED

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
٥		1650'FSL & 1650'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	5/14/63	7/16/53 12/19/59 12/30/67 1/18/70	OIL PRODUCER WATER INJECTOR		9 5/8" @ 532' W/50 SXS 5 1/2" @ 3451' W/200 SXS PERFORATE: 3290'- 3408'(OA) IP=80 BOPD PERFORATE: 2955'- 2980'(OA) - RETURN TO PRODUCTION CONVERT TO WATER INJECTION WELL PERFORATE: 2900'- 2902' & SQUEEZE W/25 SXS - RETURN TO INJECTION
		660'FSL & 560'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	9/2/55	10/16/55 	OIL PRODUCER		8 5/8" @ 528' W/50 SXS 5 1/2" @ 3237' W/125 SXS. TOC @ 2345'(TEMP SURVEY) PERFORATE: 3062'- 3076'(OA) IP=168 BOPD PERFORATE: 3200'- 3210'(OA) - RETURN TO PRODUCTION PERFORATE: 3148'- 3163'(OA) - RETURN TO PRODUCTION PERFORATE: 3148'- 3163'(OA) - RETURN TO PRODUCTION PERFORATE & SQUEEZE 2331'- 2332' W/600 SXS. TOC @ 1400' FILL 5 1/2"- 8 5/8" ANNULUS 0'- 360' W/150 SXS - RETURN TO PRODUCTION PERFORATE: 2873'- 2994'(OA) - RETURN TO PRODUCTION

•	LOCATION 660'FSL & 2055'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	SPUD DATE 10/30/55	COMP DATE 11/21/55 3/11/69 1/28/70 9/18/91	WELL TYPE OIL PRODUCER WATER INJECTOR	COMPLETION RECORD 8 5/8" @ 489' W/270 SXS. CEMENT TO SURFACE. 5 1/2" @ 3339' W/125 SXS. TOC @ 2535'(TEMP SURVEY) PERFORATE: 3161'- 3176'(OA) IP=750 BOPD CONVERT TO WATER INJECTION WELL PERFORATE: 3185'- 3269'(OA) - RETURN TO INJECTION PERFORATE: 3130'- 3334'(OA) - RETURN TO INJECTION
			4/10/75		PLUGGED & ABANDONED
			9/14/91		PERFORATE: 2936'- 3381'(OA) - RETURN TO INJECTION

WELL NA	ME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
				I	•		\
• TURNER "B" #50	8	560'FNL & 660'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	10/6/57	11/25/57 6/18/59 3/11/69 1/22/70 7/18/91	OIL PRODUCER	3375/3285° 3375/3290° 3375/3340°	10 3/4" @ 598' W/100 SXS 7" @ 3374' W/100 SXS. TOC @ 2275' PERFORATE: 3306'- 3320'(OA) IP=205 BOPD PERFORATE: 3208'- 3224'(OA) - RETURN TO PRODUCTION SET CIBP @ 3295' & CAP W/10' CMT - CONVERT TO WATER INJECTION WELL CLEAN OUT WELLBORE TO 3290' PERFORATE: 3172'- 3285'(OA) - RETURN TO INJECTION DRILL OUT CIBP & CLEAN OUT WELLBORE TO 3340' PERFORATE: 2978'- 3156'(OA) - RETURN TO INJECTION

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
	T						
		i I	[•			
				1			
80		1650'FNL & 660'FWL SEC 29-T17S-R31E	7/27/59	1/7/60	D & A		13 3/8" @ 230' W/300 SXS. CEMENT TO SURFACE. 9 5/8" @ 3825' W/2508 SXS. CEMENT TO SURFACE.
		EDDY COUNTY, NM			·		5 1/2" @ 9900' W/150 SXS. TOC @ 9430'(TEMP SURVEY) PERFORATE: 9759'- 9767'(OA) SQUEEZE PERFORATIONS 9759'- 9765'(OA) W/300 SXS
				10/12/71			PERFORATE: 9763'- 9765'(OA) TEMPORARILY ABANDONED PLUGGED & ABANDONED

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
8	·	330'FSL & 1980'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	3/25/60	5/19/60	OIL PRODUCER	,	13 3/8" @ 477' W/795 SXS. CEMENT TO SURFACE. 8 5/8" @ 3800' W/3300 SXS. CEMENT TO SURFACE. 4 1/2" @ 7497' W/500 SXS. TOC @ 4800'(TEMP SURVEY) PERFORATE: 7120'- 7152'(OA) IP=288 BOPD SQUEEZE PERFORATIONS W/100 SXS. DRILL OUT CEMENT TO 7130'. PERFORATE: 7122'- 7128'(OA) - RETURN TO PRODUCTION SET CIBP @ 6963' - TEMPORARILY ABANDONED
å		1650'FSL & 660'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	5/26/60	7/25/60	OIL PRODUCER		13 3/8" @ 470' W/525 SXS. CEMENT TO SURFACE. 8 5/8" @ 3800' W/900 SXS. TOC @ 1010' 4 1/2" LINER @ 3697'- 7221' W/760 SXS. TOC @ 3697' PERFORATE: 3031'- 7054'(OA) IP=192 BOPD
				4/3/69 1/30/70 3/24/96	WATER INJECTOR	7223'/3090'	SET CIBP @ 6900' & CAP WITH 30' CEMENT SQUEEZE OFF PERFORATIONS 3155'- 3180' W/100 SXS CONVERT TO WATER INJECTION WELL PERFORATE: 3060'- 3068'(OA) - RETURN TO INJECTION SQUEEZE CASING LEAKS 478'- 513' W/550 SXS - RETURN TO INJECTION

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
	7	•		'	'	•	
							TION
•		330'FSL & 660'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	8/12/60	9/9/60	OIL PRODUCER		8 5/8" @ 1600' W/900 SXS. CEMENT TO SURFACE. 4 1/2" @ 7200' W/1300 SXS. CEMENT TO SURFACE. PERFORATE: 7042'- 7058'(OA) IP=356 BOPD
				1/28/71			SET CIBP @ 7000' - TEMPORARILY ABANDONED
							•
	ı	ı	i	ı			
				}			
	,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,						
				ì	,		
	·						

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
			·	·		•	, E.
							-
ļ	IONIEN D MO						
	,		,	,	1	ı	1
•		30'FNL & 1350'FWL SEC 20-T17S-R31E	12/30/90	1/18/91	OIL PRODUCER		8 5/8" @ 600' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3800' W/2375 SXS. CEMENT TO SURFACE.
		EDDY COUNTY, NM			·		PERFORATE: 3117- 3309'(OA) IP=316 BOPD
	7						
Į					<u>.</u>	<u>-</u>	· · · · · · · · · · · · · · · · · · ·

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #92	1305'FSL & 1350'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	12/30/90	1/19/91	OIL PRODUCER	3800'/3788'	8 5/8" @ 589' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3800' W/1500 SXS. CEMENT TO SURFACE. PERFORATE: 3065'- 3530'(OA) IP=165 BOPD
TURNER "B" #93	1140'FSL & 2560'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	1/18/91	2/22/91	OIL PRODUCER	3821'/3792	13 3/8" @ 452' W/650 SXS. CEMENT TO SURFACE. 8 5/8" @ 1421' W/700 SXS. CEMENT TO SURFACE. 5 1/2" @ 3821' W/900 SXS. CEMENT TO SURFACE. PERFORATE: 2864'- 3681'(OA) IP=250 BOPD
			•			• •
TURNER "B" #95	2510'FSL & 1000'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	1/17/91	2/19/91	OIL PRODUCER		8 5/8" @ 603' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3700' W/3050 SXS. CEMENT TO SURFACE. PERFORATE: 2815'- 3551'(OA) IP=113 BOPD
TURNER "B" #96	2590'FNL & 2590'FEL SEC 20-T17S-R31E EDDY COUNTY, NM	1/27/91	2/16/91	OIL PRODUCER	3752'/3652'	8 5/8" @ 597' W/700 SXS. CEMENT TO SURFACE. 5 1/2" @ 3752' W/2200 SXS. CEMENT TO SURFACE. PERFORATE: 2725'- 3514'(OA) IP=134 BOPD
	_					

	LOCATION 150'FSL & 50'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	<u>SPUD DATE</u> 2/9/91	2/18/91	WELL TYPE OIL PRODUCER		COMPLETION RECORD 11 3/4" @ 465' W/425 SXS. CEMENT TO SURFACE. 8 5/8" @ 1422' W/550 SXS. CEMENT TO SURFACE. 5 1/2" @ 3576' W/750 SXS. CEMENT TO SURFACE. PERFORATE: 3213'- 3454'(OA) IP=60 BOPD
•	990'FNL & 1150'FWL SEC 20-T17'S-R31E EDDY COUNTY, NM	6/7/92	8/21/92	OIL PRODUCER		13 3/8" @ 367' W/400 SXS. CEMENT TO SURFACE. 8 5/8" @ 1246' W/800 SXS. CEMENT TO SURFACE. 5 1/2" @ 3856' W/1100 SXS. CEMENT TO SURFACE. PERFORATE: 3031'- 3800'(OA) IP=48 BOPD
	•	•			•	

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
	}				İ	CE. CE.
	l					
TURNER "B" #118	1200'FSL & 10'FWL	6/18/96	8/19/96	OIL PRODUCER	3760'/3717'	8 5/8" @ 339' W/350 SXS. CEMENT TO SURFACE.
1	SEC 20-T17S-R31E EDDY COUNTY, NM					5 1/2" @ 3759' W/1325 SXS. CEMENT TO SURFACE. PERFORATE: 2821'- 3517'(OA) IP=300 BOPD
						IF-300 BOFD

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
SKELLY UNIT #61 Wiser Oil Company	660'FNL & 1980'FWL SEC 21-T17S-R31E EDDY COUNTY, NM	6/30/42	9/15/42	OIL PRODUCER	3588'/3588'	8 5/8" @ 660' W/100 SXS 7" @ 2901' W/200 SXS OPEN HOLE COMPLETION: 2901'- 3588' IP=83 BOPD
SKELLY UNIT #62 Wiser Oil Company	660'FNL & 660'FWL SEC 21-T17S-R31E EDDY COUNTY, NM	11/19/42	1/17/43	OIL PRODUCER	3555'/3555'	8 5/8" @ 593' W/150 SXS 7" @ 2845' W/200 SXS OPEN HOLE COMPLETION: 2845'- 3555' IP=455 BOPD
SKELLY UNIT #63 Wiser Oil Company	1980'FNL & 660'FWL SEC 21-T17S-R31E EDDY COUNTY, NM	2/1/43	5/12/43	OIL PRODUCER	3571'/3571'	8 5/8" @ 602' W/150 SXS 7" @ 2845' W/200 SXS OPEN HOLE COMPLETION: 2845'- 3571' IP=30 BOPD
SKELLY UNIT #64 Texaco Expl & Prod, Inc	1980'FNL & 1980'FWL SEC 21-T17S-R31E EDDY COUNTY, NM	8/9/43	10/31/43	OIL PRODUCER	3585'/3585'	8 5/8" @ 619' W/75 SXS 7" @ 2907' W/200 SXS OPEN HOLE COMPLETION: 2907'- 3585' IP=105 BOPD
SKELLY UNIT #69 Texaco Expl & Prod, Inc	1980'FSL & 760'FWL SEC 21-T17S-R31E EDDY COUNTY, NM	9/7/57	10/24/57	OIL PRODUCER	3619/3619	8 5/8" @ 637' W/160 SXS 7" @ 3130' W/165 SXS OPEN HOLE COMPLETION: 3130'- 3619' IP=393 BOPD
SKELLY UNIT #74 Wiser Oil Company	530'FSL & 330'FWL SEC 21-T17S-R31E EDDY COUNTY, NM	2/26/57	4/4/57	OIL PRODUCER	3281'/3281'	8 5/8" @ 652' W/155 SXS 7" @ 3225' W/200 SXS OPEN HOLE COMPLETION: 3225'- 3281' IP=102 BOPD
STATE A #2 Trinity University & Closuit	1631'FSL & 1033'FWL SEC 16-T17S-R31E EDDY COUNTY, NM	1/25/38	5/15/38	OIL PRODUCER	3585'/3585'	8 1/4" @ 660' W/50 SXS 7" @ 3027' W/100 SXS OPEN HOLE COMPLETION: 3027'- 3585' IP=15 BOPD

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
8		660'FSL & 1980'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	10/2/43	11/29/43	OIL PRODUCER		8 5/8" @ 460' W/50 SXS 7" @ 1821' W/100 SXS OPEN HOLE COMPLETION: 1821'- 1991'
				3/30/50 12/22/54		3116/3116	IP=72 BOPD PERFORATE: 1942'- 1989'(OA) - RETURN TO PRODUCTION DEEPEN OPEN HOLE TO 3116' 5 1/2" @ 3065' W/75 SXS
				7/3/72	WATER INJECTOR	3181'/3181'	OPEN HOLE COMPLETION: 3065'- 3116' - RETURN TO PRODUCTION DEEPEN OPEN HOLE TO 3181' CONVERT TO WATER INJECTION WELL
	·	'	'	. •	'		
		ı					

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
·	990'FSL & 2970'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	10/19/46	11/19/46 12/12/63 5/30/80	OIL PRODUCER	3312/3100	8 5/8" @ 452' W/75 SXS 7" @ 1809' W/130 SXS OPEN HOLE COMPLETION: 1809'- 2023' IP=83 BOPD DEEPEN OPEN HOLE TO 3312' & PLUGGED BACK TO 3100' 4 1/2" @ 3094' W/150 SXS. TOC @ 2486"(CBL) PERFORATE: 2844'- 3071'(OA) - RETURN TO PRODUCTION CEMENT 4 1/2"- 7" ANNULUS FROM 2486' TO SURFACE RETURN TO PRODUCTION
!						

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
	F						
•		1650'FSL & 1750'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	1/2/62	5/11/62 10/27/78	OIL PRODUCER	7150'/3200'	8 5/8" @ 1364' W/650 SXS. CEMENT TO SURFACE. 4 1/2" @ 7120' W/1200 SXS. TOC @ 1435'(CBL) PERFORATE: 7011'- 7022'(OA) IP=192 BOPD SQUEEZE PERFORATIONS W/200 SXS SET CIBP @ 3257' & CAP WITH CEMENT TO 3200' PERF & SQZ'D 4 1/2" CASING @ 1400'- 1402' W/550 SXS. CMT TO SURFACE. PERFORATE: 2975'- 3104'(OA) - RETURN TO PRODUCTION
			<u>_</u>				

SEC 19-T17S-R31E EDDY COUNTY, NM 1/16/71 5/26/80 1/16/72 1/15'/6868' FERFORATE: 6928'- 7086'(OA) 1/15'/6868' FERFORATE: 6928'- 7086'(OA) 1/15'/6868' SET CIBP @ 6868' - TEMPORARILY ABANDONED PERF & SQUEEZE @ 2110' W/1250 SXS. TOC @ 1910'(TEMP SURVEY) SPOT CEMENT PLUG @ 2000'- 2200' - TEMPORARILY ABANDONED	SEC 19-T17S-R31E EDDY COUNTY, NM 1/16/71 5/26/80 1/16/71 5/26/80 1/16/71 5/26/80 1/16/71 5/26/80 1/16/71 5/26/80 1/16/71 5/26/80 1/15/26/80 1/15/26/80 1/16/71 5/26/80 1/15/26/8	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
1/16/71 5/26/80 1/15/76868' 7115'/2000' PERF & SQUEEZE @ 2110' W/1250 SXS. TOC @ 1910'(TEMP SURVEY) SPOT CEMENT PLUG @ 2000'- 2200' - TEMPORARILY ABANDONED 12,299'/11,500' 13 3/8" @ 369' W/300 SXS. CEMENT TO SURFACE. 9 5/8" @ 3210' W/600 SXS. CEMENT TO SURFACE. 7" @ 12,275' W/575 SXS. SET CIBP @ 11,500' PERFORATE: 6944'- 6996'(OA) "ABO ZONE" PERFORATE: 11,142'- 11,218'(OA) "MORROW ZONE" COMPLETED AS A DUAL GAS WELL SQUEEZE OFF ABO PERFORATIONS W/200 SXS	1/16/71 5/26/80 1/16/80 1/16/80	EN OIL COMPANY #20	SEC 19-T17S-R31E	5/27/62	6/17/62	OIL PRODUCER		4 1/2" @ 7113' W/1200 SXS. CEMENT TO SURFACE. PERFORATE: 6928'- 7086'(OA)
SPOT CEMENT PLUG @ 2000'- 2200' - TEMPORARILY ABANDONED SPOT CEMENT PLUG @ 2000'- 2200' - TEMPORARILY ABANDONED 12,299/11,500' 13 3/8" @ 369' W/300 SXS. CEMENT TO SURFACE. 9 5/8" @ 3210' W/600 SXS. CEMENT TO SURFACE. 7" @ 12,275' W/575 SXS. SET CIBP @ 11,500' PERFORATE: 6944'- 6996'(OA) "ABO ZONE" PERFORATE: 11,142- 11,218'(OA) "MORROW ZONE" COMPLETED AS A DUAL GAS WELL SQUEEZE OFF ABO PERFORATIONS W/200 SXS	SPOT CEMENT PLUG @ 2000'- 2200' - TEMPORARILY ABANDONED 12,299'/11,500' 13 3/8" @ 369' W/300 SXS. CEMENT TO SURFACE. 9 5/8" @ 3210' W/600 SXS. CEMENT TO SURFACE. 7" @ 12,275' W/575 SXS. SET CIBP @ 11,500' PERFORATE: 11,142- 11,218'(OA) "MORROW ZONE" COMPLETED AS A DUAL GAS WELL SQUEEZE OFF ABO PERFORATIONS W/200 SXS PERFORATE & SQUEEZE @ 5768'- 5770' W/250 SXS PERFORATE & SQUEEZE @ 5050'- 5052' W/720 SXS. CEMENT TO SURFACE. 1/7/81				1/16/71			
SEC 19-T17S-R31E EDDY COUNTY, NM 9 5/8" @ 3210' W/600 SXS. CEMENT TO SURFACE. 7" @ 12,275' W/575 SXS. SET CIBP @ 11,500' PERFORATE: 6944'- 6996'(OA) "ABO ZONE" PERFORATE: 11,142'- 11,218'(OA) "MORROW ZONE" COMPLETED AS A DUAL GAS WELL 1/7/81 1/7/81 SQUEEZE OFF ABO PERFORATIONS W/200 SXS	SEC 19-T17S-R31E EDDY COUNTY, NM 9 5/8" @ 3210' W/600 SXS. CEMENT TO SURFACE. 7" @ 12,275' W/575 SXS. SET CIBP @ 11,500' PERFORATE: 6944'- 6996'(OA) "ABO ZONE" PERFORATE: 11,142- 11,218'(OA) "MORROW ZONE" COMPLETED AS A DUAL GAS WELL SQUEEZE OFF ABO PERFORATIONS W/200 SXS PERFORATE & SQUEEZE @ 5768'- 5770' W/250 SXS PERFORATE & SQUEEZE @ 5050'- 5052' W/720 SXS. CEMENT TO SURFA SQUEEZED CASING LEAKS 8170'- 8385'(OA) W/150 SXS				5/26/80			
PERFORATE & SQUEEZE @ 5050'- 5052' W/720 SXS. CEMENT TO SURFACI SQUEEZED CASING LEAKS 8170'- 8385'(OA) W/150 SXS		EN OIL COMPANY #21	SEC 19-T17S-R31E	3/27/65		GAS PRODUCER		9 5/8" @ 3210' W/600 SXS. CEMENT TO SURFACE. 7" @ 12,275' W/575 SXS. SET CIBP @ 11,500' PERFORATE: 6944'- 6996'(OA) "ABO ZONE" PERFORATE: 11,142'- 11,218'(OA) "MORROW ZONE" COMPLETED AS A DUAL GAS WELL SQUEEZE OFF ABO PERFORATIONS W/200 SXS PERFORATE & SQUEEZE @ 5768'- 5770' W/250 SXS PERFORATE & SQUEEZE @ 5050'- 5052' W/720 SXS. CEMENT TO SURFACE

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
FRIESS FEDERAL #1	2310'FSL & 1650'FEL	9/15/41	4/15/42	OIL PRODUCER	3520'/2870'	8 1/4" @ 465' W/50 SXS
1	SEC 19-T17S-R31E		,		`	7" @ 2719' W/100 SXS
1	EDDY COUNTY, NM					OPEN HOLE COMPLETION: 2719'- 2870'
				}		IP=35 BOPD
			2/16/67		3520'/3470'	CLEAN OUT OPEN HOLE TO 3470' - RETURN TO PRODUCTION
			8/13/69		3520/2431'	7" CASING COLLAPSED @ 2442"
						SET CIBP @ 2431' PERFORATE: 1901'- 1974'(OA) - RETURN TO PRODUCTION
1			11/27/72	į.		TEMPORATILY ABANDONED
			11/2///2			TEMP ONAME! ABANDONED
FRIESS FEDERAL #2	1980'FSL & 1980'FEL	7/18/44	9/1/44	OIL PRODUCER	1970/1970	8 1/4" @ 470' W/50 SXS
	SEC 19-T17S-R31E					7" @ 1804' W/100 SXS
J	EDDY COUNTY, NM					OPEN HOLE COMPLETION: 1804'- 1970'
						IP=85 BOPD
j ·			6/23/55		3110'/3110'	DEEPEN OPEN HOLE TO 3110'
						5 1/2" @ 2981' W/45 SXS. TOC @ 2300'(TEMP SURVEY)
j			4 107/07	·	20551/20551	OPEN HOLE COMPLETION: 2981'- 3110' - RETURN TO PRODUCTION
			1/27/67	WATER BUIECTOR	3255'/3255' 3255'/3122'	DEEPEN OPEN HOLE TO 3255' - RETURN TO PRODUCTION
,		l	7/5/72	WATER INJECTOR	323373122	PLUG BACK OPEN HOLE TO 3122 - CONVERT TO WATER INJECTION WELL
FRIESS FEDERAL #3	1650'FSL & 1980'FEL	5/23/62	7/13/62	OIL PRODUCER	7095'/7040'	8 5/8" @ 1405' W/200 SXS
	SEC 19-T17S-R31E	j				5 1/2" @ 7085' W/850 SXS. TOC @ 1454'(TEMP SURVEY)
	EDDY COUNTY, NM					PERFORATE: 7060'- 7070'(OA)
						IP=984 BOPD
·		[5/17/63			PERFORATE: 6955'- 7046'(OA) - RETURN TO PRODUCTION
			4/5/65			SQUEEZE OFF ALL EXISTING PERFORATIONS W/150 SXS
						PERFORATE: 6955'- 7005'(OA) - RETURN TO PRODUCTION
			7/8/69			DRILL OUT WELLBORE TO TD @ 7095'
			0/00/70			PERFORATE: 6959'- 7095'(OA) - 5 1/2" CASING RUPTURED @ 3541'
			6/23/70		7095'/3269'	SET CIBP @ 3269' AND CAP WITH CEMENT
			ł		j	PERFORATE: 2814'- 3176'(OA) - RETURN TO PRODUCTION
FRIESS FEDERAL #4	1680'FSL & 2650'FWL	5/29/96	7/6/96	OIL PRODUCER	3720'/3672'	8 5/8" @ 390' W/375 SXS. CEMENT TO SURFACE.
	SEC 19-T17S-R31E	}		1		5 1/2" @ 3719' W/1350 SXS. CEMENT TO SURFACE.
	EDDY COUNTY, NM					PERFORATE: 2734'- 3322'(OA)
						IP=147 BOPD

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
FRIESS, MAX #1	660'FNL & 1980'FEL	12/14/43	3/6/44	OIL PRODUCER	2057'/2057'	8 1/4" @ 524' W/50 SXS
	SEC 30-T17S-R31E		3.3.77	OILT NOBOULK	2007.2007	7" @ 1852' W/100 SXS
1	EDDY COUNTY, NM					OPEN HOLE COMPLETION: 1852'- 2057'
1	}	}				IP=10 BOPD
			2/25/55		3200'/2050'	DEEPEN OPEN HOLE TO 3200'. PLUGGED BACK TO 2050'.
Į.						RETURN TO PRODUCTION
Į.			10/1/57		3437'/3437'	DEEPEN OPEN HOLE TO 3437'
	i .					5 1/2" @ 2830' W/100 SXS. TOC @ 1980'(TEMP SURVEY)
1						OPEN HOLE COMPLETION: 2830'- 3437' - RETURN TO PRODUCTION
j	ļ		7/11/72	WATER INJECTOR	3437'/3423'	2 7/8" LINER @ 2615'- 3423' W/155 SXS
				·		PERFORATE: 3108 - 3237 (OA) - CONVERT TO WATER INJECTION WELL
FRIESS, MAX #2	660'FNL & 660'FEL	4/26/57	6/13/57	OIL PRODUCER	3300/3286	10 3/4" @ 582 W/100 SXS
	SEC 30-T17S-R31E					7" @ 3300' W/100 SXS. TOC @ 2375'(TEMP SURVEY)
Í	EDDY COUNTY, NM					PERFORATE: 3264'- 3276'(OA)
				}		IP=206 BOPD
	l		9/24/58			PERFORATE: 3098'- 3128'(OA) - RETURN TO PRODUCTION
			9/9/73			PERFORATE: 3191'- 3212'(OA) - RETURN TO PRODUCTION
			1/30/86			SET CIBP @ 3050' CAP WITH 35 SXS CEMENT
1		•				PERFORATE & SQUEEZE @ 2150' W/125 SXS. TOC @ 2030'
į,						PERFORATE & SQUEEZE @ 1800' W/125 SXS.
	:					PERFORATE: 1985'- 2035'(OA) - SHUT WELL IN
			11/11/90		3300'/3286'	CLEAN OUT WELLBORE TO 3286' - RETURN TO PRODUCTION
FRIESS, MAX #3	1980'FNL & 1980'FEL	7/1/57	8/13/57	OIL PRODUCER	3451'/3420'	10 3/4" @ 586' W/100 SXS
i	SEC 30-T17S-R31E					7" @ 3451' W/100 SXS. TOC @ 2400'(TEMP SURVEY)
1	EDDY COUNTY, NM					PERFORATE: 2908'- 3274'(OA)
ì				1	-	IP=264 BOPD
			2/22/60			PERFORATE: 3379'- 3392'(OA) - RETURN TO PRODUCTION
Į į	ļ	1	5/20/62	1		PERFORATE: 3382'- 3396'(OA) - TEMPORARILY ABANDONED
}		J	8/3/78		3451'/2846'	SET CIBP @ 2846
			8/13/79	1		PLUGGED & ABANDONED
]	-	
				ĺ		
	·		1	1		

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
FRIESS, MAX #4	1980'FNL & 660'FEL SEC 30-T17S-R31E EDDY COUNTY, NM	8/26/57	10/6/57	OIL PRODUCER	3397/3379	10 3/4" @ 614' W/100 SXS 7" @ 3396' W/100 SXS. TOC @ 2210'(TEMP SURVEY) PERFORATE: 3358'- 3368'(OA) IP=232 BOPD PERFORATE: 3220'- 3240'(OA) - RETURN TO PRODUCTION
	-		6/22/72 9/28/91	WATER INJECTOR	3397'/3300' 3397'/3390'	SET CIBP @ 3300' - CONVERT TO WATER INJECTION WELL CLEAN OUT WELLBORE TO 3390' PERFORATE: 2903'- 3390'(OA) - RETURN TO INJECTION
FRIESS, MAX #5	1270'FNL & 100'FEL SEC 30-T17S-R31E EDDY COUNTY, NM	3/12/91	3/30/91	OIL PRODUCER	3805'/3762'	12 3/4" @ 325' W/500 SXS. CEMENT TO SURFACE. 8 5/8" @ 1391' W/800 SXS. CEMENT TO SURFACE. 5 1/2" @ 3805' W/1100 SXS. CEMENT TO SURFACE. PERFORATE: 3036'- 3540'(OA) IP=292 BOPD
FRIESS, MAX #6	1270'FNL & 1460'FEL SEC 30-T17S-R31E EDDY COUNTY, NM	5/5/92	5/21/92	OIL PRODUCER		13 3/8" @ 404' W/375 SXS. CEMENT TO SURFACE. 8 5/8" @ 1443' W/650 SXS. CEMENT TO SURFACE. 5 1/2" @ 3937' W/1100 SXS. CEMENT TO SURFACE. PERFORATE: 3089'- 3519'(OA) IP=298 BOPD
FRIESS, MAX #7	2610'FNL & 1460'FEL SEC 30-T17S-R31E EDDY COUNTY, NM	5/15/92	6/15/92	OIL PRODUCER		13 3/8" @ 411' W/375 SXS. CEMENT TO SURFACE. 8 5/8" @ 1427' W/650 SXS. CEMENT TO SURFACE. 5 1/2" @ 3740' W/1100 SXS. CEMENT TO SURFACE. PERFORATE: 3064'- 3642'(OA) IP=44 BOPD
TURNER "A" #7	330'FNL & 1980'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	5/24/40	8/4/40	OIL PRODUCER		8 5/8" @ 565' W/50 SXS 7" @ 2957' W/100 SXS OPEN HOLE COMPLETION: 2957'- 3442' IP=264 BOPD
			2/2/95			PLUGGED & ABANDONED

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "A" #14	1650 FNL & 660 FWL SEC 19-T17S-R31E EDDY COUNTY, NM	9/20/41	12/1/41	OIL PRODUCER		8 5/8" @ 528' W/50 SXS 7" @ 2927' W/100 SXS OPEN HOLE COMPLETION: 2927'- 3467' IP=50 BOPD
TURNER "A" #15	1650 FNL & 1980 FWL SEC 19-T17S-R31E EDDY COUNTY, NM	10/6/41	2/13/42	OIL PRODUCER		8 5/8" @ 495' W/50 SXS 7" @ 2910' W/100 SXS OPEN HOLE COMPLETION: 2910'- 3444' IP=60 BOPD
			12/12/67 1/7/70 4/30/73	WATER INJECTOR		CONVERT TO WATER INJECTION WELL 4 1/2" @ 3442' W/200 SXS. TOC @ 1100'(TEMP SURVEY) PERFORATE: 3321'- 3432'(OA) - RETURN TO INJECTION PERFORATE: 2945'- 3035'(OA) - RETURN TO INJECTION
TURNER "A" #16	1980'FNL & 660'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	3/2/44	4/29/44	OIL PRODUCER		7" @ 491' W/50 SXS 5 1/2" @ 1876' W/100 SXS OPEN HOLE COMPLETION: 1876'- 1927' IP=60 BOPD
			9/28/85		1927'/1844'	SET CIBP @ 1844' - TEMPORARILY ABANDONED
TURNER "A" #17	1980'FNL & 1980'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	8/29/44	10/24/44	OIL PRODUCER		7" @ 493' W/50 SXS 5 1/2" @ 1847' W/100 SXS OPEN HOLE COMPLETION: 1847'- 1965' IP=95 BOPD PLUGGED & ABANDONED
TURNER "A" #18	1980'FNL & 660'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	2/4/45	4/23/45	OIL PRODUCER		7" @ 493' W/50 SXS 5 1/2" @ 1859' W/100 SXS OPEN HOLE COMPLETION: 1859'- 1966' IP=45 BOPD
			10/6/86			PLUGGED & ABANDONED

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "A" #47	1330'FNL & 1025'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	5/7/96	6/1/96	OIL PRODUCER	3743'/3693'	8 5/8" @ 392' W/500 SXS. CEMENT TO SURFACE. 5 1/2" @ 3742' W/1875 SXS. CEMENT TO SURFACE. PERFORATE: 2690'- 3429'(OA) IP=382 BOPD
TURNER "A" #48	2350'FNL & 1330'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	5/21/96	6/29/96	OIL PRODUCER	3670'/3626'	8 5/8" @ 387' W/500 SXS. CEMENT TO SURFACE. 5 1/2" @ 3669' W/2000 SXS. CEMENT TO SURFACE. PERFORATE: 2726'- 3241'(OA) IP=136 BOPD
TURNER "A" #49	2280'FNL & 2450'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	4/15/96	5/23/96	OIL PRODUCER	3670'/3622'	8 5/8" @ 353' W/350 SXS. CEMENT TO SURFACE. 5 1/2" @ 3669' W/2000 SXS. CEMENT TO SURFACE. PERFORATE: 2741'- 3243'(OA) IP=95 BOPD
TURNER "A" #50	2390'FNL & 1210'FEL SEC 19-T17S-R31E EDDY COUNTY, NM	2/15/96	4/5/96	OIL PRODUCER	3775/3730	8 5/8" @ 421' W/650 SXS. CEMENT TO SURFACE. 5 1/2" @ 3774' W/640 SXS. CEMENT TO SURFACE. PERFORATE: 2706'- 3488'(OA) IP=243 BOPD
TURNER "A" #57	580'FNL & 1905'FWL SEC 19-T17S-R31E EDDY COUNTY, NM	7/11/96	10/2/96	WATER INJECTOR	3765/3719	8 5/8" @ 399' W/350 SXS. CEMENT TO SURFACE. 5 1/2" @ 3764' W/1675 SXS. CEMENT TO SURFACE. PERFORATE: 2711'- 3550'(OA) COMPLETED AS A WATER INJECTION WELL
TURNER "B" #13	660'FSL & 660'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	5/28/44	8/13/44	OIL PRODUCER	2051'/2051'	7" @ 534' W/50 SXS 5 1/2" @ 1891' W/100 SXS OPEN HOLE COMPLETION: 1891'- 2051' IP=91 BOPD PLUGGED & ABANDONED
TURNER "B" #23	565'FNL & 586'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	7/13/46	9/1/46	OIL PRODUCER	2102'/2102'	7" @ 558' W/50 SXS 5 1/2" @ 1995' W/100 SXS OPEN HOLE COMPLETION: 1995'- 2102' IP=25 BOPD

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #26	1650'FSL & 330'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	10/15/47	1/2/48 3/13/76	OIL PRODUCER	2010/2010	7" @ 536' W/50 SXS 5 1/2" @ 1932' W/100 SXS OPEN HOLE COMPLETION: 1932'- 2010' IP=20 BOPD PLUGGED & ABANDONED
TURNER "B" #27	330'FSL & 330'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	10/22/47	12/31/47 3/11/76	OIL PRODUCER		8 1/4" @ 527' W/50 SXS 5 1/2" @ 1939' W/100 SXS OPEN HOLE COMPLETION: 1939'- 2034' IP=12 BOPD PLUGGED & ABANDONED
TURNER "B" #43	660'FSL & 560'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	9/2/55	4/6/62 2/3/70 6/15/80 4/5/91	OIL PRODUCER		8 5/8" @ 528' W/50 SXS 5 1/2" @ 3237' W/125 SXS. TOC @ 2345'(TEMP SURVEY) PERFORATE: 3062'- 3078'(OA) IP=168 BOPD PERFORATE: 3200'- 3210'(OA) - RETURN TO PRODUCTION PERFORATE: 3148'- 3163'(OA) - RETURN TO PRODUCTION PERFORATE & SQUEEZE 2331'- 2332' W/600 SXS. TOC @ 1400' FILL 5 1/2"- 8 5/8" ANNULUS 0'- 360' W/150 SXS - RETURN TO PRODUCTION PERFORATE: 2873'- 2994'(OA) - RETURN TO PRODUCTION
TURNER "B" #49	1980'FNL & 1980'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	9/2/57	11/1/57 3/6/91 3/12/95	OIL PRODUCER		10 3/4" @ 581' W/100 SXS 7" @ 3502' W/100 SXS. TOC @ 2325' OPEN HOLE COMPLETION: 3502'- 3600' SET RBP @ 3467' PERFORATE: 3418'- 3454'(OA) IP=264 BOPD PERFORATE: 3165'- 3314'(OA) - RETURN TO PRODUCTION PERFORATE: 3081'- 3435'(OA) - RETURN TO PRODUCTION

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #50	660'FNL & 660'FWL	10/6/57	11/25/57	OIL PRODUCER	3375'/3352'	10 3/4" @ 598' W/100 SXS
	SEC 29-T17S-R31E					7" @ 3374' W/100 SXS. TOC @ 2275'(TEMP SURVEY)
	EDDY COUNTY, NM	ļ	1			PERFORATE: 3306'- 3320'(OA)
			242.00			IP=205 BOPD
			6/18/59	WATER INJECTOR	3375'/3285'	PERFORATE: 3208'- 3224'(OA) - RETURN TO PRODUCTION SET CIBP @ 3295' & CAP W/10' CMT - CONVERT TO WATER INJECTION WELL
	İ	·	3/11/69 1/22/70	WATER INJECTOR	3375/3290	CLEAN OUT WELLBORE TO 3290'
			1/22/10		331313290	PERFORATE: 3172-3285'(OA) - RETURN TO INJECTION
			7/18/91		3375'/3340'	DRILLED OUT CIBP & CLEAN OUT WELLBORE TO 3340'
]			7710/91		3373733-13	PERFORATE: 2978'- 3156'(OA) - RETURN TO INJECTION
					0.45410.4004	ADDIAN A FERNANDO DAD DENENT TO CUREACE
TURNER "B" #52	1980'FNL & 660'FWL	12/31/57	2/23/58	OIL PRODUCER	3451'/3439'	10 3/4" @ 558' W/100 SXS. CEMENT TO SURFACE. 5 1/2" @ 3451' W/150 SXS
	SEC 29-T17S-R31E					PERFORATE: 3300'- 3320'(OA)
	EDDY COUNTY, NM					IP=216 BOPD
			2/5/70			PERFORATE: 3330'- 3338'(OA) - RETURN TO PRODUCTION
•			11/1/90			PERFORATE: 3269-3352'(OA) - RETURN TO PRODUCTION
TURNER "B" #53	1980'FSL & 660'FEL	5/12/58	6/25/58	OIL PRODUCER	3524'/3470'	10 3/4" @ 573' W/100 SXS
TORRICK B #00	SEC 30-T17S-R31E	3/1230	0/20/00	OIL I NODOCEN		5 1/2" @ 3524' W/150 SXS. TOC @ 2670'(TEMP SURVEY)
ļ	EDDY COUNTY, NM			:		PERFORATE: 3488'- 3494'(OA)
						SET CIBP @ 3470
<u> </u>						PERFORATE: 3356- 3372'(OA)
						IP=219 BOPD
<u> </u>			2/5/70			PERFORATE: 3388'- 3397'(OA) - RETURN TO PRODUCTION
			11/21/89		3524'/3513'	DRILL OUT CIBP & CLEAN OUT WELLBORE TO 3513'
						RETURN TO PRODUCTION
			3/27/91		3524'/3524'	MILLED ON COLLAPSED CASING @ 3395'. CLEAN OUT WELLBORE TO TD.
						·
			į			

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #54	1980'FNL & 1980'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	6/30/58	8/18/58	OIL PRODUCER		10 3/4" @ 553' W/100 SXS 5 1/2" @ 3525' W/125 SXS. TOC @ 2740'(TEMP SURVEY) PERFORATE: 3366'- 3386'(OA) IP=216 BOPD
·			2/2/70 8/30/91	WATER INJECTOR		PUSHED PACKER TO 3460'(UNABLE TO MILL UP) PERFORATE: 3396'- 3404'(OA) - CONVERT TO WATER INJECTION WELL PERFORATE: 3108'- 3266'(OA) - RETURN TO INJECTION
TURNER "B" #56	1980'FSL & 1980'FEL SEC 30-T17S-R31E EDDY COUNTY, NM	10/12/58	11/21/58	OIL PRODUCER		10 3/4" @ 630' W/100 SXS 5 1/2" @ 3527' W/100 SXS. TOC @ 2980'(TEMP SURVEY) PERFORATE: 3367'- 3378'(OA) IP=216 BOPD
·			3/13/69 7/1/85	WATER INJECTOR		PERFORATE: 3336- 3343'(OA) - CONVERT TO WATER INJECTION WELL SQUEEZE CASING LEAKS 2075- 2606' W/250 SXS - RETURN TO INJECTION
TURNER "B" #58	1650'FNL & 660'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	7/27/59	1/7/60	D & A		13 3/8" @ 230' W/300 SXS. CEMENT TO SURFACE. 9 5/8" @ 3825' W/2508 SXS. CEMENT TO SURFACE. 5 1/2" @ 9900' W/150 SXS. TOC @ 9430'(TEMP SURVEY) PERFORATE: 9759'- 9767'(OA) SQUEEZE PERFORATIONS 9759'- 9767' W/300 SXS PERFORATE: 9763'- 9765'(OA) TEMPORARILY ABANDONED PLUGGED & ABANDONED
TURNER "B" #60 `	1980'FSL & 1980'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	3/5/59	4/20/59 2/4/70 12/27/90	OIL PRODUCER		10 3/4" @ 625' W/100 SXS 5 1/2" @ 3626' W/100 SXS PERFORATE: 3470'- 3488'(OA) IP=240 BOPD PERFORATE: 3513'- 3524'(OA) - RETURN TO PRODUCTION PERFORATE: 3193'- 3610'(OA) - RETURN TO PRODUCTION

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #61	1980'FSL & 1980'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	4/24/59	6/8/59	OIL PRODUCER		10 3/4" @ 633' W/100 SXS 5 1/2" @ 3661' W/100 SXS. TOC @ 2310'(TEMP SURVEY) PERFORATE: 3616'- 3646'(OA) IP=288 BOPD
			1/15/62 1/21/69	WATER INJECTOR	3661'/3670'	PERFORATE: 3506'- 3516'(OA) - RETURN TO PRODUCTION SET CIBP @ 3585' AND CAP WITH 15' CEMENT PERFORATE: 3532'- 3540'(OA) - CONVERT TO WATER INJECTION WELL
			5/15/91		3661'/3659'	DRILL OUT CIBP AND CLEAN OUT WELLBORE TO 3659' PERFORATE: 3254'- 3586'(OA) - RETURN TO INJECTION
TURNER "B" #62	1980'FSL & 660'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	6/13/59	8/7/59	OIL PRODUCER		8 5/8" @ 648' W/200 SXS 5 1/2" @ 3690' W/100 SXS PERFORATE: 3500'- 3674'(OA) IP=288 BOPD
TURNER "B" #63	660'FSL & 1980'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	8/5/59	9/18/59 3/25/91	OIL PRODUCER		8 5/8" @ 700' W/100 SXS 5" @ 3670' W/100 SXS. TOC @ 2810'(TEMP SURVEY) PERFORATE: 3510'- 3620'(OA) IP=216 BOPD PERFORATE: 3293'- 3484'(OA) - RETURN TO PRODUCTION
TURNER "B" #64	1980'FSL & 600'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	9/21/59	10/30/59	OIL PRODUCER		8 5/8" @ 570' W/100 SXS 5" @ 3576' W/100 SXS PERFORATE: 3388'- 3405'(OA) IP=240 BOPD
			3/11/69 1/26/70 9/5/91	WATER INJECTOR		CONVERT TO WATER INJECTION WELL PERFORATE: 3426'- 3440'(OA) - RETURN TO INJECTION PERFORATE: 3054'- 3557'(OA) - RETURN TO INJECTION

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #76	660'FSL & 660'FEL SEC 30-T17S-R31E	12/20/60	1/29/61	D & A	3597'/0'	8 5/8" @ 542' W/100 SXS PLUGGED & ABANDONED
	EDDY COUNTY, NM		3/11/69	WATER INJECTOR	3597'/3570'	RE-ENTER WELLBORE AND CLEANED OUT TO TD 4 1/2" @ 3597' W/575 SXS. TOC @ 800'
			3/28/72 4/28/82		3597'/3470'	PERFORATE: 3426'- 3497'(OA) - CONVERT TO WATER INJECTION WELL SET CIBP @ 3470' - INJECTION THRU PERFORATIONS 3426'- 3446'(OA) PLUGGED & ABANDONED
TURNER "B" #77	660'FSL & 660'FWL SEC 30-T17S-R31E EDDY COUNTY, NM	4/1/61	6/20/61	OIL PRODUCER	11475/11405'	13 3/8" @ 620' W/750 SXS. CEMENT TO SURFACE. 9 5/8" @ 2950' W/1000 SXS. CEMENT TO SURFACE. 7" @ 11475' W/500 SXS. TOC @ 8910'(TEMP SURVEY) PERFORATE: 10919'- 10927'(OA) IP=516 BOPD
			7/30/63		11475/11032	SET CIBP @ 11048' AND CAP WITH 4 SXS CEMENT SQUEEZE PERFORATIONS 10919'- 10927' W/250 SXS PERFORATE & SQUEEZE 8054' W/620 SXS PERFORATE & SQUEEZE 7850' W/200 SXS PERFORATE: 7924'- 7948'(OA) SQUEEZE PERFORATIONS 7924'- 7948' W/200 SXS PERFORATE: 9722'- 9736'(OA) - RETURN TO PRODUCTION PLUGGED & ABANDONED
TURNER "B" #80	2565'FSL & 1305'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	10/21/90	10/1/71	OIL PRODUCER	3600'/3543'	8 5/8" @ 599' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3597' W/1000 SXS. CEMENT TO SURFACE. PERFORATE: 3093'- 3536'(OA) IP=233 BOPD
TURNER "B" #81	2545'FSL & 2615'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	11/8/90	11/23/90	OIL PRODUCER	į	8 5/8" @ 600' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3698' W/500 SXS. CEMENT TO SURFACE. PERFORATE: 3230'- 3628'(OA) IP=278 BOPD
TURNER "B" #82	2550'FSL & 1335'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	11/19/90	12/4/90	OIL PRODUCER		8 5/8" @ 602' W/824 SXS. CEMENT TO SURFACE. 5 1/2" @ 3724' W/1040 SXS. CEMENT TO SURFACE. PERFORATE: 3244'- 3616'(OA) IP=301 BOPD

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #86	1335'FSL & 1305'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	11/28/90	12/16/90	OIL PRODUCER	3720/3711'	8 5/8" @ 601' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3730' W/1225 SXS. CEMENT TO SURFACE. PERFORATE: 3227'- 3627'(OA) IP=64 BOPD
TURNER "B" #87	1335'FSL & 2625'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	12/8/90	12/22/90	OIL PRODUCER	3725'/3685'	8 5/8" @ 605' W/465 SXS. CEMENT TO SURFACE. 5 1/2" @ 3725' W/1000 SXS. CEMENT TO SURFACE. PERFORATE: 3293'- 3658'(OA) IP=110 BOPD
TURNER "B" #88	1335'FSL & 1335'FEL SEC 29-T17S-R31E EDDY COUNTY, NM	12/17/90	1/9/91	OIL PRODUCER	3745/3722	8 5/8" @ 605' W/550 SXS. CEMENT TO SURFACE. 5 1/2" @ 3745' W/1225 SXS. CEMENT TO SURFACE. PERFORATE: 3315'- 3688'(OA) IP=186 BOPD
TURNER "B" #98	1270'FSL & 50'FWL SEC 29-T17S-R31E EDDY COUNTY, NM	3/23/91	4/12/91	OIL PRODUCER	3750'/3704'	12 3/4" @ 398' W/500 SXS. CEMENT TO SURFACE. 8 5/8" @ 1485' W/700 SXS. CEMENT TO SURFACE. 5 1/2" @ 3750' W/1100 SXS. CEMENT TO SURFACE. PERFORATE: 3191'- 3739'(OA) IP=230 BOPD
TURNER "B" #99	2590'FSL & 100'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	2/24/91	3/19/91	OIL PRODUCER	3690'/3655'	12 3/4" @ 332' W/525 SXS. CEMENT TO SURFACE. 8 5/8" @ 1418' W/800 SXS. CEMENT TO SURFACE. 5 1/2" @ 3700' W/1250 SXS. CEMENT TO SURFACE. PERFORATE: 3110'- 3643'(OA) IP=44 BOPD
TURNER "B" #100	150'FSL & 50'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	2/9/91	2/18/91	OIL PRODUCER		11 3/4" @ 465' W/425 SXS. CEMENT TO SURFACE. 8 5/8" @ 1422' W/550 SXS. CEMENT TO SURFACE. 5 1/2" @ 3576' W/750 SXS. CEMENT TO SURFACE. PERFORATE: 3213'- 3454'(OA) IP=60 BOPD

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
TURNER "B" #107	2190'FSL & 330'FWL SEC 30-T17S-R31E EDDY COUNTY, NM	6/7/96		OIL PRODUCER		8 5/8" @ 387' W/660 SXS. CEMENT TO SURFACE. 5 1/2" @ 4045' W/2550 SXS. CEMENT TO SURFACE. PERFORATE: 2951'- 3617'(OA) TESTING WELL TO FRAC TANK
TURNER "B" #108	2190'FSL & 1700'FWL SEC 30-T17S-R31E EDDY COUNTY, NM	9/26/96		OIL PRODUCER		8 5/8" @ 430' W/350 SXS. CEMENT TO SURFACE. 5 1/2" @ 3869' W/1375 SXS. CEMENT TO SURFACE. PERFORATE: 2991'- 3615'(OA) TESTING WELL TO FRAC TANK
TURNER "B" #118	1200'FSL & 10'FWL SEC 20-T17S-R31E EDDY COUNTY, NM	6/18/96	8/19/96	OIL PRODUCER		8 5/8" @ 339' W/350 SXS. CEMENT TO SURFACE. 5 1/2" @ 3759' W/1325 SXS. CEMENT TO SURFACE. PERFORATE: 2821'- 3517'(OA) IP=300 BOPD
. •						
						·

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
O		330'FNL & 731'FWL	6/6/58	8/11/58	OIL PRODUCER		10 3/4" @ 518' W/300 SXS
		SEC 30-T17S-R31E EDDY COUNTY, NM					T" @ 3423' W/150 SXS PERFORATE: 2835'- 3256'(OA) IP=150 BOPD
	Jack Plemons	660'FNL & 3300'FEL SEC 30-T17S-R31E EDDY COUNTY, NM	3/16/44	4/15/44 6/27/56	OIL PRODUCER		8 1/4" @ 513' W/50 SXS 7" @ 1887' W/100 SXS OPEN HOLE COMPLETION: 1887'- 2058' IP=150 BOPD DEEPEN OPEN HOLE TO 3232' - RETURN TO PRODUCTION

	WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
1		335 FNL & 2970 FEL SEC 30-T175-R31E EDDY COUNTY, NM	2/6/47	4/21/47 6/7/56	OIL PRODUCER		8 5/8" @ 435' W/50 SXS 5 1/2" @ 1954' W/100 SXS OPEN HOLE COMPLETION: 1954'- 2033' IP=40 BOPD PLUGGED & ABANDONED

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
JACKSON "B" #25	990'FSL & 660'FEL	2/20/63	9/1/63	OIL PRODUCER	7090'/7090'	8 5/8" @ 1402' W/450 SXS
Burnett Oil Company	SEC 24-T17S-R30E EDDY COUNTY, NM					4 1/2" @ 7090' W/925 SXS PERFORATE: 3168'- 3178'(OA)
						IP=13 BOPD
JACKSON "B" #35	100'FNL & 460'FEL	12/12/93	2/17/94	OIL PRODUCER	3280'/3270'	8 5/8" @ 1496' W/830 SXS
Burnett Oil Company	SEC 25-T17S-R30E	ļ				5 1/2" @ 3275' W/550 SXS PERFORATE: 3062'- 3258'(OA)
	EDDY COUNTY, NM					IP=65 BOPD
JACKSON "B" #37	2400'FSL & 567'FEL	10/25/95	1/11/96	OIL PRODUCER		8 5/8" @ 505' W/236 SXS
Burnett Oil Company	SEC 24-T17S-R30E		·			5 1/2" @ 3209' W/980 SXS
	EDDY COUNTY, NM				J ·	PERFORATE: 2966'- 3124'(OA) IP=148 BOPD
SIMON STATE #1	1650'FNL & 990'FEL	5/2/60	6/20/60	D & A	3815'/3815'	10 3/4" @ 620' W/50 SXS
Ashmun - Hilliard	SEC 32-T17\$-R31E					OPEN HOLE: 620'- 3815'
	EDDY COUNTY, NM					PLUGGED & ABANDONED
STAGNER #2	660'FNL & 1980'FWL	6/21/44	12/31/44	TA'd	2415'/2415'	8 5/8" @ 590'
Schuster - Schuster	SEC 31-T17S-R31E					OPEN HOLE: 590'- 2415' TEMPORARILY ABANDONED
	EDDY COUNTY, NM		9/28/48		3527'/3527'	DEEPEN OPEN HOLE TO 3527'
						PLUGGED & ABANDONED
STATE #1	1980'FSL & 539'FWL	4/24/44	5/24/44	OIL PRODUCER		8 1/2" @ 495' W/50 SXS
Mack Energy Corporation	SEC 19-T17S-R31E					7" @ 1836' W/100 SXS
	EDDY COUNTY, NM					OPEN HOLE COMPLETION: 1836'- 2002' IP=180 BOPD
,			5/3/55		3120'/3120'	DEEPEN OPEN HOLE TO 3120°
						5 1/2" @ 3053' W/65 SXS
						PERFORATE: 3045'- 3105'(OA) - RETURN TO PRODUCTION

WELL NAME	LOCATION	SPUD DATE	COMP DATE	WELL TYPE	DEPTH/PBTD	COMPLETION RECORD
STATE "M" #1 Me-Tex Oil & Gas, Inc.	330'FNL & 2310'FWL SEC 32-T17S-R31E EDDY COUNTY, NM	4/10/61	6/5/61 1/9/62 7/3/92	OIL PRODUCER		8 5/8" @ 708' W/50 SXS 5 1/2" @ 3699' W/750 SXS PERFORATE: 3534'- 3540'(OA) IP=168 BOPD PERFORATE: 3398'- 3439'(OA) - RETURN TO PRODUCTION PERFORATE: 3296'- 3635'(OA) - RETURN TO PRODUCTION
STATE "M" #2 Jarnes G. Brown & Assoc	330'FNL & 990'FEL SEC 32-T17S-R31E EDDY COUNTY, NM	7/3/61	8/10/61	D & A		8 5/8" @ 681' W/50 SXS OPEN HOLE: 681'- 3654' PLUGGED & ABANDONED
STATE "U" #1 Arco Oil & Gas, Inc.	330'FNL & 1980'FEL SEC 32-T17S-R31E EDDY COUNTY, NM	11/10/59	1/12/60	OIL PRODUCER		8 5/8" @ 752' W/391 SXS 5 1/2" @ 3810' W/150 SXS PERFORATE: 3467'- 3535'(OA) IP=240 BOPD
			8/3/79			PLUGGED & ABANDONED
TURNER "B" #1 Byrd - Frost, Inc.	660'FSL & 1980'FEL SEC 25-T17S-R31E EDDY COUNTY, NM	10/18/41	7/1/42	OIL PRODUCER		8 1/4" @ 446' W/25 SXS 5 1/2" @ 3210' W/100 SXS OPEN HOLE COMPLETION: 3210'- 3545' IP=45 BOPD
			2/28/49			PLUGGED & ABANDONED
						<u> </u>