

XTO Energy, Inc.
200 N. Loraine, Ste. 800
Midland, TX 79701

RECEIVED
2009 AUG 24 PM 1 34

August 20, 2009

Office of Oil Conservation Division
State of New Mexico
Santa Fe, NM 87505


Attn: Mr. William Jones

Re: Nash #29 SWD - 1157

Enclosed are a Temperature Survey and Cement Bond Log of the Nash #1 that was requested by your office in reference to the approval of the Nash Unit #29 SWD Application.

If there is any other additional information needed, please call me at 432-620-6740

Thank You,





Kristy Ward
Regulatory Analyst
kristy_ward@xtoenergy.com

Sq. Perfs
3.778'
4216'

XTO Nash Draw # 1

T.O.C. @ 700' 4-28-09





<<< Fold Here >>>
All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.
Comments
<p>CBL IS PRIMARY LOG ON WELL.</p> <p>Service Order # 25731</p> <p>Thank You For Using Enertech Wireline Services. Crew: Charlie Earhart, Ryan Larmon</p>



Database File: xto_cbl_5_4_09_nash_1.db
Dataset Pathname: nash_1/run1/pass15
Presentation Format: cblDIG
Dataset Creation: Wed May 06 16:33:22 2009 by Calc Std Casedhole 07122
Charted by: Depth in Feet scaled 1:240

400	Travel Time (usec)	200	0	Amplitude (mV)	100	200	Variable Density	1200
9	Casing Collar	-1	0	Amplified Amplitude (mV)	10			
0	Gamma Ray (GAPI)	100						
0	Line Tension (lb)	5000						