GW-167

General Correspondence

YEAR(S): 2009 - 2014

Affidavit of Publication

State of New Mexico. County of Eddy, ss.

Kathy McCarroll, being first duly sworn, on oath says:

That she is the Classified Supervisor of the Carlsbad Current-Argus, a newspaper published daily at the City of Carlsbad, in said county of Eddy, state of New Mexico and of general paid circulation in said county; that the same is a duly qualified newspaper under the laws of the State wherein legal notices and advertisements published; that the printed notice attached hereto was published in the regular and entire edition of said newspaper and not in supplement thereof on the date as follows, to wit:

September 4

2009

That the cost of publication is \$274.78 and that payment thereof has been made and will be assessed as court costs.

Subscribed and sworn to before me this

My commission Expires on 1125 12010

Notary Public

OFFICIAL SEAL STEPHANIE DOBSON Notary Public state of New Mexico Comm. Expires 1

(GW-167) Ms. Diane Kocis, Senior Environmental Specialist. DCP Midstream LP. 370 17th Street, Suite 2500, Denver Colorado 80202 has submitted a renewal application for the previously approved discharge plan, for their R&P Malaga Compressor Station, located in the SW/4 of the NE/4 Quarter of Section 3, Township 24S, Range 28E, NMPM; Eddy County. New Mexico. The facility is located approximately 3 miles south-southeast of Loving, NM. The facility is currently an inactive: natural gas compressor station No wastes are generated or stored onsite. A copy of the discharge permit once renewed shall be posted on location at all times and made familiar to all facility personnel. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 30 feet, with a total dissolved solids concentration of approximately 300 mg/L. The discharge blan addresses how oilfield products and waste would be properly handled, stored, and disposed of including how spills, leaks, and other accidental discharges to the surface would be managed in order to protect fresh water, if the facility was activated. Any interested person or persons may obtain information, submit comments, and request to be placed on a facility-specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505; Telephone (505) 476-3492. The OCD will accept comments and statements of interest regarding the renewal and will create a facility specific mailing list for persons who wish to receive future notices.

Tell statement frames purely

Affidavit of Publication

State of New Mexico, County of Eddy, ss.

Kathy McCarroll, being first duly sworn, on oath says:

That she is the Classified Supervisor of the Carlsbad Current-Argus, a newspaper published daily at the City of Carlsbad, in said county of Eddy, state of New Mexico and of general paid circulation in said county; that the same is a duly qualified newspaper under the laws of the State wherein legal notices advertisements may published; that the printed notice attached hereto was published in the regular and entire edition of said newspaper and not in supplement thereof on the date as follows, to wit:

September 4

2009

That the cost of publication is \$450.82 and that payment thereof has been made and will be assessed as court costs.


Kpuly In Canel

Subscribed and sworn to before me this

14th day of splember 2009 Selen Doson

My commission Expires on

Notary Public



(GW-167) La Srita. Diane Kocis, especialista ambiental de la empresa DCP Midstream LP, cuya oficina esta localizada en el 370 de la calle 17 numero 2500 en la Ciudad de Denver, Colorado Código Postal 80202. sometió una aplicación para renovar un permiso (el cual fue previamente aprobado) de líquidos inservibles asociados con la Estación de Compresión P&P Malaga. La Estación de Compresión P&P Malaga esta localizada en el SW/4 de el NE/4, en la sección 3, Township 24S, Range 28E, NMPM, en el condado de Eddy, en el estado de Nuevo México. Esta instalación esta localizada aproximadamente a 3 millas al Suroeste de la ciudad de Loving, en Nuevo México. Esta instalación (estación de compresión) se encuentra inactiva. Ningun tipo de desecho es generado o almacenado en esta instalación. Cuando el permiso sea renovado una copia debera de ser expuesta en la locación en todo momento y familizar a todo el personal con dicho permiso. El agua que se encuentra en el subsuelo esta mas propensa a ser afectada por un derrame, fuga o descarga accidental, el agua se encuentra a aproximadamente 30 pies de profundidad con un total 300 miligramos por litro de concentración de químicos sólidos diluidos aproximadamente. El permiso de desechos indica como los productos de gas y desechos seran propiamente manejados, almacenados y desechados. Incluyendo también los derrames, fugas o derrames accidentales en la superficie seran manejados apropiadamente para proteger el agua fresca, en el caso de que esta instalación sea activada. Cualquier persona(s) interesada en este tema la cual desee obtener más información, proveer comentarios y/o ser agregado a la lista de correo para obtener futuras noticias por favor de contactar a Leonardo Lowe (encargado de información en la división de Conservación de Petróleo, OCD) en la Ciudad de Nuevo México. En el 1220 Sur St. Francis Drive, Santa Fe, Nuevo México Código Postal 87505 ó al teléfono (505) 476-3492. El OCD aceptara comentarios y/o cualquier forma de interés que se refiera a la renovación del permiso, así como también se creara una lista de correo para las personas que deseen recibir noticias en el futuro.

Affidavit of Publication

State of New Mexico, County of Lea.

I, DANIEL RUSSELL EDITOR

of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, do solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period

of 1 issue(s).
Beginning with the issue dated
August 07, 2009
and ending with the issue dated
August 07, 2009

EDITOR

Sworn and subscribed to before me this 10th day of August, 2009

Notary Public Z

My commission expires

June 16 (Seal)



OFFICIAL SEAL
Linda M Jones
NOTARY PUBLIC - STATE OF NEW MEXICO

My Commission Expires:

This newspaper is duly qualified to publish legal notices or advertisments within the meaning of Section 3, Chapter 167, Laws of 1937 and payment of fees for said publication has been made.

NUTICE OF PUBLICATION?

STATE OF NEW MEXICO ENERGY MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations (20:6:2:3106 NMAC), the following discharge permit application(s) has been submitted to the Director of the New Mexico Oil Conservation Division ("NMOCD"), 1220 S. Saint Francis Drive Santa Fe, New Mexico 87505, Telephone (505) 476-3440:

(GW-048) Mr. Bob Stewart, Environmental Coordinator, Davis Gas Processing Inc., 211. North, Colorado, Midland Texas 79701, has submitted a renewal application for the previously approved discharge plan for their Denton Davis Gas Plant located in NW4 SW/4 off Section 2. Township 15 South Range 37E East, NMPM, Lea County. The facility compresses, treats, dehydrates and performs natural gas recovery. Approximately 750 gallons/day of produced water and 210 bbls/day of condensate are generated and stored in onsite. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 40 - 105 feet, with a total dissolved solids concentration of approximately 610 - 1600 mg/L.

(GW-355) Transwestern Pipeline Company P.O. Box 1747, Roswell N.M. 88202-1717, has submitted a renewal application for the previously approved discharge plan for their. Abatement of ground water and vadose zone contamination at oil and gas sites, identified at the non-operational Bell Lake Gas Plant located in the SW/4 NE/4 of Section 1, Township 24 South, Range 33 East, NMPM, Lea County. The remediation consists of pumping groundwater with elevated concentrations of Benzene in the ponds. Proposed effluents to be located on site will be stored in the ponds. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 90. 95 feet with a total dissolved solids concentration of approximately 800 mg/L.

(GW-164) Mr. Mike Schornick, Environmental Engineer, Wood Group ESP, Inc. 6205 Sooner Road, Oklahoma City, Oklahoma 73135, has submitted a renewal application for the previously approved discharge plant for their. Oil and Gas Service Company at 8426 N. Dai Paso, Hobbs, located in the NW/4 WW/4 of Section 35, Township 17 South, Range 38 East, NMPM, Lea County. The facility is a service center for reconditioning electric submersible pumps used in the foll and gas industry. Approximately, 6000 gal/month of rinsate waste water, 1000 gal/month of waste water, 275 gallons of neutralized acid waste are generated and stored in onsite. Groundwater, most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 55 feet, with a total dissolved solids concentration of approximately 458 mg/L.

Ms. Dlane Kocis, Senior Environmental Specialist, DCP Midstream LP, 370-17th Street, Suite 2500, Denver CO:80202 has submitted a renewal application for the pre-

viously approved discharge plan for their.

(GW-162) Antelope Ridge Gas Plant located in SW/4 SE/4 of Section 15, Township 23 South, Range 34 East, NMPM, Lea County. The facility is a natural gas processing plant that removes liquids from natural gas. Approximately 10 bbls/month of waste water, 10 bbls/year of waste oil, and 10 bbls/month of wash water are generated and stored in onsite. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 400 feet, with a total dissolved solids concentration of approximately 55 mg/L. (GW-167) Malaga Compressor Station, located in the SW/4 NE/4 of Section 3. Township 24 South, Range 28 East, NMPM, Eddy County. The facility is currently non-operational but is capable to provide compression of natural gas for the Carlsbad gathering system. Storm water is the only effluent produced at this facility and is properly stored in onsite. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately. 39 feet, with a total dissolved solids concentration of approximately 5140 mg/L.

The discharge plan addresses how oilfield products and waste will be properly handled, stored, and disposed of, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

The NMOCD has determined that the application is administratively complete and has prepared a draft permit. The NMOCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further information, submitting comments for requesting to be one facility-specific mailing flist for information, submitting comments for requesting to be one facility-specific mailing flist for future notices may contact the Environmental Bureau Chief of the Olls Conservation Division at the address given above. The administrative completeness determination and graft permit may be viewed at the above address between 8:00 aim and 4:00 p.m.; Monday through Friday, or may also be viewed at the NMOCD web site http://www.emmid.state.nin.us/ocd/. Persons interested in obtaining alcopy of the application and draft permit may contact the NMOCD at the address given above. Prior to ruling on any proposed discharge permit or major modification, the Director shall allow a period of at least thirty (30) days after the date of publication of this notice, during which interested persons may submit comments or request that NMOCD hold a public hearing. Requests for a public hearing shall set forth the ireasons why, a hearing should be held. A hearing will be held if the Director determines that there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed permit based on information available, including all comments received. If a public hearing is held, the director will approve or disapprove the proposed permit based on information in the permit application and information submitted at the hearing.

Para-obtener más información sobre esta solicitud en espan ol, sirvase comunicarse por favor:. New Mexico Energy, Minerals and Natural Resources Department (Depto. Del Energia Minerals y Recursos Naturales de Nuevo México), Oil Conservation Division (Depto. Conservación Del Retroleo), 1220 South St. Francis Drive, Santa Fe, New México (Contacto Dorothy Phillips, 505-476-3461)

NEW=MEXICAN

Founded 1849 EULIVED

2009 AUG 13 AM 11 53

NM EMNRD OIL CONSERV 1220 S ST FRANCIS DR SANTA FE NM 87505

ALTERNATE ACCOUNT: 56689

AD NUMBER: 00294153 ACCOUNT: 00002212

LEGAL NO: 87815

P.O. #: 52100-0000206

470 LINES 1 TIME(S)

460.53

AFFIDAVIT:

7.00

TAX:

37.69

TOTAL:

505.22

AFFIDAVIT OF PUBLICATION

STATE OF NEW MEXICO COUNTY OF SANTA FE

I, V.Wright, being first duly sworn declare and say that I am Legal Advertising Representative of THE SANTA FE NEW MEXICAN, a daily newspaper published in the English language, and having a general circulation in the Counties of Santa Fe and Los Alamos, State of New Mexico and being a newspaper duly qualified to publish legal notices and advertisements under the provisions of Chapter 167 on Session Laws of 1937; that the publication # 87815 a copy of which is hereto attached was published in said newspaper 1 day(s) between 08/12/2009 and 08/12/2009 and that the notice was published in the newspaper proper and not in any supplement; the first date of publication being on the 12nd day of August, 2009 and that the undersigned has personal knowledge of the matter and things set forth in this affidavit.

LEGAL ADVERTISEMENT REPRESENTATIVE

Subscribed and sworn to before me on this 12nd day of August, 2009

Notary <u>// IU/M</u> [

Commission Expires:

1-13-2012



NOTICE OF PUBLICATION

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations (20.6.2.3106 NMAC). following charge permit application(s) has been submitted to the Director of the New Mexico Oil Conservation Division ("NMOCD"), 1220 S. Saint Francis Drive, Santa Fe, 'New Mexico 87505, Telephone (505) 476-3440:

(GW-048) Mr. Bob Stewart, Environmental Coordinator, Davis Gas Processing Inc. 211 North Colorado, Midland Texas 79701, has submitted a renewal application for the previously ap-proved discharge plan for their Denton Davis Gas Plant lo-cated in NW/4 SW/4 of Section 2, Town-ship 15 South, Range 37E East, NMPM, Lea County. The facility compresses, treats, dehydrates and per-forms natural gas recovery. Approxi-mately 750 mately 750 gallons/day of pro-duced water and 210 bbls/day of condensate are generated and stored in onsite. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approxi-mately 40 -- 105 feet, with a total dissolved solids concentration of approximately 610 -1600 mg/L.

(GW-355) Tránswestern Pipeline Company ern Pipeline Company
P.O. Box 17:17, Roswell
N.M. 88202-17:17, has
submitted a renewal
application for the
previously approved
discharge plan for
their Abatement of
ground water and vadose zone contaminagal/month of maste water, 1000 gal/month of waste water, 1000 gal/month of waste tion at oil and gas, sites, identified at the non-operational Ball Lake Gas sites, identified at the non-operational Bell Lake Gas Plant located in the SW/4 NE/4 of Section 1, Township 24 South, Range 33 East, NMPM, Lea County. The remediation consists of pumping groundwa' Concentrations of asset at the control of the co pumping groundwa-ter with elevated concentrations of Ben-zene in to yet to be approved ponds. Proposed effluents to be located on site will be stored in the ponds. Groundwater most likely to be affected by a spill, leak or acci-

dental dischargelis at a depth of approxi-mately 90 95 feet. with a total dissolved solids concentration of approximately 800

(GW-171) Ms. Jennifer Lange of BP America Production Company, 200 Energy Court Farmington NM 87401has submitted a renewal application for the previously approved discharge 3-C Compressor Station located in the SW/4 SE/4 of Section 29, Township 29 North, Range 12 West, NMPM, San Juan County, approximately one mile southwest of McGee Park and on the west side of Gallegos Canmile yon. The facility compresses gas from 50 psi to 300 psi and is able to handle 10 million SCF of gas per dav. Approximately 300 gallons of lube oil, 400 bbls of produced water and 21 bbls of water and 21 bbls of water are stored and/or generated onsite. Ground-water most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 200-250 feet. with a total 250 feet, with a total dissolved solids concentration of approximately 1000 mg/L.

(GW-164) Mr. Mike Schornick, Environ-mental Engineer, Wood Group ESP, Inc. 6205 Sooner Road, Oklahoma City, Okla-Oklahoma City, Oklahoma 73135 has submitted a renewal application for the previously approved discharge plan for their Oil and Gas Service Company at 8426 N. Dal Paso, Hobbs, located in the NW/4 WW/4 of Section 35, Township 17 South, Range 38 East, NMPM, Lea County. The facil-Lea County. The facility is a service center for reconditioning electric submersible pumps used in the oil and gas industry. Ap-proximately 6000 proximately 6000 gal/month of rinsate concentration of approximately 458 mg/L.

(GW-051) Val Verde Gas Gathering Company L.P., has submitted a renewal application for the previously approved discharge approved discharge plan for their Val Verde Gas Plant located in the SE/4 SE/4 of Section 11, Township 29 North, Range 11 West, NMPM, San Juan County. The fa-cility removes CO2 from natural gas. Approximately 250 gal-lons/month of used oli, 300 bbls/year of pigging fliquids, and 1000 bbls/month of waste water are generated and stored in onsite. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 26.5 - 55.5 feet, with a total dissolved solids concentration of approximately 5330 - 7620

Ms. Diane Kocis, Sen-

Environmental

ior

Specialist, DCP Mid-stream LP, 370 17th Street, Suite 2500, Denver CO 80202 has submitted a renewal application for the previously approved discharge plan for (GW-162) Antelope Ridge Gas Plant lo-cated in SW/4 SE/4 of Section 15, Township 23 South, Range 34 East, NMPM, Lea County, The facility is a natural gas processing plant that removes. liquids: from natural gas. Approxi-mately 10 bbls/month of waste water, 10 bbls/year of waste waste oil, and 10 bbls/month of wash water are generated and stored in onsite. Groundwater most likely to be affected by a spill, leak or accidental discharge is at a depth of approxi-mately 400 feet, with a total dissolved solids concentration of approximately 55 mg/L (GW-167) Malaga Compressor Station, located in the SW/4 NE/4 of Section 3, Township 24 South, Range 28 East, NMPM, Eddy County. The facility is currently nonoperational but is capable to provide compression of natural gas for the Carlsbad gathering system. Storm water is the only effluent pro-duced at this facility and is properly stored in onsite. Groundwa-ter most likely to be affected by a spill, leak or accidental discharge is at a depth of approximately 39

feet, with a total dis-

solved solids concentration of approximately 5140 mg/L.

Mr. John Cannon, Environmental Specialist, Chevron USA, 332 Road 3100, Aztec N.M. 87410 has submitted a renewal application for the previously approved discharge plan for their: plan for their
(GW-165) La Plata
(CDP # 2 compressor
station located in the
NE/4 SW/4 of Section v Township 32 North, Range 13 West, NMPM, San Juan County, The facility compresses compresses field natural gas. Approximately 30 bbls/month of produced water, 75 gallons/6 months of wash down water and 80 gailons/month of waste oil are gener-ated and stored in on-site. Groundwater most likely to be affected by a spill, leak or accidental dis-charge is at a depth of approximately 26 feet, with a total dissolved solids concen-tration of approxi-mately 748 mg/L. (GW-166) La Plata CDP # 70 compressor station located in the NE/4 SE/4 of Section
1. Township 31 North. Range 13 West, NMPM, San Juan County, The facility compresses field natural gas. Approxifield mately 30 bbis/month of produced water, 70 gallons/3 months of wash down water and 50 gallons/month of waste oil are gener-ated and stored in onsite. Groundwater most likely to be af-fected by a spill, leak charge is at a depth of approximately 26 feet, with a total dissolved solids concentration of approximately 748 mg/L

The discharge plan addresses how oil-field products and waste will be properly waste will be properly handled, stored, and disposed of lincluding how spills, leaks, and other accidental discharges to the sur-face will be managed in order to protect fresh water.

The NMOCD has determined that the application is administratively 🤲 complete and has prepared a draft permit. The NMOCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further infor-mation, submitting comments of requestingerto beronala facility-specific mail ing list for future notices may contact the Environmental Bureau Chief of the Oil Con-servation Division at the address given

trative completeness determination draft permit may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Fri-day, or may also be viewed at the NMOCD web http://www.emnrd.st ate:nm:us/ocd/. Per-sons interested in obtaining a copy of the application and draft permit may contact the NMOCD at the ad-dress given above. Prior to ruling on any proposed discharge permit or major modification, the Director shall allow a period of at least thirty (30) days after the date of publication of this no-tice, during which interested persons may submit comments or request that NMOCD hold a public hearing. Requests for a public hearing shall set forth the reasons why a hearing should be held Ahearing will be held if the Director determines that there is significant public interest.

If no public hearing is held, the Director will approve for disapprove the proposed permit based on information available, including all comments received. If a public hearing is held, the director will approve or disapprove the proposed permit based on information in the permit application and information submitted at the hearing.

Para obtener más información sobre esta solicitud en espan_ol, sirvase comunicarse por favor: New Mex-ico Energy, Minerals and Natural Re and Natural Resources Department (Depto Del Energia, Minerals y Recursos Naturales de Nuevo México), Oil Conservation Division vation Division (Depto Conserva-cio n Del Petróleo), 1220 South St. Francis Drive, Santa Fe, New Mexico (Contacto Dorothy Phillips, 505-476-3461)

GIVEN under the Seal of New Mexico Oll Conservation Commission at Santa Fe, New Mexico, on this 5th day of August 2009 2009.

STATE OF NEW MEX-ICO CONSERVATION DIVISION SE A L Mark Fesmire, Director ~ Legal#87815

Pub. August 12, 2009