Bill Richardson

Governor

Joanna Prukop Cabinet Secretary Mark Fesmire
Division Director
Oil Conservation Division



Administrative Order WFX-856

December 7, 2009

Jalyn N. Fiske ConocoPhillips Company 3300 N. "A" Street, Bldg. 6 Midland, TX 79705

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Order R-10017, ConocoPhillips Company has made application (administrative application reference No. pTGW09310557697) to the Division for permission to add 9 water injection wells to its Vacuum Glorieta East Unit Waterflood Project located within the Vacuum; Glorieta Pool (62160) in Lea County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

The application was filed in due form. No objections have been filed within the waiting period prescribed by Division Rule 26.8C(2). The proposed injection wells are eligible for conversion to injection under the terms of Rule 26.8. The operator is in compliance with Rule 5.9.

The proposed expansion of the above-referenced waterflood project, will prevent waste, is in the best interests of conservation, will not impair correlative rights, and should be approved.

IT IS THEREFORE ORDERED THAT:

ConocoPhillips Company (OGRID No. 217817) is hereby authorized to inject water into the unitized interval, through plastic-lined tubing set in packers located within 100 feet of the top of the injection intervals in the following-described wells for purposes of secondary recovery:



	Well					Top	Bot		
API	#	Unit	Sec	Tsp	Rge	Perf	Perf	Tubing	Pressure
30-025-20290	37-3	G	31	17S	35E	5997	7536	2.375	1200
30-025-20370	37-2	Α	31	17S	35E	6069	6174	2.375	1200
30-025-20709	2-6	1	32	17S	35E	5985	6227	2.375	1200
30-025-20829	5-3	0	29	17S	35E	6103	6148	2.375	1200
30-025-20864	17-2	ı	31	17S	35E	6048	6076	2.375	1200
30-025-20885	25-3	Н	32	17S	35E	6072	6164	2.375	1200
30-025-20886	25-2	C	32	17S	35E	6080	6158	2.375	1200
30-025-37851	2-21	Α	32	17S	35E	6040	6164	2.375	1200
30-025-37852	2-22	G	32	17S	35E	6042	6124	2.375	1200

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into these wells, the casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing or packer.

The injection wells or injection system shall be equipped with pressure limiting devices which will limit the wellhead pressure to the maximum surface injection pressure described above.

The Director of the Division may authorize increases in injection pressure upon a proper showing by the operator that higher pressure will not result in migration of the injected fluid from the permitted injection interval or harmful formation fracturing. Such proper showing shall consist of valid step-rate tests and possibly injection profiles or pressure transient testing run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the District Office of the date and time of the installation of injection equipment and of all mechanical integrity tests so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the District Office of the failure of the tubing, casing or packer in said wells and shall take such steps as may be timely and necessary to correct such failure or leakage.

Administrative Application WFX-856 ConocoPhillips Company December 7, 2009 Page 3 of 3

The subject wells shall be governed by all provisions of Division Order No. R-2243, and Rules 26.9 through 26.13 not inconsistent herewith.

PROVIDED FURTHER THAT, jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh water or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into at least one of the subject wells, provided however, the Division, upon written request by the operator received prior to the one year deadline, may grant an extension thereof for good cause shown.

√MARK E. FESMIRE, P.E.

Director

MEF/tw

cc: Oil Conservation Division -Hobbs