625 N. French Dr., Hobbs. NM 88240 <u>District II</u> 301 W. Grand Avenue, Artesia, NM 88210 Energy Mine	te of New Mexico Form C-1 erals and Natural Resources Revised October 10, 2
District III 000 Rio Brazos Road, Aztec. NM 87410	onservation Division South St. Francis Dr. Submit 2 Copies to approprint Submit 2 Copies to approprint accordation with Rule 116 on b
	side of fo
Release Notifica	ation and Corrective Action
Name of Company COG OPERATING LLC	OPERATOR Initial Report Final Re Contact Kanicia Carrillo
Address 550 W. Texas, Suite 1300 Midland, TX 79701	Telephone No. 432-685-4332
Facility Name Pearsall AX #5	Facility Type Tank Battery
Surface Owner Federal Mineral Ow	vner Lease No. 30-025-36361
LOCAT	TION OF RELEASE
Unit LetterSectionTownshipRangeFeet from theNK3317S32E1650	North/South Line Feet from the East/West Line County South 1650 West Lea
Latitude <u>N32:47.311</u>	Longitude_ <u>W103.46.466</u>
NATU	URE OF RELEASE
Type of Release Oil	Volume of Release 260bbls Volume Recovered 0
Source of Release Pump	Date and Hour of OccurrenceDate and Hour of Discovery12/08/09 Afternoon12/08/09 Afternoon
Was Immediate Notice Given?	
By Whom? Pat Ellis	Paul Evans, BLM Date and Hour 12/08/09 @ 3:00pm
Was a Watercourse Reached?	If YES, Volume Impacting the Watercourse.
If a Watercourse was Impacted, Describe Fully:*	
Describe Cause of Problem and Remedial Action Taken.* The spill was caused by a broken swedge on the circulating pump.	The swedge was replaced.
	WATER ON 1101
Describe Area Affected and Cleanup Action Taken.* The spill area affected is approximately 10'x 900'. Picked up all fro Tetra Tech will sample the spill site area to delineate any possible of NMOCD/BLM for your approval prior to any significant remediation	ree fluid, waiting on BLM approval to remove 2' of the saturated soil. contamination from the release and we will present a remediation work plan to the
The spill area affected is approximately 10'x 900'. Picked up all fro Tetra Tech will sample the spill site area to delineate any possible of	ree fluid, waiting on BLM approval to remove 2' of the saturated soil. contamination from the release and we will present a remediation work plan to the
The spill area affected is approximately 10'x 900'. Picked up all fro Tetra Tech will sample the spill site area to delineate any possible or NMOCD/BLM for your approval prior to any significant remediation I hereby certify that the information given above is true and complet regulations all operators are required to report and/or file certain rele public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem	ree fluid, waiting on BLM approval to remove 2' of the saturated soil. contamination from the release and we will present a remediation work plan to the
The spill area affected is approximately 10'x 900'. Picked up all fro Tetra Tech will sample the spill site area to delineate any possible or NMOCD/BLM for your approval prior to any significant remediation I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain rele- public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem- or the environment. In addition, NMOCD acceptance of a C-141 report	ree fluid, waiting on BLM approval to remove 2' of the saturated soil. contamination from the release and we will present a remediation work plan to the on work: ete to the best of my knowledge and understand that pursuant to NMOCD rules and lease notifications and perform corrective actions for releases which may endanger t by the NMOCD marked as "Final Report" does not release the operator of liability mediate contamination that pose a threat to ground water, surface water, human healt
The spill area affected is approximately 10'x 900'. Picked up all fro Tetra Tech will sample the spill site area to delineate any possible or NMOCD/BLM for your approval prior to any significant remediation I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain rele- public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem- or the environment. In addition, NMOCD acceptance of a C-141 report	ree fluid, waiting on BLM approval to remove 2' of the saturated soil. contamination from the release and we will present a remediation work plan to the on work: the to the best of my knowledge and understand that pursuant to NMOCD rules and lease notifications and perform corrective actions for releases which may endanger t by the NMOCD marked as "Final Report" does not relieve the operator of liability mediate contamination that pose a threat to ground water; surface water, human healt port does not relieve the operator of responsibility for compliance with any other OIL CONSERVATION DIVISION
The spill area affected is approximately 10'x 900'. Picked up all fm Tetra Tech will sample the spill site area to delineate any possible of NMOCD/BLM for your approval prior to any significant remediation I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain rele- public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem- or the environment. In addition, NMOCD acceptance of a C-141 rep- federal, state, or local laws and/or regulations. Signature:	ree fluid, waiting on BLM approval to remove 2' of the saturated soil. contamination from the release and we will present a remediation work plan to the on work: ete to the best of my knowledge and understand that pursuant to NMOCD rules and lease notifications and perform corrective actions for releases which may endanger t by the NMOCD marked as "Final Report" does not relieve the operator of liability mediate contamination that pose a threat to ground water; surface water, human healt sport does not relieve the operator of responsibility for compliance with any other OIL CONSERVATION DIVISION ENV. ENGINEER: Approved by District Supervisor: Speck May Lawy
The spill area affected is approximately 10'x 900'. Picked up all from Tetra Tech will sample the spill site area to delineate any possible of NMOCD/BLM for your approval prior to any significant remediation I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain rele- public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem- or the environment. In addition, NMOCD acceptance of a C-141 rep- federal, state, or local laws and/or regulations. Signature: Signature: Title: Agent for COG	ree fluid, waiting on BLM approval to remove 2' of the saturated soil. contamination from the release and we will present a remediation work plan to the on work: ete to the best of my knowledge and understand that pursuant to NMOCD rules and lease notifications and perform corrective actions for releases which may endanger t by the NMOCD marked as "Final Report" does not relieve the operator of liability mediate contamination that pose a threat to ground water; surface water, human healt sport does not relieve the operator of responsibility for compliance with any other OIL CONSERVATION DIVISION ENV. ENGINEER: Approved by District Supervisor: Section Date: 02/04/10
The spill area affected is approximately 10'x 900'. Picked up all fm Tetra Tech will sample the spill site area to delineate any possible of NMOCD/BLM for your approval prior to any significant remediation I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain rele- public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem- or the environment. In addition, NMOCD acceptance of a C-141 rep- federal, state, or local laws and/or regulations. Signature:	ree fluid, waiting on BLM approval to remove 2' of the saturated soil. contamination from the release and we will present a remediation work plan to the on work: ete to the best of my knowledge and understand that pursuant to NMOCD rules and lease notifications and perform corrective actions for releases which may endanger t by the NMOCD marked as "Final Report" does not relieve the operator of liability mediate contamination that pose a threat to ground water; surface water, human healt sport does not relieve the operator of responsibility for compliance with any other OIL CONSERVATION DIVISION ENV. ENGINEER: Approved by District Supervisor: Speck May Lawy

	•	•
FARLO		
	19 215	コハフルス
	1.000	
	· -	• -