For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office,

District IV 1220 S St. Francis Dr., Santa Fe, NM 87505	1220 South St. Francis Dr. Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
<u>Pit, Clo</u>	sed-Loop System, Below-Grad	e Tank, or
Proposed Alterr	native Method Permit or Closure	e Plan Application
Type of action: Permit of Closure of Modifica Closure p below-grade tank, or proposed	f a pit, closed-loop system, below-grade tan of a pit, closed-loop system, below-grade tan ation to an existing permit plan only submitted for an existing permitted alternative method	k, or proposed alternative method 1k, or proposed alternative method d or non-permitted pit, closed-loop system,
Instructions: Please submit one application	n (Form C-144) per individual pit, closed-loop s	ystem, below-grade tank or alternative request
lease be advised that approval of this request does not re nvironment. Nor does approval relieve the operator of i	eleve the operator of liability should operations resits responsibility to comply with any other applicable	ult in pollution of surface water, ground water or the e governmental authority's rules, regulations or ordinance
Operator: BOPCO, L.P.	OGRIE	#.001801
Address: P.O. Box 2760, Midland, Jevas 79702		
Facility or well name: G.H. Cobb Federal #1		
API Number: 30-015-05829	OCD Permit Number:	
U/L or Qtr/Qtr M Section 2.3	Township 208 Range 31E	County: Eddy
Center of Proposed Design: Latitude N32°33'11.412	2 Longitude W103°50°44.304	NAD: 1927 1983
Surface Owner. 🛛 Federal 🗌 State 🗋 Private 🔲 T	Fribal Trust or Indian Allotment	
□ String-Reinforced Liner Seams: □ Welded □ Factory □ Other	Volume:	bbl Dimensions: L x W x D
Image: Subsection H of 19.15.17 Closed-loop System: Subsection H of 19.15.17 Type of Operation: P&A Drilling a new well intent) Drying Pad Above Ground Steel Tanks Drying Pad Above Ground Steel Tanks Image: Steel Tanks Lined Unlined Liner type: Thickness Liner Seams: Welded Factory Other	.11 NMAC I I Workover or Drilling (Applies to activities Haul-off Bins I Other	which require prior approval of a permit or notice of Other
] <u>Below-grade tank</u> : Subsection I of 19.15.17.11 Volumebbl Type of fluic	NMAC 4:	
Tank Construction material.		
Secondary containment with leak detection	Visible sidewalls, liner, 6-inch lift and automatic	overflow shut-off
Visible sidewalls and liner Visible sidewalls	only 🔲 Other	
iner type: Thicknessmil	HDPE PVC Other	
] <u>Alternative Method</u> : ubmittal of an exception request is required. Except	tions must be submitted to the Santa Fe Environ	mental Burcau office for consideration of approval.
Alternative Method: Ubmittal of an exception request is required. Exception	tions must be submitted to the Santa Fe Environ	mental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top *(Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)*

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify

6.

7.

8

Netting: Subsection E of 19.15 17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen I Netting Other

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

🔀 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appro office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	ptable source opriate district opproval. Ving pads or
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes 🗌 No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No ☐ NA
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗍 Yes 🗌 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	□ Yes □ No
 Within an unstable area. Engineering measures incorporated into the design; NM Burcau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗆 Yes 🗌 No
Within a 100-year floodplain. - FEMA map	🔲 Yes 🗌 No

11. <u>Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are				
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 				
Previously Approved Design (attach copy of design) API Number: or Permit Number:				
^{12.} <u>Closed-loop Systems Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API Number:				
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use				
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Instructions: Figure 11 (1) (1) (1) (1) (1) (1) (1) (1) (1)				
 Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 				
14. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
 15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 				

١

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15 17.13.1	D NMAC)			
Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.				
Disposal Facility Name Disposal Facility Permit Number				
Disposal Facility Name Disposal Facility Permit Number				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Covel Design Specifications based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC				
^{17.} Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Ycs □ No □ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database scarch; USGS; Data obtained from nearby wells	□ Yes □ No □ NA			
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	□ Yes □ No □ NA			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	🗋 Yes 🗌 No			
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗋 Yes 🗌 No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	🗋 Yes 🗌 No			
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗋 Yes 🗌 No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map: Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗌 Yes 🗌 No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗍 No			
Within a 100-year floodplain. - FEMA map	Yes No			
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				

Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Wase Material Sampling Finite based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
 Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurat	te and complete to the best of my knowledge and belief		
Name (Print): Steve Johnson	Little: -3R. PROJUCTION FORENINK		
Signature	Date. 7/1/19		
e-mail address:	Telephone (432) 683-2277		
20. OCD Approval: Permit Application (including closure plan, A) Closure Plan	in (only) OCD Conditions (see attachment)		
OCD Representative Signature:	MAR 2 4 2010 Approval Date:		
Title: Linu Spec	OCD Permit Number: NB		
21. <u>Closure Report (required within 60 days of closure completion)</u> : Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.			
	Closure Completion Date:		
Closure Method: Image: Second structure Image: Second structure	ive Closure Method 🔲 Waste Removal (Closed-loop systems only)		
^{23,} <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems 7</u> Instructions: Please indentify the facility or facilities for where the liquids, drilli two facilities were utilized.	That Utilize Above Ground Steel Tanks or Haul-off Bins Only: ng fluids and drill cuttings were disposed. Use attachment if more than		
Disposal Facility Name:	Disposal Facility Permit Number:		
Disposal Facility Name:	Disposal Facility Permit Number:		
Yes (If yes, please demonstrate compliance to the items below) \square No			
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ns:		
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude			
25 Operator Closure Certification			
<u>Operator Closure Certification</u> : I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print):	Title:		
Signature:	Date:		
e-mail address:	Telephone:		

BOPCO, L.P. GH Cobb Federal #1 Section 23, T-20-S, R-31-E Eddy County, NM

API# 30-015-05829

CLOSURE PLAN

The New Mexico OCD and Bureau of Land Management were both sent notification of closure on June 15, 2009. BOPCO, L.P. will excavate to ten feet below ground surface to the bottom of the pit removing any dried sludge. The pit was unlined so no liner will need to be removed. No free liquids are presently in the pit and there is not any associated equipment in or around the pit that will need to be removed. All excavated dried sludge will be hauled and disposed of at CRI (Controlled Recovery Incorporated - Permit R-9166). BOPCO, L.P. will test the soils beneath the permanent pit to determine whether a release has occurred. BOPCO, L.P. will collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyze for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 100 mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. BOPCO, L.P. will notify the division of its results on form C-141 in accordance with NMAC 19.15.17.13(c) *Closure method for permanent pits.* If the BOPCO or the division determines that a release has occurred, then the BOPCO shall comply with 19.15.29 NMAC and 19.15.30 NMAC, as appropriate. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (3) of Subsection C of 19.15.17.13 NMAC, then the BOPCO, L.P. will backfill the excavation with compacted, non-waste containing, earthen material; construct a divisionprescribed soil cover; recontour and re-vegetate the site. The division-prescribed soil cover, recontouring and re-vegetation requirements will comply with Subsections G, H and I of 19.15.17.13 NMAC per our Site Reclamation Plan. BOPCO, L.P. will commence closure of the site within one week of approval from the NMOCD. It will take BOPCO, L.P. approximately 2 days to excavate to ten feet and one day to sample the excavation. It will take five days to receive the results from the lab. Approximately three days to backfill the excavation and recontour the site with the existing topography. It will take one day to reseed the area. Within 60 days of closure completion, BOPCO, L.P. will submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results; information required by 19.15.17 NMAC; a plot plan; and details on back-filling, capping and covering, where applicable. In the closure report, BOPCO, L.P. will certify that all information in the report and attachments is correct and that BOPCO, L.P. has complied with all applicable closure requirements and conditions specified in the approved closure plan.