
RECEIVED
AUG 1 3 2010
NMOCD ARTESIA

BURNETT OIL CO., INC. GISSLER B BATTERY NW/NE Sect. 11, Tws. 17 S., Rng. 30 E. 32 51'14" 103 56'22"

FINAL REPORT

Prepared By Eddie Seay Consulting August 2010



NMOCD, Artesia ATTN: Mike Bratcher 1301 W. Grand Ave. Artesia, NM 88210

RE: Burnett Oil Co., Inc. Final Report Gissler B Battery Spill

Mr. Bratcher:

Enclosed is the final cleanup report for the above battery. The area has been backfilled and seeded as required. This is a site that was approved for closing by Sherry Bonham.

Should you have any questions or need anything further, pleas call. A final C-141 is attached.

Thanks,

Eddie W. Seay, Agent Eddie Seay Consulting 601 W. Illinois Hobbs, NM 88242 575-392-2236

----04@1----

seay04@leaco.net

cc: Burnett Oil

BLM, Terry Gregston



ANALYTICAL RESULTS FOR EDDIE SEAY CONSULTING ATTN: EDDIE SEAY

601 W. ILLINOIS HOBBS, NM 88242 FAX TO: (575) 392-6

FAX TO: (575) 392-6949

RECEIVED
AUG 1 3 2010
NMOCD ARTESIA

Receiving Date: 03/09/10 Reporting Date: 03/10/10

Project Owner: BURNETT OIL

Project Name: GISSLER B BATTERY
Project Location: NW/NE SECT. 11-17-30

Sampling Date: 03/09/10 Sample Type: SOIL

Sample Condition: COOL & INTACT @ 4.5°C

Sample Received By: AB Analyzed By: AB/ZL

LAB NO. SAMPLE ID GRO DRO ETHYL TOTAL (C_6-C_{10}) (> $C_{10}-C_{28}$) BENZENE TOLUENE BENZENE XYLENES (mg/kg) (mg/kg) (mg/kg) (mg/kg) (mg/kg) (mg/kg)

ANALYSIS DATE:	03/10/10	03/10/10	03/10/10	03/10/10	03/10/10	03/10/10
H19407-1 GB-1	28.7	1240	< 0.050	0.251	0.244	0.365
H19407-2 GB-2	206	1240	<0.050	0.154	0.324	1.53
H19407-3 GB-3	<10.0	253	<0.050	<0.050	<0.050	<0.300
Quality Control	456	522	0.060	0.056	0.052	0.152
True Value QC	500	500	0.050	0.050	0.050	0.150
% Recovery	91.2	104	120	112	104	101
Relative Percent Difference	1.7	2.0	<1.0	1.8	9.6	9.8

METHODS: TPH GRO & DRO - EPA SW-846 8015 M; BTEX - SW-846 8021B.

TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE, TOLUENE, ETHYL BENZENE, AND TOTAL XYLENES.

Lab Director

Date

H19407 TPHBTEX SEAY



(575) 393-2326 Fax (575) 393-2476	Page of					
Company Name: Edie Soan Constitution	BILL TO	ANALYSIS REQUEST				
Project Manager: Edd & Sened	P.O. #:					
Address: 601 w Illiprois	Company:					
City: Holohs State: NM Zip: 88242	Attn:					
Phone #: 2 - 2231 Fax #: 2 - 6949	Address					
Project #: Gissler B Project Owner: Burnett Dil	city:					
Project Name: Gisslew B Batter	State: Zip:	<u> </u>				
Project Location: NW NE Sut. 11 - 17 - 30	Phone #:					
Sampler Name: Eddie Son.	Fax #:] 1991				
FOR LAB USE ONLY MATRIX	PRESERV. SAMPLING	$\exists_{\mathbf{x}} \hspace{.1cm} .$				
(C) RATER						
A S (C)	ii					
Lab I.D. Sample I.D.	3ASE					
(G)RAB OR (C) A CONTAINERS GROUNDWATER WASTEWATER SOIL	ACID/BASE. OTHER. OTHER.					
419407-1 GB-1 JI J	J 319 9:47					
H19407-1 GB-1 /1 /1 /1 /1 /1 /1 /1 /1 /1 /1 /1 /1 /1	J 319 12100					
-3 GB-3 VI V	J 319 10:10					
PLEASE NOTE: Liability and Damages Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract						
analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing a service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions	, loss of use, or loss of profits incurred by client, its subsidi	ranes, and all costs of collections, including attorney's fees				
athliates or successors arising out of or related to the performance of services hereunder by Cardinal regardless of whether such clair Sampler Relinquished: Date: Date: Received By:	Phone R	esult: No Add'l Phone #:				
Time:		Ilt: ST No Add'l Fax #:				
Relinquished By: Date: Received By:	1	read				
Time:						
Delivered By: (Circle One) Temp. Sample Condition CHECKED BY: Cool Intagt (Mittals)						
Sampler - UPS - Bus - Other: ### 26 4.50 Cool Intact Wes Yes Yes Yes No No No No No No No N						

† Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476.

† Samples Taken put on icl
and Trought immediately brought to lab.

Rena Seay

From:

"Bonham, Sherry, EMNRD" <Sherry.Bonham@state.nm.us>

To:

<seay04@leaco.net>

Sent: Subject: Tuesday, April 27, 2010 9:13 AM Gissler B Battery 30-015-04120

Eddie,

Per our phone conversation this morning and our phone conversation of March 31, 2010, based on the analytical data presented, your request to backfill is accepted.

Should you have any questions or concerns regarding this matter, please contact me. And should I not hear from you. I will assume you are in agreement.

Please be advised that NMOCD acceptance and/or approval of documents or work plans does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance and/or approval of documents or work plans do not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

Respectfully, Sherry Bonham NMOCD District II

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. — This email has been scanned by the Sybari - Antigen Email System.

