

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED
APR 15 2011
NMOCD ARTESIA

Form C-141
Revised October 10, 2003
Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

nKmlw 1111032371

OPERATOR Initial Report Final Report

Name of Company	COG OPERATING LLC	Contact	Pat Ellis
Address	550 W. Texas, Suite 100, Midland, TX 79701	Telephone No.	432-230-0077
Facility Name	State I #16	Facility Type	Flowline
Surface Owner	State	Mineral Owner	Lease No. API#(30-015-03187)

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
P	29	17S	29E					Eddy

Latitude 32 48.055 Longitude 104 05.356

NATURE OF RELEASE

Type of Release	Produced water	Volume of Release	60bbbs	Volume Recovered	0bbbs
Source of Release	Flowline	Date and Hour of Occurrence	04/06/2011	Date and Hour of Discovery	04/06/2011 11:00 a.m.
Was Immediate Notice Given?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	Mike Bratcher-OCD		
By Whom?	Josh Russo	Date and Hour	04/08/2011 1:04 p.m.		
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			

If a Watercourse was Impacted, Describe Fully.*


Describe Cause of Problem and Remedial Action Taken.*

The State I #16 poly flowline ruptured. The line has been fused and returned to service.

Describe Area Affected and Cleanup Action Taken.*

Initially 60bbbs of produced water was released from the poly flowline. We were unable to recover any fluid. The spill area measured 100' x 150' in the pasture to the east of the location. Tetra Tech will sample the spill site area to delineate any possible contamination from the release and we will present a remediation work plan to the OCD for approval prior to any significant remediation work.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Josh Russo	Approved by District Supervisor:	Signed By: 
Title: HSE Coordinator	Approval Date:	Expiration Date:
E-mail Address: jrusso@conchoresources.com	Conditions of Approval:	
Date: 04/15/2011 Phone: 432-212-2399	Remediation per OCD Rules & Guidelines. SUBMIT REMEDIATION PROPOSAL NOT LATER THAN:	

Attached

2 RP-746

* Attach Additional Sheets If Necessary

Bratcher, Mike, EMNRD

From: Joshua Russo [jrusso@conchoresources.com]
Sent: Friday, April 15, 2011 12:52 PM
To: Bratcher, Mike, EMNRD
Cc: Pat Ellis; Tavarez, Ike; Dorey, Kim; tom.k.franklin@tetrattech.com
Subject: C-141 - State I #16 Flowline
Attachments: STATE I #16 FLOWLINE -- DATE OF RELEASE -- 04-06-2011.PDF

Mr. Bratcher,

Please see attached the C-141 Initial Report to a release that occurred on 04/06/2011 at the State I #16.

Thank you,

Joshua Russo

HSE Coordinator
550 W. Texas Ave, Suite 100
Midland, Texas 79701
Phone: (432) 683-7443
Cell: (432) 212-2399
jrusso@conchoresources.com



CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.