

P.O. Box 51810, Midland, Texas 79710-1810 -3300 North "A" Street Bldg. 6 (210) 79705

MERIDIAN OIL

ليونيهم ميوني المراجع من المراجع المراجع

FAX NO. 915/ 688-6006

DATE:	5-20-92		TIME:	1-30 PM TX		
To:	DAVID	(ATANACH	and the second			
COMPANY:	60	-		an a		
CITY/STA	TE				<u></u>	
FAX NO.						
FROM:	JM. SMAL		PHONE:	915/688-	6830	
NO. OF P	AGES (INCLU	DING THIS COV	(ER SHEET)	3		

•

-

	FAX. 505-1008 827- 5741
	TO: DAVID CATANACH
	FROM : JDE SMALL 5-20-92
and	MERIDIN OIL
	RE: KENWOOD NO. 3
	PLA IN CONJUCTION WITH SHUGART A #4 CONVERSION TO WIW
	EDDY CO., TX
	David - while Researching the well files to preparing
	to P+A the Kenwood NO.3, I came Across this
	SUNDRY NOTICE THAT SHOWS
	- IN 1981 Southland Royalty circulated cenert to the SURFACE from 3150',
	This would place cenent across the injection zone (Vates)
	and should satisfy OCD requirements.
	Please all me At 915-688-6830. We would
	like to begin the work on the Strugart A#4,
Ē	pe shall.
SHE	
NOL	
ALCI	
ບັ ບ	
Montain of ENGINEERING CALCULATION SHEET MOPPING (1-88)	
	8 8 8 8 8 8 8 8 8 8 9 8 9 8 9 8 9 8 9 8

P ã⊙

•		, Estis-			- P - P	- mont	A
m 9-331				SUBMIT IN TRI		Learn approved	amp
ay 1903)	DEPAR	IMENT OF 1		(Oshan, Inashinat	ons on re-l-	5. LEASE DESTINATION A	and the second
		GEOLOGICAL				0293875	12938
						6. IF INDIAN, ALLOTTEE	
		DTICES AND posals to drill or to ICATION FOR PER		ON WELLS back to a different reser proposals.)	voir.	LC 0	29387
						7. UNIT AGREEMENT NAM	2
WELL GAS WELL	OTHER	Water Inj	ection Wel	1			
NAME OF OPERATOR						8. FARM OB LEASE NAME	
Southland Roya	alty Com	ipany				Kenwood 9. WELL NO.	
	- com tita and		m	0.1		^	
1100 Wall Towe LOCATION OF WELL (Rd See also space 17 belo At surface	eport locatio					10. FIELD AND POOL, OR	
	22101		136.37		ŀ	Shugart Y-SR-(11. sec., T., B., M., OB BE	the second s
Unit Letter F,	, 4310,	сыг, торо,	EMP			SURVET OR ABEA	
						29-18S-31E	
PERMIT NO.		15. ELEVATION	s (Show whether D	F. RT. CR. etc.)		12. COUNTY OF PARISH	13. STATE
			Unknown			Eddy	N.M.
	Charl	Appropriate R-		Nature of Notice, R	anort or O		
	VOTICE OF IN			INDICE, ROTICE, RO	-		
			F1		BUBSEQUI	ENT REPORT OF:)
TEST WATER SHUT-OF	PF	FULL OR ALTER		WATER SHUT-OF		REPAIRING W	
FRACTURE TREAT Shoot or acidize		MULTIPLE COMPI		SHOOTING OR AU		ALTERING CA ABANDONSIEN	
		-				j ABANDONSIEN	¹ []
REPAIR WELL	ليسمعا	CHANCE PLANS		(Other) (NOTE: R	eport results	of multiple completion o	n Well
(Other)	COVERENCES	OPPS MOVE / CI		Completio	n or Recomple	tion Report and Log form	m.)
A bradenhead POH w/2 3/8"	waterflo PC tbg	ow was repai & 5 1/2" Pkr	ired on the . Ran Cmt	subject well Bond Log 3732	in the f -Surf.	Ollowing manne Found TOC @ 32	r: 50'.
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test	waterflo PC tbg L @ 3650 n WL @ 3 neat w csg to	ow was repai & 5 1/2" Pk; 0'. Test C 3100'. Cmt /2% CaCl ₂ . 1000#. Dri	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBP	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f 2-Surf. es @ 315 og w/600 'DC & tbg co 3833'.	Ollowing manne Found TOC @ 32 0'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re . Ran 2 3/8" P	r: 50'. (@ 950' 18# sal t & cmt 2C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	ow was repai & 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000#. Dril . Set pkr (and ended 1)	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBE 3688'. E 1-5-81.	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/	in the f 2-Surf. es @ 315 og w/600 'DC & tbg co 3833'.	Ollowing manne Found TOC @ 32 0'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re . Ran 2 3/8" P	r: 50'. (@ 950' 18# sal t & cmt 2C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	w was repai & 5 1/2" Pk; 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000#. Drii . Set pkr (and ended 1) R. N	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBE 3 3688'. F 1-5-81.	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f 2-Surf. es @ 315 og w/600 'DC & tbg co 3833'.	Ollowing manne Found TOC @ 32 0'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re . Ran 2 3/8" P	r: 50'. (@ 950' 18# sal t & cmt 2C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	w was repain \$ 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000#. Dri . Set pkr (and ended 12 R. N G. Y	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBE 3 3688'. E 1-5-81. Nokes Young	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f 2-Surf. es @ 315 og w/600 'DC & tbg co 3833'.	Ollowing manne Found TOC @ 32 0'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re . Ran 2 3/8" P	r: 50'. (@ 950' 18# sal t & cmt 2C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	w was repain \$ 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000#. Drii . Set pkr (and ended 12 R. N G. Y G. S	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBP 3 3688'. F 1-5-81. Jokes Joung laughter	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f 2-Surf. es @ 315 og w/600 'DC & tbg co 3833'.	Ollowing manne Found TOC @ 32 0'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re . Ran 2 3/8" P	r: 50'. (@ 950' 18# sal t & cmt 2C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	ow was repain \$ 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000#. Dril . Set pkr (and ended 12 R. N G. Y G. S J. H	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBE 3 3688'. E 1-5-81. Tokes Toung laughter yatt	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f 2-Surf. es @ 315 og w/600 'DC & tbg co 3833'.	Ollowing manne Found TOC @ 32 0'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re . Ran 2 3/8" P	r: 50'. (@ 950' 18# sal t & cmt 2C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	bw was repain \$ 5 1/2" Pkr 5'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000#. Dril . Set pkr (and ended 11 R. N G. Y G. S J. H Wel	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBP 3 3688'. F 1-5-81. Jokes Joung laughter	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f 2-Surf. es @ 315 og w/600 'DC & tbg co 3833'.	Collowing manne Found TOC @ 32 00'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re Ran 2 3/8" P erfs 3774-3823'	r: 50'. (@ 950' 18# sal t & cmt 2C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	ow was repain \$ 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000 #. Dril . Set pkr (and ended 11 R. N G. Y G. S J. H Well Lind	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBE 3688'. E 1-5-81. Jokes Joung laughter yatt I File	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f 2-Surf. es @ 315 og w/600 'DC & tbg co 3833'.	Ollowing manne Found TOC @ 32 0'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re . Ran 2 3/8" P	r: 50'. (@ 950' 18# sal t & cmt 2C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	ow was repain \$ 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000#. Drii . Set pkr (and ended 12 R. N G. Y G. S J. H Well Lind B. N Boyo	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sx 11 out CIBE 3 3688'. H 1-5-81. Nokes Young laughter Yatt I File Noiand I Reece	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f 2-Surf. es @ 315 og w/600 'DC & tbg co 3833'.	Collowing manne Found TOC @ 32 00'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re Ran 2 3/8" P erfs 3774-3823'	r: 50'. (@ 950' 18# sal t & cmt 2C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	ow was repain \$ 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000#. Dril . Set pkr (and ended 11 R. N G. Y G. S J. H Well Lind B. N Boyo Bill	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sx 11 out CIBE 3688'. E 1-5-81. Jokes Joung laughter yatt I File Ja Cornett Joland I Reece Chrane	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f P-Surf. es @ 315 og w/600 'DC & tbg to 3833'. h into pe	DEC 24 1981	r: 50'. (@ 950' 18# sal t & cmt C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	ow was repain \$ 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000#. Dril . Set pkr (and ended 12 R. N G. Y G. S J. H Well Lind B. N Boyo Bill Typ	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBE 3688'. E 1-5-81. Tokes Young laughter yatt I File Ia Cornett Voland I Reece Chrane ist	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f P-Surf. es @ 315 og w/600 'DC & tbg to 3833'. into pe	DEC 24 1981	r: 50'. (@ 950' 18# sal t & cmt C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to ion pkr	ow was repair \$ 5 1/2" Pkr 5'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000#. Dril . Set pkr (and ended 11 R. N G. Y G. S J. H Wel Lind B. N Boyo Bill Typ Othe	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBE 3688'. E 1-5-81. Tokes Young laughter yatt I File Ia Cornett Voland I Reece Chrane ist	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f P-Surf. es @ 315 og w/600 'DC & tbg to 3833'. into pe	DEC 24 1981	r: 50'. (@ 950' 18# sal t & cmt C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens Work began 10	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to 1 ion pkr -30-81	ow was repair § 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000 #. Dril . Set pkr (and ended 11 R. N G. Y G. S J. H Wel Lind B. N Boyo Bill Typ Othe Date	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sy 11 out CIBE 3688'. F 1-5-81. Nokes Young laughter yatt I File la Cornett Voland I Reece Chrane ist	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f P-Surf. es @ 315 og w/600 'DC & tbg to 3833'. into pe	DEC 24 1981	r: 50'. (@ 950' 18# sal t & cmt C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens Work began 10	waterflo PC tbg L @ 3650 n WL @ 1 neat w, csg to 1 ion pkr -30-81	ow was repair § 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000 #. Dril . Set pkr (and ended 11 R. N G. Y G. S J. H Wel Lind B. N Boyo Bill Typ Othe Date	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sc 11 out CIBE 3688'. E 1-5-81. Tokes Toung laughter yatt I File Ia Cornett Voland I Reece Chrane ist er	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH w/ & clean out t	in the f S-Surf. es @ 315 og w/600 /DC & tbg co 3833'. into pe	DEC 24 1981 Ollowing manne Found TOC @ 32 O'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re Ran 2 3/8" P erfs 3774-3823' DEC 24 1981 Oll & GAS GEOLOGICAL SURV SWELL, NEW MEXIC	r: 50'. (@ 950' 18# sal t & cmt C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens Work began 10 8. I hereby certify that	waterflo PC tbg L @ 3650 n WL @ neat w csg to ion pkr -30-81	bw was repair \$ 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000 #. Dril . Set pkr (and ended 11 R. N G. Y G. S J. H Wel Lind B. N Boyo Bill Typ Othe Data	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sc 11 out CIBE 3688'. E 1-5-81. Tokes Toung laughter yatt I File Ia Cornett Voland I Reece Chrane ist er	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH W/ & clean out t Began injection	in the f S-Surf. es @ 315 og w/600 /DC & tbg co 3833'. into pe	DEC 24 1981 OIL & GAS OIL & GAS OIL & GAS OIL & CAS OIL & CAS	r: 50'. (@ 950' 18# sal t & cmt C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens Work began 10 S. I hereby certify that SIGNED (This space for Fede	waterflo PC tbg L @ 3650 n WL @ neat w csg to ion pkr -30-81	bw was repair \$ 5 1/2" Pkr 0'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000 #. Dril . Set pkr (and ended 11 R. N G. Y G. S J. H Wel Lind B. N Boyo Bill Typ Othe Data	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sx 11 out CIBE 3688'. F 1-5-81. Jokes Joung laughter yatt I File la Cornett Voland I Reece Chrane ist er Er TITLE Dis	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH W/ & clean out t Began injection	in the f S-Surf. es @ 315 og w/600 /DC & tbg co 3833'. into pe	DEC 24 1981 Ollowing manne Found TOC @ 32 O'. EIR 2 BPM sx Lite cmt w/ g. Drill out Re Ran 2 3/8" P erfs 3774-3823' DEC 24 1981 Oll & GAS GEOLOGICAL SURV DATE _12-15 ACCEPTED FOR I	r: 50'. (@ 950' 18# sal t & cmt C tbg
A bradenhead POH w/2 3/8" Set CIBP on W Set Cmt Ret o & 200 sx Cl C 3150'. Test w/5 1/2" tens Work began 10 S. I hereby certify that SIGNED	waterflo PC tbg L @ 3650 n WL @ 1 neat w csg to ion pkr -30-81	ow was repair § 5 1/2" Pkr)'. Test Cl 3100'. Cmt /2% CaCl ₂ . 1000 #. Drill . Set pkr (and ended 11 R. N G. Y G. S J. H Well Lind B. N Boyo Bill Typ Other Data Set for true and corr (1) (1) (2) (2) (2) (2) (2) (2) (2) (2	ired on the r. Ran Cmt IBP to 1000 under Ret Circ 55 sc 11 out CIBE 3688'. E 1-5-81. Tokes Toung laughter yatt I File Ia Cornett Voland I Reece Chrane ist er	subject well Bond Log 3732 #. Perf 4 hol thru 2 7/8" th c. cmt. RIH W/ & clean out t Began injection	in the f S-Surf. es @ 315 og w/600 /DC & tbg co 3833'. into pe	DEC 24 1981 OIL& GAS OIL& GAS OIL& GAS	r: 50'. (@ 950' 18# sal t & cmt C tbg