OIL CONSERVATION DIVISION 2040 South Pacheco Street Santa Fe, New Mexico 87505 (505) 827-7131

ADMINISTRATIVE ORDER NO. WFX-761

APPLICATION OF W.A. & E.R. HUDSON, INC. TO EXPAND ITS WATERFLOOD PROJECT IN THE MALJAMAR GRAYBURG-SAN ANDRES POOL IN EDDY COUNTY, NEW MEXICO

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Order No. R-2239, W.A. & E.R. Hudson, Inc. has made application to the Division on April 7, 2000, with additional information on May 11 and 12, 2000, for permission to expand its Waterflood Project in the Maljamar Grayburg-San Andres Pool in Eddy County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

- (1) The application has been filed in due form.
- (2) Satisfactory information has been provided that all offset operators have been duly notified of the application.
- (3) No objection has been received within the waiting period as prescribed by Rule 701(B).
- (4) The proposed injection well is eligible for conversion to injection under the terms of Rule 701.
- (5) The proposed expansion of the above referenced Waterflood Project will not cause waste nor impair correlative rights.
 - (7) The application should be approved.

IT IS THEREFORE ORDERED THAT:

The applicant, W.A. & E.R. Hudson, Inc. be and the same is hereby authorized to inject water into the San Andres and Grayburg formations at approximately 3300 feet to approximately 3,899 feet through 2 3/8-inch plastic lined tubing set in a packer located within 100 feet of the uppermost injection perforations in the following described well for purposes of secondary recovery to wit:

Administrative Order WFX-761 W.A. & E.R. Hudson, Inc. May 12, 2000 Page 2

Puckett Federal Well No. A-8

API No. 30-015-5384 1980 FSL & 660 FWL, Unit 'L' Injection Interval (Openhole): 3,300 feet to 3,899 feet Maximum Injection Pressure: (.2 psi/ft) 660 psig

Located in Section 24, Township 17 South, Range 31 East, Eddy County, New Mexico.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection well to .2 psi per foot of depth to the uppermost injection perforation.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the Grayburg and San Andres formations. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Artesia district office of the Division of the date and time of the installation of injection equipment and of the mechanical integrity tests so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Artesia district office of the Division of the failure of the tubing, casing or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.

The subject well shall be governed by all provisions of Division Order No. R-2239 and Rules 702-706 of the Division Rules and Regulations not inconsistent herewith.

Administrative Order WFX-761 W.A. & E.R. Hudson, Inc. May 12, 2000 Page 3

PROVIDED FURTHER THAT, jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh water or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

DONE at Santa Fe, New Mexico, on this 12th day of May, 2000.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

Loulendons by De

LORI WROTENBERY

Director

SEAL

LW/MWA/kv

cc: Oil Conservation Division - Artesia

U.S. Bureau of Land Management - Carlsbad

Case File No. 2536