



# NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

**GARY E. JOHNSON**  
Governor  
**BETTY RIVERA**  
Cabinet Secretary

**Lori Wrotenbery**  
Director  
Oil Conservation Division

*ADMINISTRATIVE ORDER SWD-863*

## ***APPLICATION OF RAY WESTALL FOR SALT WATER DISPOSAL, LEA COUNTY, NEW MEXICO***

### **ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION**

Under the provisions of Rule 701(B), Ray Westall made application to the New Mexico Oil Conservation Division on November 26, 2002, for permission to re-complete for produced water disposal its Lusk "16" State Well No. 4 (API 30-025-24787) located 2030 feet from the South line and 660 feet from the East line (Unit I) of Section 16, Township 19 South, Range 32 East, NMPM, Lea County, New Mexico.

#### **THE DIVISION DIRECTOR FINDS THAT:**

- (1) The application has been duly filed under the provisions of Rule 701(B) of the Division Rules and Regulations;
- (2) Satisfactory information has been provided that all offset operators and surface owners have been duly notified;
- (3) The applicant has presented satisfactory evidence that all requirements prescribed in Rule 701 will be met; and
- (4) No objections have been received within the waiting period prescribed by said rule.

#### **IT IS THEREFORE ORDERED THAT:**

Ray Westall is hereby authorized to re-complete for produced water disposal its Lusk "16" State Well No. 4 (API 30-025-24787) located 2030 feet from the South line and 660 feet from the East line (Unit I) of Section 16, Township 19 South, Range 32 East, NMPM, Lea County, New Mexico, in such a manner as to permit the injection of produced water for disposal purposes into the Delaware formation from a depth of approximately 6,515 feet to 6,535 feet through 2 7/8 inch plastic-lined tubing set in a packer located at approximately 6,415 feet.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

**As preparation and prior to any injection, the following remedial work shall be done on the Lusk "16" State Well No. 4, and witnessed by the Hobbs District office of the Division at their discretion.**

**Perforations within the Delaware formation from a depth of 4,918 feet to 4,943 feet shall be cement squeezed.**

The casing-tubing annulus shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing, or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection well to no more than 1303 psi.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the injection formation. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Hobbs District Office of the Division of the date and time remedial cement operations and mechanical integrity pressure test are conducted on the Lusk "16" State Well No. 4 so that these operations may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Hobbs District Office of the Division of the failure of the tubing, casing, or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.

PROVIDED FURTHER THAT, jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of

*Administrative Order SWD-863*

*Ray Westall*

*December 16, 2002*

*Page 3*

---

correlative rights or upon failure of the operator to conduct operations (1) to protect fresh water or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.

The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Rule Nos. 706 and 1120 of the Division Rules and Regulations.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

Approved at Santa Fe, New Mexico, on this 16th day of December 2002.

*Lori Wrottenbery*

LORI WROTENBERY  
Director

LW/DRC

cc: Oil Conservation Division – Hobbs  
State Land Office-Oil & Gas Division