

BEFORE EXAMINER CATANACH
OIL CONSERVATION DIVISION

000

EXHIBIT NO. 4

CASE NO. 12982

COMMISSION
MEXICO
CORPORATION

LOG


Depth	Formation	Depth	Formation	Depth	Formation
360	Gr A	350	Gr A		
355	Gr A				
350	Gr A				
345	Gr A				
340	Gr A				
335	Gr A				
330	Gr A				
325	Gr A				
320	Gr A				
315	Gr A				
310	Gr A				
305	Gr A				
300	Gr A				
295	Gr A				
290	Gr A				
285	Gr A				
280	Gr A				
275	Gr A				
270	Gr A				
265	Gr A				
260	Gr A				
255	Gr A				
250	Gr A				
245	Gr A				
240	Gr A				
235	Gr A				
230	Gr A				
225	Gr A				
220	Gr A				
215	Gr A				
210	Gr A				
205	Gr A				
200	Gr A				
195	Gr A				
190	Gr A				
185	Gr A				
180	Gr A				
175	Gr A				
170	Gr A				
165	Gr A				
160	Gr A				
155	Gr A				
150	Gr A				
145	Gr A				
140	Gr A				
135	Gr A				
130	Gr A				
125	Gr A				
120	Gr A				
115	Gr A				
110	Gr A				
105	Gr A				
100	Gr A				
95	Gr A				
90	Gr A				
85	Gr A				
80	Gr A				
75	Gr A				
70	Gr A				
65	Gr A				
60	Gr A				
55	Gr A				
50	Gr A				
45	Gr A				
40	Gr A				
35	Gr A				
30	Gr A				
25	Gr A				
20	Gr A				
15	Gr A				
10	Gr A				
5	Gr A				
0	Gr A				

DATE

DATE

10-10-30

SAMPLE LOG OF TO 1755 PLOTTED



CASING RECORD

SIZE	DEPTH	CEMENT

OPERATOR TURNER, FRED

LEASE DeVito (Federal) WELL NO. 1
Spud Comp. T. D.
Tools Cable
I. P. ABANDONED After

Producing Zone:

DRILL STEM TESTS

DATE	FROM -- TO	OPEN	RESULTS

Shows: HF Sol Wtr (Castile) 840
WTR 1450-59 (Lamar)
" 1640-47 (Del sd)



ELEVATION BY L-S 3446

GEOLOGICAL RECORD

FORMATION	DEPTH	DATUM	INFO.	FORMATION	DEPTH	DATUM	INFO.
Top Rustler				Top Pennsylvanian (Cisco)			
Base Rustler Lime				Top Canyon			
Top Salt	None		SL	Top Strawn			
Base Salt	"		SL	Top Bond (Atoka)			
Top Tansil				Top Mississippian (Chester)			
Top Yates				Top Miss. Lime			
Base 2nd Yates Sand				Top Devonian (Woodford)			
Top Seven Rivers (Capitan)				Top Devonian Lime			
Base Anhydrite				Top Silurian (Fusselman)			
Top Queen				Top Ordovician (Montoya)			
Top Penrose				Top Simpson			
Top Grayburg				Top Ellenburger			
Top San Andreas				Top Cambrian (Bliss)			
Top Glorietta				Top Pre-Cambrian			
Top Yeso							
Top Drinkard Zone				INTV'L T.A. -- B.R.L.			
Top Fullerton Zone				B.R.L. -- B.S.			
Top Abo				T.A. -- B.S. (Salado)			
Top Wolfcamp (Hueco)				B.S. -- T.T. (Fletcher)			
Top Bursum				T.T. -- T.Y. (Tansil)			
DELAWARE BASIN				T.Y. -- T.S.R.L. (Yates)			
Top Lamar	1078	+2368	SL	B.S. -- B.A. (Gradational)			
Top Del. Sand	1520	+1910	SL	B.S. -- T.D.L. (Castile)			
Top Bone Springs				T.D.L. -- T.D.S. (Lamar)	450	SL	
				T.D.S. -- T.B.S.L. (Delaware)			
				T.D.L. - fluids (wtr)			562 SL-op.

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY
 BUREAU OF OIL AND GAS
INDIVIDUAL WELL RECORD

PUBLIC LANDS

Ref. No.

Land Offer See Grant State San Diego
 Serial No. 87873 County Imperial
 Permit or Lease Drilling Field Bank Springs
 Operator Turner and Drilling District San Diego
 Well No. 1 Subdivision EE Cor. EE X EE X EE
 Location 330 feet from N. S. line and 1650 feet from E. N. line of X X
 Drilling approved Oct. 11 1940 Well elevation 346 (125) feet
 Drilling commenced Oct. 18 1940 Total depth 175 feet
 Drilling ceased Dec. 9 1940 Initial production None
 Plugged and abandoned March 5 1941 Gravity A. P. I.
 Abandonment approved 19 Initial R. P.

Geologic Formations Productive Horizons
 Surface Lower tested Name Depth Contents
Tertiary Permian

WELL STATUS

YEAR	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT.	OCT.	NOV	DEC.
1940										DRG		
1941	DRG	DRG	PA									

REMARKS Water found at 877-10', 1156-50' and 165-17'

This sheet in columns was previously submitted.

