



2017 JAN 20 PM 2:59

January 18, 2017

New Mexico Oil Conservation Division Director's Office  
Attn: David Catanach,  
Division Director 1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

**RE:** Meter Proving Frequency Variance Request. Variance to the ACT meter proving requirement in paragraph (12) of subsection C of 19.15.18.15 NMAC - Quarterly Proving of Automatic Custody Transfer Equipment (ACT).

Dear Director Catanach,

WPX Energy Production, LLC (WPX) is requesting a variance to the ACT meter proving requirement in paragraph (12) of subsection C of 19.15.18.15 New Mexico Administrative Code from a monthly ACT meter proving frequency to quarterly ACT meter proving. This would be an exception to the meter proving that states that all measuring and recording devices be checked for accuracy once each month. WPX has obtained C-106 Form approvals from the NMOCD Aztec Office to install LACT/ACT systems which utilize a very accurate Coriolis measurement technology for crude oil measurement. WPX has provided the attached monthly proving reports that show that the installed Coriolis meters continue to perform extremely well and have provided very stable meter proving factors. WPX has attached copies of the proving reports that provide documented meter test results that documents the meter stability and supports our request to move from monthly to quarterly ACT meter proving. The Coriolis meters will continue to be proved and tested per current and future Bureau of Land Management (BLM) rules and within the American Petroleum Institute's standards and guidelines. The provers will be NIST traceable and water drawn on an annual basis.

The leases served by the LACT/ACT units are a mixture of Federal, Indian and fee leases, and WPX will prove quarterly and will continue to provide a meter proving schedule to the NMOCD representatives which will allow the NMOCD to witness any or all of the meter provings. If you have any questions in regards to this request or need additional information, please do not hesitate to contact me at (505) 333-1812.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Randy VanDenBerg".

Randy VanDenBerg  
District Superintendent  
WPX Energy Production, LLC

Cc: Charlie Perrin, District Supervisor (NMOCD District 3 - Aztec)  
Brandon Powell, Inspection and Enforcement Supervisor (NMOCD District 3 - Aztec)

## McMillan, Michael, EMNRD

---

**From:** Felix, Andrea <Andrea.Felix@wpxenergy.com>  
**Sent:** Friday, May 5, 2017 12:28 PM  
**To:** McMillan, Michael, EMNRD  
**Cc:** Riley, Heather; VanDenBerg, Randy; Jordan, Robert; Shepard, Cyd; Jaramillo, Marie; Casey Haga; Granillo, Lacey; Atencio, Manuel  
**Subject:** RE: [EXTERNAL] RE: Quarterly Proving Request  
**Attachments:** 20170504065100638.pdf

Good afternoon Mike,

Please see attached proving data for the below listed wells. As we discussed all the wells within this quarterly proving request are Basin Mancos or equivalent wells.

Thank you,

**Andrea Felix, RWA**  
Regulatory Support Team Lead  
San Juan Basin  
Office: 505-333-1849  
Cell: 505-386-8205  
**WPXENERGY.**

**From:** McMillan, Michael, EMNRD [mailto:Michael.McMillan@state.nm.us]  
**Sent:** Tuesday, May 02, 2017 4:17 PM  
**To:** Felix, Andrea <Andrea.Felix@wpxenergy.com>  
**Subject:** RE: [EXTERNAL] RE: Quarterly Proving Request

Andrea:

Send the proving data for NW Lybrook Unit #133H, NW Lybrook Unit #131H, NW Lybrook Unit #143H, Chaco 2307-17H#163H, Chaco 2308-24H#153H, Chaco 2308-24H#151H, Chaco 2308-24H#147H, Mc 2 Com #283H, Chaco 2308-04P #150H,

**From:** Felix, Andrea [mailto:Andrea.Felix@wpxenergy.com]  
**Sent:** Tuesday, May 2, 2017 11:13 AM  
**To:** McMillan, Michael, EMNRD <Michael.McMillan@state.nm.us>  
**Cc:** Riley, Heather <Heather.Riley@wpxenergy.com>; VanDenBerg, Randy <RandyN.VanDenBerg@wpxenergy.com>; Jordan, Robert <Robert.Jordan@wpxenergy.com>; Shepard, Cyd <Cyd.Shepard@wpxenergy.com>; Jaramillo, Marie <Marie.Jaramillo@wpxenergy.com>; Casey Haga <caseyhaga@eis-llc.com>; Granillo, Lacey <Lacey.Granillo@wpxenergy.com>; Atencio, Manuel <Manuel.Atencio1@wpxenergy.com>  
**Subject:** RE: [EXTERNAL] RE: Quarterly Proving Request

Good morning Mike,



Jude Dysart  
VP – Engineering & Technical Services  
O: (918) 289-2145  
M: (405) 834-9402  
jude.dysart@whiptailmidstream.com

15 West 6th Street | Suite 2901  
Tulsa | Oklahoma | 74119  
918.289.2949  
www.whiptailmidstream.com

March 2, 2017

Andrea Felix, RWA  
Regulatory Specialist Staff  
WPX Energy  
721 S Main Avenue  
Aztec, NM 87410

RE: **NMOCD Meter Proving Frequency Variance Request**

Mrs. Felix:

Whiptail Midstream, LLC, on behalf of itself and its affiliates (collectively, "Whiptail") has no objection to WPX Energy, LLC (collectively, "WPX") pursuing the proposed NMOCD Meter Proving Frequency Variance Request.

Whiptail believes this variance to proving frequency will have minimal, if any, impact to realized measurement accuracy in the field. Approval of this variance will also decrease the operational efforts associated with maintaining measurement devices, and will allow our personnel to focus more on the safe and efficient operations of our measurement facilities and pipeline systems.

If WPX, or the NMOCD, should have any questions concerning this variance request, Whiptail is available to discuss at your convenience. As a new entrant into New Mexico, Whiptail is excited about the opportunity to work and grow alongside our partners and neighbors in the community.

Sincerely,

Jude Dysart  
VP – Engineering and Technical Services

## McMillan, Michael, EMNRD

---

**From:** Felix, Andrea <Andrea.Felix@wpxenergy.com>  
**Sent:** Thursday, April 20, 2017 8:18 AM  
**To:** McMillan, Michael, EMNRD  
**Cc:** Riley, Heather; VanDenBerg, Randy; Jordan, Robert; Shepard, Cyd; Jaramillo, Marie; Casey Haga; Granillo, Lacey; Atencio, Manuel  
**Subject:** RE: [EXTERNAL] RE: Quarterly Proving Request  
**Attachments:** WPX LACTmeasurementfacilitiesSanJuan.xlsx

Good morning Mike,

Please see attached the updated spreadsheet, thank you for catching the blank line for the NE Chaco Com #187H it now reads Chaco Unit NE HZ (OIL).

The truck and pipeline LACTS have the potential to servicing different pools, so therefore we have left the pool column blank for that reason.

Thank you,

**Andrea Felix, RWA**  
Regulatory Specialist Staff  
San Juan Basin  
Office: 505-333-1849  
Cell: 505-386-8205  
**WPXENERGY.**

---

**From:** McMillan, Michael, EMNRD [mailto:Michael.McMillan@state.nm.us]  
**Sent:** Wednesday, April 19, 2017 4:24 PM  
**To:** Felix, Andrea <Andrea.Felix@wpxenergy.com>  
**Subject:** RE: [EXTERNAL] RE: Quarterly Proving Request

Andrea:  
Why are the pools for Truck and Pipeline LACTS (ones at bottom) and NE Chaco Com. #187H Transfer LACT blank? Are they servicing many different pools and leases, so the exact pool could not be determined?  
Thanks  
Mike

---

**From:** Felix, Andrea [mailto:Andrea.Felix@wpxenergy.com]  
**Sent:** Wednesday, April 19, 2017 3:52 PM  
**To:** McMillan, Michael, EMNRD <Michael.McMillan@state.nm.us>  
**Cc:** Riley, Heather <Heather.Riley@wpxenergy.com>; VanDenBerg, Randy <RandyN.VanDenBerg@wpxenergy.com>; Jordan, Robert <Robert.Jordan@wpxenergy.com>; Shepard, Cyd <Cyd.Shepard@wpxenergy.com>; Jaramillo, Marie <Marie.Jaramillo@wpxenergy.com>; Casey Haga <caseyhaga@eis-llc.com>; Granillo, Lacey

## **McMillan, Michael, EMNRD**

---

**From:** McMillan, Michael, EMNRD  
**Sent:** Friday, February 17, 2017 11:28 AM  
**To:** Jones, William V, EMNRD  
**Cc:** Brooks, David K, EMNRD  
**Subject:** RE: WPX metering frequency exception

Also I am unclear of notice

---

**From:** McMillan, Michael, EMNRD  
**Sent:** Friday, February 17, 2017 11:27 AM  
**To:** Jones, William V, EMNRD <WilliamV.Jones@state.nm.us>  
**Cc:** Brooks, David K, EMNRD <DavidK.Brooks@state.nm.us>  
**Subject:** WPX metering frequency exception

Will and David:

I looked at NMAC 19.15.18 15.Paragraph12-14 (legally wrong description), but it appears that WPX can apply administratively for an exception, which allows the Director to set the set the frequency determination. All they would have to do is provide a graph (which is a literal interpretation, but based on the data presented not needed). I believe OCD should agree in this case to make WPX follow the either BLM or API standards, whichever is more stringent (Most likely irrelevant since BLM follows API standards)

I will put the application bank on Will's chair.

Mike

### **MICHAEL A. MCMILLAN**

Engineering Bureau, Oil Conservation Division  
1220 south St. Francis Dr., Santa Fe NM 87505  
O: 505.476.3448  
[Michael.McMillan@state.nm.us](mailto:Michael.McMillan@state.nm.us)

Customer: WPX -  
 Operator:  
 Location: 166 - Lact  
 Federal ID: SEC.15M T23N R7W

15-23N 7W  
 NE 1/4 Sec 30-39-31 202

| <b>Meter Data</b><br>67432068 WPX 166H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14494842<br>Model No.    | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 43.6 °API<br>Obs. Temp 87.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.2 °API HYC Y                                                                                                                                                                                                                                                                                                                                                              | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th></th> <th style="text-align: center;">Previous</th> <th style="text-align: center;">Current</th> </tr> <tr> <td>Task ID</td> <td>1474589103</td> <td>1476169000</td> </tr> <tr> <td>Date</td> <td>09/22/2016</td> <td>10/10/2016</td> </tr> <tr> <td>Time</td> <td>12:05</td> <td>18:56</td> </tr> <tr> <td>Product</td> <td>Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate</td> <td>35 bbl/hr</td> <td>35 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> <td></td> </tr> <tr> <td>Base Density</td> <td>41.8°API</td> <td>41.2 °API</td> </tr> <tr> <td>Avg Prvr Temp</td> <td>117.9</td> <td>109.8</td> </tr> <tr> <td>Avg Prvr Press</td> <td>38.0</td> <td>38.0</td> </tr> <tr> <td>Repeatability</td> <td>0.021 %</td> <td>0.042 %</td> </tr> <tr> <td>CMF</td> <td>0.9994</td> <td>0.9990</td> </tr> <tr> <td>CMF Variance</td> <td>-0.0001</td> <td>-0.0004</td> </tr> </table> |  | Previous | Current | Task ID | 1474589103 | 1476169000 | Date | 09/22/2016 | 10/10/2016 | Time | 12:05 | 18:56 | Product | Crude | Crude | Flowrate | 35 bbl/hr | 35 bbl/hr | Totalizer |  |  | Throughput |  |  | Base Density | 41.8°API | 41.2 °API | Avg Prvr Temp | 117.9 | 109.8 | Avg Prvr Press | 38.0 | 38.0 | Repeatability | 0.021 % | 0.042 % | CMF | 0.9994 | 0.9990 | CMF Variance | -0.0001 | -0.0004 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------|---------|---------|------------|------------|------|------------|------------|------|-------|-------|---------|-------|-------|----------|-----------|-----------|-----------|--|--|------------|--|--|--------------|----------|-----------|---------------|-------|-------|----------------|------|------|---------------|---------|---------|-----|--------|--------|--------------|---------|---------|
|                                                                                                                                                                                                               | Previous                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Task ID                                                                                                                                                                                                       | 1474589103                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 1476169000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Date                                                                                                                                                                                                          | 09/22/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 10/10/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Time                                                                                                                                                                                                          | 12:05                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 18:56                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Product                                                                                                                                                                                                       | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Flowrate                                                                                                                                                                                                      | 35 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 35 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Totalizer                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Throughput                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Base Density                                                                                                                                                                                                  | 41.8°API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 41.2 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Avg Prvr Temp                                                                                                                                                                                                 | 117.9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 109.8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Avg Prvr Press                                                                                                                                                                                                | 38.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 38.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| Repeatability                                                                                                                                                                                                 | 0.021 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.042 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| CMF                                                                                                                                                                                                           | 0.9994                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0.9990                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| CMF Variance                                                                                                                                                                                                  | -0.0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | -0.0004                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 38.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |          |         |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |          |           |               |       |       |                |      |      |               |         |         |     |        |        |              |         |         |

| Run            | TEMPERATURE  |              | PRESSURE    |             | PULSES            | Run Accepted ? | IMF            | Flowrate      |
|----------------|--------------|--------------|-------------|-------------|-------------------|----------------|----------------|---------------|
|                | Tp           | Tm           | Pp          | Pm          | N                 |                |                | bbl/hr        |
| 1              | 105.2        | 105.2        | 38.0        | 42.0        | 11910.000         | 1 Yes          | 0.99850        | 35.000        |
| 2              | 108.6        | 108.6        | 38.0        | 42.0        | 11911.000         | 2 Yes          | 0.99847        | 35.000        |
| 3              | 110.8        | 110.8        | 38.0        | 42.0        | 11907.000         | 3 Yes          | 0.99884        | 35.000        |
| 4              | 112.1        | 112.1        | 38.0        | 42.0        | 11908.000         | 4 Yes          | 0.99879        | 35.000        |
| 5              | 112.5        | 112.5        | 38.0        | 42.0        | 11907.000         | 5 Yes          | 0.99889        | 35.000        |
| <b>Average</b> | <b>109.8</b> | <b>109.8</b> | <b>38.0</b> | <b>42.0</b> | <b>11908.6000</b> |                | <b>0.99870</b> | <b>35.000</b> |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00093 | 1.00003 | 0.97446 | 1.00025 | 0.97564 | 1.15926 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11908.6000 | 10000.0000 | 1.19086 | 0.97446 | 1.00028 | 0.97473 | 1.16077 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9987 MF  
 (2) MF \* CPL = 0.9990 CMF  
 (3) 1 ÷ MF = 1.0013 MA  
 (4) NKF ÷ MF = 10013 KF  
 (5) KF ÷ CPL = 10010 CKF

Repeatability: 0.042 %  
 Uncertainty: 0.022 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVEIT

Customer: WPX -  
 Operator:  
 Location: 166 - Lact  
 Federal ID: SEC.15M T23N R7W

AB CHA  
 15-23N7W

| <b>Meter Data</b><br>67432068 WPX 166H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14494842<br>Model No.     | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 43.9 °API<br>Obs. Temp 81.1 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 42.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                           | <b>Proving Data</b><br><table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th style="text-align: center;">Previous</th> <th style="text-align: center;">Current</th> </tr> <tr> <td>Task ID</td> <td>1469137685</td> <td>1472092668</td> </tr> <tr> <td>Date</td> <td>07/21/2016</td> <td>08/24/2016</td> </tr> <tr> <td>Time</td> <td>9:46</td> <td>14:37</td> </tr> <tr> <td>Product</td> <td>Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate</td> <td>35 bbl/hr</td> <td>25 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> <td></td> </tr> <tr> <td>Base Density</td> <td>40.7 °API</td> <td>42.0 °API</td> </tr> <tr> <td>Avg Prvr Temp</td> <td>80.5</td> <td>80.2</td> </tr> <tr> <td>Avg Prvr Press</td> <td>36.0</td> <td>39.0</td> </tr> <tr> <td>Repeatability</td> <td>0.014 %</td> <td>0.050 %</td> </tr> <tr> <td>CMF</td> <td>1.0008</td> <td>1.0012</td> </tr> <tr> <td>CMF Variance</td> <td>-0.0004</td> <td>0.0004</td> </tr> </table> |  | Previous | Current | Task ID | 1469137685 | 1472092668 | Date | 07/21/2016 | 08/24/2016 | Time | 9:46 | 14:37 | Product | Crude | Crude | Flowrate | 35 bbl/hr | 25 bbl/hr | Totalizer |  |  | Throughput |  |  | Base Density | 40.7 °API | 42.0 °API | Avg Prvr Temp | 80.5 | 80.2 | Avg Prvr Press | 36.0 | 39.0 | Repeatability | 0.014 % | 0.050 % | CMF | 1.0008 | 1.0012 | CMF Variance | -0.0004 | 0.0004 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------|---------|---------|------------|------------|------|------------|------------|------|------|-------|---------|-------|-------|----------|-----------|-----------|-----------|--|--|------------|--|--|--------------|-----------|-----------|---------------|------|------|----------------|------|------|---------------|---------|---------|-----|--------|--------|--------------|---------|--------|
|                                                                                                                                                                                                                | Previous                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Task ID                                                                                                                                                                                                        | 1469137685                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1472092668                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Date                                                                                                                                                                                                           | 07/21/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 08/24/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Time                                                                                                                                                                                                           | 9:46                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 14:37                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Product                                                                                                                                                                                                        | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Flowrate                                                                                                                                                                                                       | 35 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 25 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Totalizer                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Throughput                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Base Density                                                                                                                                                                                                   | 40.7 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 42.0 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Avg Prvr Temp                                                                                                                                                                                                  | 80.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 80.2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Avg Prvr Press                                                                                                                                                                                                 | 36.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 39.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Repeatability                                                                                                                                                                                                  | 0.014 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0.050 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| CMF                                                                                                                                                                                                            | 1.0008                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1.0012                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| CMF Variance                                                                                                                                                                                                   | -0.0004                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0.0004                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/PF<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 41.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |          |         |         |            |            |      |            |            |      |      |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |         |                    |
| 1       | 83.2        | 83.2 | 39.0     | 41.0 | 11878.741  | 1 Yes          | 1.00072 | 25.012             |
| 2       | 80.4        | 80.4 | 39.0     | 41.0 | 11872.150  | 2 Yes          | 1.00122 | 24.996             |
| 3       | 79.7        | 79.7 | 39.0     | 41.0 | 11876.841  | 3 Yes          | 1.00081 | 25.017             |
| 4       | 79.1        | 79.1 | 39.0     | 41.0 | 11876.231  | 4 Yes          | 1.00085 | 25.034             |
| 5       | 78.5        | 78.5 | 39.0     | 41.0 | 11871.848  | 5 Yes          | 1.00121 | 25.041             |
| Average | 80.2        | 80.2 | 39.0     | 41.0 | 11875.1622 |                | 1.00096 | 25.020             |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00038 | 1.00003 | 0.98959 | 1.00023 | 0.99022 | 1.17658 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11875.1622 | 10000.0000 | 1.18752 | 0.98959 | 1.00025 | 0.98984 | 1.17545 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0010 MF  
 (2) MF \* CPL = 1.0012 CMF  
 (3) 1 ÷ MF = 0.9990 MA  
 (4) NKF ÷ MF = 9990.0 KF  
 (5) KF ÷ CPL = 9988.0 CKF

Repeatability: 0.050 %  
 Uncertainty: 0.027 %

|                                                                        |                   |
|------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor         |                   |
| Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |

Technician:

PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location: 166 - Lact  
 Federal ID: SEC.15M T23N R7W

NECHACO  
 15-232-76

| <b>Meter Data</b><br>67432068 WPX 166H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14494842<br>Model No.        | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 46.3 °API<br>Obs. Temp 110.4 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                      | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1472093974</td> <td>1474586840</td> </tr> <tr> <td>Date 08/24/2016</td> <td>09/22/2016</td> </tr> <tr> <td>Time 14:59</td> <td>11:27</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 35 bbl/hr</td> <td>25 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 42.0°API</td> <td>41.8 °API</td> </tr> <tr> <td>Avg Pvr Temp 76.6</td> <td>116.0</td> </tr> <tr> <td>Avg Pvr Press 37.0</td> <td>40.0</td> </tr> <tr> <td>Repeatability 0.016 %</td> <td>0.046 %</td> </tr> <tr> <td>CMF 1.0013</td> <td>0.9995</td> </tr> <tr> <td>CMF Variance 0.0001</td> <td>-0.0018</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1472093974 | 1474586840 | Date 08/24/2016 | 09/22/2016 | Time 14:59 | 11:27 | Product Crude | Crude | Flowrate 35 bbl/hr | 25 bbl/hr | Totalizer |  | Throughput |  | Base Density 42.0°API | 41.8 °API | Avg Pvr Temp 76.6 | 116.0 | Avg Pvr Press 37.0 | 40.0 | Repeatability 0.016 % | 0.046 % | CMF 1.0013 | 0.9995 | CMF Variance 0.0001 | -0.0018 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|------------|-------|---------------|-------|--------------------|-----------|-----------|--|------------|--|-----------------------|-----------|-------------------|-------|--------------------|------|-----------------------|---------|------------|--------|---------------------|---------|
| <u>Previous</u>                                                                                                                                                                                                   | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Task ID 1472093974                                                                                                                                                                                                | 1474586840                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Date 08/24/2016                                                                                                                                                                                                   | 09/22/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Time 14:59                                                                                                                                                                                                        | 11:27                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Product Crude                                                                                                                                                                                                     | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Flowrate 35 bbl/hr                                                                                                                                                                                                | 25 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Totalizer                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Throughput                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Base Density 42.0°API                                                                                                                                                                                             | 41.8 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Avg Pvr Temp 76.6                                                                                                                                                                                                 | 116.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Avg Pvr Press 37.0                                                                                                                                                                                                | 40.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| Repeatability 0.016 %                                                                                                                                                                                             | 0.046 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| CMF 1.0013                                                                                                                                                                                                        | 0.9995                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| CMF Variance 0.0001                                                                                                                                                                                               | -0.0018                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 40.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |       |                    |      |                       |         |            |        |                     |         |

| Run     | TEMPERATURE |       | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|-------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm    | Pp       | Pm   | N          |                |     |         | bbVhr    |
| 1       | 114.2       | 114.2 | 40.0     | 41.0 | 11904.436  | 1              | Yes | 0.99914 | 25.003   |
| 2       | 115.9       | 115.9 | 40.0     | 41.0 | 11901.652  | 2              | Yes | 0.99940 | 24.955   |
| 3       | 116.4       | 116.4 | 40.0     | 41.0 | 11907.429  | 3              | Yes | 0.99894 | 24.941   |
| 4       | 116.6       | 116.6 | 40.0     | 41.0 | 11904.730  | 4              | Yes | 0.99916 | 24.885   |
| 5       | 116.8       | 116.8 | 40.0     | 41.0 | 11904.693  | 5              | Yes | 0.99917 | 24.868   |
| Average | 116.0       | 116.0 | 40.0     | 41.0 | 11904.5880 |                |     | 0.99916 | 24.930   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00104 | 1.00003 | 0.97105 | 1.00027 | 0.97235 | 1.15535 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11904.5880 | 10000.0000 | 1.19046 | 0.97105 | 1.00028 | 0.97132 | 1.15632 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9992 MF  
 (2) MF \* CPL = 0.9995 CMF  
 (3) 1 ÷ MF = 1.0008 MA  
 (4) NKF ÷ MF = 10008 KF  
 (5) KF ÷ CPL = 10005 CKF

Repeatability: 0.046 %  
 Uncertainty: 0.025 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician: 

Witness:

PROVEIT

Copyright 2009, Flow-Cal, Inc.  
 PROVEIT PROVEIT 8.7.0.0

09/22/2016 19:34 Page: 1  
 Revision: 1

13-232  
30-03-142  
no change 21-5N

| Run            | TEMPERATURE |             | PRESSURE    |             | PULSES<br>N       | Run Accepted ? |     | IMF            | Flowrate<br>bb/hr |
|----------------|-------------|-------------|-------------|-------------|-------------------|----------------|-----|----------------|-------------------|
|                | Tp          | Tm          | Pp          | Pm          |                   |                |     |                |                   |
| 1              | 88.5        | 88.5        | 42.0        | 46.0        | 11850.000         | 1              | Yes | 1.00324        | 12.000            |
| 2              | 89.6        | 89.6        | 42.0        | 46.0        | 11853.000         | 2              | Yes | 1.00301        | 12.000            |
| 3              | 90.4        | 90.4        | 42.0        | 46.0        | 11850.000         | 3              | Yes | 1.00327        | 12.000            |
| 4              | 90.6        | 90.6        | 42.0        | 46.0        | 11849.000         | 4              | Yes | 1.00335        | 12.000            |
| 5              | 91.2        | 91.2        | 42.0        | 46.0        | 11848.000         | 5              | Yes | 1.00345        | 12.000            |
| <b>Average</b> | <b>90.1</b> | <b>90.1</b> | <b>42.0</b> | <b>46.0</b> | <b>11850.0000</b> |                |     | <b>1.00326</b> | <b>12.000</b>     |

|            |             |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <i>BPV</i> | <i>CTSp</i> | <i>CPSp</i> | <i>CTLp</i> | <i>CPLp</i> | <i>CCFp</i> | <i>GSVp</i> |
| 1.18820    | 1.00056     | 1.00003     | 0.98453     | 1.00026     | 0.98537     | 1.17082     |

| <i>N</i> (avg) | <i>NKF</i> | <i>IVm</i> | <i>CTLm</i> | <i>CPLm</i> | <i>CCFm</i> | <i>ISVm</i> |
|----------------|------------|------------|-------------|-------------|-------------|-------------|
| 11850.0000     | 10000.0000 | 1.18500    | 0.98453     | 1.00029     | 0.98482     | 1.16701     |

```

>>>> (1) GSVp ÷ ISVm = 1.0033 MF
      (2) MF * CPL = 1.0035 CMF
      (3) 1 ÷ MF = 0.9967 MA
      (4) NKf ÷ MF = 9967.1 KF
      (5) KF ÷ CPL = 9965.1 CKF

```

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Repeatability: 0.044 %  
Uncertainty: 0.023 %

**Witness:**

Customer: WPX -  
Operator:  
Location:  
Federal ID:

13-23n-7w

|                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>67418475 WPX 175H</b><br><b>Factor Tracked Composite MF(CMF)</b><br><b>Temp Compensated No</b><br><b>NKF 10000.0000 N/bbl</b><br><b>Manufacturer Micro Motion</b><br><b>Size 1.00 in</b><br><b>Serial No.</b><br><b>Model No.</b>                        | <b>Product Data</b><br><b>Name Crude</b><br><b>Batch No.</b><br><b>Obs. Gravity 43.7 °API</b><br><b>Obs. Temp 77.7 °F</b><br><b>Obs. Press 0.0 psi</b><br><b>API Table Table A - Crude Oil (2004)</b><br><b>Base Density 42.1 °API HYC Y</b>                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> <b>Task ID 1468963534 1472250823</b><br><b>Date 07/19/2016 08/26/2016</b><br><b>Time 9:25 10:33</b><br><b>Product Crude Crude</b><br><b>Flowrate 8 bbl/hr 8 bbl/hr</b><br><b>Totalizer</b><br><b>Throughput</b><br><b>Base Density 41.7°API 42.1 °API</b><br><b>Avg Prvr Temp 89.2 82.6</b><br><b>Avg Prvr Press 118.0 54.0</b><br><b>Repeatability 0.016 % 0.025 %</b><br><b>CMF 0.9753 1.0070</b><br><b>CMF Variance -0.0206 0.0317</b> |
| <b>Prover Data</b><br><b>BPV 1.18820 bbl</b><br><b>I.D. 7.981 in</b><br><b>W.T. 0.322 in</b><br><b>Manufacturer DOMINION</b><br><b>Type Displacement-Sphere</b><br><b>Serial No. 23MM</b><br><b>Elasticity 3.0E7 1/psi</b><br><b>Pipe Gc 1.86E-5 1°F</b><br><br><b>Certified</b> | <b>Tolerances</b><br><b>Tolerance Type: Repeatability</b><br><b>Maximum Deviation: 0.050 %</b><br><b>Enabled? Y Passed? Y Min # of Runs: 5</b><br><b>Criteria: 5 out of 5 consecutive runs</b><br><b>Avg X Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Prev X Factor Count Sought: 1</b><br><b>Prev X Factor Count Used: 0</b><br><b>Cut Off History? N Cutoff Date:</b><br><b>Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Proving Mode: Volumetric</b><br><b>Density Mode: Manual</b><br><b>Calc. Method: Avg. Meter Factor</b><br><b>Proving Method: PIU</b><br><b>Passes Per Run 1</b> | <b>Liquid Properties at Metering Conditions for CMF</b><br><b>Normal Op. Pressure 53.0 psig</b><br><b>Eq. Vapor Pressure psig</b><br><b>CPL 1.0003</b>                                                                                                                                                                                                                                                                                                                                                                                                                                        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 82.1        | 82.1 | 54.0     | 54.0 | 11808.694  | 1              | Yes | 1.00665 | 8.184    |
| 2       | 82.0        | 82.0 | 54.0     | 54.0 | 11806.520  | 2              | Yes | 1.00684 | 8.398    |
| 3       | 82.6        | 82.6 | 54.0     | 54.0 | 11809.458  | 3              | Yes | 1.00659 | 8.388    |
| 4       | 83.0        | 83.0 | 54.0     | 54.0 | 11808.477  | 4              | Yes | 1.00669 | 8.319    |
| 5       | 83.2        | 83.2 | 54.0     | 54.0 | 11808.291  | 5              | Yes | 1.00671 | 8.427    |
| Average | 82.6        | 82.6 | 54.0     | 54.0 | 11808.2880 |                |     | 1.00670 | 8.343    |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00042 | 1.00004 | 0.98833 | 1.00033 | 0.98911 | 1.17526 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11808.2880 | 10000.0000 | 1.18083 | 0.98833 | 1.00033 | 0.98866 | 1.16744 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0067 MF  
 (2) MF \* CPL = 1.0070 CMF  
 (3) 1 ÷ MF = 0.9933 MA  
 (4) NKF ÷ MF = 9933.4 KF  
 (5) KF ÷ CPL = 9930.4 CKF

Repeatability: 0.025 %  
Uncertainty: 0.013 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVE

Customer: WPX -

Operator:

Location:

Federal ID:

NEC 4A  
13-23272

| Meter Data                                                                                                                                                                                                                                                                   | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67418475 WPX 175H</b><br><b>Factor Tracked Composite MF(CMF)</b><br><b>Temp Compensated No</b><br><b>NKF 10000.0000 N/bbl</b><br><b>Manufacturer Micro Motion</b><br><b>Size 1.00 in</b><br><b>Serial No.</b><br><b>Model No.</b>                                         | <b>Name Crude</b><br><b>Batch No.</b><br><b>Obs. Gravity 46.5 °API</b><br><b>Obs. Temp 100.0 °F</b><br><b>Obs. Press 0.0 psi</b><br><b>API Table Table A - Crude Oil (2004)</b><br><b>Base Density 42.9 °API</b> <b>HYC Y</b>                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>Previous</b> <b>Current</b><br><b>Task ID 1473976911 1473976149</b><br><b>Date 09/15/2016 09/15/2016</b><br><b>Time 9:45 9:49</b><br><b>Product Crude Crude</b><br><b>Flowrate 41 bbl/hr 8 bbl/hr</b><br><b>Totalizer</b><br><b>Throughput</b><br><b>Base Density 42.9 °API 42.9 °API</b><br><b>Avg Pvr Temp 99.0 95.1</b><br><b>Avg Pvr Press 82.0 53.0</b><br><b>Repeatability 0.034 % 0.041 %</b><br><b>CMF 1.0027 1.0051</b><br><b>CMF Variance 0.0000 0.0024</b> |
| <b>Prover Data</b><br><b>BPV 1.18820 bbl</b><br><b>I.D. 7.981 in</b><br><b>W.T. 0.322 in</b><br><b>Manufacturer DOMINION</b><br><b>Type Displacement-Sphere</b><br><b>Serial No. 23MM</b><br><b>Elasticity 3.0E7 1/psi</b><br><b>Pipe Gc 1.86E-5 1/F</b><br><b>Certified</b> | <b>Tolerances</b><br><b>Tolerance Type: Repeatability</b><br><b>Maximum Deviation: 0.050 %</b><br><b>Enabled? Y Passed? Y Min # of Runs: 5</b><br><b>Criteria: 5 out of 5 consecutive runs</b><br><b>Avg X Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Prev X Factor Count Sought: 1</b><br><b>Prev X Factor Count Used: 0</b><br><b>Cut Off History? N Cutoff Date:</b><br><b>Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Proving Mode: Volumetric</b><br><b>Density Mode: Manual</b><br><b>Calc. Method: Avg. Meter Factor</b><br><b>Proving Method: Manual</b><br><b>Passes Per Run 1</b> | <b>Liquid Properties at Metering</b><br><b>Conditions for CMF</b><br><b>Normal Op. Pressure 36.0 psig</b><br><b>Eq. Vapor Pressure 0.0 psig</b><br><b>CPL 1.0002</b>                                                                                                                                                                                                                                                                                                     |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 94.8        | 94.8 | 53.0     | 55.0 | 11832.000  | 1              | Yes | 1.00490 | 8.000    |
| 2       | 94.5        | 94.5 | 53.0     | 55.0 | 11833.000  | 2              | Yes | 1.00482 | 8.000    |
| 3       | 95.1        | 95.1 | 53.0     | 55.0 | 11830.000  | 3              | Yes | 1.00507 | 8.000    |
| 4       | 95.3        | 95.3 | 53.0     | 55.0 | 11835.000  | 4              | Yes | 1.00466 | 8.000    |
| 5       | 95.6        | 95.6 | 53.0     | 55.0 | 11832.000  | 5              | Yes | 1.00491 | 8.000    |
| Average | 95.1        | 95.1 | 53.0     | 55.0 | 11832.4000 |                |     | 1.00487 | 8.000    |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00065 | 1.00004 | 0.98168 | 1.00034 | 0.98269 | 1.16763 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11832.4000 | 10000.0000 | 1.18324 | 0.98168 | 1.00036 | 0.98203 | 1.16198 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0049 MF  
 (2) MF \* CPL = 1.0051 CMF  
 (3) 1 ÷ MF = 0.9951 MA  
 (4) NKF ÷ MF = 9951.2 KF  
 (5) KF ÷ CPL = 9949.2 CKF

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Repeatability: 0.041 %  
 Uncertainty: 0.022 %

Technician:

Witness:

PROVE

Copyright 2009, Flow-Cal, Inc.  
PROVEit PROVEit 8.7.0.0

09/15/2016 9:51 Page: 1  
Revision: 1

Customer: WPX -

Operator:

Location:

Federal ID:

NE Chalco Com

| Meter Data                                                                                                                                                                                                    | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Proving Data                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67419511 WPX 176H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14517624<br>Model No. CMF100M          | Name Crude<br>Batch No.<br>Obs. Gravity 41.6 °API<br>Obs. Temp 99.8 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 38.3 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                     | Previous Current<br>Task ID 1468879834 1471572007<br>Date 07/18/2016 08/18/2016<br>Time 10:10 14:00<br>Product Crude Crude<br>Flowrate 42 bbl/hr 8 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 38.0 °API 38.3 °API<br>Avg Prvr Temp 117.3 104.2<br>Avg Prvr Press 172.0 95.0<br>Repeatability 0.006 % 0.037 %<br>CMF 0.9974 0.9997<br>CMF Variance 0.0018 0.0023 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 95.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0006                                                                                                                                                                                                                                  |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 102.7 102.7          | 95.0 95.0         | 11899.841   | 1 Yes          | 0.99937 | 8.319              |
| 2       | 104.0 104.0          | 95.0 95.0         | 11904.003   | 2 Yes          | 0.99905 | 8.316              |
| 3       | 104.5 104.5          | 95.0 95.0         | 11904.817   | 3 Yes          | 0.99900 | 8.319              |
| 4       | 104.8 104.8          | 95.0 95.0         | 11902.946   | 4 Yes          | 0.99915 | 8.141              |
| 5       | 104.8 104.8          | 95.0 95.0         | 11902.914   | 5 Yes          | 0.99915 | 8.243              |
| Average | 104.2 104.2          | 95.0 95.0         | 11902.9042  |                | 0.99914 | 8.267              |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00082 | 1.00008 | 0.97811 | 1.00058 | 0.97956 | 1.16391 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11902.9042 | 10000.0000 | 1.19029 | 0.97811 | 1.00058 | 0.97868 | 1.16491 |

(3) Proving Factors:

|          |               |        |     |
|----------|---------------|--------|-----|
| >>>> (1) | GSVp ÷ ISVm = | 0.9991 | MF  |
| (2)      | MF * CPL =    | 0.9997 | CMF |
| (3)      | 1 ÷ MF =      | 1.0009 | MA  |
| (4)      | NKF ÷ MF =    | 10009  | KF  |
| (5)      | KF ÷ CPL =    | 10003  | CKF |

 Repeatability: 0.037 %  
 Uncertainty: 0.020 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Federal ID:

at CHACO  
13-23N-7W

| Meter Data                       |  | Product Data                          |  | Proving Data                                     |                       |
|----------------------------------|--|---------------------------------------|--|--------------------------------------------------|-----------------------|
| 67413121 WPX 173H                |  | Name Crude                            |  | <u>Previous</u> <u>Current</u>                   |                       |
| Factor Tracked Composite MF(CMF) |  | Batch No.                             |  | Task ID                                          | 1470359981 1473801422 |
| Temp Compensated No              |  | Obs. Gravity 46.6 °API                |  | Date                                             | 08/04/2016 09/13/2016 |
| NKF 10000.0000 N/bbl             |  | Obs. Temp 82.0 °F                     |  | Time                                             | 13:19 9:17            |
| Manufacturer Micro Motion        |  | Obs. Press 0.0 psi                    |  | Product                                          | Crude Crude           |
| Size 1.00 in                     |  | API Table Table A - Crude Oil (2004)  |  | Flowrate                                         | 12 bbl/hr 12 bbl/hr   |
| Serial No.                       |  | Base Density 44.6 °API HYC Y          |  | Totalizer                                        |                       |
| Model No.                        |  |                                       |  | Throughput                                       |                       |
|                                  |  | Tolerances                            |  | Base Density                                     | 41.3°API 44.6 °API    |
|                                  |  | Tolerance Type: Repeatability         |  |                                                  |                       |
|                                  |  | Maximum Deviation: 0.050 %            |  |                                                  |                       |
|                                  |  | Enabled? Y Passed? Y Min # of Runs: 5 |  |                                                  |                       |
|                                  |  | Criteria: 5 out of 5 consecutive runs |  |                                                  |                       |
|                                  |  | Avg X Prev Meter Factor Deviation:    |  |                                                  |                       |
|                                  |  | Enabled? N Passed? Y Prod Dep? N      |  |                                                  |                       |
|                                  |  | Prev X Factor Count Sought: 1         |  |                                                  |                       |
|                                  |  | Prev X Factor Count Used: 0           |  |                                                  |                       |
|                                  |  | Cut Off History? N Cutoff Date:       |  |                                                  |                       |
|                                  |  | Prev Meter Factor Deviation:          |  |                                                  |                       |
|                                  |  | Enabled? N Passed? Y Prod Dep? N      |  |                                                  |                       |
|                                  |  | Proving Mode: Volumetric              |  |                                                  |                       |
|                                  |  | Density Mode: Manual                  |  |                                                  |                       |
|                                  |  | Calc. Method: Avg. Meter Factor       |  |                                                  |                       |
|                                  |  | Proving Method: Manual                |  |                                                  |                       |
|                                  |  | Passes Per Run 1                      |  |                                                  |                       |
|                                  |  |                                       |  | Liquid Properties at Metering Conditions for CMF |                       |
|                                  |  |                                       |  | Normal Op. Pressure                              | 69.0 psig             |
|                                  |  |                                       |  | Eq. Vapor Pressure                               | 0.0 psig              |
|                                  |  |                                       |  | CPL 1.0004                                       |                       |

| Run            | TEMPERATURE |             | PRESSURE    |             | PULSES            | Run Accepted ? | IMF            | Flowrate<br>bbl/hr |
|----------------|-------------|-------------|-------------|-------------|-------------------|----------------|----------------|--------------------|
|                | Tp          | Tm          | Pp          | Pm          | N                 |                |                |                    |
| 1              | 77.4        | 77.4        | 78.0        | 80.0        | 11865.000         | 1 Yes          | 1.00179        | 12.000             |
| 2              | 77.1        | 77.1        | 78.0        | 80.0        | 11865.000         | 2 Yes          | 1.00179        | 12.000             |
| 3              | 78.5        | 78.5        | 78.0        | 80.0        | 11869.000         | 3 Yes          | 1.00148        | 12.000             |
| 4              | 79.7        | 79.7        | 78.0        | 80.0        | 11866.000         | 4 Yes          | 1.00177        | 12.000             |
| 5              | 77.9        | 77.9        | 78.0        | 80.0        | 11868.000         | 5 Yes          | 1.00156        | 12.000             |
| <b>Average</b> | <b>78.1</b> | <b>78.1</b> | <b>78.0</b> | <b>80.0</b> | <b>11866.8000</b> |                | <b>1.00168</b> | <b>12.000</b>      |

(1) GSV<sub>p</sub>: BPV \* [CTS<sub>p</sub> \* CPS<sub>p</sub> \* CTL<sub>p</sub> \* CPL<sub>p</sub> = CCF<sub>p</sub>]

|            |             |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <i>BPV</i> | <i>CTSp</i> | <i>CPSp</i> | <i>CTLp</i> | <i>CPLp</i> | <i>CCFp</i> | <i>GSVp</i> |
| 1.18820    | 1.00034     | 1.00006     | 0.99039     | 1.00049     | 0.99127     | 1.17783     |

**(2) ISVm:  $[N(\text{avg}) \div NKF = IVm] * [CTLm * CPLm = CCFm]$**

| <i>N</i> (avg) | <i>NKF</i> | <i>IVm</i> | <i>CTLm</i> | <i>CPLm</i> | <i>CCFm</i> | <i>ISVm</i> |
|----------------|------------|------------|-------------|-------------|-------------|-------------|
| 11866.6000     | 10000.0000 | 1.18666    | 0.99039     | 1.00050     | 0.99089     | 1.17585     |

**(3) Proving Factors:**

|      |     |               |        |     |
|------|-----|---------------|--------|-----|
| >>>> | (1) | GSVP ÷ ISVM = | 1.0017 | MF  |
|      | (2) | MF * CPL =    | 1.0021 | CMF |
|      | (3) | 1 ÷ MF =      | 0.9983 | MA  |
|      | (4) | NKF ÷ MF =    | 9983.0 | KF  |
|      | (5) | KF ÷ CPL =    | 9979.0 | KCF |

**Repeatability:** 0.031 %  
**Uncertainty:** 0.017 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

**Witness:**

## PROVE

Copyright 2009, Flow-Cal, Inc.  
PROVEit PROVEit 8.7.0.0

09/13/2016 9:19 Page: 1  
Revision: 1

Serial ID: NEC 44004 173.14  
30-039-31207  
13-230-200

| Run            | TEMPERATURE |             | PRESSURE    |             | PULSES            | Run Accepted ? | IMF            | Flowrate<br>bb/hr |
|----------------|-------------|-------------|-------------|-------------|-------------------|----------------|----------------|-------------------|
|                | Tp          | Tm          | Pp          | Pm          | N                 |                |                |                   |
| 1              | 78.6        | 78.6        | 74.0        | 75.0        | 11885.722         | 1 No           | 1.00008        | 12.482            |
| 2              | 80.5        | 80.5        | 74.0        | 75.0        | 11882.431         | 2 Yes          | 1.00040        | 12.499            |
| 3              | 80.7        | 80.7        | 74.0        | 75.0        | 11880.338         | 3 Yes          | 1.00058        | 12.505            |
| 4              | 80.9        | 80.9        | 74.0        | 75.0        | 11879.366         | 4 Yes          | 1.00065        | 12.513            |
| 5              | 82.1        | 82.1        | 74.0        | 75.0        | 11878.244         | 5 Yes          | 1.00078        | 12.495            |
| 6              | 82.8        | 82.8        | 74.0        | 75.0        | 11877.333         | 6 Yes          | 1.00087        | 12.492            |
| <b>Average</b> | <b>81.4</b> | <b>81.4</b> | <b>74.0</b> | <b>75.0</b> | <b>11879.5424</b> |                | <b>1.00066</b> | <b>12.501</b>     |

|            |             |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <i>BPV</i> | <i>CTSp</i> | <i>GPSP</i> | <i>CTLp</i> | <i>CPLp</i> | <i>CCFp</i> | <i>GSVP</i> |
| 1.18820    | 1.00040     | 1.00006     | 0.98909     | 1.00044     | 0.98998     | 1.17629     |

| <i>N</i> (avg) | <i>NKF</i> | <i>IVm</i> | <i>CTLm</i> | <i>CPLm</i> | <i>CCFm</i> | <i>ISVm</i> |
|----------------|------------|------------|-------------|-------------|-------------|-------------|
| 11879.5424     | 10000.0000 | 1.18795    | 0.98909     | 1.00045     | 0.98954     | 1.17552     |

```

>>>> (1)   GSVp + ISVm =      1.0007   MF
        (2)   MF * CPL =      1.0011   CMF
        (3)   1 ÷ MF =      0.9993   MA
        (4)   NKF ÷ MF =     9993.0   KF
        (5)   KF ÷ CPL =    9989.0   KCF

```

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Witness:

Customer: WPX -  
Operator:  
Location:  
Federal ID:

NE CHAU  
13-232-72

|                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br>67413121 WPX 173H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No.<br>Model No.             | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 44.7 °API<br>Obs. Temp 98.2 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.3 °API HYC Y                                                                                                                                                                                                                                                                                                                                                           | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1469226220 1470369981<br>Data 07/22/2016 08/04/2016<br>Time 10:23 13:19<br>Product Crude Crude<br>Flowrate 13 bbl/hr 12 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 41.8°API 41.3 °API<br>Avg Pvr Temp 81.7 95.6<br>Avg Pvr Press 65.0 65.0<br>Repeatability 0.017 % 0.040 %<br>CMF 0.9930 1.0010<br>CMF Variance -0.0040 0.0080 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 62.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0004                                                                                                                                                                                                                                                                                                                                                              |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 92.6 92.6            | 65.0 68.0         | 11888.244   | 1 No           | 1.00012 | 12.483             |
| 2       | 94.8 94.8            | 65.0 68.0         | 11884.707   | 2 Yes          | 1.00045 | 12.476             |
| 3       | 95.1 95.1            | 65.0 68.0         | 11883.034   | 3 Yes          | 1.00060 | 12.511             |
| 4       | 95.7 95.7            | 65.0 68.0         | 11884.365   | 4 Yes          | 1.00049 | 12.508             |
| 5       | 96.0 96.0            | 65.0 68.0         | 11880.325   | 5 Yes          | 1.00085 | 12.468             |
| 6       | 96.4 96.4            | 65.0 68.0         | 11880.671   | 6 Yes          | 1.00082 | 12.512             |
| Average | 95.6 95.6            | 65.0 68.0         | 11882.6204  |                | 1.00064 | 12.495             |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00066 | 1.00005 | 0.98176 | 1.00041 | 0.98286 | 1.16783 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11882.6204 | 10000.0000 | 1.18826 | 0.98176 | 1.00043 | 0.98218 | 1.16709 |

(3) Proving Factors:


>>>> (1) GSVp ÷ ISVm = 1.0006 MF  
 (2) MF \* CPL = 1.0010 CMF  
 (3) 1 ÷ MF = 0.9994 MA  
 (4) NKF ÷ MF = 9994.0 KF  
 (5) KF ÷ CPL = 9990.0 CKF

Repeatability: 0.040 %  
Uncertainty: 0.030 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician: 

Witness:



PROVE

NE CHACE  
- 13-23N-7W

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Witness:

08/17/2016 10:42 Page: 1  
Revision: 2

Customer: WPX -

Operator:

Location:

Federal ID:

130-230-70

| Meter Data                                                                                                                                                                                                                                                                       | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|---------------------------|-------------------|------------------------|-------------------|------------------|-------------|----------------------|--------------|---------------------------|------------------|------------------|--|-------------------|--|------------------------------|------------------|---------------------------|--------------|-----------------------------|--------------|------------------------------|----------------|-------------------|---------------|----------------------------|----------------|
| <b>67412980 WPX 184H</b><br><b>Factor Tracked Composite MF(CMF)</b><br><b>Temp Compensated No</b><br><b>NKF 10000.0000 N/bbl</b><br><b>Manufacturer Micro Motion</b><br><b>Size 1.00 in</b><br><b>Serial No. 14518624</b><br><b>Model No.</b>                                    | <b>Name Crude</b><br><b>Batch No.</b><br><b>Obs. Gravity 44.2 °API</b><br><b>Obs. Temp 90.0 °F</b><br><b>Obs. Press 0.0 psi</b><br><b>API Table Table A - Crude Oil (2004)</b><br><b>Base Density 41.6 °API</b> <b>HYC Y</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <table border="1"> <thead> <tr> <th>Previous</th> <th>Current</th> </tr> </thead> <tbody> <tr> <td><b>Task ID 1471467575</b></td> <td><b>1473976326</b></td> </tr> <tr> <td><b>Date 08/17/2016</b></td> <td><b>09/15/2016</b></td> </tr> <tr> <td><b>Time 8:59</b></td> <td><b>9:52</b></td> </tr> <tr> <td><b>Product Crude</b></td> <td><b>Crude</b></td> </tr> <tr> <td><b>Flowrate 19 bbl/hr</b></td> <td><b>18 bbl/hr</b></td> </tr> <tr> <td><b>Totalizer</b></td> <td></td> </tr> <tr> <td><b>Throughput</b></td> <td></td> </tr> <tr> <td><b>Base Density 39.6°API</b></td> <td><b>41.6 °API</b></td> </tr> <tr> <td><b>Avg Prvr Temp 98.1</b></td> <td><b>101.9</b></td> </tr> <tr> <td><b>Avg Prvr Press 182.0</b></td> <td><b>196.0</b></td> </tr> <tr> <td><b>Repeatability 0.029 %</b></td> <td><b>0.030 %</b></td> </tr> <tr> <td><b>CMF 1.0010</b></td> <td><b>1.0007</b></td> </tr> <tr> <td><b>CMF Variance 0.0004</b></td> <td><b>-0.0003</b></td> </tr> </tbody> </table> | Previous | Current | <b>Task ID 1471467575</b> | <b>1473976326</b> | <b>Date 08/17/2016</b> | <b>09/15/2016</b> | <b>Time 8:59</b> | <b>9:52</b> | <b>Product Crude</b> | <b>Crude</b> | <b>Flowrate 19 bbl/hr</b> | <b>18 bbl/hr</b> | <b>Totalizer</b> |  | <b>Throughput</b> |  | <b>Base Density 39.6°API</b> | <b>41.6 °API</b> | <b>Avg Prvr Temp 98.1</b> | <b>101.9</b> | <b>Avg Prvr Press 182.0</b> | <b>196.0</b> | <b>Repeatability 0.029 %</b> | <b>0.030 %</b> | <b>CMF 1.0010</b> | <b>1.0007</b> | <b>CMF Variance 0.0004</b> | <b>-0.0003</b> |
| Previous                                                                                                                                                                                                                                                                         | Current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Task ID 1471467575</b>                                                                                                                                                                                                                                                        | <b>1473976326</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Date 08/17/2016</b>                                                                                                                                                                                                                                                           | <b>09/15/2016</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Time 8:59</b>                                                                                                                                                                                                                                                                 | <b>9:52</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Product Crude</b>                                                                                                                                                                                                                                                             | <b>Crude</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Flowrate 19 bbl/hr</b>                                                                                                                                                                                                                                                        | <b>18 bbl/hr</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Totalizer</b>                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Throughput</b>                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Base Density 39.6°API</b>                                                                                                                                                                                                                                                     | <b>41.6 °API</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Avg Prvr Temp 98.1</b>                                                                                                                                                                                                                                                        | <b>101.9</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Avg Prvr Press 182.0</b>                                                                                                                                                                                                                                                      | <b>196.0</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Repeatability 0.029 %</b>                                                                                                                                                                                                                                                     | <b>0.030 %</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>CMF 1.0010</b>                                                                                                                                                                                                                                                                | <b>1.0007</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>CMF Variance 0.0004</b>                                                                                                                                                                                                                                                       | <b>-0.0003</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |
| <b>Prover Data</b><br><b>BPV 1.18820 bbl</b><br><b>I.D. 7.981 in</b><br><b>W.T. 0.322 in</b><br><b>Manufacturer DOMINION</b><br><b>Type Displacement-Sphere</b><br><b>Serial No. 23MM</b><br><b>Elasticity 3.0E7 1/psi</b><br><b>Pipe Gc 1.86E-5 1°F</b><br><br><b>Certified</b> | <b>Tolerances</b><br><b>Tolerance Type: Repeatability</b><br><b>Maximum Deviation: 0.050 %</b><br><b>Enabled? Y Passed? Y Min # of Runs: 5</b><br><b>Criteria: 5 out of 5 consecutive runs</b><br><br><b>Avg X Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Prev X Factor Count Sought: 1</b><br><b>Prev X Factor Count Used: 0</b><br><b>Cut Off History? N Cutoff Date:</b><br><br><b>Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><br><b>Proving Mode: Volumetric</b><br><b>Density Mode: Manual</b><br><b>Calc. Method: Avg. Meter Factor</b><br><b>Proving Method: Manual</b><br><b>Passes Per Run 1</b> | <b>Liquid Properties at Metering Conditions for CMF</b><br><b>Normal Op. Pressure 153.0 psig</b><br><b>Eq. Vapor Pressure 0.0 psig</b><br><b>CPL 1.0010</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          |         |                           |                   |                        |                   |                  |             |                      |              |                           |                  |                  |  |                   |  |                              |                  |                           |              |                             |              |                              |                |                   |               |                            |                |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 100.3 100.3          | 196.0 197.0       | 11896.000   | 1 Yes          | 0.99973 | 18.000             |
| 2       | 99.5 99.5            | 196.0 197.0       | 11897.000   | 2 Yes          | 0.99962 | 18.000             |
| 3       | 102.2 102.2          | 196.0 197.0       | 11894.000   | 3 Yes          | 0.99992 | 18.000             |
| 4       | 103.4 103.4          | 196.0 197.0       | 11898.000   | 4 Yes          | 0.99962 | 18.000             |
| 5       | 103.9 103.9          | 196.0 197.0       | 11898.000   | 5 Yes          | 0.99962 | 18.000             |
| Average | 101.9 101.9          | 196.0 197.0       | 11896.6000  |                | 0.99970 | 18.000             |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00078 | 1.00016 | 0.97843 | 1.00127 | 0.98059 | 1.16514 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11896.6000 | 10000.0000 | 1.18966 | 0.97843 | 1.00128 | 0.97968 | 1.16549 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9997 MF

(2) MF \* CPL = 1.0007 CMF

(3) 1 ÷ MF = 1.0003 MA

(4) NKF ÷ MF = 10003 KF

(5) KF ÷ CPL = 9993.0 CKF

Repeatability: 0.030 %

Uncertainty: 0.016 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Copyright 2009, Flow-Cal, Inc.  
PROVEIT PROVEIT 8.7.0.0

09/15/2016 9:54 Page: 1  
Revision: 1

DECLASSIFIED  
13-23A-76 30-039.31228

10/13/2016 20:14 Page: 1  
Revision: 1

Customer: WPX -

Operator:

Location:

Federal ID:

ABC 123456  
12345678

| Meter Data                                                                                                                                                                                                     | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Proving Data                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67413247 WPX 171H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No.<br>Model No. CMF100M                    | <b>Name Crude</b><br>Batch No.<br>Obs. Gravity 43.1 °API<br>Obs. Temp 85.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.9 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                              | <b>Previous Current</b><br>Task ID 1468963993 1472241166<br>Date 07/19/2016 08/26/2016<br>Time 9:33 7:52<br>Product Crude Crude<br>Flowrate 42 bbl/hr 8 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.7°API 40.9 °API<br>Avg Prvr Temp 97.5 80.9<br>Avg Prvr Press 97.0 74.0<br>Repeatability 0.010 % 0.043 %<br>CMF 0.9971 1.0008<br>CMF Variance 0.0066 0.0037 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 70.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0004                                                                                                                                                                                                                                   |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 79.0        | 79.0 | 74.0     | 74.0 | 11879.233  | 1              | Yes | 1.00064 | 8.335    |
| 2       | 81.2        | 81.2 | 74.0     | 74.0 | 11884.012  | 2              | Yes | 1.00027 | 8.316    |
| 3       | 81.4        | 81.4 | 74.0     | 74.0 | 11881.345  | 3              | Yes | 1.00052 | 8.317    |
| 4       | 81.4        | 81.4 | 74.0     | 74.0 | 11884.935  | 4              | Yes | 1.00021 | 8.294    |
| 5       | 81.7        | 81.7 | 74.0     | 74.0 | 11883.564  | 5              | Yes | 1.00032 | 8.156    |
| Average | 80.9        | 80.9 | 74.0     | 74.0 | 11882.6178 |                |     | 1.00039 | 8.284    |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$ 

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00039 | 1.00006 | 0.98936 | 1.00044 | 0.99024 | 1.17660 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$ 

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11882.6178 | 10000.0000 | 1.18826 | 0.98936 | 1.00044 | 0.98980 | 1.17614 |

(3) Proving Factors:

|                      |     |         |
|----------------------|-----|---------|
| Trans. Serial No.    | MF  | 1.0004  |
| Flow Calib Factor    | CMF | 1.0008  |
| Density Calib Factor | MA  | 0.9996  |
| Frequency Set Point  | KF  | 9996.0  |
| Flowrate Set Point   | CKF | 9992.0  |
| Zero Verified        |     | Zeroed  |
| As Found             |     | As Left |

Repeatability: 0.043 %  
 Uncertainty: 0.023 %

Technician:

Witness:

PROVE

 Copyright 2009, Flow-Cal, Inc.  
 PROVEit PROVEit 8.7.0.0

 08/26/2016 9:30 Page: 1  
 Revision: 2

Customer: WPX -

Operator:

Location:

Federal ID:

12256  
305039-151217  
25646

| Meter Data                       | Product Data                          | Proving Data                                            |
|----------------------------------|---------------------------------------|---------------------------------------------------------|
| 67413247 WPX 171H                | Name Crude                            | <u>Previous</u> <u>Current</u>                          |
| Factor Tracked Composite MF(CMF) | Batch No.                             | Task ID 1473983269 1476519361                           |
| Temp Compensated No              | Obs. Gravity 42.6 °API                | Date 09/15/2016 10/14/2016                              |
| NKF 10000.0000 N/bbl             | Obs. Temp 84.0 °F                     | Time 11:47 20:16                                        |
| Manufacturer Micro Motion        | Obs. Press 0.0 psi                    | Product Crude Crude                                     |
| Size 1.00 in                     | API Table Table A - Crude Oil (2004)  | Flowrate 12 bbl/hr 41 bbl/hr                            |
| Serial No.                       | Base Density 40.5 °API HYC Y          | Totalizer                                               |
| Model No. CMF100M                |                                       | Throughput                                              |
|                                  | <b>Tolerances</b>                     | Base Density 40.6 °API 40.5 °API                        |
|                                  | Tolerance Type: Repeatability         |                                                         |
|                                  | Maximum Deviation: 0.050 %            | Avg Prvr Temp 89.6 83.6                                 |
|                                  | Enabled? Y Passed? Y Min # of Runs: 5 | Avg Prvr Press 68.0 52.0                                |
|                                  | Criteria: 5 out of 5 consecutive runs | Repeatability 0.025 % 0.042 %                           |
|                                  | Avg X Prev Meter Factor Deviation:    | CMF 1.0016 1.0003                                       |
|                                  | Enabled? N Passed? Y Prod Dep? N      | CMF Variance -0.0001 -0.0013                            |
|                                  | Prev X Factor Count Sought: 1         |                                                         |
|                                  | Prev X Factor Count Used: 0           |                                                         |
|                                  | Cut Off History? N Cutoff Date:       |                                                         |
|                                  | Prev Meter Factor Deviation:          |                                                         |
|                                  | Enabled? N Passed? Y Prod Dep? N      |                                                         |
|                                  | Proving Mode: Volumetric              |                                                         |
|                                  | Density Mode: Manual                  |                                                         |
|                                  | Calc. Method: Avg. Meter Factor       |                                                         |
|                                  | Proving Method: Manual                |                                                         |
|                                  | Passes Per Run 1                      |                                                         |
|                                  |                                       | <b>Liquid Properties at Metering Conditions for CMF</b> |
|                                  |                                       | Normal Op. Pressure 39.0 psig                           |
|                                  |                                       | Eq. Vapor Pressure 0.0 psig                             |
|                                  |                                       | CPL 1.0002                                              |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 82.5        | 82.5 | 52.0     | 56.0 | 11883.000  | 1              | Yes | 1.00035 | 41.000   |
| 2       | 82.6        | 82.6 | 52.0     | 56.0 | 11888.000  | 2              | Yes | 0.99993 | 41.000   |
| 3       | 83.9        | 83.9 | 52.0     | 56.0 | 11885.000  | 3              | Yes | 1.00020 | 41.000   |
| 4       | 84.3        | 84.3 | 52.0     | 56.0 | 11887.000  | 4              | Yes | 1.00004 | 41.000   |
| 5       | 84.5        | 84.5 | 52.0     | 56.0 | 11886.000  | 5              | Yes | 1.00014 | 41.000   |
| Average | 83.6        | 83.6 | 52.0     | 56.0 | 11885.8000 |                |     | 1.00013 | 41.000   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$ 

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00044 | 1.00004 | 0.98804 | 1.00031 | 0.98882 | 1.17492 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$ 

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11885.8000 | 10000.0000 | 1.18858 | 0.98804 | 1.00033 | 0.98837 | 1.17476 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0001 MF  
 (2) MF \* CPL = 1.0003 CMF  
 (3) 1 ÷ MF = 0.9999 MA  
 (4) NKF ÷ MF = 9999.0 KF  
 (5) KF ÷ CPL = 9997.0 CKF

Repeatability: 0.042 %  
 Uncertainty: 0.022 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Customer: WPX -

Operator:

Location:

Federal ID:

12234-76

| Meter Data                       |  | Product Data                          |  | Proving Data                                     |  |
|----------------------------------|--|---------------------------------------|--|--------------------------------------------------|--|
| 67413247 WPX 171H                |  | Name Crude                            |  | Previous Current                                 |  |
| Factor Tracked Composite MF(CMF) |  | Batch No.                             |  | Task ID 1473983123 1473983269                    |  |
| Temp Compensated No              |  | Obs. Gravity 43.4 °API                |  | Date 09/16/2016 09/16/2016                       |  |
| NKF 10000.0000 N/bbl             |  | Obs. Temp 92.0 °F                     |  | Time 11:45 11:47                                 |  |
| Manufacturer Micro Motion        |  | Obs. Press 0.0 psi                    |  | Product Crude Crude                              |  |
| Size 1.00 in                     |  | API Table Table A - Crude Oil (2004)  |  | Flowrate 41 bbl/hr 12 bbl/hr                     |  |
| Serial No.                       |  | Base Density 40.6 °API HYC Y          |  | Totalizer                                        |  |
| Model No. CMF100M                |  |                                       |  | Throughput                                       |  |
|                                  |  | Tolerances                            |  | Base Density 40.6 °API 40.6 °API                 |  |
|                                  |  | Tolerance Type: Repeatability         |  | Avg Pvr Temp 89.8 89.6                           |  |
|                                  |  | Maximum Deviation: 0.050 %            |  | Avg Pvr Press 102.0 68.0                         |  |
|                                  |  | Enabled? Y Passed? Y Min # of Runs: 5 |  | Repeatability 0.033 % 0.025 %                    |  |
|                                  |  | Criteria: 5 out of 5 consecutive runs |  | CMF 1.0017 1.0016                                |  |
|                                  |  | Avg X Prev Meter Factor Deviation:    |  | CMF Variance 0.0007 -0.0001                      |  |
|                                  |  | Enabled? N Passed? Y Prod Dep? N      |  |                                                  |  |
|                                  |  | Prev X Factor Count Sought: 1         |  |                                                  |  |
|                                  |  | Prev X Factor Count Used: 0           |  |                                                  |  |
|                                  |  | Cut Off History? N Cutoff Date:       |  |                                                  |  |
|                                  |  | Prev Meter Factor Deviation:          |  |                                                  |  |
|                                  |  | Enabled? N Passed? Y Prod Dep? N      |  |                                                  |  |
|                                  |  | Proving Mode: Volumetric              |  |                                                  |  |
|                                  |  | Density Mode: Manual                  |  |                                                  |  |
|                                  |  | Calc. Method: Avg. Meter Factor       |  |                                                  |  |
|                                  |  | Proving Method: Manual                |  |                                                  |  |
|                                  |  | Passes Per Run 1                      |  |                                                  |  |
| Prover Data                      |  |                                       |  | Liquid Properties at Metering Conditions for CMF |  |
| BPV 1.18820 bbl                  |  |                                       |  | Normal Op. Pressure 60.0 psig                    |  |
| I.D. 7.981 in                    |  |                                       |  | Eq. Vapor Pressure 0.0 psig                      |  |
| W.T. 0.322 in                    |  |                                       |  | CPL 1.0004                                       |  |
| Manufacturer DOMINION            |  |                                       |  |                                                  |  |
| Type Displacement-Sphere         |  |                                       |  |                                                  |  |
| Serial No. 23MM                  |  |                                       |  |                                                  |  |
| Elasticity 3.0E7 1/psi           |  |                                       |  |                                                  |  |
| Pipe Gc 1.86E-5 1°F              |  |                                       |  |                                                  |  |
| Certified                        |  |                                       |  |                                                  |  |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 91.0        | 91.0 | 68.0     | 74.0 | 11874.000  | 1              | Yes | 1.00128 | 12.000   |
| 2       | 91.1        | 91.1 | 68.0     | 74.0 | 11877.000  | 2              | Yes | 1.00103 | 12.000   |
| 3       | 87.0        | 87.0 | 68.0     | 74.0 | 11874.000  | 3              | Yes | 1.00120 | 12.000   |
| 4       | 89.0        | 89.0 | 68.0     | 74.0 | 11874.000  | 4              | Yes | 1.00125 | 12.000   |
| 5       | 90.1        | 90.1 | 68.0     | 74.0 | 11874.000  | 5              | Yes | 1.00125 | 12.000   |
| Average | 89.6        | 89.6 | 68.0     | 74.0 | 11874.6000 |                |     | 1.00120 | 12.000   |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00055 | 1.00006 | 0.98497 | 1.00041 | 0.98597 | 1.17153 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11874.6000 | 10000.0000 | 1.18746 | 0.98497 | 1.00045 | 0.98541 | 1.17013 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0012 MF  
 (2) MF \* CPL = 1.0016 CMF  
 (3) 1 ÷ MF = 0.9988 MA  
 (4) NKF ÷ MF = 9988.0 KF  
 (5) KF ÷ CPL = 9984.0 CKF

Repeatability: 0.025 %  
 Uncertainty: 0.013 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVEIT

Copyright 2009, Flow-Cel, Inc.  
PROVEIT PROVEIT 8.7.0.009/15/2016 11:49 Page: 1  
Revision: 1

Customer: WPX -

Operator:

Location:

Federal ID: SHL SEC.35 T24N R7W NMPM

30-035 31312  
MC-6 com #160H; 35 --- 42 R7W

| Meter Data                       |  | Product Data                          |  | Proving Data                                     |                       |
|----------------------------------|--|---------------------------------------|--|--------------------------------------------------|-----------------------|
| 67440546 WPX 160H                |  | Name Crude                            |  | <u>Previous</u> <u>Current</u>                   |                       |
| Factor Tracked Composite MF(CMF) |  | Batch No.                             |  | Task ID                                          | 1469067215 1472166026 |
| Temp Compensated No              |  | Obs. Gravity 41.3 °API                |  | Date                                             | 07/20/2016 08/25/2016 |
| NKF 10000.0000 N/bbl             |  | Obs. Temp 76.7 °F                     |  | Time                                             | 14:13 11:00           |
| Manufacturer Micro Motion        |  | Obs. Press 0.0 psi                    |  | Product                                          | Crude Crude           |
| Size 2.00 in                     |  | API Table Table A - Crude Oil (2004)  |  | Flowrate                                         | 41 bbl/hr 13 bbl/hr   |
| Serial No. 14504524              |  | Base Density 39.9 °API HYC Y          |  | Totalizer                                        |                       |
| Model No.                        |  |                                       |  | Throughput                                       |                       |
| Prover Data                      |  | Tolerances                            |  | Base Density 39.7 °API 39.9 °API                 |                       |
| BPV 1.18820 bbl                  |  | Tolerance Type: Repeatability         |  | Avg Pvr Temp 91.0 77.8                           |                       |
| I.D. 7.981 in                    |  | Maximum Deviation: 0.050 %            |  | Avg Pvr Press 33.0 44.0                          |                       |
| W.T. 0.322 in                    |  | Enabled? Y Passed? Y Min # of Runs: 5 |  | Repeatability 0.017 % 0.008 %                    |                       |
| Manufacturer DOMINION            |  | Criteria: 5 out of 5 consecutive runs |  | CMF 1.0012 1.0022                                |                       |
| Type Displacement-Sphere         |  | Avg X Prev Meter Factor Deviation:    |  | CMF Variance -0.0003 0.0010                      |                       |
| Serial No. 23MM                  |  | Enabled? N Passed? Y Prod Dep? N      |  |                                                  |                       |
| Elasticity 3.0E7 1/psi           |  | Prev X Factor Count Sought: 1         |  |                                                  |                       |
| Pipe Gc 1.86E-5 1/°F             |  | Prev X Factor Count Used: 0           |  |                                                  |                       |
| Certified                        |  | Cut Off History? N Cutoff Date:       |  |                                                  |                       |
|                                  |  | Prev Meter Factor Deviation:          |  |                                                  |                       |
|                                  |  | Enabled? N Passed? Y Prod Dep? N      |  |                                                  |                       |
|                                  |  | Proving Mode: Volumetric              |  |                                                  |                       |
|                                  |  | Density Mode: Manual                  |  |                                                  |                       |
|                                  |  | Calc. Method: Avg. Meter Factor       |  |                                                  |                       |
|                                  |  | Proving Method: PIU                   |  |                                                  |                       |
|                                  |  | Passes Per Run 1                      |  |                                                  |                       |
|                                  |  |                                       |  | Liquid Properties at Metering Conditions for CMF |                       |
|                                  |  |                                       |  | Normal Op. Pressure 44.0 psig                    |                       |
|                                  |  |                                       |  | Eq. Vapor Pressure 0.0 psig                      |                       |
|                                  |  |                                       |  | CPL 1.0003                                       |                       |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 79.5 79.5            | 44.0 44.0         | 11863.977   | 1 Yes          | 1.00191 | 12.490             |
| 2       | 77.8 77.8            | 44.0 44.0         | 11864.207   | 2 Yes          | 1.00186 | 12.523             |
| 3       | 77.2 77.2            | 44.0 44.0         | 11864.411   | 3 Yes          | 1.00184 | 12.498             |
| 4       | 77.1 77.1            | 44.0 44.0         | 11864.513   | 4 Yes          | 1.00183 | 12.546             |
| 5       | 77.2 77.2            | 44.0 44.0         | 11864.313   | 5 Yes          | 1.00184 | 12.582             |
| Average | 77.8 77.8            | 44.0 44.0         | 11864.2842  |                | 1.00186 | 12.528             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00033 | 1.00004 | 0.99105 | 1.00025 | 0.99166 | 1.17829 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11864.2842 | 10000.0000 | 1.18643 | 0.99105 | 1.00025 | 0.99130 | 1.17611 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0019 MF  
 (2) MF \* CPL = 1.0022 CMF  
 (3) 1 ÷ MF = 0.9981 MA  
 (4) NKF ÷ MF = 9981.0 KF  
 (5) KF ÷ CPL = 9978.0 CKF

Repeatability: 0.008 %  
 Uncertainty: 0.004 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Copyright 2009, Flow-Cal, Inc.  
 PROVEit PROVEit 8.7.0.0

08/26/2016 7:49 Page: 1  
 Revision: 2

Federal ID:

NECHA CO

12-23N-7W

| Meter Data                       | Product Data                          | Proving Data                                     |                |
|----------------------------------|---------------------------------------|--------------------------------------------------|----------------|
| 67413185 WPX 168H                | Name Crude                            | <u>Previous</u>                                  | <u>Current</u> |
| Factor Tracked Composite MF(CMF) | Batch No.                             | Task ID 1468962940                               | 1472173337     |
| Temp Compensated No              | Obs. Gravity 38.5 °API                | Date 07/19/2016                                  | 08/26/2016     |
| NKF 10000.0000 N/bbl             | Obs. Temp 78.1 °F                     | Time 9:15                                        | 13:02          |
| Manufacturer Micro Motion        | Obs. Press 0.0 psi                    | Product Crude                                    | Crude          |
| Size 1.00 In                     | API Table Table A - Crude Oil (2004)  | Flowrate 42 bbl/hr                               | 8 bbl/hr       |
| Serial No.                       | Base Density 37.0 °API HYC Y          | Totalizer                                        |                |
| Model No.                        |                                       | Throughput                                       |                |
|                                  | Tolerances                            | Base Density 39.1°API                            | 37.0 °API      |
|                                  | Tolerance Type: Repeatability         | Avg Prvr Temp 97.8                               | 82.9           |
|                                  | Maximum Deviation: 0.050 %            | Avg Prvr Press 89.0                              | 61.0           |
|                                  | Enabled? Y Passed? Y Min # of Runs: 5 | Repeatability 0.005 %                            | 0.039 %        |
|                                  | Criteria: 5 out of 5 consecutive runs | CMF 0.9961                                       | 1.0019         |
|                                  | Avg X Prev Meter Factor Deviation:    | CMF Variance 0.0045                              | 0.0058         |
|                                  | Enabled? N Passed? Y Prod Dep? N      |                                                  |                |
|                                  | Prev X Factor Count Sought: 1         |                                                  |                |
|                                  | Prev X Factor Count Used: 0           |                                                  |                |
|                                  | Cut Off History? N Cutoff Date:       |                                                  |                |
|                                  | Prev Meter Factor Deviation:          |                                                  |                |
|                                  | Enabled? N Passed? Y Prod Dep? N      |                                                  |                |
|                                  | Proving Mode: Volumetric              |                                                  |                |
|                                  | Density Mode: Manual                  |                                                  |                |
|                                  | Calc. Method: Avg. Meter Factor       |                                                  |                |
|                                  | Proving Method: Manual                |                                                  |                |
|                                  | Passes Per Run 1                      |                                                  |                |
|                                  |                                       | Liquid Properties at Metering Conditions for CMF |                |
|                                  |                                       | Normal Op. Pressure 44.0 psig                    |                |
|                                  |                                       | Eq. Vapor Pressure psig                          |                |
|                                  |                                       | CPL 1.0002                                       |                |
| Prover Data                      |                                       |                                                  |                |
| BPV 1.18820 bbl                  |                                       |                                                  |                |
| I.D. 7.981 in                    |                                       |                                                  |                |
| W.T. 0.322 in                    |                                       |                                                  |                |
| Manufacturer DOMINION            |                                       |                                                  |                |
| Type Displacement-Sphere         |                                       |                                                  |                |
| Serial No. 23MM                  |                                       |                                                  |                |
| Elasticity 3.0E7 1/psi           |                                       |                                                  |                |
| Pipe Gc 1.86E-6 1°F              |                                       |                                                  |                |
| Certified                        |                                       |                                                  |                |

| Run            | TEMPERATURE |             | PRESSURE    |             | PULSES            | Run Accepted ? | IMF            | Flowrate<br>bb/Vhr |
|----------------|-------------|-------------|-------------|-------------|-------------------|----------------|----------------|--------------------|
|                | Tp          | Tm          | Pp          | Pm          | N                 |                |                |                    |
| 1              | 82.6        | 82.6        | 61.0        | 52.0        | 11867.163         | 1 Yes          | 1.00176        | 8.352              |
| 2              | 83.0        | 83.0        | 61.0        | 52.0        | 11865.560         | 2 Yes          | 1.00191        | 8.324              |
| 3              | 83.0        | 83.0        | 61.0        | 52.0        | 11870.202         | 3 Yes          | 1.00152        | 8.336              |
| 4              | 82.9        | 82.9        | 61.0        | 52.0        | 11868.550         | 4 Yes          | 1.00166        | 8.390              |
| 5              | 82.9        | 82.9        | 61.0        | 52.0        | 11867.822         | 5 Yes          | 1.00173        | 8.350              |
| <b>Average</b> | <b>82.9</b> | <b>82.9</b> | <b>61.0</b> | <b>52.0</b> | <b>11867.8594</b> |                | <b>1.00172</b> | <b>8.350</b>       |

(1) GSV<sub>p</sub>: BPV \* [CTS<sub>p</sub> \* CPS<sub>p</sub> \* CTL<sub>p</sub> \* CPL<sub>p</sub> = CCF<sub>p</sub>]

|            |             |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <i>BPV</i> | <i>CTSp</i> | <i>CPSp</i> | <i>CTLp</i> | <i>CPLp</i> | <i>CCFp</i> | <i>GSVp</i> |
| 1.18820    | 1.00043     | 1.00005     | 0.98886     | 1.00034     | 0.98967     | 1.17593     |

(2) ISVm:  $[N(\text{avg}) \div \text{NKF} = \text{IVm}] * [\text{CTLm} * \text{CPLm} = \text{CCFm}]$

| <i>N</i> (avg) | <i>NKF</i> | <i>IVm</i> | <i>CTLm</i> | <i>CPLm</i> | <i>CCFm</i> | <i>ISVm</i> |
|----------------|------------|------------|-------------|-------------|-------------|-------------|
| 11867.8594     | 10000.0000 | 1.18679    | 0.98886     | 1.00029     | 0.98915     | 1.17391     |

**(3) Proving Factors:**

```

>>>> (1)   GSVp ÷ ISVm =      1.0017   MF
        (2)   MF * CPL =      1.0019   CMF
        (3)   1 ÷ MF =      0.9983   MA
        (4)   NKF ÷ MF =      9983.0   KF
        (5)   KF ÷ CPL =     9981.0   CKF

```

Repeatability: 0.039 %  
Uncertainty: 0.021 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

**Witness:**

PROVE

Copyright 2008, Flow-Cal, Inc.  
PROVEit PROVEit 8.7.0.0

08/26/2016 7:48 Page: 1  
Revision: 1

Customer: WPX -  
Operator:  
Location:  
Federal ID:

NECHAL  
1223276

| <b>Meter Data</b><br>67413185 WPX 168H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No.<br>Model No.              | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 41.2 °API<br>Obs. Temp 76.5 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 39.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                           | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1474575079</td> <td>1474576370</td> </tr> <tr> <td>Date 09/22/2016</td> <td>09/22/2016</td> </tr> <tr> <td>Time 8:11</td> <td>8:32</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 42 bbl/hr</td> <td>13 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 39.8°API</td> <td>39.8 °API</td> </tr> <tr> <td>Avg Prvr Temp 75.2</td> <td>76.8</td> </tr> <tr> <td>Avg Prvr Press 92.0</td> <td>63.0</td> </tr> <tr> <td>Repeatability 0.025 %</td> <td>0.036 %</td> </tr> <tr> <td>CMF 1.0015</td> <td>1.0016</td> </tr> <tr> <td>CMF Variance 0.0000</td> <td>0.0001</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1474575079 | 1474576370 | Date 09/22/2016 | 09/22/2016 | Time 8:11 | 8:32 | Product Crude | Crude | Flowrate 42 bbl/hr | 13 bbl/hr | Totalizer |  | Throughput |  | Base Density 39.8°API | 39.8 °API | Avg Prvr Temp 75.2 | 76.8 | Avg Prvr Press 92.0 | 63.0 | Repeatability 0.025 % | 0.036 % | CMF 1.0015 | 1.0016 | CMF Variance 0.0000 | 0.0001 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|-----------|------|---------------|-------|--------------------|-----------|-----------|--|------------|--|-----------------------|-----------|--------------------|------|---------------------|------|-----------------------|---------|------------|--------|---------------------|--------|
| <u>Previous</u>                                                                                                                                                                                                | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Task ID 1474575079                                                                                                                                                                                             | 1474576370                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Date 09/22/2016                                                                                                                                                                                                | 09/22/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Time 8:11                                                                                                                                                                                                      | 8:32                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Product Crude                                                                                                                                                                                                  | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Flowrate 42 bbl/hr                                                                                                                                                                                             | 13 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Totalizer                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Throughput                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Base Density 39.8°API                                                                                                                                                                                          | 39.8 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Avg Prvr Temp 75.2                                                                                                                                                                                             | 76.8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Avg Prvr Press 92.0                                                                                                                                                                                            | 63.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Repeatability 0.025 %                                                                                                                                                                                          | 0.036 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| CMF 1.0015                                                                                                                                                                                                     | 1.0016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| CMF Variance 0.0000                                                                                                                                                                                            | 0.0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/PF<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 57.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 75.7        | 75.7 | 63.0     | 63.0 | 11873.209  | 1              | Yes | 1.00108 | 12.523   |
| 2       | 76.3        | 76.3 | 63.0     | 63.0 | 11869.010  | 2              | Yes | 1.00144 | 12.525   |
| 3       | 77.1        | 77.1 | 63.0     | 63.0 | 11872.614  | 3              | Yes | 1.00115 | 12.518   |
| 4       | 77.2        | 77.2 | 63.0     | 63.0 | 11869.669  | 4              | Yes | 1.00140 | 12.501   |
| 5       | 77.5        | 77.5 | 63.0     | 63.0 | 11869.915  | 5              | Yes | 1.00139 | 12.503   |
| Average | 76.8        | 76.8 | 63.0     | 63.0 | 11870.8834 |                |     | 1.00129 | 12.514   |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00031 | 1.00005 | 0.99156 | 1.00036 | 0.99227 | 1.17902 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11870.8834 | 10000.0000 | 1.18709 | 0.99156 | 1.00036 | 0.99192 | 1.17750 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0013 MF  
 (2) MF \* CPL = 1.0016 CMF  
 (3) 1 ÷ MF = 0.9987 MA  
 (4) NKF ÷ MF = 9987.0 KF  
 (5) KF ÷ CPL = 9984.0 CKF

Repeatability: 0.036 %  
 Uncertainty: 0.019 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Customer: WPX -  
Operator:  
Location:  
Federal ID:

12-232-7W

|                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>67413185 WPX 168H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No.<br>Model No.      | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 40.8 °API<br>Obs. Temp 72.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 39.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                              | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1476930131 1476930277<br>Date 10/19/2016 10/19/2016<br>Time 14:22 14:24<br>Product Crude Crude<br>Flowrate 41 bbl/hr 12 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 39.8 °API 39.8 °API<br>Avg Pvr Temp 71.5 71.7<br>Avg Pvr Press 60.0 54.0<br>Repeatability 0.045 % 0.042 %<br>CMF 1.0013 1.0023<br>CMF Variance -0.0003 0.0010 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 49.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                               |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 70.9        | 70.9 | 54.0     | 56.0 | 11859.000  | 1              | Yes | 1.00217 | 12.000   |
| 2       | 69.8        | 69.8 | 54.0     | 56.0 | 11859.000  | 2              | Yes | 1.00215 | 12.000   |
| 3       | 70.7        | 70.7 | 54.0     | 56.0 | 11864.000  | 3              | Yes | 1.00175 | 12.000   |
| 4       | 72.4        | 72.4 | 54.0     | 56.0 | 11863.000  | 4              | Yes | 1.00186 | 12.000   |
| 5       | 74.8        | 74.8 | 54.0     | 56.0 | 11864.000  | 5              | Yes | 1.00183 | 12.000   |
| Average | 71.7        | 71.7 | 54.0     | 56.0 | 11861.8000 |                |     | 1.00195 | 12.000   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00022 | 1.00004 | 0.99413 | 1.00030 | 0.99469 | 1.18189 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11861.8000 | 10000.0000 | 1.18618 | 0.99413 | 1.00032 | 0.99445 | 1.17960 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0020 MF  
 (2) MF \* CPL = 1.0023 CMF  
 (3) 1 ÷ MF = 0.9980 MA  
 (4) NKF ÷ MF = 9980.0 KF  
 (5) KF ÷ CPL = 9977.0 CKF

Repeatability: 0.042 %  
 Uncertainty: 0.022 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVE

Federal ID: *NECHAC*  
*30-034-31251*

10/14/2016 20:27 Page: 1  
Revision: 1

Customer: WPX -  
Operator:  
Location:  
Federal ID:

|                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>67419511 WPX 176H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14517624<br>Model No. CMF100M | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 42.0 °API<br>Obs. Temp 108.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 38.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                         | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span>Previous</span> <span>Current</span> </div> Task ID 1473982722 1473982851<br>Date 09/15/2016 09/16/2016<br>Time 11:38 11:40<br>Product Crude Crude<br>Flowrate 41 bbl/hr 12 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 38.0°API 38.0 °API<br><br>Avg Pvr Temp 106.0 107.8<br>Avg Pvr Press 118.0 72.0<br>Repeatability 0.047 % 0.026 %<br>CMF 1.0007 0.9999<br>CMF Variance -0.0001 -0.0008 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br><br>Certified    | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 68.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0004                                                                                                                                                                                                                                                                                                                                                        |

| Run     | TEMPERATURE |       | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|-------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm    | Pp       | Pm   | N          |                |         |                    |
| 1       | 108.1       | 108.1 | 72.0     | 81.0 | 11898.000  | 1 Yes          | 0.99955 | 12.000             |
| 2       | 107.6       | 107.6 | 72.0     | 81.0 | 11900.000  | 2 Yes          | 0.99938 | 12.000             |
| 3       | 107.5       | 107.5 | 72.0     | 81.0 | 11899.000  | 3 Yes          | 0.99946 | 12.000             |
| 4       | 107.9       | 107.9 | 72.0     | 81.0 | 11898.000  | 4 Yes          | 0.99956 | 12.000             |
| 5       | 107.7       | 107.7 | 72.0     | 81.0 | 11897.000  | 5 Yes          | 0.99964 | 12.000             |
| Average | 107.8       | 107.8 | 72.0     | 81.0 | 11898.4000 |                | 0.99952 | 12.000             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00089 | 1.00006 | 0.97640 | 1.00045 | 0.97777 | 1.16179 |

(2) ISVm: [N(avg) ÷ NKF ÷ IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11898.4000 | 10000.0000 | 1.18984 | 0.97640 | 1.00050 | 0.97689 | 1.16234 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9995 MF  
(2) MF \* CPL = 0.9999 CMF  
(3) 1 ÷ MF = 1.0005 MA  
(4) NKF ÷ MF = 10005 KF  
(5) KF + CPL = 10001 CKF

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Repeatability: 0.026 %  
Uncertainty: 0.014 %

Technician

Witness:

PROVE

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.6 T23N R6W NMPM

NECHACO

| <b>Meter Data</b><br>67421942 WPX 179H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14517208<br>Model No.        | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 43.8 °API<br>Obs. Temp 93.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.9 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                          | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1473982469</td> <td>1473982697</td> </tr> <tr> <td>Date 09/15/2016</td> <td>09/15/2016</td> </tr> <tr> <td>Time 11:34</td> <td>11:36</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 41 bbl/hr</td> <td>12 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 40.9°API</td> <td>40.9 °API</td> </tr> <tr> <td>Avg Prvr Temp 92.9</td> <td>94.6</td> </tr> <tr> <td>Avg Prvr Press 132.0</td> <td>100.0</td> </tr> <tr> <td>Repeatability 0.012 %</td> <td>0.009 %</td> </tr> <tr> <td>CMF 1.0016</td> <td>1.0019</td> </tr> <tr> <td>CMF Variance 0.0001</td> <td>0.0003</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1473982469 | 1473982697 | Date 09/15/2016 | 09/15/2016 | Time 11:34 | 11:36 | Product Crude | Crude | Flowrate 41 bbl/hr | 12 bbl/hr | Totalizer |  | Throughput |  | Base Density 40.9°API | 40.9 °API | Avg Prvr Temp 92.9 | 94.6 | Avg Prvr Press 132.0 | 100.0 | Repeatability 0.012 % | 0.009 % | CMF 1.0016 | 1.0019 | CMF Variance 0.0001 | 0.0003 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|------------|-------|---------------|-------|--------------------|-----------|-----------|--|------------|--|-----------------------|-----------|--------------------|------|----------------------|-------|-----------------------|---------|------------|--------|---------------------|--------|
| <u>Previous</u>                                                                                                                                                                                                   | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Task ID 1473982469                                                                                                                                                                                                | 1473982697                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Date 09/15/2016                                                                                                                                                                                                   | 09/15/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Time 11:34                                                                                                                                                                                                        | 11:36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Product Crude                                                                                                                                                                                                     | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Flowrate 41 bbl/hr                                                                                                                                                                                                | 12 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Totalizer                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Throughput                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Base Density 40.9°API                                                                                                                                                                                             | 40.9 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Avg Prvr Temp 92.9                                                                                                                                                                                                | 94.6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Avg Prvr Press 132.0                                                                                                                                                                                              | 100.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| Repeatability 0.012 %                                                                                                                                                                                             | 0.009 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| CMF 1.0016                                                                                                                                                                                                        | 1.0019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| CMF Variance 0.0001                                                                                                                                                                                               | 0.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 88.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0005                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |        |

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|-------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |         |                    |
| 1       | 94.3        | 94.3 | 100.0    | 101.0 | 11873.000  | 1 Yes          | 1.00147 | 12.000             |
| 2       | 94.3        | 94.3 | 100.0    | 101.0 | 11873.000  | 2 Yes          | 1.00147 | 12.000             |
| 3       | 94.5        | 94.5 | 100.0    | 101.0 | 11874.000  | 3 Yes          | 1.00139 | 12.000             |
| 4       | 95.0        | 95.0 | 100.0    | 101.0 | 11873.000  | 4 Yes          | 1.00148 | 12.000             |
| 5       | 94.9        | 94.9 | 100.0    | 101.0 | 11874.000  | 5 Yes          | 1.00140 | 12.000             |
| Average | 94.6        | 94.6 | 100.0    | 101.0 | 11873.4000 |                | 1.00144 | 12.000             |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00064 | 1.00008 | 0.98235 | 1.00062 | 0.98367 | 1.16880 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11873.4000 | 10000.0000 | 1.18734 | 0.98235 | 1.00063 | 0.98297 | 1.16712 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0014 MF  
 (2) MF \* CPL = 1.0019 CMF  
 (3) 1 ÷ MF = 0.9986 MA  
 (4) NKF ÷ MF = 9986.0 KF  
 (5) KF ÷ CPL = 9981.0 CKF

Repeatability: 0.009 %  
 Uncertainty: 0.005 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVEit

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.6 T23N R6W NMPM

30-039-31190

| Meter Data                                                                                                                                                                                                            | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67421942 WPX 179H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14517208<br>Model No.                          | Name Crude<br>Batch No.<br>Obs. Gravity 41.0 °API<br>Obs. Temp 60.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                                  | <div style="display: flex; justify-content: space-between;"> <div>Previous</div> <div>Current</div> </div> Task ID 1473982597 1476520196<br>Date 09/15/2016 10/14/2016<br>Time 11:36 20:29<br>Product Crude Crude<br>Flowrate 12 bbl/hr 12 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.9 °API 41.0 °API<br><br>Avg Prvr Temp 94.6 96.0<br>Avg Prvr Press 100.0 122.0<br>Repeatability 0.009 % 0.045 %<br>CMF 1.0019 1.0017<br>CMF Variance 0.0003 -0.0002 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs.<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 114.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0007                                                                                                                                                                                                                                                                                                                             |

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|-------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |     |         | bb/hr    |
| 1       | 91.5        | 91.5 | 122.0    | 127.0 | 11881.000  | 1              | Yes | 1.00074 | 12.000   |
| 2       | 96.2        | 96.2 | 122.0    | 127.0 | 11877.000  | 2              | Yes | 1.00115 | 12.000   |
| 3       | 96.9        | 96.9 | 122.0    | 127.0 | 11879.000  | 3              | Yes | 1.00102 | 12.000   |
| 4       | 97.5        | 97.5 | 122.0    | 127.0 | 11877.000  | 4              | Yes | 1.00119 | 12.000   |
| 5       | 97.9        | 97.9 | 122.0    | 127.0 | 11879.000  | 5              | Yes | 1.00103 | 12.000   |
| Average | 96.0        | 96.0 | 122.0    | 127.0 | 11878.6000 |                |     | 1.00103 | 12.000   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00067 | 1.00010 | 0.98161 | 1.00077 | 0.98312 | 1.16814 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11878.6000 | 10000.0000 | 1.18786 | 0.98161 | 1.00080 | 0.98240 | 1.16695 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0010 MF  
 (2) MF \* CPL = 1.0017 CMF  
 (3) 1 ÷ MF = 0.9990 MA  
 (4) NKF ÷ MF = 9990.0 KF  
 (5) KF ÷ CPL = 9983.0 CKF

Repeatability: 0.045 %  
 Uncertainty: 0.024 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.6 T23N R6W NMPM

1NF Coda-CO

|                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br>67421942 WPX 179H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14517208<br>Model No.    | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 44.0 °API<br>Obs. Temp 102.5 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.3 °API HYC Y                                                                                                                                                                                                                                                                                                                                                             | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1468879486 1471565892<br>Date 07/18/2016 08/18/2016<br>Time 10:04 12:18<br>Product Crude Crude<br>Flowrate 42 bbl/hr 8 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 39.6°API 40.3 °API<br>Avg Pvr Temp 122.3 103.2<br>Avg Pvr Press 190.0 110.0<br>Repeatability 0.034 % 0.015 %<br>CMF 0.9988 1.0021<br>CMF Variance -0.0028 0.0033 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 105.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0007                                                                                                                                                                                                                                                                                                                                                                |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 103.4 103.4          | 110.0 112.0       | 11875.725   | 1 Yes          | 1.00143 | 8.339              |
| 2       | 102.7 102.7          | 110.0 112.0       | 11874.443   | 2 Yes          | 1.00152 | 8.337              |
| 3       | 103.3 103.3          | 110.0 112.0       | 11876.100   | 3 Yes          | 1.00139 | 8.338              |
| 4       | 103.3 103.4          | 110.0 112.0       | 11876.956   | 4 Yes          | 1.00137 | 8.337              |
| 5       | 103.3 103.4          | 110.0 112.0       | 11875.850   | 5 Yes          | 1.00146 | 8.298              |
| Average | 103.2 103.2          | 110.0 112.0       | 11875.8148  |                | 1.00143 | 8.330              |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00080 | 1.00009 | 0.97809 | 1.00070 | 0.97965 | 1.16402 |

(2) ISVm:  $[N(avg) \div NKF = [Vm] * [CTLm * CPLm = CCFm]$


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11875.8148 | 10000.0000 | 1.18758 | 0.97809 | 1.00071 | 0.97878 | 1.16238 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0014 MF  
 (2) MF \* CPL = 1.0021 CMF  
 (3) 1 + MF = 0.9986 MA  
 (4) NKF + MF = 9986.0 KF  
 (5) KF + CPL = 9979.0 CKF

Repeatability: 0.015 %  
 Uncertainty: 0.008 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician: 

Witness:

PROVE

Copyright 2009, Flow-Cal, Inc.  
 PROVEit PROVEit 8.7.0.0

08/18/2016 15:16 Page: 1  
 Revision: 1



Federal ID: SEC.5 T23N R6W NMPM

NE CHACO COMM

| Meter Data                       | Product Data                          | Proving Data                                     |
|----------------------------------|---------------------------------------|--------------------------------------------------|
| 67424230 WPX 254H                | Name Crude                            | <u>Previous</u> <u>Current</u>                   |
| Factor Tracked Composite MF(CMF) | Batch No.                             | Task ID 1468879035 1471560970                    |
| Temp Compensated No              | Obs. Gravity 44.9 °API                | Date 07/18/2016 08/18/2016                       |
| NKF 10000.0000 N/bbl             | Obs. Temp 103.5 °F                    | Time 9:57 10:56                                  |
| Manufacturer Micro Motion        | Obs. Press 0.0 psi                    | Product Crude Crude                              |
| Size 1.00 in                     | API Table Table A - Crude Oil (2004)  | Flowrate 41 bbl/hr 19 bbl/hr                     |
| Serial No. 14518580              | Base Density 41.1 °API HYC Y          | Totalizer                                        |
| Model No.                        | Tolerances                            | Throughput                                       |
|                                  | Tolerance Type: Repeatability         | Base Density 42.0°API 41.1 °API                  |
|                                  | Maximum Deviation: 0.050 %            | Avg Prvr Temp 109.2 103.5                        |
|                                  | Enabled? Y Passed? Y Min # of Runs: 5 | Avg Prvr Press 208.0 147.0                       |
|                                  | Criteria: 5 out of 5 consecutive runs | Repeatability 0.031 % 0.020 %                    |
|                                  | Avg X Prev Meter Factor Deviation:    | CMF 0.9993 1.0001                                |
|                                  | Enabled? N Passed? Y Prod Dep? N      | CMF Variance -0.0027 0.0008                      |
|                                  | Prev X Factor Count Sought: 1         |                                                  |
|                                  | Prev X Factor Count Used: 0           | Liquid Properties at Metering Conditions for CMF |
|                                  | Cut Off History? N Cutoff Date:       | Normal Op. Pressure 142.0 psig                   |
|                                  | Prev Meter Factor Deviation:          | Eq. Vapor Pressure 0.0 psig                      |
|                                  | Enabled? N Passed? Y Prod Dep? N      | CPL 1.0009                                       |
|                                  | Proving Mode: Volumetric              |                                                  |
|                                  | Density Mode: Manual                  |                                                  |
|                                  | Calc. Method: Avg. Meter Factor       |                                                  |
|                                  | Proving Method: PIU                   |                                                  |
|                                  | Passes Per Run 1                      |                                                  |
| Prover Data                      |                                       |                                                  |
| BPV 1.18820 bbl                  |                                       |                                                  |
| I.D. 7.981 in                    |                                       |                                                  |
| W.T. 0.322 in                    |                                       |                                                  |
| Manufacturer DOMINION            |                                       |                                                  |
| Type Displacement-Sphere         |                                       |                                                  |
| Serial No. 23MM                  |                                       |                                                  |
| Elasticity 3.0E7 1/psi           |                                       |                                                  |
| Pipe Gc 1.86E-5 1/F              |                                       |                                                  |
| Certified                        |                                       |                                                  |

| Run            | TEMPERATURE  |              | PRESSURE     |              | PULSES            | Run Accepted ? |     | IMF            | Flowrate<br>bb/Vhr |
|----------------|--------------|--------------|--------------|--------------|-------------------|----------------|-----|----------------|--------------------|
|                | Tp           | Tm           | Pp           | Pm           | N                 |                |     |                |                    |
| 1              | 101.3        | 101.3        | 147.0        | 157.0        | 11900.902         | 1              | Yes | 0.99923        | 18.711             |
| 2              | 103.0        | 103.0        | 147.0        | 157.0        | 11901.105         | 2              | Yes | 0.99925        | 18.733             |
| 3              | 103.9        | 103.9        | 147.0        | 157.0        | 11901.432         | 3              | Yes | 0.99924        | 18.697             |
| 4              | 104.6        | 104.6        | 147.0        | 157.0        | 11901.256         | 4              | Yes | 0.99925        | 18.724             |
| 5              | 104.8        | 104.8        | 147.0        | 157.0        | 11903.812         | 5              | Yes | 0.99905        | 18.729             |
| <b>Average</b> | <b>103.5</b> | <b>103.5</b> | <b>147.0</b> | <b>157.0</b> | <b>11901.7014</b> |                |     | <b>0.99920</b> | <b>18.719</b>      |

(1) GSV<sub>p</sub>: BPV \* [CTS<sub>p</sub> \* CPS<sub>p</sub> \* CTL<sub>p</sub> \* CPL<sub>p</sub> = CCF<sub>p</sub>]

|            |             |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <i>BPV</i> | <i>CTSp</i> | <i>CPSp</i> | <i>CTLp</i> | <i>CPLp</i> | <i>CCFp</i> | <i>GSVp</i> |
| 1.18820    | 1.00081     | 1.00012     | 0.97773     | 1.00095     | 0.97957     | 1.16393     |

**(2) ISVm:**  $[N(\text{avg}) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

| <i>N</i> (avg) | <i>NKF</i> | <i>IVm</i> | <i>CTLm</i> | <i>CPLm</i> | <i>CCFm</i> | <i>ISVm</i> |
|----------------|------------|------------|-------------|-------------|-------------|-------------|
| 11901.7014     | 10000.0000 | 1.19017    | 0.97773     | 1.00101     | 0.97872     | 1.16484     |

**(3) Proving Factors:**

```

>>>> (1)   GSVp ÷ ISVm = 0.9992   MF
      (2)   MF * CPL = 1.0001   CMF
      (3)   1 ÷ MF = 1.0008   MA
      (4)   NKF ÷ MF = 10008   KF
      (5)   KF ÷ CPL = 9999.0   CKF

```

**Repeatability:** 0.020 %  
**Uncertainty:** 0.011 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

**Witness:**

PROVE

Copyright 2009, Flow-Cal, Inc.  
PROVEit PROVEit 8.7.0.0

08/18/2016 15:15 Page: 1  
Revision: 2

Customer: WPX -

Operator:

Location:

Federal ID: SEC.5 T23N R6W NMPM

NO C4AUCU  
30-03-31284

|                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br>67424230 WPX 254H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518580<br>Model No.     | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 45.5 °API<br>Obs. Temp 94.8 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 42.4 °API HYC Y                                                                                                                                                                                                                                                                                                                                                           | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1476834812 1476835883<br>Date 10/18/2016 10/18/2016<br>Time 11:53 12:11<br>Product Crude Crude<br>Flowrate 42 bbl/hr 19 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 42.4 °API 42.4 °API<br>Avg Pvr Temp 91.9 91.2<br>Avg Pvr Press 180.0 148.0<br>Repeatability 0.042 % 0.050 %<br>CMF 1.0002 0.9999<br>CMF Variance -0.0002 -0.0003 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.051 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 140.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0009                                                                                                                                                                                                                                                                                                                                                                 |

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|-------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |     |         | bb/hr    |
| 1       | 91.9        | 91.9 | 148.0    | 152.0 | 11903.105  | 1              | Yes | 0.99892 | 18.651   |
| 2       | 91.5        | 91.5 | 148.0    | 152.0 | 11900.021  | 2              | Yes | 0.99918 | 18.646   |
| 3       | 91.2        | 91.2 | 148.0    | 152.0 | 11899.627  | 3              | Yes | 0.99920 | 18.698   |
| 4       | 90.9        | 90.9 | 148.0    | 152.0 | 11901.499  | 4              | Yes | 0.99902 | 18.701   |
| 5       | 90.6        | 90.6 | 148.0    | 152.0 | 11905.192  | 5              | Yes | 0.99870 | 18.612   |
| Average | 91.2        | 91.2 | 148.0    | 152.0 | 11901.8888 |                |     | 0.99900 | 18.662   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00058 | 1.00012 | 0.98382 | 1.00094 | 0.98543 | 1.17089 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11901.8888 | 10000.0000 | 1.19019 | 0.98382 | 1.00096 | 0.98476 | 1.17205 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9990 MF  
 (2) MF \* CPL = 0.9999 CMF  
 (3) 1 ÷ MF = 1.0010 MA  
 (4) NKF ÷ MF = 10010 KF  
 (5) KF ÷ CPL = 10001 CKF

Repeatability: 0.050 %  
 Uncertainty: 0.027 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Customer: WPX -

Operator:

Location:

Federal ID: SEC.8 T23N R8W NMPM

NECHACO Com

| Meter Data                                                                                                                                                                                                                                                                    | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67417923 WPX 197H</b><br><b>Factor Tracked Composite MF(CMF)</b><br><b>Temp Compensated No</b><br><b>NKF 10000.0000 N/bbl</b><br><b>Manufacturer Micro Motion</b><br><b>Size 1.00 in</b><br><b>Serial No. 14518623</b><br><b>Model No.</b>                                 | <b>Name Crude</b><br><b>Batch No.</b><br><b>Obs. Gravity 42.8 °API</b><br><b>Obs. Temp 88.6 °F</b><br><b>Obs. Press 0.0 psi</b><br><b>API Table Table A - Crude Oil (2004)</b><br><b>Base Density 40.3 °API</b> <b>HYC Y</b>                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>Previous</b> <b>Current</b><br><b>Task ID 1468878172 1471555112</b><br><b>Date 07/18/2016 08/18/2016</b><br><b>Time 9:42 9:18</b><br><b>Product Crude Crude</b><br><b>Flowrate 42 bbl/hr 10 bbl/hr</b><br><b>Totalizer</b><br><b>Throughput</b><br><b>Base Density 40.8 °API 40.3 °API</b><br><b>Avg Prvr Temp 99.7 91.9</b><br><b>Avg Prvr Press 189.0 139.8</b><br><b>Repeatability 0.004 % 0.009 %</b><br><b>CMF 0.9961 1.0011</b><br><b>CMF Variance 0.0009 0.0050</b> |
| <b>Prover Data</b><br><b>BPV 1.18820 bbl</b><br><b>I.D. 7.981 in</b><br><b>W.T. 0.322 in</b><br><b>Manufacturer DOMINION</b><br><b>Type Displacement-Sphere</b><br><b>Serial No. 23MM</b><br><b>Elasticity 3.0E7 1/psi</b><br><b>Pipe Gc 1.88E-5 1/°F</b><br><b>Certified</b> | <b>Tolerances</b><br><b>Tolerance Type: Repeatability</b><br><b>Maximum Deviation: 0.050 %</b><br><b>Enabled? Y Passed? Y Min # of Runs: 5</b><br><b>Criteria: 5 out of 5 consecutive runs</b><br><b>Avg X Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Prev X Factor Count Sought: 1</b><br><b>Prev X Factor Count Used: 0</b><br><b>Cut Off History? N Cutoff Date:</b><br><b>Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Proving Mode: Volumetric</b><br><b>Density Mode: Manual</b><br><b>Calc. Method: Avg. Meter Factor</b><br><b>Proving Method: Manual</b><br><b>Passes Per Run 1</b> | <b>Liquid Properties at Metering Conditions for CMF</b><br><b>Normal Op. Pressure 138.0 psig</b><br><b>Eq. Vapor Pressure 0.0 psig</b><br><b>CPL 1.0008</b>                                                                                                                                                                                                                                                                                                                   |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 90.9 90.9            | 142.0 143.0       | 11886.949   | 1 Yes          | 1.00026 | 10.416             |
| 2       | 91.3 91.3            | 143.0 138.0       | 11887.111   | 2 Yes          | 1.00030 | 10.414             |
| 3       | 92.4 92.4            | 138.0 143.0       | 11887.030   | 3 Yes          | 1.00026 | 10.477             |
| 4       | 92.4 92.4            | 138.0 143.0       | 11887.635   | 4 Yes          | 1.00021 | 10.463             |
| 5       | 92.7 92.7            | 138.0 143.0       | 11886.947   | 5 Yes          | 1.00026 | 10.526             |
| Average | 91.9 91.9            | 139.8 142.0       | 11887.1344  |                | 1.00026 | 10.459             |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$ 

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00059 | 1.00012 | 0.98385 | 1.00085 | 0.98539 | 1.17084 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$ 

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11887.1344 | 10000.0000 | 1.18871 | 0.98385 | 1.00087 | 0.98471 | 1.17053 |

(3) Proving Factors:

>>>> (1)  $GSVp \div ISVm = 1.0003$  MF  
 (2)  $MF * CPL = 1.0011$  CMF  
 (3)  $1 + MF = 0.9997$  MA  
 (4)  $NKF \div MF = 9997.0$  KF  
 (5)  $KF \div CPL = 9989.0$  CKF

Repeatability: 0.009 %  
 Uncertainty: 0.005 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Copyright 2009, Flow-Cal, Inc.  
PROVER 8.7.0.0

08/18/2016 15:14 Page: 1  
Revision: 2

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.8 T23N R6W NMPM

NECHACO  
 30-039-31278

| <b>Meter Data</b><br>67417923 WPX 197H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518623<br>Model No.    | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 41.7 °API<br>Obs. Temp 77.5 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.2 °API HYC Y                                                                                                                                                                                                                                                                                                                                                           | <b>Proving Data</b><br><table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1473981955</td> <td>1476830974</td> </tr> <tr> <td>Date 09/15/2016</td> <td>10/18/2016</td> </tr> <tr> <td>Time 11:25</td> <td>10:49</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 10 bbl/hr</td> <td>13 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 40.9 °API</td> <td>40.2 °API</td> </tr> <tr> <td>Avg Pvr Temp 77.0</td> <td>76.9</td> </tr> <tr> <td>Avg Pvr Press 113.0</td> <td>162.0</td> </tr> <tr> <td>Repeatability 0.028 %</td> <td>0.015 %</td> </tr> <tr> <td>CMF 0.9999</td> <td>1.0015</td> </tr> <tr> <td>CMF Variance -0.0006</td> <td>0.0007</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1473981955 | 1476830974 | Date 09/15/2016 | 10/18/2016 | Time 11:25 | 10:49 | Product Crude | Crude | Flowrate 10 bbl/hr | 13 bbl/hr | Totalizer |  | Throughput |  | Base Density 40.9 °API | 40.2 °API | Avg Pvr Temp 77.0 | 76.9 | Avg Pvr Press 113.0 | 162.0 | Repeatability 0.028 % | 0.015 % | CMF 0.9999 | 1.0015 | CMF Variance -0.0006 | 0.0007 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|------------|-------|---------------|-------|--------------------|-----------|-----------|--|------------|--|------------------------|-----------|-------------------|------|---------------------|-------|-----------------------|---------|------------|--------|----------------------|--------|
| <u>Previous</u>                                                                                                                                                                                               | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Task ID 1473981955                                                                                                                                                                                            | 1476830974                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Date 09/15/2016                                                                                                                                                                                               | 10/18/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Time 11:25                                                                                                                                                                                                    | 10:49                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Product Crude                                                                                                                                                                                                 | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Flowrate 10 bbl/hr                                                                                                                                                                                            | 13 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Totalizer                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Throughput                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Base Density 40.9 °API                                                                                                                                                                                        | 40.2 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Avg Pvr Temp 77.0                                                                                                                                                                                             | 76.9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Avg Pvr Press 113.0                                                                                                                                                                                           | 162.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Repeatability 0.028 %                                                                                                                                                                                         | 0.015 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| CMF 0.9999                                                                                                                                                                                                    | 1.0015                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| CMF Variance -0.0006                                                                                                                                                                                          | 0.0007                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 155.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0009                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                      |        |

| Run            | TEMPERATURE |             | PRESSURE     |              | PULSES<br>N       | Run Accepted ? | IMF            | Flowrate<br>bbl/hr |
|----------------|-------------|-------------|--------------|--------------|-------------------|----------------|----------------|--------------------|
|                | Tp          | Tm          | Pp           | Pm           |                   |                |                |                    |
| 1              | 76.7        | 76.7        | 162.0        | 162.0        | 11878.456         | 1 Yes          | 1.00074        | 12.482             |
| 2              | 76.8        | 76.8        | 162.0        | 162.0        | 11879.727         | 2 Yes          | 1.00064        | 12.503             |
| 3              | 76.9        | 76.9        | 162.0        | 162.0        | 11880.044         | 3 Yes          | 1.00061        | 12.508             |
| 4              | 77.0        | 77.0        | 162.0        | 162.0        | 11879.609         | 4 Yes          | 1.00065        | 12.513             |
| 5              | 77.1        | 77.1        | 162.0        | 162.0        | 11880.463         | 5 Yes          | 1.00059        | 12.496             |
| <b>Average</b> | <b>76.9</b> | <b>76.9</b> | <b>162.0</b> | <b>162.0</b> | <b>11879.6598</b> |                | <b>1.00065</b> | <b>12.501</b>      |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00031 | 1.00013 | 0.99147 | 1.00094 | 0.99284 | 1.17969 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11879.6598 | 10000.0000 | 1.18797 | 0.99147 | 1.00094 | 0.99240 | 1.17894 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0006 MF  
 (2) MF \* CPL = 1.0015 CMF  
 (3) 1 ÷ MF = 0.9994 MA  
 (4) NKF ÷ MF = 9994.0 KF  
 (5) KF ÷ CPL = 9985.0 CKF

Repeatability: 0.015 %  
 Uncertainty: 0.008 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician

Witness:

PROVE

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.8 T23N R6W NMPM

*Handwritten: NCCAW*

| <b>Meter Data</b><br>67417923 WPX 197H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518623<br>Model No.        | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 42.5 °API<br>Obs. Temp 78.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.9 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                          | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1473981776</td> <td>1473981955</td> </tr> <tr> <td>Date 09/15/2016</td> <td>09/15/2016</td> </tr> <tr> <td>Time 11:22</td> <td>11:25</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 41 bbl/hr</td> <td>10 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 40.9 °API</td> <td>40.9 °API</td> </tr> <tr> <td>Avg Pvr Temp 76.3</td> <td>77.0</td> </tr> <tr> <td>Avg Pvr Press 168.0</td> <td>113.0</td> </tr> <tr> <td>Repeatability 0.042 %</td> <td>0.028 %</td> </tr> <tr> <td>CMF 1.0005</td> <td>0.9999</td> </tr> <tr> <td>CMF Variance 0.0001</td> <td>-0.0006</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1473981776 | 1473981955 | Date 09/15/2016 | 09/15/2016 | Time 11:22 | 11:25 | Product Crude | Crude | Flowrate 41 bbl/hr | 10 bbl/hr | Totalizer |  | Throughput |  | Base Density 40.9 °API | 40.9 °API | Avg Pvr Temp 76.3 | 77.0 | Avg Pvr Press 168.0 | 113.0 | Repeatability 0.042 % | 0.028 % | CMF 1.0005 | 0.9999 | CMF Variance 0.0001 | -0.0006 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|------------|-------|---------------|-------|--------------------|-----------|-----------|--|------------|--|------------------------|-----------|-------------------|------|---------------------|-------|-----------------------|---------|------------|--------|---------------------|---------|
| <u>Previous</u>                                                                                                                                                                                                   | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Task ID 1473981776                                                                                                                                                                                                | 1473981955                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Date 09/15/2016                                                                                                                                                                                                   | 09/15/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Time 11:22                                                                                                                                                                                                        | 11:25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Product Crude                                                                                                                                                                                                     | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Flowrate 41 bbl/hr                                                                                                                                                                                                | 10 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Totalizer                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Throughput                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Base Density 40.9 °API                                                                                                                                                                                            | 40.9 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Avg Pvr Temp 76.3                                                                                                                                                                                                 | 77.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Avg Pvr Press 168.0                                                                                                                                                                                               | 113.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| Repeatability 0.042 %                                                                                                                                                                                             | 0.028 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| CMF 1.0005                                                                                                                                                                                                        | 0.9999                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| CMF Variance 0.0001                                                                                                                                                                                               | -0.0006                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 101.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0006                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                        |           |                   |      |                     |       |                       |         |            |        |                     |         |

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|-------|------------|----------------|-----|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |     |         |                    |
| 1       | 76.2        | 76.2 | 113.0    | 126.0 | 11894.000  | 1              | Yes | 0.99931 | 10.000             |
| 2       | 76.3        | 76.3 | 113.0    | 126.0 | 11892.000  | 2              | Yes | 0.99947 | 10.000             |
| 3       | 76.5        | 76.5 | 113.0    | 126.0 | 11895.000  | 3              | Yes | 0.99923 | 10.000             |
| 4       | 77.4        | 77.4 | 113.0    | 126.0 | 11893.000  | 4              | Yes | 0.99941 | 10.000             |
| 5       | 78.6        | 78.6 | 113.0    | 126.0 | 11896.000  | 5              | Yes | 0.99919 | 10.000             |
| Average | 77.0        | 77.0 | 113.0    | 126.0 | 11894.0000 |                |     | 0.99932 | 10.000             |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00032 | 1.00009 | 0.99135 | 1.00066 | 0.99241 | 1.17918 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11894.0000 | 10000.0000 | 1.18940 | 0.99135 | 1.00074 | 0.99208 | 1.17998 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9993 MF  
 (2) MF \* CPL = 0.9999 CMF  
 (3) 1 ÷ MF = 1.0007 MA  
 (4) NKF ÷ MF = 10007 KF  
 (5) KF ÷ CPL = 10001 CKF

Repeatability: 0.028 %  
 Uncertainty: 0.015 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVE

Customer: WPX -

Operator:

Location:

Federal ID: SEC.7 T23N R6W NMPM

NEC4 Acc. Co.  
30-029-8312-0  
7-23A-BL

| Meter Data                       | Product Data                          | Proving Data                                     |
|----------------------------------|---------------------------------------|--------------------------------------------------|
| 67412825 WPX 181H                | Name Crude                            | <u>Previous</u> <u>Current</u>                   |
| Factor Tracked Composite MF(CMF) | Batch No.                             | Task ID 1476839654 1476840658                    |
| Temp Compensated No              | Obs. Gravity 48.6 °API                | Date 10/18/2016 10/18/2016                       |
| NKF 10000.0000 N/bbl             | Obs. Temp 105.2 °F                    | Time 13:14 13:30                                 |
| Manufacturer Micro Motion        | Obs. Press 0.0 psi                    | Product Crude Crude                              |
| Size in                          | API Table Table A - Crude Oil (2004)  | Flowrate 42 bbl/hr 21 bbl/hr                     |
| Serial No. 14518598              | Base Density 44.4 °API HYC Y          | Totalizer                                        |
| Model No.                        |                                       | Throughput                                       |
|                                  |                                       | Base Density 44.4 °API 44.4 °API                 |
| Prover Data                      | Tolerances                            |                                                  |
| BPV 1.18820 bbl                  | Tolerance Type: Repeatability         | Avg Pvr Temp 100.4 101.8                         |
| I.D. 7.981 in                    | Maximum Deviation: 0.050 %            | Avg Pvr Press 125.0 138.0                        |
| W.T. 0.322 in                    | Enabled? Y Passed? Y Min # of Runs: 5 | Repeatability 0.032 % 0.039 %                    |
| Manufacturer DOMINION            | Criteria: 5 out of 5 consecutive runs | CMF 1.0017 1.0022                                |
| Type Displacement-Sphere         | Avg X Prev Meter Factor Deviation:    | CMF Variance -0.0001 0.0005                      |
| Serial No. 23MM                  | Enabled? N Passed? Y Prod Dep? N      |                                                  |
| Elasticity 3.0E7 1/psi           | Prev X Factor Count Sought: 1         |                                                  |
| Pipe Gc 1.86E-5 1/°F             | Prev X Factor Count Used: 0           |                                                  |
|                                  | Cut Off History? N Cutoff Date:       |                                                  |
|                                  | Prev Meter Factor Deviation:          |                                                  |
| Certified                        | Enabled? N Passed? Y Prod Dep? N      |                                                  |
|                                  | Proving Mode: Volumetric              |                                                  |
|                                  | Density Mode: Manual                  |                                                  |
|                                  | Calc. Method: Avg. Meter Factor       |                                                  |
|                                  | Proving Method: PIU                   |                                                  |
|                                  | Passes Per Run 1                      |                                                  |
|                                  |                                       | Liquid Properties at Metering Conditions for CMF |
|                                  |                                       | Normal Op. Pressure 131.0 psig                   |
|                                  |                                       | Eq. Vapor Pressure 0.0 psig                      |
|                                  |                                       | CPL 1.0009                                       |

| Run     | TEMPERATURE | PRESSURE    | PULSES     | Run Accepted ? | IMF     | Flowrate |
|---------|-------------|-------------|------------|----------------|---------|----------|
|         | Tp Tm       | Pp Pm       | N          |                |         | bb/hr    |
| 1       | 101.9 101.9 | 138.0 141.0 | 11877.717  | 1 Yes          | 1.00123 | 20.769   |
| 2       | 102.1 102.1 | 138.0 141.0 | 11878.201  | 2 Yes          | 1.00119 | 20.816   |
| 3       | 101.6 101.6 | 138.0 141.0 | 11873.377  | 3 Yes          | 1.00158 | 20.868   |
| 4       | 101.5 101.5 | 138.0 141.0 | 11876.206  | 4 Yes          | 1.00134 | 20.838   |
| 5       | 101.8 101.8 | 138.0 141.0 | 11877.445  | 5 Yes          | 1.00126 | 20.853   |
| Average | 101.8 101.8 | 138.0 141.0 | 11876.5892 |                | 1.00132 | 20.829   |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00078 | 1.00011 | 0.97778 | 1.00094 | 0.97957 | 1.16393 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11876.5892 | 10000.0000 | 1.18766 | 0.97778 | 1.00096 | 0.97872 | 1.16239 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0013 MF  
(2) MF \* CPL = 1.0022 CMF  
(3) 1 ÷ MF = 0.9987 MA  
(4) NKF ÷ MF = 9987.0 KF  
(5) KF ÷ CPL = 9978.0 CKF

Repeatability: 0.039 %  
Uncertainty: 0.021 %


|                      |
|----------------------|
| Trans. Serial No.    |
| Flow Calib Factor    |
| Density Calib Factor |
| Frequency Set Point  |
| Flowrate Set Point   |
| Zero Verified Zeroed |
| As Found As Left     |

Technician:

Witness:

PROVEIT

AT Chaco Com.

Technician:  Witness: 

PROVE

Copyright 2009, Flow-Cal, Inc.  
PROVE# PROVE# 8700

08/17/2016 13:16 Page: 2

PROVE

**Witness:**

Copyright 2009, Flow-Cal, Inc.  
PROVEit PROVEit 8.7.0.0

08/17/2016 13:16 Page: 1  
Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.7 T23N R6W NMPM

NE CNA co

| <b>Meter Data</b><br>67412825 WPX 181H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size in<br>Serial No. 14518598<br>Model No.             | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 48.8 °API<br>Obs. Temp 114.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 43.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                         | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th></th> <th style="text-align: center;"><u>Previous</u></th> <th style="text-align: center;"><u>Current</u></th> </tr> <tr> <td>Task ID</td> <td>1473981479</td> <td>1473981642</td> </tr> <tr> <td>Date</td> <td>09/16/2016</td> <td>09/16/2016</td> </tr> <tr> <td>Time</td> <td>11:17</td> <td>11:20</td> </tr> <tr> <td>Product</td> <td>Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate</td> <td>41 bbl/hr</td> <td>20 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> <td></td> </tr> <tr> <td>Base Density</td> <td>43.8 °API</td> <td>43.8 °API</td> </tr> <tr> <td>Avg Pvr Temp</td> <td>111.3</td> <td>113.4</td> </tr> <tr> <td>Avg Pvr Press</td> <td>127.0</td> <td>100.0</td> </tr> <tr> <td>Repeatability</td> <td>0.032 %</td> <td>0.041 %</td> </tr> <tr> <td>CMF</td> <td>1.0017</td> <td>1.0018</td> </tr> <tr> <td>CMF Variance</td> <td>0.0000</td> <td>0.0001</td> </tr> </table> |  | <u>Previous</u> | <u>Current</u> | Task ID | 1473981479 | 1473981642 | Date | 09/16/2016 | 09/16/2016 | Time | 11:17 | 11:20 | Product | Crude | Crude | Flowrate | 41 bbl/hr | 20 bbl/hr | Totalizer |  |  | Throughput |  |  | Base Density | 43.8 °API | 43.8 °API | Avg Pvr Temp | 111.3 | 113.4 | Avg Pvr Press | 127.0 | 100.0 | Repeatability | 0.032 % | 0.041 % | CMF | 1.0017 | 1.0018 | CMF Variance | 0.0000 | 0.0001 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------|----------------|---------|------------|------------|------|------------|------------|------|-------|-------|---------|-------|-------|----------|-----------|-----------|-----------|--|--|------------|--|--|--------------|-----------|-----------|--------------|-------|-------|---------------|-------|-------|---------------|---------|---------|-----|--------|--------|--------------|--------|--------|
|                                                                                                                                                                                                                   | <u>Previous</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Task ID                                                                                                                                                                                                           | 1473981479                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1473981642                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Date                                                                                                                                                                                                              | 09/16/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 09/16/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Time                                                                                                                                                                                                              | 11:17                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 11:20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Product                                                                                                                                                                                                           | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Flowrate                                                                                                                                                                                                          | 41 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 20 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Totalizer                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Throughput                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Base Density                                                                                                                                                                                                      | 43.8 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 43.8 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Avg Pvr Temp                                                                                                                                                                                                      | 111.3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 113.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Avg Pvr Press                                                                                                                                                                                                     | 127.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 100.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| Repeatability                                                                                                                                                                                                     | 0.032 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0.041 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| CMF                                                                                                                                                                                                               | 1.0017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 1.0018                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| CMF Variance                                                                                                                                                                                                      | 0.0000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0.0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 97.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0007                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |       |       |               |       |       |               |         |         |     |        |        |              |        |        |

| Run     | TEMPERATURE |       | PRESSURE |       | PULSES<br>N | Run Accepted ? |     | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|-------|----------|-------|-------------|----------------|-----|---------|--------------------|
|         | Tp          | Tm    | Pp       | Pm    |             |                |     |         |                    |
| 1       | 114.5       | 114.5 | 100.0    | 106.0 | 11884.000   | 1              | Yes | 1.00087 | 20.000             |
| 2       | 112.5       | 112.5 | 100.0    | 106.0 | 11879.000   | 2              | Yes | 1.00127 | 20.000             |
| 3       | 112.5       | 112.5 | 100.0    | 106.0 | 11881.000   | 3              | Yes | 1.00111 | 20.000             |
| 4       | 113.6       | 113.6 | 100.0    | 106.0 | 11879.000   | 4              | Yes | 1.00128 | 20.000             |
| 5       | 113.9       | 113.9 | 100.0    | 106.0 | 11882.000   | 5              | Yes | 1.00103 | 20.000             |
| Average | 113.4       | 113.4 | 100.0    | 106.0 | 11881.0000  |                |     | 1.00111 | 20.000             |

(1) GSVp:  $BPV * [CTSp * CPSP * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00099 | 1.00008 | 0.97176 | 1.00070 | 0.97348 | 1.15669 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11881.0000 | 10000.0000 | 1.18810 | 0.97176 | 1.00075 | 0.97249 | 1.15542 |

(3) Proving Factors:

>>>> (1)  $GSVp \div ISVm = 1.0011$  MF  
 (2)  $MF * CPL = 1.0018$  CMF  
 (3)  $1 \div MF = 0.9989$  MA  
 (4)  $NKF \div MF = 9989.0$  KF  
 (5)  $KF \div CPL = 9982.0$  CKF

Repeatability: 0.041 %  
 Uncertainty: 0.022 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVE

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.8 T23N R6W NMPM

*NE Chad Com*

|                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>67413117 WPX 199H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518632<br>Model No. | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 46.5 °API<br>Obs. Temp 110.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 42.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                             | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1468368066 1471550513<br>Date 07/12/2016 08/18/2016<br>Time 12:01 8:01<br>Product Crude Crude<br>Flowrate 42 bbl/hr 15 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 41.8°API 42.0 °API<br>Avg Prvr Temp 96.0 107.4<br>Avg Prvr Press 220.0 134.0<br>Repeatability 0.004 % 0.010 %<br>CMF 0.9993 0.9993<br>CMF Variance -0.0040 0.0000 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified     | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 130.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0009                                                                                                                                                                                                                                                                                                                                                                 |

| Run     | TEMPERATURE |       | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|-------|----------|-------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm    | Pp       | Pm    | N          |                |     |         | bb/hr    |
| 1       | 105.9       | 105.9 | 134.0    | 135.0 | 11912.274  | 1              | Yes | 0.99842 | 14.551   |
| 2       | 107.1       | 107.1 | 134.0    | 135.0 | 11912.761  | 2              | Yes | 0.99839 | 14.549   |
| 3       | 107.5       | 107.5 | 134.0    | 135.0 | 11913.525  | 3              | Yes | 0.99832 | 14.545   |
| 4       | 108.0       | 108.0 | 134.0    | 135.0 | 11912.745  | 4              | Yes | 0.99840 | 14.643   |
| 5       | 108.4       | 108.4 | 134.0    | 135.0 | 11912.793  | 5              | Yes | 0.99842 | 14.632   |
| Average | 107.4       | 107.4 | 134.0    | 135.0 | 11912.8196 |                |     | 0.99839 | 14.584   |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00088 | 1.00011 | 0.97547 | 1.00089 | 0.97730 | 1.16123 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11912.8196 | 10000.0000 | 1.19128 | 0.97547 | 1.00090 | 0.97635 | 1.16311 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9984 MF  
 (2) MF \* CPL = 0.9993 CMF  
 (3) 1 ÷ MF = 1.0016 MA  
 (4) NKF + MF = 10016 KF  
 (5) KF ÷ CPL = 10007 CKF

Repeatability: 0.010 %  
 Uncertainty: 0.005 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

*[Signature]*  
 Technician

Witness:

PROVE

Customer: WPX -

Operator:

Location:

Federal ID: SEC.8 T23N R6W NMPM

NECA/ACOM com  
300 4-31 247

| Meter Data                       | Product Data                          | Proving Data                         |
|----------------------------------|---------------------------------------|--------------------------------------|
| 67413117 WPX 199H                | Name Crude                            | <u>Previous</u> <u>Current</u>       |
| Factor Tracked Composite MF(CMF) | Batch No.                             | Task ID 1476825139 1476826203        |
| Temp Compensated No              | Obs. Gravity 43.5 °API                | Date 10/18/2016 10/18/2016           |
| NKF 10000.0000 N/bbl             | Obs. Temp 91.1 °F                     | Time 9:12 9:30                       |
| Manufacturer Micro Motion        | Obs. Press 0.0 psi                    | Product Crude Crude                  |
| Size 1.00 in                     | API Table Table A - Crude Oil (2004)  | Flowrate 42 bbl/hr 15 bbl/hr         |
| Serial No. 14518632              | Base Density 40.8 °API HYC Y          | Totalizer                            |
| Model No.                        |                                       | Throughput                           |
|                                  |                                       | Base Density 40.8 °API 40.8 °API     |
| <b>Prover Data</b>               | <b>Tolerances</b>                     |                                      |
| BPV 1.18820 bbl                  | Tolerance Type: Repeatability         | Avg Prvr Temp 89.5 88.9              |
| I.D. 7.981 in                    | Maximum Deviation: 0.050 %            | Avg Prvr Press 194.0 156.0           |
| W.T. 0.322 in                    | Enabled? Y Passed? Y Min # of Runs: 5 | Repeatability 0.037 % 0.014 %        |
| Manufacturer DOMINION            | Criteria: 5 out of 5 consecutive runs | CMF 1.0012 1.0008                    |
| Type Displacement-Sphere         | Avg X Prev Meter Factor Deviation:    | CMF Variance 0.0024 -0.0004          |
| Serial No. 23MM                  | Enabled? N Passed? Y Prod Dep? N      |                                      |
| Elasticity 3.0E7 1/psi           | Prev X Factor Count Sought: 1         | <b>Liquid Properties at Metering</b> |
| Pipe Gc 1.86E-5 1°F              | Prev X Factor Count Used: 0           | <b>Conditions for CMF</b>            |
|                                  | Cut Off History? N Cutoff Date:       | Normal Op. Pressure 152.0 psig       |
|                                  | Prev Meter Factor Deviation:          | Eq. Vapor Pressure 0.0 psig          |
|                                  | Enabled? N Passed? Y Prod Dep? N      | CPL 1.0009                           |
| Certified                        | Proving Mode: Volumetric              |                                      |
|                                  | Density Mode: Manual                  |                                      |
|                                  | Calc. Method: Avg. Meter Factor       |                                      |
|                                  | Proving Method: PIU                   |                                      |
|                                  | Passes Per Run 1                      |                                      |

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|-------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |     |         | bb/hr    |
| 1       | 88.9        | 88.9 | 156.0    | 158.0 | 11890.486  | 1              | Yes | 0.99994 | 14.569   |
| 2       | 88.9        | 88.9 | 156.0    | 158.0 | 11890.033  | 2              | Yes | 0.99998 | 14.567   |
| 3       | 88.8        | 88.8 | 156.0    | 158.0 | 11890.920  | 3              | Yes | 0.99991 | 14.531   |
| 4       | 88.8        | 88.8 | 156.0    | 158.0 | 11890.153  | 4              | Yes | 0.99997 | 14.577   |
| 5       | 88.9        | 88.9 | 156.0    | 158.0 | 11891.722  | 5              | Yes | 0.99984 | 14.569   |
| Average | 88.9        | 88.9 | 156.0    | 158.0 | 11890.6628 |                |     | 0.99993 | 14.562   |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00054 | 1.00013 | 0.98529 | 1.00095 | 0.98689 | 1.17262 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11890.6628 | 10000.0000 | 1.18907 | 0.98529 | 1.00096 | 0.98624 | 1.17271 |

(3) Proving Factors:

|      |     |               |        |     |
|------|-----|---------------|--------|-----|
| >>>> | (1) | GSVp ÷ ISVm = | 0.9999 | MF  |
|      | (2) | MF * CPL =    | 1.0008 | CMF |
|      | (3) | 1 ÷ MF =      | 1.0001 | MA  |
|      | (4) | NKF ÷ MF =    | 10001  | KF  |
|      | (5) | KF ÷ CPL =    | 9992.0 | CKF |

Repeatability: 0.014 %  
Uncertainty: 0.007 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVEit

Copyright 2009, Flow-Cal, Inc.  
PROVEit 8.7.0.010/18/2016 20:39 Page: 1  
Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.8 T23N R6W NMPM

RECHACO

| <b>Meter Data</b><br>67413117 WPX 199H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518632<br>Model No.         | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 46.6 °API<br>Obs. Temp 117.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.5 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                         | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1473976776</td> <td>1473981311</td> </tr> <tr> <td>Date 09/15/2016</td> <td>09/15/2016</td> </tr> <tr> <td>Time 9:59</td> <td>11:15</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 41 bbl/hr</td> <td>14 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 41.5 °API</td> <td>41.5 °API</td> </tr> <tr> <td>Avg Prvr Temp 114.0</td> <td>112.8</td> </tr> <tr> <td>Avg Prvr Press 167.0</td> <td>108.0</td> </tr> <tr> <td>Repeatability 0.049 %</td> <td>0.035 %</td> </tr> <tr> <td>CMF 1.0002</td> <td>0.9988</td> </tr> <tr> <td>CMF Variance -0.0001</td> <td>-0.0014</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1473976776 | 1473981311 | Date 09/15/2016 | 09/15/2016 | Time 9:59 | 11:15 | Product Crude | Crude | Flowrate 41 bbl/hr | 14 bbl/hr | Totalizer |  | Throughput |  | Base Density 41.5 °API | 41.5 °API | Avg Prvr Temp 114.0 | 112.8 | Avg Prvr Press 167.0 | 108.0 | Repeatability 0.049 % | 0.035 % | CMF 1.0002 | 0.9988 | CMF Variance -0.0001 | -0.0014 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|-----------|-------|---------------|-------|--------------------|-----------|-----------|--|------------|--|------------------------|-----------|---------------------|-------|----------------------|-------|-----------------------|---------|------------|--------|----------------------|---------|
| <u>Previous</u>                                                                                                                                                                                                    | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Task ID 1473976776                                                                                                                                                                                                 | 1473981311                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Date 09/15/2016                                                                                                                                                                                                    | 09/15/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Time 9:59                                                                                                                                                                                                          | 11:15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Product Crude                                                                                                                                                                                                      | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Flowrate 41 bbl/hr                                                                                                                                                                                                 | 14 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Totalizer                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Throughput                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Base Density 41.5 °API                                                                                                                                                                                             | 41.5 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Avg Prvr Temp 114.0                                                                                                                                                                                                | 112.8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Avg Prvr Press 167.0                                                                                                                                                                                               | 108.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| Repeatability 0.049 %                                                                                                                                                                                              | 0.035 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| CMF 1.0002                                                                                                                                                                                                         | 0.9988                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| CMF Variance -0.0001                                                                                                                                                                                               | -0.0014                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 98.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0007                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                        |           |                     |       |                      |       |                       |         |            |        |                      |         |

| Run     | TEMPERATURE |       | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|-------|----------|-------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm    | Pp       | Pm    | N          |                |     |         | bbl/hr   |
| 1       | 113.7       | 113.7 | 108.0    | 112.0 | 11915.000  | 1              | Yes | 0.99828 | 14.000   |
| 2       | 112.7       | 112.7 | 108.0    | 112.0 | 11917.000  | 2              | Yes | 0.99810 | 14.000   |
| 3       | 112.5       | 112.5 | 108.0    | 112.0 | 11918.000  | 3              | Yes | 0.99802 | 14.000   |
| 4       | 112.5       | 112.5 | 108.0    | 112.0 | 11919.000  | 4              | Yes | 0.99794 | 14.000   |
| 5       | 112.4       | 112.4 | 108.0    | 112.0 | 11919.000  | 5              | Yes | 0.99793 | 14.000   |
| Average | 112.8       | 112.8 | 108.0    | 112.0 | 11917.6000 |                |     | 0.99805 | 14.000   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00098 | 1.00009 | 0.97281 | 1.00073 | 0.97456 | 1.15797 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11917.6000 | 10000.0000 | 1.19176 | 0.97281 | 1.00075 | 0.97354 | 1.16023 |

(3) Proving Factors:

|      |     |               |        |     |                                                                                                                                          |
|------|-----|---------------|--------|-----|------------------------------------------------------------------------------------------------------------------------------------------|
| >>>> | (1) | GSVp ÷ ISVm = | 0.9981 | MF  | Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found |
|      | (2) | MF * CPL =    | 0.9988 | CMF |                                                                                                                                          |
|      | (3) | 1 ÷ MF =      | 1.0019 | MA  |                                                                                                                                          |
|      | (4) | NKF ÷ MF =    | 10019  | KF  |                                                                                                                                          |
|      | (5) | KF ÷ CPL =    | 10012  | CKF |                                                                                                                                          |

Repeatability: 0.035 %  
 Uncertainty: 0.019 %

Technician:

Witness:

PROVE

17-23a-54

10/13/2016 20:11 Page: 1  
Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.17 T23N R6W NMPM

15 CAA CO

17-23N-6W

| Meter Data                                                                                                                                                                                                    | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67412945 WPX 201H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518601<br>Model No.                  | Name Crude<br>Batch No.<br>Obs. Gravity 43.0 °API<br>Obs. Temp 95.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                  | <div style="display: flex; justify-content: space-between;"> <span>Previous</span> <span>Current</span> </div> Task ID 1468364008 1471470714<br>Date 07/12/2016 08/17/2016<br>Time 10:53 9:51<br>Product Crude Crude<br>Flowrate 42 bbl/hr 13 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 43.1°API 40.0 °API<br>Avg Pvr Temp 77.5 91.3<br>Avg Pvr Press 175.0 100.0<br>Repeatability 0.026 % 0.027 %<br>CMF 1.0009 1.0022<br>CMF Variance -0.0041 0.0013 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 100.0 psig<br>Eq. Vapor Pressure psig<br>CPL 1.0006                                                                                                                                                                                                                                                                                                                             |

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|-------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |     |         | bbl/hr   |
| 1       | 90.7        | 90.7 | 100.0    | 110.0 | 11871.255  | 1              | Yes | 1.00149 | 12.513   |
| 2       | 90.7        | 90.7 | 100.0    | 110.0 | 11870.913  | 2              | Yes | 1.00151 | 12.514   |
| 3       | 91.0        | 91.0 | 100.0    | 110.0 | 11868.209  | 3              | Yes | 1.00176 | 12.515   |
| 4       | 92.0        | 92.0 | 100.0    | 110.0 | 11871.274  | 4              | Yes | 1.00152 | 12.513   |
| 5       | 92.1        | 92.1 | 100.0    | 110.0 | 11870.454  | 5              | Yes | 1.00159 | 12.530   |
| Average | 91.3        | 91.3 | 100.0    | 110.0 | 11870.4210 |                |     | 1.00167 | 12.517   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00058 | 1.00008 | 0.98421 | 1.00061 | 0.98546 | 1.17092 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11870.4210 | 10000.0000 | 1.18704 | 0.98421 | 1.00067 | 0.98487 | 1.16908 |


(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0016 MF  
 (2) MF \* CPL = 1.0022 CMF  
 (3) 1 ÷ MF = 0.9984 MA  
 (4) NKF ÷ MF = 9984.0 KF  
 (5) KF ÷ CPL = 9978.0 CKF

Repeatability: 0.027 %  
 Uncertainty: 0.014 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician: 

Witness: 

PROVE

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.17 T23N R6W NMPM

NE CHACO  
 17-23N-6W

| <b>Meter Data</b><br>67412945 WPX 201H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518601<br>Model No.    | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 46.3 °API<br>Obs. Temp 83.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 44.2 °API HYC Y                                                                                                                                                                                                                                                                                                                                                              | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th></th> <th style="text-align: center;"><u>Previous</u></th> <th style="text-align: center;"><u>Current</u></th> </tr> <tr> <td>Task ID</td> <td>1473802697</td> <td>1473802869</td> </tr> <tr> <td>Date</td> <td>09/13/2016</td> <td>09/13/2016</td> </tr> <tr> <td>Time</td> <td>9:38</td> <td>9:41</td> </tr> <tr> <td>Product</td> <td>Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate</td> <td>41 bbl/hr</td> <td>12 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> <td></td> </tr> <tr> <td>Base Density</td> <td>44.2 °API</td> <td>44.2 °API</td> </tr> <tr> <td>Avg Pvr Temp</td> <td>83.8</td> <td>81.9</td> </tr> <tr> <td>Avg Pvr Press</td> <td>138.0</td> <td>103.0</td> </tr> <tr> <td>Repeatability</td> <td>0.043 %</td> <td>0.042 %</td> </tr> <tr> <td>CMF</td> <td>1.0012</td> <td>1.0026</td> </tr> <tr> <td>CMF Variance</td> <td>0.0002</td> <td>0.0014</td> </tr> </table> |  | <u>Previous</u> | <u>Current</u> | Task ID | 1473802697 | 1473802869 | Date | 09/13/2016 | 09/13/2016 | Time | 9:38 | 9:41 | Product | Crude | Crude | Flowrate | 41 bbl/hr | 12 bbl/hr | Totalizer |  |  | Throughput |  |  | Base Density | 44.2 °API | 44.2 °API | Avg Pvr Temp | 83.8 | 81.9 | Avg Pvr Press | 138.0 | 103.0 | Repeatability | 0.043 % | 0.042 % | CMF | 1.0012 | 1.0026 | CMF Variance | 0.0002 | 0.0014 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------|----------------|---------|------------|------------|------|------------|------------|------|------|------|---------|-------|-------|----------|-----------|-----------|-----------|--|--|------------|--|--|--------------|-----------|-----------|--------------|------|------|---------------|-------|-------|---------------|---------|---------|-----|--------|--------|--------------|--------|--------|
|                                                                                                                                                                                                               | <u>Previous</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Task ID                                                                                                                                                                                                       | 1473802697                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 1473802869                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Date                                                                                                                                                                                                          | 09/13/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 09/13/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Time                                                                                                                                                                                                          | 9:38                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 9:41                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Product                                                                                                                                                                                                       | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Flowrate                                                                                                                                                                                                      | 41 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 12 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Totalizer                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Throughput                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Base Density                                                                                                                                                                                                  | 44.2 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 44.2 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Avg Pvr Temp                                                                                                                                                                                                  | 83.8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 81.9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Avg Pvr Press                                                                                                                                                                                                 | 138.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 103.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| Repeatability                                                                                                                                                                                                 | 0.043 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.042 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| CMF                                                                                                                                                                                                           | 1.0012                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1.0026                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| CMF Variance                                                                                                                                                                                                  | 0.0002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0.0014                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 98.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0006                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |                 |                |         |            |            |      |            |            |      |      |      |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |              |      |      |               |       |       |               |         |         |     |        |        |              |        |        |

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|-------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |     |         | bbl/hr   |
| 1       | 82.1        | 82.1 | 103.0    | 108.0 | 11867.000  | 1              | Yes | 1.00174 | 12.000   |
| 2       | 82.5        | 82.5 | 103.0    | 108.0 | 11864.000  | 2              | Yes | 1.00200 | 12.000   |
| 3       | 81.3        | 81.3 | 103.0    | 108.0 | 11862.000  | 3              | Yes | 1.00215 | 12.000   |
| 4       | 82.0        | 82.0 | 103.0    | 108.0 | 11865.000  | 4              | Yes | 1.00191 | 12.000   |
| 5       | 81.8        | 81.8 | 103.0    | 108.0 | 11862.000  | 5              | Yes | 1.00216 | 12.000   |
| Average | 81.9        | 81.9 | 103.0    | 108.0 | 11864.0000 |                |     | 1.00199 | 12.000   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00041 | 1.00009 | 0.98842 | 1.00065 | 0.98956 | 1.17580 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11864.0000 | 10000.0000 | 1.18640 | 0.98842 | 1.00068 | 0.98909 | 1.17346 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0020 MF  
 (2) MF \* CPL = 1.0026 CMF  
 (3) 1 ÷ MF = 0.9980 MA  
 (4) NKF ÷ MF = 9980.0 KF  
 (5) KF ÷ CPL = 9974.0 CKF

Repeatability: 0.042 %  
 Uncertainty: 0.022 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVE

Customer: WPX -

Operator:

Location:

Federal ID: *NE CHACO*

| Meter Data                                                                                                                                                                                                                                                                        | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Proving Data                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67411556 WPX 206H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518573<br>Model No.                                                                                      | <b>Name</b> Crude<br><b>Batch No.</b><br><b>Obs. Gravity</b> 47.4 °API<br><b>Obs. Temp</b> 106.8 °F<br><b>Obs. Press</b> 0.0 psi<br><b>API Table</b> Table A - Crude Oil (2004)<br><b>Base Density</b> 43.1 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Previous</b> <b>Current</b><br><b>Task ID</b> 1476926317 1476927350<br><b>Date</b> 10/19/2016 10/19/2016<br><b>Time</b> 13:18 13:35<br><b>Product</b> Crude Crude<br><b>Flowrate</b> 42 bbl/hr 13 bbl/hr<br><b>Totalizer</b><br><b>Throughput</b><br><b>Base Density</b> 43.1 °API 43.1 °API |
| <b>Prover Data</b><br><b>BPV</b> 1.18820 bbl<br><b>I.D.</b> 7.981 in<br><b>W.T.</b> 0.322 in<br><b>Manufacturer</b> DOMINION<br><b>Type</b> Displacement-Sphere<br><b>Serial No.</b> 23MM<br><b>Elasticity</b> 3.0E7 1/psi<br><b>Pipe Gc</b> 1.86E-5 1/°F<br><br><b>Certified</b> | <b>Tolerances</b><br><b>Tolerance Type:</b> Repeatability<br><b>Maximum Deviation:</b> 0.050 %<br><b>Enabled?</b> Y <b>Passed?</b> Y <b>Min # of Runs:</b> 5<br><b>Criteria:</b> 5 out of 5 consecutive runs<br><b>Avg X Prev Meter Factor Deviation:</b><br><b>Enabled?</b> N <b>Passed?</b> Y <b>Prod Dep?</b> N<br><b>Prev X Factor Count Sought:</b> 1<br><b>Prev X Factor Count Used:</b> 0<br><b>Cut Off History?</b> N <b>Cutoff Date:</b><br><b>Prev Meter Factor Deviation:</b><br><b>Enabled?</b> N <b>Passed?</b> Y <b>Prod Dep?</b> N<br><b>Proving Mode:</b> Volumetric<br><b>Density Mode:</b> Manual<br><b>Calc. Method:</b> Avg. Meter Factor<br><b>Proving Method:</b> PIU<br><b>Passes Per Run</b> 1 | <b>Avg Prvr Temp</b> 101.6 100.9<br><b>Avg Prvr Press</b> 89.0 55.0<br><b>Repeatability</b> 0.043 % 0.037 %<br><b>CMF</b> 1.0022 1.0021<br><b>CMF Variance</b> 0.0003 -0.0001                                                                                                                   |
|                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>Liquid Properties at Metering Conditions for CMF</b><br><b>Normal Op. Pressure</b> 53.0 psig<br><b>Eq. Vapor Pressure</b> 0.0 psig<br><b>CPL</b> 1.0004                                                                                                                                      |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 102.6 102.6          | 55.0 58.0         | 11868.885   | 1 Yes          | 1.00192 | 12.470             |
| 2       | 100.1 100.1          | 55.0 58.0         | 11870.612   | 2 Yes          | 1.00175 | 12.501             |
| 3       | 100.7 100.7          | 55.0 58.0         | 11872.689   | 3 Yes          | 1.00158 | 12.514             |
| 4       | 100.7 100.7          | 55.0 58.0         | 11873.104   | 4 Yes          | 1.00155 | 12.538             |
| 5       | 100.5 100.5          | 55.0 58.0         | 11870.537   | 5 Yes          | 1.00176 | 12.530             |
| Average | 100.9 100.9          | 55.0 58.0         | 11871.1654  |                | 1.00171 | 12.511             |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$ 

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00076 | 1.00005 | 0.97858 | 1.00036 | 0.97973 | 1.16412 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$ 


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11871.1654 | 10000.0000 | 1.18712 | 0.97858 | 1.00038 | 0.97895 | 1.16213 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0017 MF  
 (2) MF \* CPL = 1.0021 CMF  
 (3) 1 + MF = 0.9983 MA  
 (4) NKF + MF = 9983.0 KF  
 (5) KF + CPL = 9979.0 CKF

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Repeatability: 0.037 %  
 Uncertainty: 0.020 %

Technician: 

Witness:

PROVE

Copyright 2009, Flow-Cal, Inc.  
 PROVEit PROVEit 8.7.0.0

10/19/2016 14:21 Page: 1  
 Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.16 T23N R6W NMPM

NE CHACO  
 16-23N-6W

| <b>Meter Data</b><br>67422755 WPX 209H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14517620<br>Model No.         | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 44.3 °API<br>Obs. Temp 90.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.7 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                       | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1468360182</td> <td>1470354213</td> </tr> <tr> <td>Date 07/12/2016</td> <td>08/04/2016</td> </tr> <tr> <td>Time 9:49</td> <td>11:43</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 42 bbl/hr</td> <td>23 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 41.8°API</td> <td>41.7 °API</td> </tr> <tr> <td>Avg Pvr Temp 88.5</td> <td>89.2</td> </tr> <tr> <td>Avg Pvr Press 215.0</td> <td>136.0</td> </tr> <tr> <td>Repeatability 0.029 %</td> <td>0.049 %</td> </tr> <tr> <td>CMF 0.9992</td> <td>1.0003</td> </tr> <tr> <td>CMF Variance -0.0001</td> <td>0.0011</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1468360182 | 1470354213 | Date 07/12/2016 | 08/04/2016 | Time 9:49 | 11:43 | Product Crude | Crude | Flowrate 42 bbl/hr | 23 bbl/hr | Totalizer |  | Throughput |  | Base Density 41.8°API | 41.7 °API | Avg Pvr Temp 88.5 | 89.2 | Avg Pvr Press 215.0 | 136.0 | Repeatability 0.029 % | 0.049 % | CMF 0.9992 | 1.0003 | CMF Variance -0.0001 | 0.0011 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|-----------|-------|---------------|-------|--------------------|-----------|-----------|--|------------|--|-----------------------|-----------|-------------------|------|---------------------|-------|-----------------------|---------|------------|--------|----------------------|--------|
| <u>Previous</u>                                                                                                                                                                                                    | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Task ID 1468360182                                                                                                                                                                                                 | 1470354213                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Date 07/12/2016                                                                                                                                                                                                    | 08/04/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Time 9:49                                                                                                                                                                                                          | 11:43                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Product Crude                                                                                                                                                                                                      | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Flowrate 42 bbl/hr                                                                                                                                                                                                 | 23 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Totalizer                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Throughput                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Base Density 41.8°API                                                                                                                                                                                              | 41.7 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Avg Pvr Temp 88.5                                                                                                                                                                                                  | 89.2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Avg Pvr Press 215.0                                                                                                                                                                                                | 136.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| Repeatability 0.029 %                                                                                                                                                                                              | 0.049 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| CMF 0.9992                                                                                                                                                                                                         | 1.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| CMF Variance -0.0001                                                                                                                                                                                               | 0.0011                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/PF<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 130.0 psig<br>Eq. Vapor Pressure psig<br>CPL 1.0008                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                 |                |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                     |       |                       |         |            |        |                      |        |

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|-------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |         |                    |
| 1       | 91.4        | 91.4 | 136.0    | 140.0 | 11893.686  | 1 Yes          | 0.99968 | 22.899             |
| 2       | 89.5        | 89.5 | 136.0    | 140.0 | 11897.138  | 2 Yes          | 0.99936 | 22.886             |
| 3       | 87.3        | 87.3 | 136.0    | 140.0 | 11894.065  | 3 Yes          | 0.99958 | 22.892             |
| 4       | 88.2        | 88.2 | 136.0    | 140.0 | 11892.492  | 4 Yes          | 0.99972 | 22.901             |
| 5       | 89.8        | 89.8 | 136.0    | 140.0 | 11898.648  | 5 Yes          | 0.99923 | 22.889             |
| Average | 89.2        | 89.2 | 136.0    | 140.0 | 11895.2058 |                | 0.99951 | 22.893             |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00054 | 1.00011 | 0.98498 | 1.00084 | 0.98645 | 1.17210 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11895.2058 | 10000.0000 | 1.18952 | 0.98498 | 1.00087 | 0.98584 | 1.17268 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9995 MF  
 (2) MF \* CPL = 1.0003 CMF  
 (3) 1 + MF = 1.0005 MA  
 (4) NKF ÷ MF = 10005 KF  
 (5) KF ÷ CPL = 9997.0 CKF

Repeatability: 0.049 %  
 Uncertainty: 0.026 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.16 T23N R6W NMPM

*Notched*  
*16-23-6W*

| <b>Meter Data</b><br>67422755 WPX 209H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14517620<br>Model No.    | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 43.5 °API<br>Obs. Temp 83.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.5 °API HYC Y                                                                                                                                                                                                                                                                                                                                                              | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1470355923</td> <td>1473802365</td> </tr> <tr> <td>Date 08/04/2016</td> <td>09/13/2016</td> </tr> <tr> <td>Time 12:12</td> <td>9:32</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 42 bbl/hr</td> <td>22 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 41.7°API</td> <td>41.5 °API</td> </tr> <tr> <td>Avg Prvr Temp 87.7</td> <td>83.8</td> </tr> <tr> <td>Avg Prvr Press 184.0</td> <td>139.0</td> </tr> <tr> <td>Repeatability 0.044 %</td> <td>0.037 %</td> </tr> <tr> <td>CMF 1.0006</td> <td>1.0004</td> </tr> <tr> <td>CMF Variance 0.0003</td> <td>-0.0002</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1470355923 | 1473802365 | Date 08/04/2016 | 09/13/2016 | Time 12:12 | 9:32 | Product Crude | Crude | Flowrate 42 bbl/hr | 22 bbl/hr | Totalizer |  | Throughput |  | Base Density 41.7°API | 41.5 °API | Avg Prvr Temp 87.7 | 83.8 | Avg Prvr Press 184.0 | 139.0 | Repeatability 0.044 % | 0.037 % | CMF 1.0006 | 1.0004 | CMF Variance 0.0003 | -0.0002 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|------------|------|---------------|-------|--------------------|-----------|-----------|--|------------|--|-----------------------|-----------|--------------------|------|----------------------|-------|-----------------------|---------|------------|--------|---------------------|---------|
| <u>Previous</u>                                                                                                                                                                                               | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Task ID 1470355923                                                                                                                                                                                            | 1473802365                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Date 08/04/2016                                                                                                                                                                                               | 09/13/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Time 12:12                                                                                                                                                                                                    | 9:32                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Product Crude                                                                                                                                                                                                 | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Flowrate 42 bbl/hr                                                                                                                                                                                            | 22 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Totalizer                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Throughput                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Base Density 41.7°API                                                                                                                                                                                         | 41.5 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Avg Prvr Temp 87.7                                                                                                                                                                                            | 83.8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Avg Prvr Press 184.0                                                                                                                                                                                          | 139.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| Repeatability 0.044 %                                                                                                                                                                                         | 0.037 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| CMF 1.0006                                                                                                                                                                                                    | 1.0004                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| CMF Variance 0.0003                                                                                                                                                                                           | -0.0002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 126.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0008                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                 |                |                    |            |                 |            |            |      |               |       |                    |           |           |  |            |  |                       |           |                    |      |                      |       |                       |         |            |        |                     |         |

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|-------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |     |         | bbVhr    |
| 1       | 85.0        | 85.0 | 139.0    | 140.0 | 11896.000  | 1              | Yes | 0.99940 | 22.000   |
| 2       | 84.4        | 84.4 | 139.0    | 140.0 | 11895.000  | 2              | Yes | 0.99946 | 22.000   |
| 3       | 83.2        | 83.2 | 139.0    | 140.0 | 11891.000  | 3              | Yes | 0.99977 | 22.000   |
| 4       | 83.2        | 83.2 | 139.0    | 140.0 | 11891.000  | 4              | Yes | 0.99977 | 22.000   |
| 5       | 83.2        | 83.2 | 139.0    | 140.0 | 11892.000  | 5              | Yes | 0.99969 | 22.000   |
| Average | 83.8        | 83.8 | 139.0    | 140.0 | 11893.0000 |                |     | 0.99962 | 22.000   |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00044 | 1.00011 | 0.98779 | 1.00084 | 0.98916 | 1.17532 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11893.0000 | 10000.0000 | 1.18930 | 0.98779 | 1.00085 | 0.98863 | 1.17578 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9996 MF  
 (2) MF \* CPL = 1.0004 CMF  
 (3) 1 ÷ MF = 1.0004 MA  
 (4) NKF ÷ MF = 10004 KF  
 (5) KF ÷ CPL = 9996.0 CKF

Repeatability: 0.037 %  
 Uncertainty: 0.020 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVEIT

Copyright 2009, Flow-Cal, Inc.  
 PROVEIT PROVEIT 8.7.0.0

09/13/2016 9:35 Page: 1  
 Revision: 1

Customer: WPX -

Operator:

Location:

Federal ID: SEC.16 T23N R6W NMPM

NE CHANCE C 2091  
3000031242

| Meter Data                       | Product Data                          | Proving Data                                     |
|----------------------------------|---------------------------------------|--------------------------------------------------|
| 67422755 WPX 209H                | Name Crude                            | <u>Previous</u> <u>Current</u>                   |
| Factor Tracked Composite MF(CMF) | Batch No.                             | Task ID 1476432180 1476432310                    |
| Temp Compensated No              | Obs. Gravity 41.0 °API                | Date 10/13/2016 10/13/2016                       |
| NKF 10000.0000 N/bbl             | Obs. Temp 60.0 °F                     | Time 20:03 20:05                                 |
| Manufacturer Micro Motion        | Obs. Press 0.0 psi                    | Product Crude Crude                              |
| Size 1.00 in                     | API Table Table A - Crude Oil (2004)  | Flowrate 41 bbl/hr 23 bbl/hr                     |
| Serial No. 14517620              | Base Density 41.0 °API HYC Y          | Totalizer                                        |
| Model No.                        |                                       | Throughput                                       |
|                                  |                                       | Base Density 41.0 °API 41.0 °API                 |
| Prover Data                      | Tolerances                            |                                                  |
| BPV 1.18820 bbl                  | Tolerance Type: Repeatability         | Avg Pvr Temp 88.1 87.1                           |
| I.D. 7.981 in                    | Maximum Deviation: 0.050 %            | Avg Pvr Press 126.0 88.0                         |
| W.T. 0.322 in                    | Enabled? Y Passed? Y Min # of Runs: 5 | Repeatability 0.025 % 0.042 %                    |
| Manufacturer DOMINION            | Criteria: 5 out of 5 consecutive runs | CMF 1.0004 1.0003                                |
| Type Displacement-Sphere         | Avg X Prev Meter Factor Deviation:    | CMF Variance -0.0006 -0.0001                     |
| Serial No. 23MM                  | Enabled? N Passed? Y Prod Dep? N      |                                                  |
| Elasticity 3.0E7 1/psi           | Prev X Factor Count Sought: 1         |                                                  |
| Pipe Gc 1.86E-5 1/F              | Prev X Factor Count Used: 0           |                                                  |
|                                  | Cut Off History? N Cutoff Date:       |                                                  |
|                                  | Prev Meter Factor Deviation:          |                                                  |
|                                  | Enabled? N Passed? Y Prod Dep? N      |                                                  |
| Certified                        | Proving Mode: Volumetric              |                                                  |
|                                  | Density Mode: Manual                  |                                                  |
|                                  | Calc. Method: Avg. Meter Factor       |                                                  |
|                                  | Proving Method: Manual                |                                                  |
|                                  | Passes Per Run 1                      |                                                  |
|                                  |                                       | Liquid Properties at Metering Conditions for CMF |
|                                  |                                       | Normal Op. Pressure 82.0 psig                    |
|                                  |                                       | Eq. Vapor Pressure 0.0 psig                      |
|                                  |                                       | CPL 1.0005                                       |

| Run     | TEMPERATURE | PRESSURE  | PULSES     | Run Accepted ? | IMF     | Flowrate |
|---------|-------------|-----------|------------|----------------|---------|----------|
|         | Tp Tm       | Pp Pm     | N          |                |         | bb/hr    |
| 1       | 86.5 86.5   | 88.0 91.0 | 11894.000  | 1 Yes          | 0.99954 | 23.000   |
| 2       | 86.4 86.4   | 88.0 91.0 | 11889.000  | 2 Yes          | 0.99996 | 23.000   |
| 3       | 87.3 87.3   | 88.0 91.0 | 11891.000  | 3 Yes          | 0.99980 | 23.000   |
| 4       | 87.8 87.8   | 88.0 91.0 | 11894.000  | 4 Yes          | 0.99957 | 23.000   |
| 5       | 87.4 87.4   | 88.0 91.0 | 11890.000  | 5 Yes          | 0.99990 | 23.000   |
| Average | 87.1 87.1   | 88.0 91.0 | 11891.6000 |                | 0.99975 | 23.000   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00050 | 1.00007 | 0.98618 | 1.00053 | 0.98727 | 1.17307 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11891.6000 | 10000.0000 | 1.18916 | 0.98618 | 1.00055 | 0.98672 | 1.17337 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9998 MF  
(2) MF \* CPL = 1.0003 CMF  
(3) 1 + MF = 1.0002 MA  
(4) NKF ÷ MF = 10002 KF  
(5) KF ÷ CPL = 9997.0 CKF

Repeatability: 0.042 %  
Uncertainty: 0.022 %

|                      |
|----------------------|
| Trans. Serial No.    |
| Flow Calib Factor    |
| Density Calib Factor |
| Frequency Set Point  |
| Flowrate Set Point   |
| Zero Verified        |
| As Found             |
| Zeroed               |
| As Left              |

Technician:

Witness:

PROVEIT

Copyright 2009, Flow-Cal, Inc.  
PROVEIT PROVEIT 8.7.0.0

10/13/2016 20:07 Page: 1  
Revision: 1

Customer: WPX -

Operator:

Location:

Federal ID:

NECH  
13-232-7w

| Meter Data                                                                                                                                                                                                    | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Proving Data                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67412826 WPX 187H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518605<br>Model No.                  | Name Crude<br>Batch No.<br>Obs. Gravity 42.0 °API<br>Obs. Temp 60.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 42.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                     | Previous Current<br>Task ID 1468356073 1470347823<br>Date 07/12/2016 08/04/2016<br>Time 8:41 9:57<br>Product Crude Crude<br>Flowrate 42 bbl/hr 8 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 42.0 °API 42.0 °API<br>Avg Pvr Temp 122.0 101.9<br>Avg Pvr Press 144.0 78.0<br>Repeatability 0.044 % 0.041 %<br>CMF 0.9987 1.0014<br>CMF Variance -0.0034 0.0027 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 78.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0005                                                                                                                                                                                                                               |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbVhr |
|---------|----------------------|-------------------|-------------|----------------|---------|-------------------|
| 1       | 100.1 100.1          | 78.0 80.0         | 11880.128   | 1 Yes          | 1.00095 | 8.198             |
| 2       | 102.1 102.1          | 78.0 80.0         | 11881.745   | 2 Yes          | 1.00085 | 8.308             |
| 3       | 102.3 102.3          | 78.0 80.0         | 11880.457   | 3 Yes          | 1.00096 | 8.234             |
| 4       | 102.3 102.3          | 78.0 80.0         | 11881.174   | 4 Yes          | 1.00090 | 8.234             |
| 5       | 102.7 102.7          | 78.0 80.0         | 11880.682   | 5 Yes          | 1.00095 | 8.145             |
| Average | 101.9 101.9          | 78.0 80.0         | 11880.8372  |                | 1.00092 | 8.224             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00078 | 1.00006 | 0.97833 | 1.00051 | 0.97965 | 1.16402 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11880.8372 | 10000.0000 | 1.18808 | 0.97833 | 1.00052 | 0.97884 | 1.16294 |

(3) Proving Factors:

|          |               |        |     |
|----------|---------------|--------|-----|
| >>>> (1) | GSVp + ISVm = | 1.0009 | MF  |
| (2)      | MF * CPL =    | 1.0014 | CMF |
| (3)      | 1 + MF =      | 0.9991 | MA  |
| (4)      | NKF ÷ MF =    | 9991.0 | KF  |
| (5)      | KF ÷ CPL =    | 9986.0 | CKF |

 Repeatability: 0.011 %  
 Uncertainty: 0.006 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

 Copyright 2009, Flow-Cal, Inc.  
 PROVEit PROVEit 8.7.0.0

 08/04/2016 10:29 Page: 1  
 Revision: 1

Customer: WPX -

Operator:

Location:

Federal ID:

nt C4A co

13-234-74

| Meter Data                                                                                                                                                                                                     | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Proving Data                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67412826 WPX 187H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518605<br>Model No.                   | <b>Name Crude</b><br>Batch No.<br>Obs. Gravity 43.5 °API<br>Obs. Temp 98.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.2 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                              | <b>Previous Current</b><br>Task ID 1473802004 1473802177<br>Date 09/13/2016 09/13/2016<br>Time 9:26 9:29<br>Product Crude Crude<br>Flowrate 31 bbl/hr 10 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.2 °API 40.2 °API<br>Avg Pvr Temp 104.3 104.1<br>Avg Pvr Press 116.0 98.0<br>Repeatability 0.017 % 0.043 %<br>CMF 1.0006 1.0010<br>CMF Variance -0.0007 0.0004 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/PF<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 87.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0006                                                                                                                                                                                                                                       |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 104.3 104.3          | 98.0 98.0         | 11885.000   | 1 Yes          | 1.00065 | 10.000             |
| 2       | 104.4 104.4          | 98.0 98.0         | 11890.000   | 2 Yes          | 1.00024 | 10.000             |
| 3       | 104.3 104.3          | 98.0 98.0         | 11888.000   | 3 Yes          | 1.00040 | 10.000             |
| 4       | 103.8 103.8          | 98.0 98.0         | 11888.000   | 4 Yes          | 1.00038 | 10.000             |
| 5       | 103.9 103.9          | 98.0 98.0         | 11890.000   | 5 Yes          | 1.00022 | 10.000             |
| Average | 104.1 104.1          | 98.0 98.0         | 11888.2000  |                | 1.00038 | 10.000             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00082 | 1.00008 | 0.97766 | 1.00062 | 0.97915 | 1.16343 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11888.2000 | 10000.0000 | 1.18882 | 0.97766 | 1.00062 | 0.97827 | 1.16299 |

(3) Proving Factors:

|                |     |               |        |     |                      |
|----------------|-----|---------------|--------|-----|----------------------|
| >>>>           | (1) | GSVp ÷ ISVm = | 1.0004 | MF  | Trans. Serial No.    |
|                | (2) | MF * CPL =    | 1.0010 | CMF | Flow Calib Factor    |
|                | (3) | 1 ÷ MF =      | 0.9996 | MA  | Density Calib Factor |
|                | (4) | NKF ÷ MF =    | 9996.0 | KF  | Frequency Set Point  |
|                | (5) | KF ÷ CPL =    | 9990.0 | CKF | Flowrate Set Point   |
| Repeatability: |     | 0.043 %       |        |     | Zero Verified        |
| Uncertainty:   |     | 0.023 %       |        |     | As Found             |
|                |     |               |        |     | Zeroed               |
|                |     |               |        |     | As Left              |

Technician:

Witness:

PROVEIT

Copyright 2009, Flow-Cal, Inc.  
PROVEIT PROVEIT 8.7.0.009/13/2016 9:31 Page: 1  
Revision: 1

Federal ID:  
NEC 4ACU CUN  
13-23274  
30-034-21208

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate<br>bb/hrs |
|---------|-------------|------|----------|-------|------------|----------------|-----|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |     |         |                    |
| 1       | 98.3        | 98.3 | 110.0    | 112.0 | 11889.173  | 1              | No  | 1.00018 | 12.472             |
| 2       | 98.4        | 98.4 | 110.0    | 112.0 | 11879.872  | 2              | Yes | 1.00096 | 12.531             |
| 3       | 96.0        | 96.0 | 110.0    | 112.0 | 11877.269  | 3              | Yes | 1.00114 | 12.545             |
| 4       | 94.5        | 94.5 | 110.0    | 112.0 | 11879.125  | 4              | Yes | 1.00096 | 12.485             |
| 5       | 93.8        | 93.8 | 110.0    | 112.0 | 11878.225  | 5              | Yes | 1.00102 | 12.512             |
| 6       | 93.0        | 93.0 | 110.0    | 112.0 | 11879.638  | 6              | Yes | 1.00088 | 12.535             |
| Average | 95.1        | 95.1 | 110.0    | 112.0 | 11878.8258 |                |     | 1.00099 | 12.522             |

|            |             |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <i>BPV</i> | <i>CTSp</i> | <i>CPSp</i> | <i>CTLp</i> | <i>CPLp</i> | <i>CCFp</i> | <i>GSVp</i> |
| 1.18820    | 1.00065     | 1.00009     | 0.98155     | 1.00072     | 0.98298     | 1.16798     |

| <i>N</i> (avg) | <i>NKF</i> | <i>IVm</i> | <i>CTLm</i> | <i>GPLm</i> | <i>CCFm</i> | <i>ISVm</i> |
|----------------|------------|------------|-------------|-------------|-------------|-------------|
| 11878.8258     | 10000.0000 | 1.18768    | 0.98155     | 1.00073     | 0.98227     | 1.16682     |

```

>>>> (1)   GSVp ÷ ISVm =      1.0010   MF
        (2)   MF * CPL =      1.0017   CMF
        (3)   1 ÷ MF =      0.9990   MA
        (4)   NKF ÷ MF =      9990.0   KF
        (5)   KF ÷ CPL =     9983.0   CKE

```

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

10/18/2016 20:38 Page: 1  
Revision: 3

Customer: WPX -  
Operator:  
Location:  
Federal ID:

NE CLAU  
1823-66

| <b>Meter Data</b><br>67412397 WPX 240H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 In<br>Serial No. 14516547<br>Model No.        | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 45.2 °API<br>Obs. Temp 101.4 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.5 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                         | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1468289618</td> <td>1470341061</td> </tr> <tr> <td>Date 07/11/2016</td> <td>08/04/2016</td> </tr> <tr> <td>Time 14:13</td> <td>8:04</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 42 bbl/hr</td> <td>8 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 42.4 °API</td> <td>41.5 °API</td> </tr> <tr> <td>Avg Prvr Temp 113.3</td> <td>98.3</td> </tr> <tr> <td>Avg Prvr Press 148.0</td> <td>78.0</td> </tr> <tr> <td>Repeatability 0.003 %</td> <td>0.007 %</td> </tr> <tr> <td>CMF 0.9989</td> <td>0.9997</td> </tr> <tr> <td>CMF Variance -0.0017</td> <td>0.0008</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1468289618 | 1470341061 | Date 07/11/2016 | 08/04/2016 | Time 14:13 | 8:04 | Product Crude | Crude | Flowrate 42 bbl/hr | 8 bbl/hr | Totalizer |  | Throughput |  | Base Density 42.4 °API | 41.5 °API | Avg Prvr Temp 113.3 | 98.3 | Avg Prvr Press 148.0 | 78.0 | Repeatability 0.003 % | 0.007 % | CMF 0.9989 | 0.9997 | CMF Variance -0.0017 | 0.0008 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|------------|------|---------------|-------|--------------------|----------|-----------|--|------------|--|------------------------|-----------|---------------------|------|----------------------|------|-----------------------|---------|------------|--------|----------------------|--------|
| <u>Previous</u>                                                                                                                                                                                                   | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Task ID 1468289618                                                                                                                                                                                                | 1470341061                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Date 07/11/2016                                                                                                                                                                                                   | 08/04/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Time 14:13                                                                                                                                                                                                        | 8:04                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Product Crude                                                                                                                                                                                                     | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Flowrate 42 bbl/hr                                                                                                                                                                                                | 8 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Totalizer                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Throughput                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Base Density 42.4 °API                                                                                                                                                                                            | 41.5 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Avg Prvr Temp 113.3                                                                                                                                                                                               | 98.3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Avg Prvr Press 148.0                                                                                                                                                                                              | 78.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Repeatability 0.003 %                                                                                                                                                                                             | 0.007 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| CMF 0.9989                                                                                                                                                                                                        | 0.9997                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| CMF Variance -0.0017                                                                                                                                                                                              | 0.0008                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 In<br>W.T. 0.322 In<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 75.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0005                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                 |                |                    |            |                 |            |            |      |               |       |                    |          |           |  |            |  |                        |           |                     |      |                      |      |                       |         |            |        |                      |        |

| Run     | TEMPERATURE |       | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|-------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm    | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 97.3        | 97.3  | 78.0     | 80.0 | 11899.777  | 1              | Yes | 0.99925 | 8.298    |
| 2       | 99.6        | 99.6  | 78.0     | 80.0 | 11900.908  | 2              | Yes | 0.99919 | 8.308    |
| 3       | 100.1       | 100.1 | 78.0     | 89.0 | 11899.451  | 3              | Yes | 0.99926 | 8.343    |
| 4       | 97.3        | 97.3  | 78.0     | 80.0 | 11899.984  | 4              | Yes | 0.99923 | 8.311    |
| 5       | 97.3        | 97.3  | 78.0     | 80.0 | 11900.454  | 5              | Yes | 0.99919 | 8.298    |
| Average | 98.3        | 98.3  | 78.0     | 81.8 | 11900.1148 |                |     | 0.99922 | 8.312    |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00071 | 1.00006 | 0.98032 | 1.00050 | 0.98157 | 1.16630 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11900.1148 | 10000.0000 | 1.19001 | 0.98032 | 1.00052 | 0.98083 | 1.16720 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9992 MF  
 (2) MF \* CPL = 0.9997 CMF  
 (3) 1 ÷ MF = 1.0008 MA  
 (4) NKF ÷ MF = 10008 KF  
 (5) KF ÷ CPL = 10003 CKF

Repeatability: 0.007 %  
 Uncertainty: 0.004 %

|                                                                        |                    |
|------------------------------------------------------------------------|--------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor         | Zeroed<br>As Found |
| Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left  |

Technician

Witness:

PROVE

Copyright 2009, Flow-Cal, Inc.  
 PROVEIT PROVEIT 8.7.0.0

08/04/2016 9:54 Page: 1  
 Revision: 3

18-23-24

| Run            | TEMPERATURE |             | PRESSURE    |             | PULSES<br>N       | Run Accepted ? |     | IMF            | Flowrate<br>bbl/hr |
|----------------|-------------|-------------|-------------|-------------|-------------------|----------------|-----|----------------|--------------------|
|                | Tp          | Tm          | Pp          | Pm          |                   |                |     |                |                    |
| 1              | 94.7        | 94.7        | 97.0        | 98.0        | 11893.177         | 1              | Yes | 0.99979        | 12.493             |
| 2              | 92.8        | 92.8        | 97.0        | 98.0        | 11886.955         | 2              | Yes | 1.00026        | 12.514             |
| 3              | 92.5        | 92.5        | 97.0        | 98.0        | 11891.267         | 3              | Yes | 0.99990        | 12.481             |
| 4              | 91.0        | 91.0        | 97.0        | 98.0        | 11888.357         | 4              | Yes | 1.00011        | 12.508             |
| 5              | 91.8        | 91.8        | 97.0        | 98.0        | 11890.931         | 5              | Yes | 0.99992        | 12.501             |
| <b>Average</b> | <b>92.6</b> | <b>92.6</b> | <b>97.0</b> | <b>98.0</b> | <b>11890.1374</b> |                |     | <b>1.00000</b> | <b>12.499</b>      |

|            |             |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <i>BPV</i> | <i>CTSp</i> | <i>CPSp</i> | <i>CTLp</i> | <i>CPLp</i> | <i>CCFp</i> | <i>GSVp</i> |
| 1.18820    | 1.00061     | 1.00008     | 0.98322     | 1.00061     | 0.98450     | 1.16978     |

| <i>N</i> (avg) | <i>NKF</i> | <i>Ivm</i> | <i>CTLm</i> | <i>CPLm</i> | <i>CCFm</i> | <i>ISVm</i> |
|----------------|------------|------------|-------------|-------------|-------------|-------------|
| 11890.1374     | 10000.0000 | 1.18901    | 0.98322     | 1.00061     | 0.98382     | 1.16977     |

```
>>>> (1) GSVp ÷ ISVm = 1.0000
      (2) MF * CPL = 1.0006
      (3) 1 ÷ MF = 1.0000
      (4) NKF ÷ MF = 10000.0
      (5) KF ÷ CPL = 9994.0
```

Repeatability: 0.047 %  
Uncertainty: 0.025 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician

**Witness:**

Customer: WPX -

Operator:

Location:

Federal ID:

15-CHAO  
18-234-6W

| Meter Data                                                                                                                                                                                                    | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Proving Data                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67412397 WPX 240H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14516547<br>Model No.                  | <b>Name Crude</b><br>Batch No.<br>Obs. Gravity 45.2 °API<br>Obs. Temp 85.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 43.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                              | <b>Previous Current</b><br>Task ID 1473801700 1473801853<br>Date 09/13/2016 09/13/2016<br>Time 9:21 9:24<br>Product Crude Crude<br>Flowrate 41 bbl/hr 8 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 43.0 °API 43.0 °API<br>Avg Pvr Temp 100.8 98.3<br>Avg Pvr Press 128.0 86.0<br>Repeatability 0.030 % 0.043 %<br>CMF 1.0012 1.0010<br>CMF Variance 0.0005 -0.0002 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 78.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0005                                                                                                                                                                                                                                     |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 98.8 98.8            | 86.0 87.0         | 11882.000   | 1 Yes          | 1.00077 | 8.000              |
| 2       | 98.3 98.3            | 86.0 87.0         | 11883.000   | 2 Yes          | 1.00089 | 8.000              |
| 3       | 97.9 97.9            | 86.0 87.0         | 11886.000   | 3 Yes          | 1.00041 | 8.000              |
| 4       | 98.3 98.3            | 86.0 87.0         | 11887.000   | 4 Yes          | 1.00034 | 8.000              |
| 5       | 98.2 98.2            | 86.0 87.0         | 11885.000   | 5 Yes          | 1.00051 | 8.000              |
| Average | 98.3 98.3            | 86.0 87.0         | 11884.6000  |                | 1.00054 | 8.000              |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00071 | 1.00007 | 0.97997 | 1.00056 | 0.98128 | 1.16596 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11884.6000 | 10000.0000 | 1.18846 | 0.97997 | 1.00057 | 0.98053 | 1.16532 |

(3) Proving Factors:

|               |        |     |                      |
|---------------|--------|-----|----------------------|
| GSVp ÷ ISVm = | 1.0005 | MF  | Trans. Serial No.    |
| MF * CPL =    | 1.0010 | CMF | Flow Calib Factor    |
| 1 ÷ MF =      | 0.9995 | MA  | Density Calib Factor |
| NKF ÷ MF =    | 9995.0 | KF  | Frequency Set Point  |
| KF ÷ CPL =    | 9990.0 | CKF | Flowrate Set Point   |
|               |        |     | Zero Verified        |
|               |        |     | As Found             |
|               |        |     | Zeroed               |
|               |        |     | As Left              |

Repeatability: 0.043 %  
Uncertainty: 0.023 %

Technician:

Witness:

PROVE

Customer: WPX -  
Operator:  
Location:  
Federal ID:

20-232-6W

|                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>67411556 WPX 206H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518573<br>Model No.  | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 44.5 °API<br>Obs. Temp 80.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 42.7 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                          | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1470263102 1470264234<br>Date 08/03/2016 08/03/2016<br>Time 10:25 10:43<br>Product Crude Crude<br>Flowrate 42 bbl/hr 7 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 42.7 °API 42.7 °API<br><br>Avg Prvr Temp 79.6 79.6<br>Avg Prvr Press 85.0 42.0<br>Repeatability 0.008 % 0.018 %<br>CMF 1.0020 1.0009<br>CMF Variance 0.0027 -0.0011 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/PF<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 42.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                                    |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 79.6        | 79.6 | 42.0     | 42.0 | 11878.655  | 1              | Yes | 1.00066 | 6.500    |
| 2       | 79.6        | 79.6 | 42.0     | 42.0 | 11879.356  | 2              | Yes | 1.00060 | 6.500    |
| 3       | 79.6        | 79.6 | 42.0     | 42.0 | 11880.923  | 3              | Yes | 1.00048 | 6.500    |
| 4       | 79.6        | 79.6 | 42.0     | 42.0 | 11878.956  | 4              | Yes | 1.00064 | 6.500    |
| 5       | 79.6        | 79.6 | 42.0     | 42.0 | 11879.473  | 5              | Yes | 1.00060 | 6.500    |
| Average | 79.6        | 79.6 | 42.0     | 42.0 | 11879.4726 |                |     | 1.00060 | 6.500    |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00036 | 1.00003 | 0.98981 | 1.00026 | 0.99045 | 1.17685 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11879.4726 | 10000.0000 | 1.18795 | 0.98981 | 1.00026 | 0.99007 | 1.17615 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0006 MF  
(2) MF \* CPL = 1.0009 CMF  
(3) 1 ÷ MF = 0.9994 MA  
(4) NKF ÷ MF = 9994.0 KF  
(5) KF + CPL = 9991.0 CKF

Repeatability: 0.018 %  
Uncertainty: 0.010 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVE

Federal ID:

NECHAD  
20-234-64

| Meter Data                       |  |  | Product Data                          |  |  | Proving Data                                     |  |  |
|----------------------------------|--|--|---------------------------------------|--|--|--------------------------------------------------|--|--|
| 67411556 WPX 206H                |  |  | Name Crude                            |  |  | <u>Previous</u> <u>Current</u>                   |  |  |
| Factor Tracked Composite MF(CMF) |  |  | Batch No.                             |  |  | Task ID 1473713688 1473713832                    |  |  |
| Temp Compensated No              |  |  | Obs. Gravity 47.0 °API                |  |  | Date 09/12/2016 09/12/2016                       |  |  |
| NKF 10000.0000 N/bbl             |  |  | Obs. Temp 110.0 °F                    |  |  | Time 8:54 8:57                                   |  |  |
| Manufacturer Micro Motion        |  |  | Obs. Press 0.0 psi                    |  |  | Product Crude Crude                              |  |  |
| Size 1.00 in                     |  |  | API Table Table A - Crude Oil (2004)  |  |  | Flowrate 41 bbl/hr 8 bbl/hr                      |  |  |
| Serial No. 14518573              |  |  | Base Density 42.5 °API HYC Y          |  |  | Totalizer                                        |  |  |
| Model No.                        |  |  |                                       |  |  | Throughput                                       |  |  |
|                                  |  |  | Tolerances                            |  |  | Base Density 42.5 °API 42.5 °API                 |  |  |
|                                  |  |  | Tolerance Type: Repeatability         |  |  | Avg Prvr Temp 110.9 105.7                        |  |  |
|                                  |  |  | Maximum Deviation: 0.050 %            |  |  | Avg Prvr Press 99.0 66.0                         |  |  |
|                                  |  |  | Enabled? Y Passed? Y Min # of Runs: 5 |  |  | Repeatability 0.033 % 0.033 %                    |  |  |
|                                  |  |  | Criteria: 5 out of 5 consecutive runs |  |  | CMF 1.0012 1.0019                                |  |  |
|                                  |  |  | Avg X Prev Meter Factor Deviation:    |  |  | CMF Variance 0.0003 0.0007                       |  |  |
|                                  |  |  | Enabled? N Passed? Y Prod Dep? N      |  |  |                                                  |  |  |
|                                  |  |  | Prev X Factor Count Sought: 1         |  |  |                                                  |  |  |
|                                  |  |  | Prev X Factor Count Used: 0           |  |  |                                                  |  |  |
|                                  |  |  | Cut Off History? N Cutoff Date:       |  |  |                                                  |  |  |
|                                  |  |  | Prev Meter Factor Deviation:          |  |  |                                                  |  |  |
|                                  |  |  | Enabled? N Passed? Y Prod Dep? N      |  |  |                                                  |  |  |
|                                  |  |  | Proving Mode: Volumetric              |  |  |                                                  |  |  |
|                                  |  |  | Density Mode: Manual                  |  |  |                                                  |  |  |
|                                  |  |  | Calc. Method: Avg. Meter Factor       |  |  |                                                  |  |  |
|                                  |  |  | Proving Method: Manual                |  |  |                                                  |  |  |
|                                  |  |  | Passes Per Run 1                      |  |  |                                                  |  |  |
|                                  |  |  |                                       |  |  | Liquid Properties at Metering Conditions for CMF |  |  |
|                                  |  |  |                                       |  |  | Normal Op. Pressure 61.0 psig                    |  |  |
|                                  |  |  |                                       |  |  | Eq. Vapor Pressure 0.0 psig                      |  |  |
|                                  |  |  |                                       |  |  | CPL 1.0004                                       |  |  |
| Prover Data                      |  |  |                                       |  |  |                                                  |  |  |
| BPV 1.18820 bbl                  |  |  |                                       |  |  |                                                  |  |  |
| I.D. 7.981 in                    |  |  |                                       |  |  |                                                  |  |  |
| W.T. 0.322 in                    |  |  |                                       |  |  |                                                  |  |  |
| Manufacturer DOMINION            |  |  |                                       |  |  |                                                  |  |  |
| Type Displacement-Sphere         |  |  |                                       |  |  |                                                  |  |  |
| Serial No. 23MM                  |  |  |                                       |  |  |                                                  |  |  |
| Elasticity 3.0E7 1/psi           |  |  |                                       |  |  |                                                  |  |  |
| Pipe Gc 1.86E-5 1/°F             |  |  |                                       |  |  |                                                  |  |  |
| Certified                        |  |  |                                       |  |  |                                                  |  |  |

| Run            | TEMPERATURE  |              | PRESSURE    |             | PULSES            | Run Accepted ? | IMF            | Flowrate<br>bbl/hr |
|----------------|--------------|--------------|-------------|-------------|-------------------|----------------|----------------|--------------------|
|                | Tp           | Tm           | Pp          | Pm          | N                 |                |                |                    |
| 1              | 108.2        | 108.2        | 66.0        | 68.0        | 11873.000         | 1 Yes          | 1.00169        | 8.000              |
| 2              | 105.4        | 105.4        | 66.0        | 68.0        | 11876.000         | 2 Yes          | 1.00139        | 8.000              |
| 3              | 104.2        | 104.2        | 66.0        | 68.0        | 11876.000         | 3 Yes          | 1.00136        | 8.000              |
| 4              | 105.3        | 105.3        | 66.0        | 68.0        | 11874.000         | 4 Yes          | 1.00155        | 8.000              |
| 5              | 105.2        | 105.2        | 66.0        | 68.0        | 11874.000         | 5 Yes          | 1.00156        | 8.000              |
| <b>Average</b> | <b>105.7</b> | <b>105.7</b> | <b>66.0</b> | <b>68.0</b> | <b>11874.6000</b> |                | <b>1.00151</b> | <b>8.000</b>       |

(1) GSV<sub>p</sub>: BPV \* [CTS<sub>p</sub> \* CPS<sub>p</sub> \* CTL<sub>p</sub> \* CPL<sub>p</sub> = CCF<sub>p</sub>]

|            |             |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <i>BPV</i> | <i>CTSp</i> | <i>CPSp</i> | <i>CTLp</i> | <i>CPLp</i> | <i>CCFp</i> | <i>GSVp</i> |
| 1.18820    | 1.00085     | 1.00005     | 0.97622     | 1.00044     | 0.97753     | 1.16150     |

(2) ISVm:  $[N(\text{avg}) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

| <i>N</i> (avg) | <i>NKF</i> | <i>IVm</i> | <i>CTLm</i> | <i>GPLm</i> | <i>CCFm</i> | <i>ISVm</i> |
|----------------|------------|------------|-------------|-------------|-------------|-------------|
| 11874.6000     | 10000.0000 | 1.18746    | 0.97622     | 1.00045     | 0.97666     | 1.15974     |

**(3) Proving Factors:**

|      |     |               |        |     |
|------|-----|---------------|--------|-----|
| >>>> | (1) | GSVp ÷ ISVm = | 1.0015 | MF  |
|      | (2) | MF * CPL =    | 1.0019 | CMF |
|      | (3) | 1 ÷ MF =      | 0.9985 | MA  |
|      | (4) | NKF ÷ MF =    | 9985.0 | KF  |
|      | (5) | KF ÷ CPL =    | 9981.0 | CKF |

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Repeatability: 0.033 %  
Uncertainty: 0.018 %

Technician:

Witness:

**PROVE**

Copyright 2009, Flow-Cal, Inc.  
PROVEit PROVEit 8.7.0.0

09/12/2016 9:00 Page: 1  
Revision: 1

Customer: WPX -

Operator:

Location:

Federal ID:

NB 4400

20-23-6W

| Meter Data                                                                                                                                                                                                                                                                       | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67411113 WPX 208H</b><br><b>Factor Tracked Composite MF(CMF)</b><br><b>Temp Compensated No</b><br><b>NKF 10000.0000 N/bbl</b><br><b>Manufacturer Micro Motion</b><br><b>Size 2.00 in</b><br><b>Serial No. 14518575</b><br><b>Model No.</b>                                    | <b>Name Crude</b><br><b>Batch No.</b><br><b>Obs. Gravity 44.9 °API</b><br><b>Obs. Temp 103.0 °F</b><br><b>Obs. Press 0.0 psi</b><br><b>API Table Table A - Crude Oil (2004)</b><br><b>Base Density 41.1 °API</b> <b>HYC Y</b>                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Previous</b> <b>Current</b><br><b>Task ID 1476921955 1476922867</b><br><b>Date 10/19/2016 10/19/2016</b><br><b>Time 12:05 12:21</b><br><b>Product Crude Crude</b><br><b>Flowrate 42 bbl/hr 12 bbl/hr</b><br><b>Totalizer</b><br><b>Throughput</b><br><b>Base Density 41.1 °API 41.1 °API</b><br><b>Avg Prvr Temp 90.5 88.2</b><br><b>Avg Prvr Press 93.0 60.0</b><br><b>Repeatability 0.033 % 0.048 %</b><br><b>CMF 1.0009 1.0008</b><br><b>CMF Variance 0.0008 -0.0001</b> |
| <b>Prover Data</b><br><b>BPV 1.18820 bbl</b><br><b>I.D. 7.981 in</b><br><b>W.T. 0.322 in</b><br><b>Manufacturer DOMINION</b><br><b>Type Displacement-Sphere</b><br><b>Serial No. 23MM</b><br><b>Elasticity 3.0E7 1/psi</b><br><b>Pipe Gc 1.86E-5 1°F</b><br><br><b>Certified</b> | <b>Tolerances</b><br><b>Tolerance Type: Repeatability</b><br><b>Maximum Deviation: 0.050 %</b><br><b>Enabled? Y Passed? Y Min # of Runs: 5</b><br><b>Criteria: 5 out of 5 consecutive runs</b><br><b>Avg X Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Prev X Factor Count Sought: 1</b><br><b>Prev X Factor Count Used: 0</b><br><b>Cut Off History? N Cutoff Date:</b><br><b>Prev Meter Factor Deviation: 0.25</b><br><b>Enabled? Y Passed? Y Prod Dep? N</b><br><b>Proving Mode: Volumetric</b><br><b>Density Mode: Manual</b><br><b>Calc. Method: Avg. Meter Factor</b><br><b>Proving Method: PIU</b><br><b>Passes Per Run 1</b> | <b>Liquid Properties at Metering Conditions for CMF</b><br><b>Normal Op. Pressure 55.0 psig</b><br><b>Eq. Vapor Pressure 0.0 psig</b><br><b>CPL 1.0003</b>                                                                                                                                                                                                                                                                                                                     |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 89.4        | 89.4 | 60.0     | 60.0 | 11884.519  | 1              | Yes | 1.00039 | 12.488   |
| 2       | 88.5        | 88.5 | 60.0     | 60.0 | 11886.062  | 2              | Yes | 1.00025 | 12.503   |
| 3       | 87.7        | 87.7 | 60.0     | 60.0 | 11881.615  | 3              | Yes | 1.00061 | 12.496   |
| 4       | 87.7        | 87.7 | 60.0     | 60.0 | 11880.080  | 4              | Yes | 1.00073 | 12.492   |
| 5       | 87.9        | 87.9 | 60.0     | 60.0 | 11881.664  | 5              | Yes | 1.00060 | 12.503   |
| Average | 88.2        | 88.2 | 60.0     | 60.0 | 11882.7880 |                |     | 1.00052 | 12.496   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$ 

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00052 | 1.00005 | 0.98560 | 1.00037 | 0.98653 | 1.17219 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$ 

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11882.7880 | 10000.0000 | 1.18828 | 0.98560 | 1.00037 | 0.98596 | 1.17160 |

(3) Proving Factors:

|      |     |               |        |     |
|------|-----|---------------|--------|-----|
| >>>> | (1) | GSVp ÷ ISVm = | 1.0005 | MF  |
|      | (2) | MF * CPL =    | 1.0008 | CMF |
|      | (3) | 1 ÷ MF =      | 0.9995 | MA  |
|      | (4) | NKF + MF =    | 9995.0 | KF  |
|      | (5) | KF ÷ CPL =    | 9992.0 | CKF |

Repeatability: 0.048 %  
 Uncertainty: 0.026 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE



Customer: WPX -

Operator:

Location:

Federal ID:

NECHAC  
20-23N-6W

| <b>Meter Data</b><br><b>67411113 WPX 208H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14518575<br>Model No. | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 43.6 °API<br>Obs. Temp 82.4 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.6 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                            | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;">Previous</th> <th style="text-align: left;">Current</th> </tr> <tr> <td>Task ID 1468269358</td> <td>1470253995</td> </tr> <tr> <td>Date 07/11/2016</td> <td>08/03/2016</td> </tr> <tr> <td>Time 8:35</td> <td>7:53</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 42 bbl/hr</td> <td>10 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 41.4°API</td> <td>41.6 °API</td> </tr> <tr> <td>Avg Prvr Temp 107.0</td> <td>79.4</td> </tr> <tr> <td>Avg Prvr Press 105.0</td> <td>42.0</td> </tr> <tr> <td>Repeatability 0.002 %</td> <td>0.034 %</td> </tr> <tr> <td>CMF 0.9957</td> <td>1.0005</td> </tr> <tr> <td>CMF Variance 0.0046</td> <td>0.0048</td> </tr> </table> | Previous | Current | Task ID 1468269358 | 1470253995 | Date 07/11/2016 | 08/03/2016 | Time 8:35 | 7:53 | Product Crude | Crude | Flowrate 42 bbl/hr | 10 bbl/hr | Totalizer |  | Throughput |  | Base Density 41.4°API | 41.6 °API | Avg Prvr Temp 107.0 | 79.4 | Avg Prvr Press 105.0 | 42.0 | Repeatability 0.002 % | 0.034 % | CMF 0.9957 | 1.0005 | CMF Variance 0.0046 | 0.0048 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|--------------------|------------|-----------------|------------|-----------|------|---------------|-------|--------------------|-----------|-----------|--|------------|--|-----------------------|-----------|---------------------|------|----------------------|------|-----------------------|---------|------------|--------|---------------------|--------|
| Previous                                                                                                                                                                                                          | Current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Task ID 1468269358                                                                                                                                                                                                | 1470253995                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Date 07/11/2016                                                                                                                                                                                                   | 08/03/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Time 8:35                                                                                                                                                                                                         | 7:53                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Product Crude                                                                                                                                                                                                     | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Flowrate 42 bbl/hr                                                                                                                                                                                                | 10 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Totalizer                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Throughput                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Base Density 41.4°API                                                                                                                                                                                             | 41.6 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Avg Prvr Temp 107.0                                                                                                                                                                                               | 79.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Avg Prvr Press 105.0                                                                                                                                                                                              | 42.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| Repeatability 0.002 %                                                                                                                                                                                             | 0.034 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| CMF 0.9957                                                                                                                                                                                                        | 1.0005                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| CMF Variance 0.0046                                                                                                                                                                                               | 0.0048                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation: 0.25<br>Enabled? Y Passed? N Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 40.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                     |        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 78.9        | 78.9 | 42.0     | 42.0 | 11884.677  | 1              | Yes | 1.00014 | 10.392   |
| 2       | 79.5        | 79.5 | 42.0     | 42.0 | 11881.448  | 2              | Yes | 1.00043 | 10.411   |
| 3       | 79.1        | 79.1 | 42.0     | 42.0 | 11880.908  | 3              | Yes | 1.00048 | 10.412   |
| 4       | 79.8        | 79.8 | 42.0     | 42.0 | 11882.891  | 4              | Yes | 1.00032 | 10.406   |
| 5       | 79.4        | 79.4 | 42.0     | 42.0 | 11882.481  | 5              | Yes | 1.00035 | 10.405   |
| Average | 79.4        | 79.4 | 42.0     | 42.0 | 11882.4810 |                |     | 1.00034 | 10.405   |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00036 | 1.00003 | 0.99005 | 1.00025 | 0.99068 | 1.17713 |

Status

Failed - Prior deviation outside defined max.

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11882.4810 | 10000.0000 | 1.18825 | 0.99005 | 1.00025 | 0.99030 | 1.17672 |

(3) Proving Factors:

|          |               |        |     |
|----------|---------------|--------|-----|
| >>>> (1) | GSVp ÷ ISVm = | 1.0003 | MF  |
| (2)      | MF * CPL =    | 1.0005 | CMF |
| (3)      | 1 ÷ MF =      | 0.9997 | MA  |
| (4)      | NKF ÷ MF =    | 9997.0 | KF  |
| (5)      | KF ÷ CPL =    | 9995.0 | CKF |

 Repeatability: 0.034 %  
 Uncertainty: 0.018 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Customer: WPX -  
Operator:  
Location:  
Federal ID:

|                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>67411557 WPX 191H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518579<br>Model No.     | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 44.7 °API<br>Obs. Temp 104.2 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                         | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1468280020 1470270582<br>Date 07/11/2016 08/03/2016<br>Time 11:33 12:29<br>Product Crude Crude<br>Flowrate 42 bbl/hr 6 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.3°API 40.8 °API<br><br>Avg Pvr Temp 110.0 98.8<br>Avg Pvr Press 120.0 55.0<br>Repeatability 0.008 % 0.043 %<br>CMF 0.9975 0.9998<br>CMF Variance 0.0043 0.0023 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 46.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                                  |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         |                    |
| 1       | 98.6        | 98.6 | 55.0     | 55.0 | 11900.292  | 1              | No  | 0.99924 | 6.219              |
| 2       | 99.1        | 99.1 | 55.0     | 55.0 | 11893.398  | 2              | Yes | 0.99983 | 6.252              |
| 3       | 98.7        | 98.7 | 55.0     | 55.0 | 11897.567  | 3              | Yes | 0.99946 | 6.200              |
| 4       | 98.7        | 98.7 | 55.0     | 55.0 | 11898.264  | 4              | Yes | 0.99940 | 6.200              |
| 5       | 98.7        | 98.7 | 55.0     | 55.0 | 11897.934  | 5              | Yes | 0.99943 | 6.200              |
| 6       | 98.7        | 98.7 | 55.0     | 55.0 | 11897.265  | 6              | Yes | 0.99949 | 6.200              |
| Average | 98.8        | 98.8 | 55.0     | 55.0 | 11896.8856 |                |     | 0.99952 | 6.210              |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00072 | 1.00005 | 0.98022 | 1.00035 | 0.98132 | 1.16600 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11896.8856 | 10000.0000 | 1.18969 | 0.98022 | 1.00035 | 0.98056 | 1.16656 |

(3) Proving Factors:

|                |     |               |        |     |                                                                                                                                                                                                                        |
|----------------|-----|---------------|--------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| >>>>           | (1) | GSVp ÷ ISVm = | 0.9995 | MF  | <div style="border: 1px solid black; padding: 5px;"> Trans. Serial No.<br/> Flow Calib Factor<br/> Density Calib Factor<br/> <br/> Frequency Set Point<br/> Flowrate Set Point<br/> Zero Verified<br/> As Found </div> |
|                | (2) | MF * CPL =    | 0.9998 | CMF |                                                                                                                                                                                                                        |
|                | (3) | 1 ÷ MF =      | 1.0005 | MA  |                                                                                                                                                                                                                        |
|                | (4) | NKF ÷ MF =    | 10005  | KF  |                                                                                                                                                                                                                        |
|                | (5) | KF ÷ CPL =    | 10002  | CKF |                                                                                                                                                                                                                        |
| Repeatability: |     | 0.043 %       |        |     |                                                                                                                                                                                                                        |
| Uncertainty:   |     | 0.024 %       |        |     |                                                                                                                                                                                                                        |

Technician

PROVE

Witness:

Customer: WPX -

Operator:

Location:

Federal ID:

19-202-6W

| Meter Data                                                                                                                                                                                                                                                                        | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67411557 WPX 191H</b><br><b>Factor Tracked Composite MF(CMF)</b><br><b>Temp Compensated No</b><br><b>NKF 10000.0000 N/bbl</b><br><b>Manufacturer Micro Motion</b><br><b>Size 1.00 in</b><br><b>Serial No. 14518579</b><br><b>Model No.</b>                                     | <b>Name Crude</b><br><b>Batch No.</b><br><b>Obs. Gravity 38.9 °API</b><br><b>Obs. Temp 76.5 °F</b><br><b>Obs. Press 0.0 psi</b><br><b>API Table Table A - Crude Oil (2004)</b><br><b>Base Density 37.6 °API</b> <b>HYC Y</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Previous</b> <b>Current</b><br><b>Task ID 1476917027 1476917949</b><br><b>Date 10/19/2016 10/19/2016</b><br><b>Time 10:43 10:59</b><br><b>Product Crude Crude</b><br><b>Flowrate 42 bbl/hr 13 bbl/hr</b><br><b>Totalizer</b><br><b>Throughput</b><br><b>Base Density 37.6 °API 37.6 °API</b> |
| <b>Prover Data</b><br><b>BPV 1.18820 bbl</b><br><b>I.D. 7.981 in</b><br><b>W.T. 0.322 in</b><br><b>Manufacturer DOMINION</b><br><b>Type Displacement-Sphere</b><br><b>Serial No. 23MM</b><br><b>Elasticity 3.0E7 1/psi</b><br><b>Pipe Gc 1.86E-5 1/°F</b><br><br><b>Certified</b> | <b>Tolerances</b><br><b>Tolerance Type: Repeatability</b><br><b>Maximum Deviation: 0.050 %</b><br><b>Enabled? Y Passed? Y Min # of Runs: 5</b><br><b>Criteria: 5 out of 5 consecutive runs</b><br><br><b>Avg X Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Prev X Factor Count Sought: 1</b><br><b>Prev X Factor Count Used: 0</b><br><b>Cut Off History? N Cutoff Date:</b><br><br><b>Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><br><b>Proving Mode: Volumetric</b><br><b>Density Mode: Manual</b><br><b>Calc. Method: Avg. Meter Factor</b><br><b>Proving Method: PIU</b><br><b>Passes Per Run 1</b> | <b>Avg Pvr Temp 75.9 73.7</b><br><b>Avg Pvr Press 107.0 76.0</b><br><b>Repeatability 0.042 % 0.014 %</b><br><b>CMF 1.0012 1.0011</b><br><b>CMF Variance -0.0005 -0.0001</b>                                                                                                                     |
|                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Liquid Properties at Metering Conditions for CMF</b><br><b>Normal Op. Pressure 70.0 psig</b><br><b>Eq. Vapor Pressure 0.0 psig</b><br><b>CPL 1.0004</b>                                                                                                                                      |

| Run     | TEMPERATURE | PRESSURE  | PULSES     | Run Accepted ? | IMF     | Flowrate |
|---------|-------------|-----------|------------|----------------|---------|----------|
|         | Tp Tm       | Pp Pm     | N          |                |         | bbl/hr   |
| 1       | 74.6 74.6   | 76.0 76.0 | 11877.871  | 1 Yes          | 1.00067 | 12.486   |
| 2       | 73.8 73.8   | 76.0 76.0 | 11876.298  | 2 Yes          | 1.00081 | 12.549   |
| 3       | 73.5 73.5   | 76.0 76.0 | 11877.336  | 3 Yes          | 1.00071 | 12.512   |
| 4       | 73.4 73.4   | 76.0 76.0 | 11876.950  | 4 Yes          | 1.00073 | 12.504   |
| 5       | 73.2 73.2   | 76.0 76.0 | 11876.658  | 5 Yes          | 1.00075 | 12.484   |
| Average | 73.7 73.7   | 76.0 76.0 | 11877.0226 |                | 1.00073 | 12.507   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$ 

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00025 | 1.00006 | 0.99330 | 1.00042 | 0.99403 | 1.18111 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$ 

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11877.0226 | 10000.0000 | 1.18770 | 0.99330 | 1.00042 | 0.99372 | 1.18024 |

(3) Proving Factors:

>>>> (1)  $GSVp \div ISVm = 1.0007$  MF  
 (2)  $MF * CPL = 1.0011$  CMF  
 (3)  $1 + MF = 0.9993$  MA  
 (4)  $NKF \div MF = 9993.0$  KF  
 (5)  $KF \div CPL = 9989.0$  CKF

Repeatability: 0.014 %  
 Uncertainty: 0.007 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVEit

 Copyright 2009, Flow-Cal, Inc.  
 PROVEit PROVEit 8.7.0.0

 10/19/2016 11:40 Page: 1  
 Revision: 1

Customer: WPX -

Operator:

Location:

Federal ID:

25 Chs  
1923260

| Meter Data                                                                                                                                                                                                    | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Proving Data                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67411557 WPX 191H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14518579<br>Model No.                  | <b>Name Crude</b><br>Batch No.<br>Obs. Gravity 42.8 °API<br>Obs. Temp 82.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.9 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                              | <b>Previous Current</b><br>Task ID 1473714085 1473714207<br>Date 09/12/2016 09/12/2016<br>Time 9:01 9:03<br>Product Crude Crude<br>Flowrate 41 bbl/hr 8 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.9 °API 40.9 °API<br>Avg Pvr Temp 83.0 84.0<br>Avg Pvr Press 109.0 77.0<br>Repeatability 0.010 % 0.034 %<br>CMF 1.0009 1.0017<br>CMF Variance 0.0003 0.0008 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 70.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0004                                                                                                                                                                                                                                   |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 83.9        | 83.9 | 77.0     | 78.0 | 11873.000  | 1              | Yes | 1.00125 | 8.000    |
| 2       | 84.0        | 84.0 | 77.0     | 78.0 | 11871.000  | 2              | Yes | 1.00143 | 8.000    |
| 3       | 84.0        | 84.0 | 77.0     | 78.0 | 11874.000  | 3              | Yes | 1.00118 | 8.000    |
| 4       | 84.0        | 84.0 | 77.0     | 78.0 | 11870.000  | 4              | Yes | 1.00152 | 8.000    |
| 5       | 84.0        | 84.0 | 77.0     | 78.0 | 11873.000  | 5              | Yes | 1.00126 | 8.000    |
| Average | 84.0        | 84.0 | 77.0     | 78.0 | 11872.2000 |                |     | 1.00133 | 8.000    |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00045 | 1.00006 | 0.98778 | 1.00046 | 0.98874 | 1.17482 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11872.2000 | 10000.0000 | 1.18722 | 0.98778 | 1.00047 | 0.98824 | 1.17326 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0013 MF  
 (2) MF \* CPL = 1.0017 CMF  
 (3) 1 ÷ MF = 0.9987 MA  
 (4) NKF ÷ MF = 9987.0 KF  
 (5) KF ÷ CPL = 9983.0 CKF

Repeatability: 0.034 %  
 Uncertainty: 0.018 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Customer: WPX -  
Operator:  
Location:  
Federal ID:

| Meter Data                                                                                                                                                                                                     | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|--------------------|------------|-----------------|------------|------------|-------|---------------|-------|--------------------|----------|-----------|--|------------|--|-----------------------|-----------|---------------------|------|----------------------|------|-----------------------|---------|------------|--------|----------------------|--------|
| <b>67411711 WPX 188H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14517638<br>Model No.                   | Name Crude<br>Batch No.<br>Obs. Gravity 43.0 °API<br>Obs. Temp 89.7 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.4 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                     | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:50%; text-align: left;">Previous</th> <th style="width:50%; text-align: left;">Current</th> </tr> </thead> <tbody> <tr> <td>Task ID 1468284286</td> <td>1470275727</td> </tr> <tr> <td>Date 07/11/2016</td> <td>08/03/2016</td> </tr> <tr> <td>Time 12:44</td> <td>13:55</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 42 bbl/hr</td> <td>8 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 38.6°API</td> <td>40.4 °API</td> </tr> <tr> <td>Avg Prvr Temp 109.4</td> <td>91.3</td> </tr> <tr> <td>Avg Prvr Press 144.0</td> <td>80.0</td> </tr> <tr> <td>Repeatability 0.006 %</td> <td>0.020 %</td> </tr> <tr> <td>CMF 0.9984</td> <td>1.0019</td> </tr> <tr> <td>CMF Variance -0.0025</td> <td>0.0035</td> </tr> </tbody> </table> | Previous | Current | Task ID 1468284286 | 1470275727 | Date 07/11/2016 | 08/03/2016 | Time 12:44 | 13:55 | Product Crude | Crude | Flowrate 42 bbl/hr | 8 bbl/hr | Totalizer |  | Throughput |  | Base Density 38.6°API | 40.4 °API | Avg Prvr Temp 109.4 | 91.3 | Avg Prvr Press 144.0 | 80.0 | Repeatability 0.006 % | 0.020 % | CMF 0.9984 | 1.0019 | CMF Variance -0.0025 | 0.0035 |
| Previous                                                                                                                                                                                                       | Current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Task ID 1468284286                                                                                                                                                                                             | 1470275727                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Date 07/11/2016                                                                                                                                                                                                | 08/03/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Time 12:44                                                                                                                                                                                                     | 13:55                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Product Crude                                                                                                                                                                                                  | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Flowrate 42 bbl/hr                                                                                                                                                                                             | 8 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Totalizer                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Throughput                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Base Density 38.6°API                                                                                                                                                                                          | 40.4 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Avg Prvr Temp 109.4                                                                                                                                                                                            | 91.3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Avg Prvr Press 144.0                                                                                                                                                                                           | 80.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| Repeatability 0.006 %                                                                                                                                                                                          | 0.020 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| CMF 0.9984                                                                                                                                                                                                     | 1.0019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| CMF Variance -0.0025                                                                                                                                                                                           | 0.0035                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/PF<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 74.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0005                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |         |                    |            |                 |            |            |       |               |       |                    |          |           |  |            |  |                       |           |                     |      |                      |      |                       |         |            |        |                      |        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|---------|--------------------|
|         | TP          | Tm   | Pp       | Pm   | N          |                |         |                    |
| 1       | 93.6        | 93.6 | 80.0     | 83.0 | 11871.963  | 1 Yes          | 1.00152 | 8.341              |
| 2       | 91.1        | 91.1 | 80.0     | 83.0 | 11873.780  | 2 Yes          | 1.00132 | 8.339              |
| 3       | 89.2        | 89.2 | 80.0     | 83.0 | 11872.195  | 3 Yes          | 1.00142 | 8.339              |
| 4       | 91.3        | 91.3 | 80.0     | 83.0 | 11872.455  | 4 Yes          | 1.00144 | 8.452              |
| 5       | 91.3        | 91.3 | 80.0     | 83.0 | 11872.598  | 5 Yes          | 1.00143 | 8.368              |
| Average | 91.3        | 91.3 | 80.0     | 83.0 | 11872.5982 |                | 1.00143 | 8.368              |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00058 | 1.00007 | 0.98414 | 1.00049 | 0.98526 | 1.17069 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11872.5982 | 10000.0000 | 1.18726 | 0.98414 | 1.00051 | 0.98464 | 1.16902 |

(3) Proving Factors:


>>>> (1) GSVp ÷ ISVm = 1.0014 MF  
 (2) MF \* CPL = 1.0019 CMF  
 (3) 1 ÷ MF = 0.9986 MA  
 (4) NKF ÷ MF = 9986.0 KF  
 (5) KF ÷ CPL = 9981.0 CKF

Repeatability: 0.020 %  
 Uncertainty: 0.011 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician: 

Witness:



Customer: WPX -  
Operator:  
Location:  
Federal ID:

W6 CHAC  
19 232-62

| <b>Meter Data</b><br>67411711 WPX 188H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 1.00 in<br>Serial No. 14517638<br>Model No.     | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 43.5 °API<br>Obs. Temp 91.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                           | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;">Previous</th> <th style="text-align: left;">Current</th> </tr> <tr> <td>Task ID 1476912298</td> <td>1476913699</td> </tr> <tr> <td>Date 10/19/2016</td> <td>10/19/2016</td> </tr> <tr> <td>Time 9:24</td> <td>9:48</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 42 bbl/hr</td> <td>13 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 40.8 °API</td> <td>40.8 °API</td> </tr> <tr> <td>Avg Prvr Temp 89.1</td> <td>88.1</td> </tr> <tr> <td>Avg Prvr Press 124.0</td> <td>99.0</td> </tr> <tr> <td>Repeatability 0.032 %</td> <td>0.034 %</td> </tr> <tr> <td>CMF 1.0022</td> <td>1.0019</td> </tr> <tr> <td>CMF Variance 0.0000</td> <td>-0.0003</td> </tr> </table> | Previous | Current | Task ID 1476912298 | 1476913699 | Date 10/19/2016 | 10/19/2016 | Time 9:24 | 9:48 | Product Crude | Crude | Flowrate 42 bbl/hr | 13 bbl/hr | Totalizer |  | Throughput |  | Base Density 40.8 °API | 40.8 °API | Avg Prvr Temp 89.1 | 88.1 | Avg Prvr Press 124.0 | 99.0 | Repeatability 0.032 % | 0.034 % | CMF 1.0022 | 1.0019 | CMF Variance 0.0000 | -0.0003 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|--------------------|------------|-----------------|------------|-----------|------|---------------|-------|--------------------|-----------|-----------|--|------------|--|------------------------|-----------|--------------------|------|----------------------|------|-----------------------|---------|------------|--------|---------------------|---------|
| Previous                                                                                                                                                                                                       | Current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Task ID 1476912298                                                                                                                                                                                             | 1476913699                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Date 10/19/2016                                                                                                                                                                                                | 10/19/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Time 9:24                                                                                                                                                                                                      | 9:48                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Product Crude                                                                                                                                                                                                  | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Flowrate 42 bbl/hr                                                                                                                                                                                             | 13 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Totalizer                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Throughput                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Base Density 40.8 °API                                                                                                                                                                                         | 40.8 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Avg Prvr Temp 89.1                                                                                                                                                                                             | 88.1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Avg Prvr Press 124.0                                                                                                                                                                                           | 99.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| Repeatability 0.032 %                                                                                                                                                                                          | 0.034 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| CMF 1.0022                                                                                                                                                                                                     | 1.0019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| CMF Variance 0.0000                                                                                                                                                                                            | -0.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 82.0 psig<br>Eq. Vapor Pressure psig<br>CPL 1.0005                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                    |      |                      |      |                       |         |            |        |                     |         |

| Run     | TEMPERATURE |      | PRESSURE |       | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|-------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm    | N          |                |     |         | bbl/hr   |
| 1       | 86.2        | 86.2 | 99.0     | 112.0 | 11868.874  | 1              | Yes | 1.00160 | 12.497   |
| 2       | 88.4        | 88.4 | 99.0     | 112.0 | 11873.253  | 2              | Yes | 1.00126 | 12.513   |
| 3       | 88.9        | 88.9 | 99.0     | 112.0 | 11871.083  | 3              | Yes | 1.00146 | 12.524   |
| 4       | 88.9        | 88.9 | 99.0     | 112.0 | 11872.495  | 4              | Yes | 1.00134 | 12.499   |
| 5       | 88.3        | 88.3 | 99.0     | 112.0 | 11869.895  | 5              | Yes | 1.00155 | 12.522   |
| Average | 88.1        | 88.1 | 99.0     | 112.0 | 11871.1200 |                |     | 1.00144 | 12.511   |

(1) GSVp:  $BPV * [CTSp * CPSP * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00052 | 1.00008 | 0.98570 | 1.00060 | 0.98688 | 1.17261 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11871.1200 | 10000.0000 | 1.18711 | 0.98570 | 1.00068 | 0.98637 | 1.17093 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0014 MF  
 (2) MF \* CPL = 1.0019 CMF  
 (3) 1 + MF = 0.9986 MA  
 (4) NKF + MF = 9986.0 KF  
 (5) KF + CPL = 9981.0 CKF

Repeatability: 0.034 %  
 Uncertainty: 0.018 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician: 

Witness:

PROVEIT

09/12/2016 9:10 Page: 1  
Revision: 1

Customer: WPX -  
 Operator:  
 Location: 342 - Lact  
 Federal ID:

| <b>Meter Data</b><br>WPX342 WPX South Chaco 342 Sales<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 In<br>Serial No. 14490120<br>Model No. | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 41.6 °API<br>Obs. Temp 45.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 42.9 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                       | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;">Previous</th> <th style="text-align: left;">Current</th> </tr> <tr> <td>Task ID 1478116943</td> <td>1478821131</td> </tr> <tr> <td>Date 11/02/2016</td> <td>11/10/2016</td> </tr> <tr> <td>Time 8:02</td> <td>10:38</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 115 bbl/hr</td> <td>115 bbl/hr</td> </tr> <tr> <td>Totalizer 138513</td> <td>145662</td> </tr> <tr> <td>Throughput 8009</td> <td>7149</td> </tr> <tr> <td>Base Density 40.8 °API</td> <td>42.9 °API</td> </tr> <tr> <td>Avg Pvr Temp 84.9</td> <td>64.7</td> </tr> <tr> <td>Avg Pvr Press 22.0</td> <td>10.0</td> </tr> <tr> <td>Repeatability 0.022 %</td> <td>0.036 %</td> </tr> <tr> <td>CMF 1.0012</td> <td>1.0022</td> </tr> <tr> <td>CMF Variance -0.0004</td> <td>0.0010</td> </tr> </table> | Previous | Current | Task ID 1478116943 | 1478821131 | Date 11/02/2016 | 11/10/2016 | Time 8:02 | 10:38 | Product Crude | Crude | Flowrate 115 bbl/hr | 115 bbl/hr | Totalizer 138513 | 145662 | Throughput 8009 | 7149 | Base Density 40.8 °API | 42.9 °API | Avg Pvr Temp 84.9 | 64.7 | Avg Pvr Press 22.0 | 10.0 | Repeatability 0.022 % | 0.036 % | CMF 1.0012 | 1.0022 | CMF Variance -0.0004 | 0.0010 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|--------------------|------------|-----------------|------------|-----------|-------|---------------|-------|---------------------|------------|------------------|--------|-----------------|------|------------------------|-----------|-------------------|------|--------------------|------|-----------------------|---------|------------|--------|----------------------|--------|
| Previous                                                                                                                                                                                                                  | Current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Task ID 1478116943                                                                                                                                                                                                        | 1478821131                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Date 11/02/2016                                                                                                                                                                                                           | 11/10/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Time 8:02                                                                                                                                                                                                                 | 10:38                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Product Crude                                                                                                                                                                                                             | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Flowrate 115 bbl/hr                                                                                                                                                                                                       | 115 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Totalizer 138513                                                                                                                                                                                                          | 145662                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Throughput 8009                                                                                                                                                                                                           | 7149                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Base Density 40.8 °API                                                                                                                                                                                                    | 42.9 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Avg Pvr Temp 84.9                                                                                                                                                                                                         | 64.7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Avg Pvr Press 22.0                                                                                                                                                                                                        | 10.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Repeatability 0.022 %                                                                                                                                                                                                     | 0.036 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| CMF 1.0012                                                                                                                                                                                                                | 1.0022                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| CMF Variance -0.0004                                                                                                                                                                                                      | 0.0010                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 In<br>W.T. 0.322 In<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br><br>Certified        | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 24.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |         |                    |            |                 |            |           |       |               |       |                     |            |                  |        |                 |      |                        |           |                   |      |                    |      |                       |         |            |        |                      |        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 63.8        | 63.8 | 10.0     | 24.0 | 11856.804  | 1              | Yes | 1.00213 | 114.857  |
| 2       | 65.4        | 65.4 | 10.0     | 24.0 | 11857.315  | 2              | Yes | 1.00211 | 114.809  |
| 3       | 64.8        | 64.8 | 10.0     | 24.0 | 11860.121  | 3              | Yes | 1.00187 | 114.773  |
| 4       | 65.1        | 65.1 | 10.0     | 24.0 | 11855.776  | 4              | Yes | 1.00223 | 114.798  |
| 5       | 64.5        | 64.5 | 10.0     | 24.0 | 11857.548  | 5              | Yes | 1.00208 | 114.818  |
| Average | 64.7        | 64.7 | 10.0     | 24.0 | 11857.5128 |                |     | 1.00208 | 114.811  |

(1) GSVp:  $BPV * [CTSp * CPSP * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00009 | 1.00001 | 0.99756 | 1.00006 | 0.99772 | 1.18549 |

(2) ISVm:  $[N(avg) + NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11857.5128 | 10000.0000 | 1.18575 | 0.99756 | 1.00014 | 0.99770 | 1.18302 |


(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0021 MF  
 (2) MF \* CPL = 1.0022 CMF  
 (3) 1 + MF = 0.9979 MA  
 (4) NKF + MF = 9979.0 KF  
 (5) KF + CPL = 9978.0 CKF

Repeatability: 0.036 %  
 Uncertainty: 0.019 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

  
 Technician

  
 Witness:



Customer: WPX -  
Operator:  
Location: 342 - Lact  
Federal ID:

| Meter Data                                                                                                                                                                                                                                                                           | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WPX342 WPX South Chaco 342 Sales</b><br><b>Factor Tracked Composite MF(CMF)</b><br><b>Temp Compensated No</b><br><b>NKF 10000.0000 N/bbl</b><br><b>Manufacturer Micro Motion</b><br><b>Size 2.00 In</b><br><b>Serial No. 14490120</b><br><b>Model No.</b>                         | <b>Name Crude</b><br><b>Batch No.</b><br><b>Obs. Gravity 42.3 °API</b><br><b>Obs. Temp 56.0 °F</b><br><b>Obs. Press 0.0 psi</b><br><b>API Table Table A - Crude Oil (2004)</b><br><b>Base Density 42.7 °API</b> <b>HYC Y</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> <b>Task ID</b> 1483663668 1486068532<br><b>Date</b> 01/04/2017 02/02/2017<br><b>Time</b> 8:01 7:48<br><b>Product</b> Crude Crude<br><b>Flowrate</b> 115 bbl/hr 115 bbl/hr<br><b>Totalizer</b> 153067 160525<br><b>Throughput</b> 7405 7458<br><b>Base Density</b> 42.3°API 42.7 °API<br><br><b>Avg Prvr Temp</b> 72.3 74.7<br><b>Avg Prvr Press</b> 15.0 19.0<br><b>Repeatability</b> 0.033 % 0.040 %<br><b>CMF</b> 1.0010 1.0014<br><b>CMF Variance</b> -0.0012 0.0004 |
| <b>Prover Data</b><br><br><b>BPV 1.18820 bbl</b><br><b>I.D. 7.981 in</b><br><b>W.T. 0.322 in</b><br><b>Manufacturer DOMINION</b><br><b>Type Displacement-Sphere</b><br><b>Serial No. 23MM</b><br><b>Elasticity 3.0E7 1/psi</b><br><b>Pipe Gc 1.86E-5 1/F</b><br><br><b>Certified</b> | <b>Tolerances</b><br><b>Tolerance Type: Repeatability</b><br><b>Maximum Deviation: 0.060 %</b><br><b>Enabled? Y Passed? Y Min # of Runs: 5</b><br><b>Criteria: 5 out of 5 consecutive runs</b><br><br><b>Avg X Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Prev X Factor Count Sought: 1</b><br><b>Prev X Factor Count Used: 0</b><br><b>Cut Off History? N Cutoff Date:</b><br><br><b>Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><br><b>Proving Mode: Volumetric</b><br><b>Density Mode: Manual</b><br><b>Calc. Method: Avg. Meter Factor</b><br><b>Proving Method: PIU</b><br><b>Passes Per Run 1</b> | <b>Liquid Properties at Metering Conditions for CMF</b><br><br><b>Normal Op. Pressure</b> 20.0 <b>psig</b><br><b>Eq. Vapor Pressure</b> 0.0 <b>psig</b><br><b>CPL 1.0001</b>                                                                                                                                                                                                                                                                                                                                                                                                                         |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 73.8        | 73.8 | 19.0     | 20.0 | 11867.076  | 1              | Yes | 1.00153 | 114.683  |
| 2       | 74.4        | 74.4 | 19.0     | 20.0 | 11871.198  | 2              | Yes | 1.00120 | 114.691  |
| 3       | 74.6        | 74.6 | 19.0     | 20.0 | 11869.096  | 3              | Yes | 1.00137 | 114.695  |
| 4       | 75.1        | 75.1 | 19.0     | 20.0 | 11871.074  | 4              | Yes | 1.00121 | 114.716  |
| 5       | 75.4        | 75.4 | 19.0     | 20.0 | 11872.161  | 5              | Yes | 1.00113 | 114.675  |
| 6       | 74.8        | 74.8 | 19.0     | 20.0 | 11871.756  | 6              | No  | 1.00115 | 114.703  |
| Average | 74.7        | 74.7 | 19.0     | 20.0 | 11870.1210 |                |     | 1.00129 | 114.692  |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00027 | 1.00002 | 0.99237 | 1.00011 | 0.99277 | 1.17961 |

(2) ISVm:  $[N(avg) + NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11870.1210 | 10000.0000 | 1.18701 | 0.99237 | 1.00012 | 0.99249 | 1.17810 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0013 MF  
 (2) MF \* CPL = 1.0014 CMF  
 (3) 1 + MF = 0.9987 MA  
 (4) NKF + MF = 9987.0 KF  
 (5) KF + CPL = 9986.0 CKF

Repeatability: 0.040 %  
Uncertainty: 0.017 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician

PROVEIT

Witness:

Copyright 2009, Flow-Cal, Inc.  
PROVEIT PROVEIT 8.7.0.0

02/02/2017 8:56 Page: 1  
Revision: 3

Customer: WPX -  
 Operator:  
 Location: 342 - Lact  
 Federal ID:

| <b>Meter Data</b><br>WPX342 WPX South Chaco 342 Sales<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 In<br>Serial No. 14490120<br>Model No. CMF 300M | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 41.7 °API<br>Obs. Temp 63.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.4 °API HYC Y                                                                                                                                                                                                                                                                                                                                                           | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1486088532</td> <td>1488576613</td> </tr> <tr> <td>Date 02/02/2017</td> <td>03/03/2017</td> </tr> <tr> <td>Time 7:48</td> <td>8:28</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 115 bbl/hr</td> <td>104 bbl/hr</td> </tr> <tr> <td>Totalizer 160525</td> <td>166592</td> </tr> <tr> <td>Throughput 7458</td> <td>6067</td> </tr> <tr> <td>Base Density 42.7°API</td> <td>41.4 °API</td> </tr> <tr> <td>Avg Prvr Temp 74.7</td> <td>61.6</td> </tr> <tr> <td>Avg Prvr Press 19.0</td> <td>22.0</td> </tr> <tr> <td>Repeatability 0.040 %</td> <td>0.041 %</td> </tr> <tr> <td>CMF 1.0014</td> <td>1.0019</td> </tr> <tr> <td>CMF Variance 0.0004</td> <td>0.0005</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1486088532 | 1488576613 | Date 02/02/2017 | 03/03/2017 | Time 7:48 | 8:28 | Product Crude | Crude | Flowrate 115 bbl/hr | 104 bbl/hr | Totalizer 160525 | 166592 | Throughput 7458 | 6067 | Base Density 42.7°API | 41.4 °API | Avg Prvr Temp 74.7 | 61.6 | Avg Prvr Press 19.0 | 22.0 | Repeatability 0.040 % | 0.041 % | CMF 1.0014 | 1.0019 | CMF Variance 0.0004 | 0.0005 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|-----------|------|---------------|-------|---------------------|------------|------------------|--------|-----------------|------|-----------------------|-----------|--------------------|------|---------------------|------|-----------------------|---------|------------|--------|---------------------|--------|
| <u>Previous</u>                                                                                                                                                                                                                    | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Task ID 1486088532                                                                                                                                                                                                                 | 1488576613                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Date 02/02/2017                                                                                                                                                                                                                    | 03/03/2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Time 7:48                                                                                                                                                                                                                          | 8:28                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Product Crude                                                                                                                                                                                                                      | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Flowrate 115 bbl/hr                                                                                                                                                                                                                | 104 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Totalizer 160525                                                                                                                                                                                                                   | 166592                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Throughput 7458                                                                                                                                                                                                                    | 6067                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Base Density 42.7°API                                                                                                                                                                                                              | 41.4 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Avg Prvr Temp 74.7                                                                                                                                                                                                                 | 61.6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Avg Prvr Press 19.0                                                                                                                                                                                                                | 22.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| Repeatability 0.040 %                                                                                                                                                                                                              | 0.041 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| CMF 1.0014                                                                                                                                                                                                                         | 1.0019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| CMF Variance 0.0004                                                                                                                                                                                                                | 0.0005                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 In<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-6 1/°F<br>Certified                              | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |
|                                                                                                                                                                                                                                    | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 21.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0001                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |                 |      |                       |           |                    |      |                     |      |                       |         |            |        |                     |        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 61.6        | 61.6 | 22.0     | 23.0 | 11858.804  | 1              | Yes | 1.00200 | 103.738  |
| 2       | 61.7        | 61.7 | 22.0     | 23.0 | 11860.745  | 2              | Yes | 1.00184 | 103.766  |
| 3       | 61.7        | 61.7 | 22.0     | 23.0 | 11863.093  | 3              | Yes | 1.00164 | 103.705  |
| 4       | 61.5        | 61.5 | 22.0     | 23.0 | 11863.557  | 4              | Yes | 1.00159 | 103.592  |
| 5       | 61.4        | 61.4 | 22.0     | 23.0 | 11860.689  | 5              | Yes | 1.00184 | 103.455  |
| 6       | 61.5        | 61.5 | 22.0     | 23.0 | 11865.577  | 6              | No  | 1.00143 | 103.344  |
| Average | 61.6        | 61.6 | 22.0     | 23.0 | 11861.3776 |                |     | 1.00178 | 103.651  |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00003 | 1.00002 | 0.99918 | 1.00012 | 0.99935 | 1.18743 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11861.3776 | 10000.0000 | 1.18614 | 0.99918 | 1.00013 | 0.99931 | 1.18532 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0018 MF  
 (2) MF \* CPL = 1.0019 CMF  
 (3) 1 ÷ MF = 0.9982 MA  
 (4) NKF + MF = 9982.0 KF  
 (5) KF ÷ CPL = 9981.0 CKF

Repeatability: 0.041 %  
 Uncertainty: 0.024 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

PROVE

Witness:

Federal ID: SHL SEC.35 T24N R7W NMPM

MC 6 Ccm #160B  
3U-4039-31312

| Meter Data                       |  | Product Data                          |  | Proving Data                                     |                       |
|----------------------------------|--|---------------------------------------|--|--------------------------------------------------|-----------------------|
| 67440546 WPX 160H                |  | Name Crude                            |  | <u>Previous</u> <u>Current</u>                   |                       |
| Factor Tracked Composite MF(CMF) |  | Batch No.                             |  | Task ID                                          | 1474581638 1474582706 |
| Temp Compensated No              |  | Obs. Gravity 41.5 °API                |  | Date                                             | 09/22/2016 09/22/2016 |
| NKF 10000.0000 N/bbl             |  | Obs. Temp 88.5 °F                     |  | Time                                             | 10:00 10:18           |
| Manufacturer Micro Motion        |  | Obs. Press 0.0 psi                    |  | Product                                          | Crude Crude           |
| Size 2.00 in                     |  | API Table Table A - Crude Oil (2004)  |  | Flowrate                                         | 42 bbl/hr 12 bbl/hr   |
| Serial No. 14504524              |  | Base Density 39.1 °API HYC Y          |  | Totalizer                                        |                       |
| Model No.                        |  |                                       |  | Throughput                                       |                       |
| Prover Data                      |  | Tolerances                            |  | Base Density                                     | 39.1°API 39.1 °API    |
| BPV 1.18820 bbl                  |  | Tolerance Type: Repeatability         |  | Avg Prvr Temp                                    | 87.7 87.4             |
| I.D. 7.981 in                    |  | Maximum Deviation: 0.050 %            |  | Avg Prvr Press                                   | 37.0 43.0             |
| W.T. 0.322 in                    |  | Enabled? Y Passed? Y Min # of Runs: 5 |  | Repeatability                                    | 0.030 % 0.034 %       |
| Manufacturer DOMINION            |  | Criteria: 5 out of 5 consecutive runs |  | CMF                                              | 1.0009 1.0012         |
| Type Displacement-Sphere         |  | Avg X Prev Meter Factor Deviation:    |  | CMF Variance                                     | -0.0008 0.0003        |
| Serial No. 23MM                  |  | Enabled? N Passed? Y Prod Dep? N      |  | Liquid Properties at Metering Conditions for CMF |                       |
| Elasticity 3.0E7 1/psi           |  | Prev X Factor Count Sought: 1         |  | Normal Op. Pressure                              | 44.0 psig             |
| Pipe Gc 1.86E-5 1°F              |  | Prev X Factor Count Used: 0           |  | Eq. Vapor Pressure                               | 0.0 psig              |
| Certified                        |  | Cut Off History? N Cutoff Date:       |  | CPL 1.0003                                       |                       |
|                                  |  | Prev Meter Factor Deviation:          |  |                                                  |                       |
|                                  |  | Enabled? N Passed? Y Prod Dep? N      |  |                                                  |                       |
|                                  |  | Proving Mode: Volumetric              |  |                                                  |                       |
|                                  |  | Density Mode: Manual                  |  |                                                  |                       |
|                                  |  | Calc. Method: Avg. Meter Factor       |  |                                                  |                       |
|                                  |  | Proving Method: PIU                   |  |                                                  |                       |
|                                  |  | Passes Per Run 1                      |  |                                                  |                       |

| Run            | TEMPERATURE |             | PRESSURE    |             | PULSES            | Run Accepted ? |     | IMF            | Flowrate<br>bbt/hr |
|----------------|-------------|-------------|-------------|-------------|-------------------|----------------|-----|----------------|--------------------|
|                | Tp          | Tm          | Pp          | Pm          | N                 |                |     |                |                    |
| 1              | 87.2        | 87.2        | 43.0        | 44.0        | 11876.638         | 1              | Yes | 1.00099        | 12.491             |
| 2              | 86.4        | 86.4        | 43.0        | 44.0        | 11880.462         | 2              | Yes | 1.00065        | 12.466             |
| 3              | 87.1        | 87.1        | 43.0        | 44.0        | 11877.414         | 3              | Yes | 1.00091        | 12.461             |
| 4              | 87.1        | 87.1        | 43.0        | 44.0        | 11877.623         | 4              | Yes | 1.00090        | 12.451             |
| 5              | 89.2        | 89.2        | 43.0        | 44.0        | 11877.542         | 5              | Yes | 1.00095        | 12.480             |
| <b>Average</b> | <b>87.4</b> | <b>87.4</b> | <b>43.0</b> | <b>44.0</b> | <b>11877.9358</b> |                |     | <b>1.00088</b> | <b>12.470</b>      |

(1) GSV<sub>p</sub>: BPV \* [CTSp \* CPSp \* CTL<sub>p</sub> \* CPL<sub>p</sub> = CCF<sub>p</sub>]

|            |             |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <i>BPV</i> | <i>CTSp</i> | <i>CPSp</i> | <i>CTLp</i> | <i>CPLp</i> | <i>CCFp</i> | <i>GSVp</i> |
| 1.18820    | 1.00051     | 1.00004     | 0.98633     | 1.00025     | 0.98712     | 1.17290     |

(2) ISVm:  $[N(\text{avg}) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

| <i>N</i> (avg) | <i>NKF</i> | <i>IVm</i> | <i>CTLm</i> | <i>CPLm</i> | <i>CCFm</i> | <i>ISVm</i> |
|----------------|------------|------------|-------------|-------------|-------------|-------------|
| 11877.9358     | 10000.0000 | 1.18779    | 0.98633     | 1.00026     | 0.98659     | 1.17186     |

**(3) Proving Factors:**

|      |     |               |        |     |
|------|-----|---------------|--------|-----|
| >>>> | (1) | GSVp ÷ ISVm = | 1.0009 | MF  |
|      | (2) | MF * CPL =    | 1.0012 | CMF |
|      | (3) | 1 ÷ MF =      | 0.9991 | MA  |
|      | (4) | NKF ÷ MF =    | 9991.0 | KF  |
|      | (5) | KF ÷ CPL =    | 9988.0 | CKF |

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Repeatability: 0.034 %  
Uncertainty: 0.018 %

Technician:

**Witness:**

## PROVE

Copyright 2009, Flow-Cal, Inc.  
PROVEit PROVEit 8.7.0.0

09/22/2016 19:39 Page: 1  
Revision: 1

Customer: WPX -

Operator:

Location:

Federal ID: SHL SEC.35 T24N R7W NMPM

my 6-6000 #1601  
30-037-2.3.2  
RD 5 24A? W

|                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>67440546 WPX 160H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14504524<br>Model No. | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 41.0 °API<br>Obs. Temp 60.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                          | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1476169158 1476169317<br>Date 10/10/2016 10/10/2016<br>Time 18:59 19:01<br>Product Crude Crude<br>Flowrate 41 bbl/hr 12 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 41.0°API 41.0°API<br>Avg Pvr Temp 78.0 73.6<br>Avg Pvr Press 47.0 47.0<br>Repeatability 0.032 % 0.016 %<br>CMF 1.0021 1.0032<br>CMF Variance 0.0009 0.0011 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: Manual<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 46.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                            |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 73.9        | 73.9 | 47.0     | 49.0 | 11851.000  | 1              | Yes | 1.00291 | 12.000   |
| 2       | 73.5        | 73.5 | 47.0     | 49.0 | 11851.000  | 2              | Yes | 1.00290 | 12.000   |
| 3       | 72.9        | 72.9 | 47.0     | 49.0 | 11851.000  | 3              | Yes | 1.00289 | 12.000   |
| 4       | 73.0        | 73.0 | 47.0     | 49.0 | 11852.000  | 4              | Yes | 1.00280 | 12.000   |
| 5       | 74.9        | 74.9 | 47.0     | 49.0 | 11853.000  | 5              | Yes | 1.00275 | 12.000   |
| Average | 73.6        | 73.6 | 47.0     | 49.0 | 11851.6000 |                |     | 1.00285 | 12.000   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00025 | 1.00004 | 0.99308 | 1.00027 | 0.99364 | 1.18064 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11851.6000 | 10000.0000 | 1.18516 | 0.99308 | 1.00028 | 0.99336 | 1.17729 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0029 MF  
(2) MF \* CPL = 1.0032 CMF  
(3) 1 ÷ MF = 0.9971 MA  
(4) NKF ÷ MF = 9971.1 KF  
(5) KF ÷ CPL = 9968.1 CKF

Repeatability: 0.016 %  
Uncertainty: 0.009 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Customer: WPX -  
Operator:  
Location:  
Federal ID:

|                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>67443821 WPX 409H</b><br>Factor Tracked <b>Composite MF(CMF)</b><br>Temp Compensated <b>No</b><br>NKF <b>10000.0000</b> N/bbl<br>Manufacturer <b>Micro Motion</b><br>Size <b>2.00</b> In<br>Serial No.<br>Model No.                   | <b>Product Data</b><br>Name <b>Crude</b><br>Batch No.<br>Obs. Gravity <b>43.2 °API</b><br>Obs. Temp <b>77.0 °F</b><br>Obs. Press <b>0.0 psi</b><br>API Table <b>Table A - Crude Oil (2004)</b><br>Base Density <b>41.7 °API</b> HYC Y                                                                                                                                                                                                                                                                                                                                                                              | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID <b>1481155934</b> <b>1487870910</b><br>Date <b>12/07/2016</b> <b>02/24/2017</b><br>Time <b>11:12</b> <b>8:15</b><br>Product <b>Crude</b> <b>Crude</b><br>Flowrate <b>42 bbl/hr</b> <b>42 bbl/hr</b><br>Totalizer<br>Throughput<br>Base Density <b>40.4 °API</b> <b>41.7 °API</b><br><br>Avg Pvr Temp <b>76.7</b> <b>71.0</b><br>Avg Pvr Press <b>10.0</b> <b>36.0</b><br>Repeatability <b>0.023 %</b> <b>0.045 %</b><br>CMF <b>1.0033</b> <b>1.0020</b><br>CMF Variance <b>0.0005</b> <b>-0.0013</b> |
| <b>Prover Data</b><br><br>BPV <b>1.18820</b> bbl<br>I.D. <b>7.981</b> In<br>W.T. <b>0.322</b> In<br>Manufacturer<br>Type <b>Displacement-Sphere</b><br>Serial No. <b>23MM</b><br>Elasticity <b>3.0E7</b> 1/psi<br>Pipe Gc <b>1.86E-5</b> 1/F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: <b>Repeatability</b><br>Maximum Deviation: <b>0.050 %</b><br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: <b>Volumetric</b><br>Density Mode: <b>Manual</b><br>Calc. Method: <b>Avg. Meter Factor</b><br>Proving Method: <b>PIU</b><br>Passes Per Run <b>1</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure <b>38.0</b> psig<br>Eq. Vapor Pressure <b>0.0</b> psig<br>CPL <b>1.0002</b>                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |         |                    |
| 1       | 68.1        | 68.1 | 36.0     | 41.0 | 11864.480  | 1 Yes          | 1.00162 | 41.785             |
| 2       | 69.9        | 69.9 | 36.0     | 41.0 | 11862.864  | 2 Yes          | 1.00179 | 41.760             |
| 3       | 72.3        | 72.3 | 36.0     | 41.0 | 11862.707  | 3 Yes          | 1.00186 | 41.834             |
| 4       | 72.8        | 72.8 | 36.0     | 41.0 | 11860.315  | 4 Yes          | 1.00207 | 41.780             |
| 5       | 72.1        | 72.1 | 36.0     | 41.0 | 11864.654  | 5 Yes          | 1.00169 | 41.774             |
| Average | 71.0        | 71.0 | 36.0     | 41.0 | 11863.0040 |                | 1.00181 | 41.787             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00020 | 1.00003 | 0.99436 | 1.00021 | 0.99480 | 1.18202 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11863.0040 | 10000.0000 | 1.18630 | 0.99436 | 1.00024 | 0.99460 | 1.17989 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0018 MF  
(2) MF \* CPL = 1.0020 CMF  
(3) 1 ÷ MF = 0.9982 MA  
(4) NKF ÷ MF = 9982.0 KF  
(5) KF ÷ CPL = 9980.0 CKF

Repeatability: 0.045 %  
Uncertainty: 0.024 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVE

Customer: WPX -  
Operator:  
Location:  
Federal ID:

| <b>Meter Data</b><br>67443821 WPX 409H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 In<br>Serial No.<br>Model No.              | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 42.2 °API<br>Obs. Temp 80.9 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.4 °API HYC Y                                                                                                                                                                                                                                                                                                                                                           | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;">Previous</th> <th style="text-align: left;">Current</th> </tr> <tr> <td>Task ID 1478567884</td> <td>1481155934</td> </tr> <tr> <td>Date 11/07/2016</td> <td>12/07/2016</td> </tr> <tr> <td>Time 9:31</td> <td>11:12</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 41 bbl/hr</td> <td>42 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 40.1°API</td> <td>40.4 °API</td> </tr> <tr> <td>Avg Prvr Temp 79.4</td> <td>76.7</td> </tr> <tr> <td>Avg Prvr Press 40.0</td> <td>10.0</td> </tr> <tr> <td>Repeatability 0.044 %</td> <td>0.023 %</td> </tr> <tr> <td>CMF 1.0028</td> <td>1.0033</td> </tr> <tr> <td>CMF Variance -0.0007</td> <td>0.0005</td> </tr> </table> | Previous | Current | Task ID 1478567884 | 1481155934 | Date 11/07/2016 | 12/07/2016 | Time 9:31 | 11:12 | Product Crude | Crude | Flowrate 41 bbl/hr | 42 bbl/hr | Totalizer |  | Throughput |  | Base Density 40.1°API | 40.4 °API | Avg Prvr Temp 79.4 | 76.7 | Avg Prvr Press 40.0 | 10.0 | Repeatability 0.044 % | 0.023 % | CMF 1.0028 | 1.0033 | CMF Variance -0.0007 | 0.0005 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|--------------------|------------|-----------------|------------|-----------|-------|---------------|-------|--------------------|-----------|-----------|--|------------|--|-----------------------|-----------|--------------------|------|---------------------|------|-----------------------|---------|------------|--------|----------------------|--------|
| Previous                                                                                                                                                                                                       | Current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Task ID 1478567884                                                                                                                                                                                             | 1481155934                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Date 11/07/2016                                                                                                                                                                                                | 12/07/2016                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Time 9:31                                                                                                                                                                                                      | 11:12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Product Crude                                                                                                                                                                                                  | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Flowrate 41 bbl/hr                                                                                                                                                                                             | 42 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Totalizer                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Throughput                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Base Density 40.1°API                                                                                                                                                                                          | 40.4 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Avg Prvr Temp 79.4                                                                                                                                                                                             | 76.7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Avg Prvr Press 40.0                                                                                                                                                                                            | 10.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| Repeatability 0.044 %                                                                                                                                                                                          | 0.023 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| CMF 1.0028                                                                                                                                                                                                     | 1.0033                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| CMF Variance -0.0007                                                                                                                                                                                           | 0.0005                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 In<br>W.T. 0.322 In<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/FF<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 6 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 36.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |       |               |       |                    |           |           |  |            |  |                       |           |                    |      |                     |      |                       |         |            |        |                      |        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |         |                    |
| 1       | 70.6        | 70.6 | 10.0     | 36.0 | 11851.655  | 1 No           | 1.00263 | 41.795             |
| 2       | 74.9        | 74.9 | 10.0     | 36.0 | 11847.143  | 2 Yes          | 1.00309 | 41.844             |
| 3       | 76.0        | 76.0 | 10.0     | 36.0 | 11846.759  | 3 Yes          | 1.00314 | 41.777             |
| 4       | 76.9        | 76.9 | 10.0     | 36.0 | 11848.316  | 4 Yes          | 1.00301 | 41.717             |
| 5       | 77.6        | 77.6 | 10.0     | 36.0 | 11847.150  | 5 Yes          | 1.00313 | 41.781             |
| 6       | 78.4        | 78.4 | 10.0     | 36.0 | 11846.115  | 6 Yes          | 1.00324 | 41.806             |
| Average | 76.7        | 76.7 | 10.0     | 36.0 | 11847.0966 |                | 1.00312 | 41.785             |

(1) GSVp:  $BPV * [CTSp * CPSP * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00031 | 1.00001 | 0.99155 | 1.00006 | 0.99193 | 1.17861 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11847.0966 | 10000.0000 | 1.18471 | 0.99155 | 1.00021 | 0.99176 | 1.17495 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0031 MF  
 (2) MF \* CPL = 1.0033 CMF  
 (3) 1 + MF = 0.9969 MA  
 (4) NKF ÷ MF = 9969.1 KF  
 (5) KF ÷ CPL = 9967.1 CKF

Repeatability: 0.023 %  
 Uncertainty: 0.025 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician: 

Witness:

PROVE

Customer: WPX -

Operator:

Location:

Federal ID:

| Meter Data                                                                                                                                                                                                                                             | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67443821 WPX 409H</b><br>Factor Tracked <b>Composite MF(CMF)</b><br>Temp Compensated <b>No</b><br>NKF <b>10000.0000</b> N/bbl<br>Manufacturer <b>Micro Motion</b><br>Size <b>2.00</b> In<br>Serial No.<br>Model No.                                 | Name <b>Crude</b><br>Batch No.<br>Obs. Gravity <b>42.1 °API</b><br>Obs. Temp <b>80.5 °F</b><br>Obs. Press <b>0.0 psi</b><br>API Table <b>Table A - Crude Oil (2004)</b><br>Base Density <b>40.3 °API</b> HYC Y                                                                                                                                                                                                                                                                                                                                                                                         | Previous Current<br>Task ID <b>1487970910</b> <b>1489106739</b><br>Date <b>02/24/2017</b> <b>03/09/2017</b><br>Time <b>8:15</b> <b>11:45</b><br>Product <b>Crude</b> <b>Crude</b><br>Flowrate <b>42 bbl/hr</b> <b>42 bbl/hr</b><br>Totalizer<br>Throughput<br>Base Density <b>41.7 °API</b> <b>40.3 °API</b><br>Avg Prvr Temp <b>71.0</b> <b>80.5</b><br>Avg Prvr Press <b>36.0</b> <b>16.0</b><br>Repeatability <b>0.045 %</b> <b>0.043 %</b><br>CMF <b>1.0020</b> <b>1.0021</b><br>CMF Variance <b>-0.0013</b> <b>0.0001</b> |
| <b>Prover Data</b><br>BPV <b>1.18820</b> bbl<br>I.D. <b>7.981</b> in<br>W.T. <b>0.322</b> in<br>Manufacturer<br>Type <b>Displacement-Sphere</b><br>Serial No. <b>23MM</b><br>Elasticity <b>3.0E7</b> 1/psi<br>Pipe Gc <b>1.86E-5</b> 1/°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: <b>Repeatability</b><br>Maximum Deviation: <b>0.050 %</b><br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: <b>Volumetric</b><br>Density Mode: <b>Manual</b><br>Calc. Method: <b>Avg. Meter Factor</b><br>Proving Method: <b>PIU</b><br>Passes Per Run <b>1</b> | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure <b>35.0</b> psig<br>Eq. Vapor Pressure <b>0.0</b> psig<br>CPL <b>1.0002</b>                                                                                                                                                                                                                                                                                                                                                                     |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 79.7        | 79.7 | 16.0     | 35.0 | 11864.953  | 1              | Yes | 1.00170 | 41.713   |
| 2       | 81.0        | 81.0 | 16.0     | 35.0 | 11863.850  | 2              | Yes | 1.00180 | 41.760   |
| 3       | 81.2        | 81.2 | 16.0     | 35.0 | 11861.226  | 3              | Yes | 1.00203 | 41.767   |
| 4       | 81.5        | 81.5 | 16.0     | 35.0 | 11865.703  | 4              | Yes | 1.00166 | 41.691   |
| 5       | 79.0        | 79.0 | 16.0     | 35.0 | 11860.318  | 5              | Yes | 1.00209 | 41.720   |
| Average | 80.5        | 80.5 | 16.0     | 35.0 | 11863.2100 |                |     | 1.00186 | 41.730   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00038 | 1.00001 | 0.98964 | 1.00009 | 0.99012 | 1.17646 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11863.2100 | 10000.0000 | 1.18632 | 0.98964 | 1.00021 | 0.98985 | 1.17428 |

(3) Proving Factors:

|                |     |               |        |     |                      |
|----------------|-----|---------------|--------|-----|----------------------|
| >>>>           | (1) | GSVp + ISVm = | 1.0019 | MF  | Trans. Serial No.    |
|                | (2) | MF * CPL =    | 1.0021 | CMF | Flow Calib Factor    |
|                | (3) | 1 + MF =      | 0.9981 | MA  | Density Calib Factor |
|                | (4) | NKF + MF =    | 9981.0 | KF  | Frequency Set Point  |
|                | (5) | KF + CPL =    | 9979.0 | CKF | Flowrate Set Point   |
| Repeatability: |     | 0.043 %       |        |     | Zero Verified        |
| Uncertainty:   |     | 0.023 %       |        |     | As Found             |
|                |     |               |        |     | Zeroed               |
|                |     |               |        |     | As Left              |

Technician

Witness:

PROVE

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: Sec.2P T22N R6W

| <b>Meter Data</b><br><b>WPX228H WPX 228H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size In<br>Serial No. 14324674<br>Model No. CMF 300M | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 43.7 °API<br>Obs. Temp 102.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.1 °API HYC Y                                                                                                                                                                                                                                                                                                                                                          | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1486075740</td> <td>1488583277</td> </tr> <tr> <td>Date 02/02/2017</td> <td>03/03/2017</td> </tr> <tr> <td>Time 9:49</td> <td>10:21</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 390 bbl/hr</td> <td>369 bbl/hr</td> </tr> <tr> <td>Totalizer 139379</td> <td></td> </tr> <tr> <td>Throughput 996</td> <td></td> </tr> <tr> <td>Base Density 41.2 °API</td> <td>40.1 °API</td> </tr> <tr> <td>Avg Prvr Temp 59.5</td> <td>66.7</td> </tr> <tr> <td>Avg Prvr Press 19.0</td> <td>17.0</td> </tr> <tr> <td>Repeatability 0.019 %</td> <td>0.036 %</td> </tr> <tr> <td>CMF 1.0021</td> <td>1.0020</td> </tr> <tr> <td>CMF Variance -0.0013</td> <td>-0.0001</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1486075740 | 1488583277 | Date 02/02/2017 | 03/03/2017 | Time 9:49 | 10:21 | Product Crude | Crude | Flowrate 390 bbl/hr | 369 bbl/hr | Totalizer 139379 |  | Throughput 996 |  | Base Density 41.2 °API | 40.1 °API | Avg Prvr Temp 59.5 | 66.7 | Avg Prvr Press 19.0 | 17.0 | Repeatability 0.019 % | 0.036 % | CMF 1.0021 | 1.0020 | CMF Variance -0.0013 | -0.0001 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|-----------|-------|---------------|-------|---------------------|------------|------------------|--|----------------|--|------------------------|-----------|--------------------|------|---------------------|------|-----------------------|---------|------------|--------|----------------------|---------|
| <u>Previous</u>                                                                                                                                                                                                      | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Task ID 1486075740                                                                                                                                                                                                   | 1488583277                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Date 02/02/2017                                                                                                                                                                                                      | 03/03/2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Time 9:49                                                                                                                                                                                                            | 10:21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Product Crude                                                                                                                                                                                                        | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Flowrate 390 bbl/hr                                                                                                                                                                                                  | 369 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Totalizer 139379                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Throughput 996                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Base Density 41.2 °API                                                                                                                                                                                               | 40.1 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Avg Prvr Temp 59.5                                                                                                                                                                                                   | 66.7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Avg Prvr Press 19.0                                                                                                                                                                                                  | 17.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| Repeatability 0.019 %                                                                                                                                                                                                | 0.036 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| CMF 1.0021                                                                                                                                                                                                           | 1.0020                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| CMF Variance -0.0013                                                                                                                                                                                                 | -0.0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br>Certified                | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 45.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |                |                    |            |                 |            |           |       |               |       |                     |            |                  |  |                |  |                        |           |                    |      |                     |      |                       |         |            |        |                      |         |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         |                    |
| 1       | 66.5        | 66.5 | 17.0     | 46.0 | 11864.080  | 1              | No  | 1.00147 | 370.299            |
| 2       | 67.0        | 67.0 | 17.0     | 46.0 | 11862.339  | 2              | Yes | 1.00163 | 369.796            |
| 3       | 66.9        | 66.9 | 17.0     | 46.0 | 11858.249  | 3              | Yes | 1.00198 | 369.369            |
| 4       | 66.8        | 66.8 | 17.0     | 46.0 | 11861.886  | 4              | Yes | 1.00168 | 368.976            |
| 5       | 66.6        | 66.6 | 17.0     | 46.0 | 11862.296  | 5              | Yes | 1.00162 | 368.863            |
| 6       | 66.4        | 66.4 | 17.0     | 46.0 | 11861.537  | 6              | Yes | 1.00169 | 368.905            |
| Average | 66.7        | 66.7 | 17.0     | 46.0 | 11861.2214 |                |     | 1.00172 | 369.182            |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00012 | 1.00001 | 0.99663 | 1.00009 | 0.99685 | 1.18446 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11861.2214 | 10000.0000 | 1.18612 | 0.99663 | 1.00026 | 0.99689 | 1.18243 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0017 MF  
 (2) MF \* CPL = 1.0020 CMF  
 (3) 1 + MF = 0.9983 MA  
 (4) NKF + MF = 9983.0 KF  
 (5) KF + CPL = 9980.0 CKF

Repeatability: 0.036 %  
 Uncertainty: 0.021 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

PROVE

Witness:

Copyright 2009, Flow-Cal, Inc.  
 PROVEit PROVEit 8.7.0.0

03/03/2017 10:28 Page: 1  
 Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: Sec.2P T22N R6W

| Meter Data                                                                                                                                                                                                                                                                           | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WPX228H WPX 228H</b><br><b>Factor Tracked Composite MF(CMF)</b><br><b>Temp Compensated No</b><br><b>NKF 10000.0000 N/bbl</b><br><b>Manufacturer Micro Motion</b><br><b>Size in</b><br><b>Serial No. 14324674</b><br><b>Model No. CMF 300M</b>                                     | <b>Name Crude</b><br><b>Batch No.</b><br><b>Obs. Gravity 43.2 °API</b><br><b>Obs. Temp 41.0 °F</b><br><b>Obs. Press 0.0 psi</b><br><b>API Table Table A - Crude Oil (2004)</b><br><b>Base Density 44.9 °API</b> <b>HYC Y</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> <b>Task ID</b> 1485467095<br><b>Date</b> 01/26/2017<br><b>Time</b> 8:44<br><b>Product</b> Crude<br><b>Flowrate</b> 366 bbl/hr<br><b>Totalizer</b> 138383<br><b>Throughput</b><br><b>Base Density</b> 44.9 °API<br><br><b>Avg Pvr Temp</b> 40.2<br><b>Avg Pvr Press</b> 49.0<br><b>Repeatability</b> 0.029 %<br><b>CMF</b> 1.0034<br><b>CMF Variance</b> |
| <b>Prover Data</b><br><br><b>BPV 1.18820 bbl</b><br><b>I.D. 7.981 in</b><br><b>W.T. 0.322 in</b><br><b>Manufacturer DOMINION</b><br><b>Type Displacement-Sphere</b><br><b>Serial No. 23MM</b><br><b>Elasticity 3.0E7 1/psi</b><br><b>Pipe Gc 1.86E-5 1/F</b><br><br><b>Certified</b> | <b>Tolerances</b><br><b>Tolerance Type: Repeatability</b><br><b>Maximum Deviation: 0.050 %</b><br><b>Enabled? Y Passed? Y Min # of Runs: 5</b><br><b>Criteria: 5 out of 5 consecutive runs</b><br><br><b>Avg X Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><b>Prev X Factor Count Sought: 1</b><br><b>Prev X Factor Count Used: 0</b><br><b>Cut Off History? N Cutoff Date:</b><br><br><b>Prev Meter Factor Deviation:</b><br><b>Enabled? N Passed? Y Prod Dep? N</b><br><br><b>Proving Mode: Volumetric</b><br><b>Density Mode: Manual</b><br><b>Calc. Method: Avg. Meter Factor</b><br><b>Proving Method: PIU</b><br><b>Passes Per Run 1</b> | <b>Liquid Properties at Metering Conditions for CMF</b><br><br><b>Normal Op. Pressure 49.0 psig</b><br><b>Eq. Vapor Pressure 0.0 psig</b><br><b>CPL 1.0003</b>                                                                                                                                                                                                                                                                                                                       |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | TP          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 40.4        | 40.4 | 49.0     | 49.0 | 11841.477  | 1              | Yes | 1.00310 | 365.978  |
| 2       | 40.6        | 40.6 | 49.0     | 49.0 | 11842.230  | 2              | Yes | 1.00304 | 365.345  |
| 3       | 39.7        | 39.7 | 49.0     | 49.0 | 11838.624  | 3              | Yes | 1.00333 | 365.732  |
| 4       | 39.9        | 39.9 | 49.0     | 49.0 | 11841.378  | 4              | Yes | 1.00310 | 365.909  |
| 5       | 40.3        | 40.3 | 49.0     | 49.0 | 11842.072  | 5              | Yes | 1.00304 | 365.897  |
| Average | 40.2        | 40.2 | 49.0     | 49.0 | 11841.1562 |                |     | 1.00312 | 365.772  |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 0.99963 | 1.00004 | 1.01049 | 1.00027 | 1.01043 | 1.20059 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11841.1562 | 10000.0000 | 1.18412 | 1.01049 | 1.00027 | 1.01076 | 1.19686 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0031 MF  
 (2) MF \* CPL = 1.0034 CMF  
 (3) 1 + MF = 0.9969 MA  
 (4) NKF + MF = 9969.1 KF  
 (5) KF + CPL = 9966.1 CKF

Repeatability: 0.029 %  
 Uncertainty: 0.015 %

|                                                                        |                   |
|------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor         |                   |
| Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |

Technician: Clinton York - Meter Provers Inc.



Copyright 2000, Flow-Cal, Inc.  
 PROVEIT PROVEIT 6.7.0.0

01/26/2017 9:54 Page: 1  
 Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: Sec.2P T22N R6W

| <b>Meter Data</b><br><b>WPX228H WPX 228H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size in<br>Serial No. 14324674<br>Model No. CMF 300M | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 42.4 °API<br>Obs. Temp 74.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.2 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                       | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1485467095</td> <td>1486076740</td> </tr> <tr> <td>Date 01/26/2017</td> <td>02/02/2017</td> </tr> <tr> <td>Time 8:44</td> <td>9:49</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 366 bbl/hr</td> <td>390 bbl/hr</td> </tr> <tr> <td>Totalizer 138383</td> <td>139379</td> </tr> <tr> <td>Throughput</td> <td>996</td> </tr> <tr> <td>Base Density 44.9°API</td> <td>41.2 °API</td> </tr> <tr> <td>Avg Prvr Temp 40.2</td> <td>59.5</td> </tr> <tr> <td>Avg Prvr Press 49.0</td> <td>19.0</td> </tr> <tr> <td>Repeatability 0.029 %</td> <td>0.019 %</td> </tr> <tr> <td>CMF 1.0034</td> <td>1.0021</td> </tr> <tr> <td>CMF Variance</td> <td>-0.0013</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1485467095 | 1486076740 | Date 01/26/2017 | 02/02/2017 | Time 8:44 | 9:49 | Product Crude | Crude | Flowrate 366 bbl/hr | 390 bbl/hr | Totalizer 138383 | 139379 | Throughput | 996 | Base Density 44.9°API | 41.2 °API | Avg Prvr Temp 40.2 | 59.5 | Avg Prvr Press 49.0 | 19.0 | Repeatability 0.029 % | 0.019 % | CMF 1.0034 | 1.0021 | CMF Variance | -0.0013 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|-----------|------|---------------|-------|---------------------|------------|------------------|--------|------------|-----|-----------------------|-----------|--------------------|------|---------------------|------|-----------------------|---------|------------|--------|--------------|---------|
| <u>Previous</u>                                                                                                                                                                                                      | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Task ID 1485467095                                                                                                                                                                                                   | 1486076740                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Date 01/26/2017                                                                                                                                                                                                      | 02/02/2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Time 8:44                                                                                                                                                                                                            | 9:49                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Product Crude                                                                                                                                                                                                        | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Flowrate 366 bbl/hr                                                                                                                                                                                                  | 390 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Totalizer 138383                                                                                                                                                                                                     | 139379                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Throughput                                                                                                                                                                                                           | 996                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Base Density 44.9°API                                                                                                                                                                                                | 41.2 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Avg Prvr Temp 40.2                                                                                                                                                                                                   | 59.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Avg Prvr Press 49.0                                                                                                                                                                                                  | 19.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| Repeatability 0.029 %                                                                                                                                                                                                | 0.019 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| CMF 1.0034                                                                                                                                                                                                           | 1.0021                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| CMF Variance                                                                                                                                                                                                         | -0.0013                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified    | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 47.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |                |                    |            |                 |            |           |      |               |       |                     |            |                  |        |            |     |                       |           |                    |      |                     |      |                       |         |            |        |              |         |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 59.9        | 59.9 | 19.0     | 47.0 | 11858.196  | 1              | Yes | 1.00186 | 391.219  |
| 2       | 59.8        | 59.8 | 19.0     | 47.0 | 11858.232  | 2              | Yes | 1.00186 | 390.932  |
| 3       | 59.7        | 59.7 | 19.0     | 47.0 | 11857.608  | 3              | Yes | 1.00191 | 390.241  |
| 4       | 59.3        | 59.3 | 19.0     | 47.0 | 11858.011  | 4              | Yes | 1.00187 | 389.603  |
| 5       | 58.9        | 58.9 | 19.0     | 47.0 | 11859.717  | 5              | Yes | 1.00172 | 389.170  |
| 6       | 58.3        | 58.3 | 19.0     | 47.0 | 11853.056  | 6              | No  | 1.00227 | 388.885  |
| Average | 59.5        | 59.5 | 19.0     | 47.0 | 11858.3526 |                |     | 1.00184 | 390.233  |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 0.99999 | 1.00002 | 1.00025 | 1.00010 | 1.00036 | 1.18863 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11858.3526 | 10000.0000 | 1.18584 | 1.00025 | 1.00026 | 1.00051 | 1.18644 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0018 MF  
 (2) MF \* CPL = 1.0021 CMF  
 (3) 1 + MF = 0.9982 MA  
 (4) NKF + MF = 9982.0 KF  
 (5) KF + CPL = 9979.0 CKF

Repeatability: 0.019 %  
 Uncertainty: 0.023 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician

Witness

PROVEIT

Copyright 2009, Flow-Cal, Inc.  
 PROVEIT PROVEIT 8.7.0.0

02/02/2017 10:17 Page: 1  
 Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC 33 T24N R8W

| Meter Data                                                                                                                                                                                                    | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WPX112 WPX 112</b><br>Factor Tracked Meter Factor(MF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No.<br>Model No. CMF 200M                      | Name Crude<br>Batch No.<br>Obs. Gravity 44.2 °API<br>Obs. Temp 102.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.5 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                             | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1489701156 1489702123<br>Date 03/16/2017 03/16/2017<br>Time 9:52 10:08<br>Product Crude Crude<br>Flowrate 42 bbl/hr 31 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.5 °API 40.5 °API<br><br>Avg Prvr Temp 97.0 97.2<br>Avg Prvr Press 38.0 38.0<br>Repeatability 0.040 % 0.036 %<br>MF 1.0006 1.0008<br>MF Variance -0.0015 0.0002 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br><br>Normal Op. Pressure 37.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                       |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 99.5 99.5            | 38.0 39.0         | 11880.439   | 1 Yes          | 1.00089 | 31.222             |
| 2       | 97.9 97.9            | 38.0 39.0         | 11879.780   | 2 Yes          | 1.00091 | 31.252             |
| 3       | 97.0 97.0            | 38.0 39.0         | 11883.661   | 3 Yes          | 1.00057 | 31.263             |
| 4       | 95.8 95.8            | 38.0 39.0         | 11881.154   | 4 Yes          | 1.00075 | 31.267             |
| 5       | 95.6 95.6            | 38.0 39.0         | 11879.141   | 5 Yes          | 1.00093 | 31.275             |
| Average | 97.2 97.2            | 38.0 39.0         | 11880.8350  |                | 1.00081 | 31.256             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00089 | 1.00003 | 0.98111 | 1.00024 | 0.98205 | 1.16887 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11880.8350 | 10000.0000 | 1.18808 | 0.98111 | 1.00024 | 0.98135 | 1.16592 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0008 MF  
 (2) MF \* CPL = 1.0010 CMF  
 (3) 1 ÷ MF = 0.9992 MA  
 (4) NKF + MF = 9992.0 KF  
 (5) KF + CPL = 9990.0 CKF

Repeatability: 0.036 %  
 Uncertainty: 0.019 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:   
 PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC 33 T24N R8W

| Meter Data                                                                                                                                                                                                             | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WPX112 WPX 112</b><br>Factor Tracked Meter Factor(MF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 In<br>Serial No.<br>Model No. CMF200M                                | Name Crude<br>Batch No.<br>Obs. Gravity 42.3 °API<br>Obs. Temp 79.8 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.6 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                              | <div style="display: flex; justify-content: space-between;"> <span>Previous</span> <span>Current</span> </div> Task ID 1486759280 1486760468<br>Date 02/10/2017 02/10/2017<br>Time 7:41 8:01<br>Product Crude Crude<br>Flowrate 42 bbl/hr 31 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.6 °API 40.6 °API<br><br>Avg Prvr Temp 79.3 79.9<br>Avg Prvr Press 40.0 40.0<br>Repeatability 0.022 % 0.018 %<br>MF 1.0018 1.0021<br>MF Variance 0.0008 0.0003 |
| <b>Prover Data</b><br><br>BPV 1.18620 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br><br>Normal Op. Pressure 42.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                       |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 81.4 81.4            | 40.0 42.0         | 11863.440   | 1 Yes          | 1.00199 | 31.340             |
| 2       | 80.1 80.1            | 40.0 42.0         | 11861.867   | 2 Yes          | 1.00208 | 31.328             |
| 3       | 79.4 79.4            | 40.0 42.0         | 11860.686   | 3 Yes          | 1.00215 | 31.357             |
| 4       | 79.4 79.4            | 40.0 42.0         | 11862.156   | 4 Yes          | 1.00203 | 31.332             |
| 5       | 79.4 79.4            | 40.0 42.0         | 11860.521   | 5 Yes          | 1.00217 | 31.344             |
| Average | 79.9 79.9            | 40.0 42.0         | 11861.7340  |                | 1.00208 | 31.340             |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18620 | 1.00037 | 1.00003 | 0.98991 | 1.00024 | 0.99054 | 1.17696 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11861.7340 | 10000.0000 | 1.18617 | 0.98991 | 1.00025 | 0.99016 | 1.17450 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0021 MF  
 (2) MF \* CPL = 1.0023 CMF  
 (3) 1 + MF = 0.9979 MA  
 (4) NKF + MF = 9979.0 KF  
 (5) KF + CPL = 9977.0 CKF

Repeatability: 0.018 %  
 Uncertainty: 0.010 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

Witness:

PROVE

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC 33 T24N R8W

| Meter Data                                                                                                                                                                                                            | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WPX112 WPX 112</b><br>Factor Tracked Meter Factor(MF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size in<br>Serial No.<br>Model No. CMF200M                                    | Name Crude<br>Batch No.<br>Obs. Gravity 44.0 °API<br>Obs. Temp 97.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                              | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1484353852 1484356414<br>Date 01/13/2017 01/13/2017<br>Time 11:30 12:13<br>Product Crude Crude<br>Flowrate 41 bbl/hr 31 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.8°API 40.8 °API<br><br>Avg Prvr Temp 95.2 96.5<br>Avg Prvr Press 35.0 37.0<br>Repeatability 0.022 % 0.039 %<br>MF 1.0010 1.0010<br>MF Variance 0.0000 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.060 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br><br>Normal Op. Pressure 36.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                               |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 96.7        | 96.7 | 37.0     | 37.0 | 11879.839  | 1              | Yes | 1.00088 | 31.262   |
| 2       | 96.4        | 96.4 | 37.0     | 37.0 | 11876.142  | 2              | Yes | 1.00120 | 31.244   |
| 3       | 96.3        | 96.3 | 37.0     | 37.0 | 11878.296  | 3              | Yes | 1.00101 | 31.250   |
| 4       | 96.6        | 96.6 | 37.0     | 37.0 | 11880.736  | 4              | Yes | 1.00081 | 31.251   |
| 5       | 96.4        | 96.4 | 37.0     | 37.0 | 11878.270  | 5              | Yes | 1.00101 | 31.284   |
| Average | 96.5        | 96.5 | 37.0     | 37.0 | 11878.6566 |                |     | 1.00098 | 31.258   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00068 | 1.00003 | 0.98140 | 1.00023 | 0.98232 | 1.16719 |

(2) ISVm:  $[N(avg) + NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11878.6566 | 10000.0000 | 1.18787 | 0.98140 | 1.00023 | 0.98163 | 1.16605 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0010 MF  
 (2) MF \* CPL = 1.0012 CMF  
 (3) 1 ÷ MF = 0.9990 MA  
 (4) NKF ÷ MF = 9990.0 KF  
 (5) KF ÷ CPL = 9988.0 CKF

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Repeatability: 0.039 %  
 Uncertainty: 0.021 %

Technician: Clinton York - Meter Provers Inc.

Witness:

PROVE

Copyright 2009, Flow-Cal, Inc.  
 PROVER PROVER 8.7.0.0

01/24/2017 10:27 Page: 1  
 Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC 32 T24N R8W

| Meter Data                                                                                                                                                                                                             | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WPX114H WPX 114H</b><br>Factor Tracked Meter Factor(MF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14504519<br>Model No. CMF200M                     | Name Crude<br>Batch No.<br>Obs. Gravity 43.4 °API<br>Obs. Temp 100.1 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 39.9 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                             | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1486762844 1486764182<br>Date 02/10/2017 02/10/2017<br>Time 8:40 9:03<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 39.9°API 39.9 °API<br><br>Avg Prvr Temp 99.3 99.1<br>Avg Prvr Press 37.0 42.0<br>Repeatability 0.028 % 0.012 %<br>MF 1.0014 1.0013<br>MF Variance -0.0011 -0.0001 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br><br>Normal Op. Pressure 44.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                      |

| Run     | TEMPERATURE<br>Tp Tm | PRESSURE<br>Pp Pm | PULSES<br>N | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|----------------------|-------------------|-------------|----------------|---------|--------------------|
| 1       | 99.9 99.9            | 42.0 44.0         | 11876.179   | 1 Yes          | 1.00125 | 20.829             |
| 2       | 99.3 99.3            | 42.0 44.0         | 11875.587   | 2 Yes          | 1.00130 | 20.841             |
| 3       | 98.9 98.9            | 42.0 44.0         | 11875.165   | 3 Yes          | 1.00131 | 20.841             |
| 4       | 98.7 98.7            | 42.0 44.0         | 11875.224   | 4 Yes          | 1.00131 | 20.822             |
| 5       | 98.6 98.6            | 42.0 44.0         | 11874.543   | 5 Yes          | 1.00137 | 20.881             |
| Average | 99.1 99.1            | 42.0 44.0         | 11875.3396  |                | 1.00131 | 20.843             |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00073 | 1.00003 | 0.98028 | 1.00026 | 0.98128 | 1.16596 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11875.3396 | 10000.0000 | 1.18753 | 0.98028 | 1.00027 | 0.98054 | 1.16442 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0013 MF  
 (2) MF \* CPL = 1.0016 CMF  
 (3) 1 ÷ MF = 0.9987 MA  
 (4) NKF + MF = 9987.0 KF  
 (5) KF + CPL = 9984.0 CKF

Repeatability: 0.012 %  
 Uncertainty: 0.006 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

  
 Technician:

Witness:

PROVE

Copyright 2009, Flow-Cal, Inc.  
 PROVEII PROVEII 8.7.0.0

02/10/2017 9:27 Page: 1  
 Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC 32 T24N R8W

|                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>WPX114H WPX 114H</b><br>Factor Tracked Meter Factor(MF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size in<br>Serial No. 14504519<br>Model No. CMF200M | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 41.4 °API<br>Obs. Temp 71.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.5 °API HYC Y                                                                                                                                                                                                                                                                                                                                                           | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1484358676 1484359618<br>Date 01/13/2017 01/13/2017<br>Time 12:51 13:06<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.5°API 40.5 °API<br>Avg Prvr Temp 78.0 76.2<br>Avg Prvr Press 38.0 39.0<br>Repeatability 0.049 % 0.027 %<br>MF 1.0022 1.0025<br>MF Variance 0.0003 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br>Certified     | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 39.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                      |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 76.6        | 76.6 | 39.0     | 40.0 | 11858.113  | 1              | Yes | 1.00236 | 20.923   |
| 2       | 76.8        | 78.6 | 39.0     | 40.0 | 11854.892  | 2              | Yes | 1.00263 | 20.867   |
| 3       | 75.7        | 75.7 | 39.0     | 40.0 | 11857.576  | 3              | Yes | 1.00238 | 20.941   |
| 4       | 76.2        | 76.2 | 39.0     | 40.0 | 11856.651  | 4              | Yes | 1.00247 | 20.889   |
| 5       | 76.1        | 76.1 | 39.0     | 40.0 | 11855.602  | 5              | Yes | 1.00256 | 20.916   |
| Average | 76.2        | 76.2 | 39.0     | 40.0 | 11856.5668 |                |     | 1.00248 | 20.907   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00030 | 1.00003 | 0.99180 | 1.00023 | 0.99236 | 1.17912 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11856.5668 | 10000.0000 | 1.18566 | 0.99180 | 1.00023 | 0.99203 | 1.17621 |

(3) Proving Factors:

>>>> (1)  $GSVp \div ISVm = 1.0025$  MF  
 (2)  $MF * CPL = 1.0027$  CMF  
 (3)  $1 + MF = 0.9975$  MA  
 (4)  $NKF \div MF = 9975.1$  KF  
 (5)  $KF + CPL = 9973.1$  CKF

Repeatability: 0.027 %  
 Uncertainty: 0.014 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician: Clinton York - Meter Provers Inc.

Witness:

PROVEIT

Copyright 2009, Flow-Cal, Inc.  
 PROVEIT PROVEIT 8.7.0.0

01/24/2017 10:25 Page: 1  
 Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC 32 T24N R8W

| Meter Data                                                                                                                                                                                           | Product Data                                                                                                                                                                | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WPX114H WPX 114H</b><br>Factor Tracked Meter Factor(MF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14504519<br>Model No. CMF 200M  | <b>Name Crude</b><br>Batch No.<br>Obs. Gravity 41.2 °API<br>Obs. Temp 63.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.9 °API HYC Y | <div style="display: flex; justify-content: space-between;"> <div> <b>Previous</b><br/>           Task ID 1489697728<br/>           Date 03/16/2017<br/>           Time 8:55<br/>           Product Crude<br/>           Flowrate 42 bbl/hr<br/>           Totalizer<br/>           Throughput<br/>           Base Density 40.9°API         </div> <div> <b>Current</b><br/>           1489698664<br/>           03/16/2017<br/>           9:10<br/>           Crude<br/>           21 bbl/hr<br/>           40.9 °API         </div> </div> |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-6 1/F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs          | Avg Prvr Temp 63.7 63.0<br>Avg Prvr Press 39.0 38.0<br>Repeatability 0.047 % 0.013 %<br>MF 1.0030 1.0035<br>MF Variance 0.0017 0.0005                                                                                                                                                                                                                                                                                                                                                                                                        |
|                                                                                                                                                                                                      | Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                                                                                      | Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                                                                                      | Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                                                                                      |                                                                                                                                                                             | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 38.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                                                                        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |         |                    |
| 1       | 62.8        | 62.8 | 38.0     | 39.0 | 11840.782  | 1 Yes          | 1.00355 | 20.839             |
| 2       | 62.9        | 62.9 | 38.0     | 39.0 | 11842.400  | 2 Yes          | 1.00342 | 20.908             |
| 3       | 63.1        | 63.1 | 38.0     | 39.0 | 11841.923  | 3 Yes          | 1.00347 | 20.910             |
| 4       | 63.0        | 63.0 | 38.0     | 39.0 | 11841.713  | 4 Yes          | 1.00348 | 20.896             |
| 5       | 63.1        | 63.1 | 38.0     | 39.0 | 11841.365  | 5 Yes          | 1.00351 | 20.903             |
| Average | 63.0        | 63.0 | 38.0     | 39.0 | 11841.6366 |                | 1.00349 | 20.891             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00006 | 1.00003 | 0.99848 | 1.00021 | 0.99878 | 1.18675 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11841.6366 | 10000.0000 | 1.18416 | 0.99848 | 1.00022 | 0.99870 | 1.18262 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0035 MF  
 (2) MF \* CPL = 1.0037 CMF  
 (3) 1 + MF = 0.9965 MA  
 (4) NKF + MF = 9965.1 KF  
 (5) KF + CPL = 9963.1 CKF

Repeatability: 0.013 %  
 Uncertainty: 0.007 %

|                                                                        |                   |
|------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor         |                   |
| Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |

Technician:

PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC 4 T23N R8W

| Meter Data                                                                                                                                                                                           | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WPX282H WPX 282H</b><br>Factor Tracked Meter Factor(MF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14504527<br>Model No. CMF 200M  | Name Crude<br>Batch No.<br>Obs. Gravity 41.3 °API<br>Obs. Temp 72.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.3 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                  | <div style="display: flex; justify-content: space-between;"> <div>Previous</div> <div>Current</div> </div> Task ID 1489694289 1489696065<br>Date 03/16/2017 03/16/2017<br>Time 7:58 8:11<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.3°API 40.3 °API<br>Avg Pvr Temp 86.4 86.9<br>Avg Pvr Press 39.0 38.0<br>Repeatability 0.026 % 0.042 %<br>MF 1.0006 1.0006<br>MF Variance 0.0001 0.0000 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 38.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 87.0        | 87.0 | 38.0     | 40.0 | 11879.189  | 1              | Yes | 1.00075 | 20.888   |
| 2       | 85.6        | 85.6 | 38.0     | 40.0 | 11882.545  | 2              | Yes | 1.00045 | 20.906   |
| 3       | 86.2        | 86.2 | 38.0     | 40.0 | 11881.801  | 3              | Yes | 1.00053 | 20.884   |
| 4       | 87.1        | 87.1 | 38.0     | 40.0 | 11882.605  | 4              | Yes | 1.00047 | 20.887   |
| 5       | 88.4        | 88.4 | 38.0     | 40.0 | 11878.069  | 5              | Yes | 1.00087 | 20.874   |
| Average | 86.9        | 86.9 | 38.0     | 40.0 | 11880.8418 |                |     | 1.00061 | 20.888   |

(1) GSVp:  $BPV * [CTSp * CPSP * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00050 | 1.00003 | 0.98639 | 1.00023 | 0.98714 | 1.17292 |

(2) ISVm:  $[N(avg) + NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11880.8418 | 10000.0000 | 1.18808 | 0.98639 | 1.00024 | 0.98663 | 1.17220 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0006 MF  
 (2) MF \* CPL = 1.0008 CMF  
 (3) 1 ÷ MF = 0.9994 MA  
 (4) NKF + MF = 9994.0 KF  
 (5) KF + CPL = 9992.0 CKF

Repeatability: 0.042 %  
 Uncertainty: 0.022 %

|                                                                        |                   |
|------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor         |                   |
| Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |

Technician:   
 PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC 4 T23N R6W

| Meter Data                                                                                                                                                                                                    | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>WPX282H WPX 282H</b><br>Factor Tracked Meter Factor(MF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14504527<br>Model No. CMF200M            | Name Crude<br>Batch No.<br>Obs. Gravity 41.8 °API<br>Obs. Temp 95.6 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 38.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                  | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1486766839 1486767979<br>Date 02/10/2017 02/10/2017<br>Time 9:47 10:06<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 38.8°API 38.8 °API<br>Avg Prvr Temp 94.2 94.5<br>Avg Prvr Press 36.0 41.0<br>Repeatability 0.025 % 0.032 %<br>MF 1.0006 1.0005<br>MF Variance 0.0002 -0.0001 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 42.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                      |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 94.5        | 94.5 | 41.0     | 42.0 | 11881.391  | 1              | Yes | 1.00071 | 20.852   |
| 2       | 94.2        | 94.2 | 41.0     | 42.0 | 11884.277  | 2              | Yes | 1.00047 | 20.823   |
| 3       | 94.3        | 94.3 | 41.0     | 42.0 | 11882.510  | 3              | Yes | 1.00062 | 20.820   |
| 4       | 94.7        | 94.7 | 41.0     | 42.0 | 11884.688  | 4              | Yes | 1.00045 | 20.781   |
| 5       | 94.8        | 94.8 | 41.0     | 42.0 | 11885.322  | 5              | Yes | 1.00039 | 20.758   |
| Average | 94.5        | 94.5 | 41.0     | 42.0 | 11883.6376 |                |     | 1.00053 | 20.807   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00064 | 1.00003 | 0.98283 | 1.00025 | 0.98373 | 1.16887 |

(2) ISVm:  $[N(avg) + NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11883.6376 | 10000.0000 | 1.18836 | 0.98283 | 1.00025 | 0.98308 | 1.16825 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0005 MF  
 (2) MF \* CPL = 1.0008 CMF  
 (3) 1 + MF = 0.9995 MA  
 (4) NKF + MF = 9995.0 KF  
 (5) KF + CPL = 9992.0 CKF

Repeatability: 0.032 %  
 Uncertainty: 0.017 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVE

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC 4 T23N R8W

|                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>WPX282H WPX 282H</b><br>Factor Tracked Meter Factor(MF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size in<br>Serial No. 14604527<br>Model No. CMF200M | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 42.2 °API<br>Obs. Temp 86.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                       | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1484362484 1484363710<br>Date 01/13/2017 01/13/2017<br>Time 13:54 14:15<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.0 °API 40.0 °API<br><br>Avg Prvr Temp 80.8 81.6<br>Avg Prvr Press 39.0 39.0<br>Repeatability 0.047 % 0.017 %<br>MF 1.0007 1.0004<br>MF Variance -0.0003 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified  | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 40.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                            |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES<br>N | Run Accepted ? |     | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|-------------|----------------|-----|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   |             |                |     |         |                    |
| 1       | 80.4        | 80.4 | 39.0     | 40.0 | 11882.290   | 1              | Yes | 1.00037 | 20.838             |
| 2       | 81.9        | 81.9 | 39.0     | 40.0 | 11883.230   | 2              | Yes | 1.00033 | 20.743             |
| 3       | 81.9        | 81.9 | 39.0     | 40.0 | 11883.249   | 3              | Yes | 1.00033 | 20.817             |
| 4       | 81.9        | 81.9 | 39.0     | 40.0 | 11881.154   | 4              | Yes | 1.00050 | 20.939             |
| 5       | 81.9        | 81.9 | 39.0     | 40.0 | 11882.410   | 5              | Yes | 1.00040 | 20.813             |
| Average | 81.6        | 81.6 | 39.0     | 40.0 | 11882.4666  |                |     | 1.00039 | 20.830             |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00040 | 1.00003 | 0.98912 | 1.00023 | 0.98977 | 1.17604 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11882.4666 | 10000.0000 | 1.18825 | 0.98912 | 1.00023 | 0.98935 | 1.17560 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0004 MF  
 (2) MF \* CPL = 1.0006 CMF  
 (3) 1 + MF = 0.9996 MA  
 (4) NKF + MF = 9996.0 KF  
 (5) KF + CPL = 9994.0 CKF

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Repeatability: 0.017 %  
 Uncertainty: 0.009 %

Technician: Clinton York - Meter Provers Inc.

Witness:

PROVEIT

Copyright 2009, Flow-Cal, Inc.  
 PROVEIT PROVEIT 8.7.0.0

01/24/2017 10:29 Page: 1  
 Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.3L T23N R8W

| Meter Data                                                                                                                                                                                                        | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67455821 WPX 404H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14502902<br>Model No.                      | <b>Name Crude</b><br>Batch No.<br>Obs. Gravity 41.8 °API<br>Obs. Temp 84.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 39.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                       | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1484269828 1484270892<br>Date 01/12/2017 01/12/2017<br>Time 12:10 12:28<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 39.8 °API 39.8 °API<br><br>Avg Prvr Temp 82.9 83.7<br>Avg Prvr Press 39.0 40.0<br>Repeatability 0.044 % 0.047 %<br>CMF 0.9977 0.9932<br>CMF Variance 0.0098 -0.0045 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 41.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                              |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 83.9        | 83.9 | 40.0     | 41.0 | 11973.682  | 1              | Yes | 0.99281 | 20.680   |
| 2       | 83.7        | 83.7 | 40.0     | 41.0 | 11974.093  | 2              | Yes | 0.99278 | 20.686   |
| 3       | 83.7        | 83.7 | 40.0     | 41.0 | 11972.115  | 3              | Yes | 0.99293 | 20.687   |
| 4       | 83.6        | 83.6 | 40.0     | 41.0 | 11968.323  | 4              | Yes | 0.99325 | 20.690   |
| 5       | 83.9        | 83.9 | 40.0     | 41.0 | 11971.422  | 5              | Yes | 0.99289 | 20.678   |
| Average | 83.7        | 83.7 | 40.0     | 41.0 | 11971.9270 |                |     | 0.99295 | 20.680   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00044 | 1.00003 | 0.98808 | 1.00024 | 0.98878 | 1.17487 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11971.9270 | 10000.0000 | 1.19719 | 0.98808 | 1.00024 | 0.98832 | 1.18321 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9930 MF  
 (2) MF \* CPL = 0.9932 CMF  
 (3) 1 ÷ MF = 1.0070 MA  
 (4) NKF ÷ MF = 10070 KF  
 (5) KF ÷ CPL = 10068 CKF

Repeatability: 0.047 %  
 Uncertainty: 0.025 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician: Clinton York - Meter Provers Inc.

Witness:

**PROVE**

Copyright 2009, Flow-Cal, Inc.  
 PROVEit PROVER 8.7.0.0

01/12/2017 12:55 Page: 1  
 Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.3L T23N R8W

| Meter Data                                                                                                                                                                                           | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67455821 WPX 404H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14502902<br>Model No.         | Name Crude<br>Batch No.<br>Obs. Gravity 43.4 °API<br>Obs. Temp 90.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                  | <div style="display: flex; justify-content: space-between;"> <div>Previous</div> <div>Current</div> </div> Task ID 1489628384 1489629320<br>Date 03/15/2017 03/15/2017<br>Time 13:39 13:55<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.8°API 40.8 °API<br>Avg Prvr Temp 88.1 89.4<br>Avg Prvr Press 40.0 38.0<br>Repeatability 0.038 % 0.022 %<br>CMF 0.9976 0.9932<br>CMF Variance 0.0029 -0.0044 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 38.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                       |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 89.1        | 89.1 | 38.0     | 39.0 | 11971.660  | 1              | Yes | 0.99306 | 20.680   |
| 2       | 89.4        | 89.4 | 38.0     | 39.0 | 11972.342  | 2              | Yes | 0.99302 | 20.666   |
| 3       | 89.4        | 89.4 | 38.0     | 39.0 | 11970.524  | 3              | Yes | 0.99317 | 20.652   |
| 4       | 89.5        | 89.5 | 38.0     | 39.0 | 11972.170  | 4              | Yes | 0.99302 | 20.646   |
| 5       | 89.6        | 89.6 | 38.0     | 39.0 | 11973.172  | 5              | Yes | 0.99295 | 20.679   |
| Average | 89.4        | 89.4 | 38.0     | 39.0 | 11971.9736 |                |     | 0.99304 | 20.665   |

(1) GSVp: BPV \* [CTS<sub>p</sub> \* CPS<sub>p</sub> \* CTL<sub>p</sub> \* CPL<sub>p</sub> = CCF<sub>p</sub>]

|         |                  |                  |                  |                  |                  |         |
|---------|------------------|------------------|------------------|------------------|------------------|---------|
| BPV     | CTS <sub>p</sub> | CPS <sub>p</sub> | CTL <sub>p</sub> | CPL <sub>p</sub> | CCF <sub>p</sub> | GSVp    |
| 1.18820 | 1.00055          | 1.00003          | 0.98503          | 1.00023          | 0.98583          | 1.17136 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTL<sub>m</sub> \* CPL<sub>m</sub> = CCF<sub>m</sub>]

|            |            |         |                  |                  |                  |         |
|------------|------------|---------|------------------|------------------|------------------|---------|
| N(avg)     | NKF        | IVm     | CTL <sub>m</sub> | CPL <sub>m</sub> | CCF <sub>m</sub> | ISVm    |
| 11971.9736 | 10000.0000 | 1.19720 | 0.98503          | 1.00024          | 0.98527          | 1.17957 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9930 MF  
 (2) MF \* CPL = 0.9932 CMF  
 (3) 1 ÷ MF = 1.0070 MA  
 (4) NKF ÷ MF = 10070 KF  
 (5) KF ÷ CPL = 10068 CKF

Repeatability: 0.022 %  
 Uncertainty: 0.012 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.3L T23N R8W

| Meter Data                                                                                                                                                                                                        | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67455821 WPX 404H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14502902<br>Model No.                      | Name Crude<br>Batch No.<br>Obs. Gravity 42.4 °API<br>Obs. Temp 91.3 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 39.7 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                              | <div style="display: flex; justify-content: space-between;"> <span>Previous</span> <span>Current</span> </div> Task ID 1486771354 1486772420<br>Date 02/10/2017 02/10/2017<br>Time 11:02 11:20<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 39.7 °API 39.7 °API<br><br>Avg Pvr Temp 90.4 90.1<br>Avg Pvr Press 37.0 44.0<br>Repeatability 0.021 % 0.036 %<br>CMF 0.9989 0.9947<br>CMF Variance 0.0057 -0.0042 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 45.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                              |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 90.4        | 90.4 | 44.0     | 44.0 | 11953.990  | 1              | Yes | 0.99458 | 20.724   |
| 2       | 90.2        | 90.2 | 44.0     | 44.0 | 11954.633  | 2              | Yes | 0.99452 | 20.694   |
| 3       | 90.0        | 90.0 | 44.0     | 44.0 | 11958.191  | 3              | Yes | 0.99422 | 20.701   |
| 4       | 90.1        | 90.1 | 44.0     | 44.0 | 11955.494  | 4              | Yes | 0.99445 | 20.701   |
| 5       | 90.1        | 90.1 | 44.0     | 44.0 | 11956.107  | 5              | Yes | 0.99440 | 20.705   |
| Average | 90.1        | 90.1 | 44.0     | 44.0 | 11955.8830 |                |     | 0.99443 | 20.705   |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00056 | 1.00004 | 0.98487 | 1.00026 | 0.98572 | 1.17123 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11955.8830 | 10000.0000 | 1.19557 | 0.98487 | 1.00026 | 0.98513 | 1.17779 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 0.9944 MF  
 (2) MF \* CPL = 0.9947 CMF  
 (3) 1 + MF = 1.0056 MA  
 (4) NKF + MF = 10056 KF  
 (5) KF + CPL = 10053 CKF

Repeatability: 0.036 %  
 Uncertainty: 0.019 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVE

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.11A T23N R8W NMPM

| Meter Data                                                                                                                                                                                                     | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|--------------------|------------|-----------------|------------|-----------|------|---------------|-------|--------------------|-----------|-----------|--|------------|--|------------------------|-----------|---------------------|-------|---------------------|------|-----------------------|---------|------------|--------|----------------------|---------|
| <b>67413184 WPX 407H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14494853<br>Model No.                   | Name Crude<br>Batch No.<br>Obs. Gravity 45.5 °API<br>Obs. Temp 96.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 42.3 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                  | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:50%; text-align: left;">Previous</th> <th style="width:50%; text-align: left;">Current</th> </tr> </thead> <tbody> <tr> <td>Task ID 1486674095</td> <td>1486676160</td> </tr> <tr> <td>Date 02/09/2017</td> <td>02/09/2017</td> </tr> <tr> <td>Time 8:01</td> <td>8:19</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 41 bbl/hr</td> <td>21 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 42.3 °API</td> <td>42.3 °API</td> </tr> <tr> <td>Avg Prvr Temp 100.6</td> <td>100.3</td> </tr> <tr> <td>Avg Prvr Press 34.0</td> <td>40.0</td> </tr> <tr> <td>Repeatability 0.028 %</td> <td>0.032 %</td> </tr> <tr> <td>CMF 0.9902</td> <td>0.9899</td> </tr> <tr> <td>CMF Variance -0.0003</td> <td>-0.0003</td> </tr> </tbody> </table> | Previous | Current | Task ID 1486674095 | 1486676160 | Date 02/09/2017 | 02/09/2017 | Time 8:01 | 8:19 | Product Crude | Crude | Flowrate 41 bbl/hr | 21 bbl/hr | Totalizer |  | Throughput |  | Base Density 42.3 °API | 42.3 °API | Avg Prvr Temp 100.6 | 100.3 | Avg Prvr Press 34.0 | 40.0 | Repeatability 0.028 % | 0.032 % | CMF 0.9902 | 0.9899 | CMF Variance -0.0003 | -0.0003 |
| Previous                                                                                                                                                                                                       | Current                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Task ID 1486674095                                                                                                                                                                                             | 1486676160                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Date 02/09/2017                                                                                                                                                                                                | 02/09/2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Time 8:01                                                                                                                                                                                                      | 8:19                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Product Crude                                                                                                                                                                                                  | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Flowrate 41 bbl/hr                                                                                                                                                                                             | 21 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Totalizer                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Throughput                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Base Density 42.3 °API                                                                                                                                                                                         | 42.3 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Avg Prvr Temp 100.6                                                                                                                                                                                            | 100.3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Avg Prvr Press 34.0                                                                                                                                                                                            | 40.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| Repeatability 0.028 %                                                                                                                                                                                          | 0.032 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| CMF 0.9902                                                                                                                                                                                                     | 0.9899                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| CMF Variance -0.0003                                                                                                                                                                                           | -0.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 6 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 44.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |         |                    |            |                 |            |           |      |               |       |                    |           |           |  |            |  |                        |           |                     |       |                     |      |                       |         |            |        |                      |         |

| Run            | TEMPERATURE<br>Tp | Tm           | PRESSURE<br>Pp | Pm          | PULSES<br>N       | Run Accepted ? | IMF            | Flowrate<br>bbl/hr |
|----------------|-------------------|--------------|----------------|-------------|-------------------|----------------|----------------|--------------------|
| 1              | 100.2             | 100.2        | 40.0           | 44.0        | 12018.305         | 1 Yes          | 0.98941        | 20.747             |
| 2              | 100.1             | 100.1        | 40.0           | 44.0        | 12014.567         | 2 Yes          | 0.98971        | 20.696             |
| 3              | 100.2             | 100.2        | 40.0           | 44.0        | 12015.053         | 3 Yes          | 0.98968        | 20.700             |
| 4              | 100.3             | 100.3        | 40.0           | 44.0        | 12014.820         | 4 Yes          | 0.98970        | 20.682             |
| 5              | 100.4             | 100.4        | 40.0           | 44.0        | 12014.365         | 5 Yes          | 0.98973        | 20.664             |
| <b>Average</b> | <b>100.3</b>      | <b>100.3</b> | <b>40.0</b>    | <b>44.0</b> | <b>12015.4220</b> |                | <b>0.98965</b> | <b>20.698</b>      |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00075 | 1.00003 | 0.97909 | 1.00026 | 0.98011 | 1.16457 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 12015.4220 | 10000.0000 | 1.20154 | 0.97909 | 1.00029 | 0.97937 | 1.17675 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 0.9896 MF  
 (2) MF \* CPL = 0.9899 CMF  
 (3) 1 + MF = 1.0105 MA  
 (4) NKF + MF = 10105 KF  
 (5) KF + CPL = 10102 CKF

Repeatability: 0.032 %  
 Uncertainty: 0.017 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:   
 PROVEIT

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.11A T23N R8W NMPM

| Meter Data                                                                                                                                                                                           | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67413184 WPX 407H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14494853<br>Model No.         | Name Crude<br>Batch No.<br>Obs. Gravity 45.4 °API<br>Obs. Temp 101.5 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.7 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                 | <div style="display: flex; justify-content: space-between;"> <div> <b>Previous</b><br/>           Task ID 1488182234<br/>           Date 03/10/2017<br/>           Time 8:43<br/>           Product Crude<br/>           Flowrate 41 bbl/hr<br/>           Totalizer<br/>           Throughput<br/>           Base Density 41.7°API         </div> <div> <b>Current</b><br/>           1488184756<br/>           03/10/2017<br/>           9:25<br/>           Crude<br/>           21 bbl/hr<br/>           41.7 °API         </div> </div> |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 6 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | Avg Prvr Temp 102.9 106.2<br>Avg Prvr Press 34.0 37.0<br>Repeatability 0.026 % 0.035 %<br>CMF 0.9906 0.9902<br>CMF Variance 0.0007 -0.0004                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 40.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                                                                                        |

| Run     | TEMPERATURE |       | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|-------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm    | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 106.6       | 106.6 | 37.0     | 40.0 | 12011.780  | 1              | Yes | 0.99006 | 20.381   |
| 2       | 106.1       | 106.1 | 37.0     | 40.0 | 12015.387  | 2              | Yes | 0.98976 | 20.511   |
| 3       | 106.1       | 106.1 | 37.0     | 40.0 | 12014.983  | 3              | Yes | 0.98979 | 20.721   |
| 4       | 106.2       | 106.2 | 37.0     | 40.0 | 12012.479  | 4              | Yes | 0.98999 | 20.580   |
| 5       | 106.3       | 106.3 | 37.0     | 40.0 | 12011.143  | 5              | Yes | 0.99011 | 20.698   |
| Average | 106.2       | 106.2 | 37.0     | 40.0 | 12013.1544 |                |     | 0.98994 | 20.578   |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00086 | 1.00003 | 0.97618 | 1.00024 | 0.97728 | 1.16120 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 12013.1544 | 10000.0000 | 1.20132 | 0.97618 | 1.00026 | 0.97643 | 1.17300 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9899 MF  
 (2) MF \* CPL = 0.9902 CMF  
 (3) 1 ÷ MF = 1.0102 MA  
 (4) NKF ÷ MF = 10102 KF  
 (5) KF ÷ CPL = 10099 CKF

Repeatability: 0.035 %  
 Uncertainty: 0.019 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

PROVE

Customer: WPX -

Operator:

Location:

Federal ID:

| Meter Data                                                                                                                                                                                                        | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>WPX395H WPX 395H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size In<br>Serial No. 14233156<br>Model No. CMF 300M                   | <b>Name Crude</b><br>Batch No.<br>Obs. Gravity 42.6 °API<br>Obs. Temp 90.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                       | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1484342220 1485982838<br>Date 01/13/2017 02/01/2017<br>Time 8:17 8:00<br>Product Crude Crude<br>Flowrate 251 bbl/hr 215 bbl/hr<br>Totalizer 452050 455768<br>Throughput 3718<br>Base Density 41.5°API 40.0 °API<br><br>Avg Prvr Temp 76.9 83.8<br>Avg Prvr Press 82.0 82.0<br>Repeatability 0.041 % 0.035 %<br>CMF 1.0016 1.0021<br>CMF Variance 0.0000 |  |
| <b>Prover Data</b><br>BPV 1.18620 bbl<br>I.D. 7.981 In<br>W.T. 0.322 In<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 82.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0005                                                                                                                                                                                                                                                                                                                                                        |  |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 83.2        | 83.2 | 82.0     | 82.0 | 11870.514  | 1              | Yes | 1.00147 | 215.422  |
| 2       | 83.5        | 83.5 | 82.0     | 82.0 | 11868.306  | 2              | Yes | 1.00167 | 214.979  |
| 3       | 83.7        | 83.7 | 82.0     | 82.0 | 11870.212  | 3              | Yes | 1.00152 | 214.953  |
| 4       | 84.2        | 84.2 | 82.0     | 82.0 | 11868.603  | 4              | Yes | 1.00182 | 214.891  |
| 5       | 84.5        | 84.5 | 82.0     | 82.0 | 11868.363  | 5              | Yes | 1.00169 | 215.508  |
| Average | 83.8        | 83.8 | 82.0     | 82.0 | 11868.7996 |                |     | 1.00163 | 215.151  |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00044 | 1.00007 | 0.98801 | 1.00048 | 0.98899 | 1.17512 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11868.7996 | 10000.0000 | 1.18688 | 0.98801 | 1.00048 | 0.98848 | 1.17321 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0016 MF  
 (2) MF \* CPL = 1.0021 CMF  
 (3) 1 + MF = 0.9984 MA  
 (4) NKF + MF = 9984.0 KF  
 (5) KF + CPL = 9979.0 CKF

 Repeatability: 0.035 %  
 Uncertainty: 0.019 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

Witness:

 PROVEIT  


 Copyright 2009, Flow-Cal, Inc.  
 PROVEIT PROVER 8.7.0.0

 02/01/2017 9:00 Page: 1  
 Revision: 2

Customer: WPX -  
Operator:  
Location:  
Federal ID:

|                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>WPX395H WPX 395H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size in<br>Serial No. 14233156<br>Model No. CMF 300M | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 42.4 °API<br>Obs. Temp 75.3 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.1 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                       | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span>Previous</span> <span>Current</span> </div> Task ID 1485982838 1488487710<br>Date 02/01/2017 03/02/2017<br>Time 8:00 7:48<br>Product Crude Crude<br>Flowrate 215 bbl/hr 242 bbl/hr<br>Totalizer 455768 462477<br>Throughput 3718 6709<br>Base Density 40.0°API 41.1 °API |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br><br>Certified             | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 6 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | Avg Pvr Temp 83.8 75.2<br>Avg Pvr Press 82.0 82.0<br>Repeatability 0.035 % 0.047 %<br>CMF 1.0021 1.0019<br>CMF Variance 0.0000 -0.0002                                                                                                                                                                                                                             |
| <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 82.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0005                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                    |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |         |                    |
| 1       | 75.1        | 75.1 | 82.0     | 82.0 | 11870.434  | 1 Yes          | 1.00132 | 242.687            |
| 2       | 75.2        | 75.2 | 82.0     | 82.0 | 11866.935  | 2 Yes          | 1.00162 | 242.275            |
| 3       | 75.1        | 75.1 | 82.0     | 82.0 | 11867.757  | 3 Yes          | 1.00154 | 241.866            |
| 4       | 75.2        | 75.2 | 82.0     | 82.0 | 11872.400  | 4 Yes          | 1.00115 | 241.463            |
| 5       | 75.3        | 75.3 | 82.0     | 82.0 | 11869.790  | 5 Yes          | 1.00137 | 241.438            |
| Average | 75.2        | 75.2 | 82.0     | 82.0 | 11869.4632 |                | 1.00140 | 241.946            |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00028 | 1.00007 | 0.99225 | 1.00048 | 0.99307 | 1.17997 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11869.4632 | 10000.0000 | 1.18695 | 0.99225 | 1.00048 | 0.99273 | 1.17832 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0014 MF  
(2) MF \* CPL = 1.0019 CMF  
(3) 1 + MF = 0.9986 MA  
(4) NKF + MF = 9986.0 KF  
(5) KF + CPL = 9981.0 CKF

Repeatability: 0.047 %  
Uncertainty: 0.025 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician

PROVEIT

Witness:

Customer: WPX -  
Operator:  
Location:  
Federal ID:

|                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>WPX395H WPX 395H</b><br>Factor Tracked Meter Factor(MF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size in<br>Serial No. 14233156<br>Model No. CMF 300M | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 42.0 °API<br>Obs. Temp 66.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.5 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                       | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span>Previous</span> <span>Current</span> </div> Task ID 1484342220<br>Date 01/13/2017<br>Time 8:17<br>Product Crude<br>Flowrate 251 bbl/hr<br>Totalizer 452050<br>Throughput<br>Base Density 41.5 °API<br><br>Avg Pvr Temp 76.9<br>Avg Pvr Press 82.0<br>Repeatability 0.041 %<br>MF 1.0016<br>MF Variance |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer DOMINION<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F                    | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 82.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0005                                                                                                                                                                                                                                                            |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 76.8        | 76.8 | 82.0     | 82.0 | 11868.383  | 1              | Yes | 1.00152 | 252.965  |
| 2       | 76.9        | 76.9 | 82.0     | 82.0 | 11865.387  | 2              | Yes | 1.00178 | 252.556  |
| 3       | 76.9        | 76.9 | 82.0     | 82.0 | 11865.800  | 3              | Yes | 1.00174 | 249.422  |
| 4       | 76.9        | 76.9 | 82.0     | 82.0 | 11868.020  | 4              | Yes | 1.00155 | 249.449  |
| 5       | 76.9        | 76.9 | 82.0     | 82.0 | 11870.220  | 5              | Yes | 1.00137 | 248.837  |
| Average | 76.9        | 76.9 | 82.0     | 82.0 | 11867.5620 |                |     | 1.00159 | 250.646  |

(1) GSVp:  $BPV \cdot [CTSp \cdot CPSp \cdot CTLp \cdot CPLp] = CCFp$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00031 | 1.00007 | 0.99134 | 1.00048 | 0.99219 | 1.17892 |

(2) ISVm:  $[N(avg) + NKF = IVm] \cdot [CTLm \cdot CPLm] = CCFm$


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11867.5620 | 10000.0000 | 1.18676 | 0.99134 | 1.00048 | 0.99182 | 1.17705 |

(3) Proving Factors:

>>>> (1)  $GSVp \div ISVm = 1.0016$  MF  
(2)  $MF \cdot CPL = 1.0021$  CMF  
(3)  $1 \div MF = 0.9984$  MA  
(4)  $NKF \div MF = 9984.0$  KF  
(5)  $KF \div CPL = 9979.0$  CKF

Repeatability: 0.041 %  
Uncertainty: 0.022 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

  
Technician: Clinton York - Meter Provers Inc.

Witness: --

PROVEIT

Copyright 2009, Flow-Cal, Inc.  
PROVEIT PROVEIT 6.7.0.0

01/13/2017 10:06 Page: 1  
Revision: 1

Customer: WPX -  
Operator:  
Location:  
Federal ID: SEC.11A T23N R8W NMPM

| Meter Data                       |  | Product Data                          |  | Proving Data                                     |                       |
|----------------------------------|--|---------------------------------------|--|--------------------------------------------------|-----------------------|
| 67413184 WPX 407H                |  | Name Crude                            |  | <u>Previous</u> <u>Current</u>                   |                       |
| Factor Tracked Composite MF(CMF) |  | Batch No.                             |  | Task ID                                          | 1484082007 1484082806 |
| Temp Compensated No              |  | Obs. Gravity 44.9 °API                |  | Date                                             | 01/10/2017 01/10/2017 |
| NKF 10000.0000 N/bbl             |  | Obs. Temp 83.0 °F                     |  | Time                                             | 8:00 8:15             |
| Manufacturer Micro Motion        |  | Obs. Press 0.0 psi                    |  | Product                                          | Crude Crude           |
| Size 2.00 in                     |  | API Table Table A - Crude Oil (2004)  |  | Flowrate                                         | 41 bbl/hr 14 bbl/hr   |
| Serial No. 14494853              |  | Base Density 42.8 °API                |  | Totalizer                                        |                       |
| Model No.                        |  | HYC Y                                 |  | Throughput                                       |                       |
| Prover Data                      |  | Tolerances                            |  | Base Density 42.8 °API 42.8 °API                 |                       |
| BPV 1.18820 bbl                  |  | Tolerance Type: Repeatability         |  | Avg Prvr Temp                                    | 82.7 82.8             |
| I.D. 7.981 in                    |  | Maximum Deviation: 0.050 %            |  | Avg Prvr Press                                   | 37.0 41.0             |
| W.T. 0.322 in                    |  | Enabled? Y Passed? Y Min # of Runs: 5 |  | Repeatability                                    | 0.021 % 0.026 %       |
| Manufacturer DOMINION            |  | Criteria: 5 out of 6 consecutive runs |  | CMF                                              | 0.9910 0.9905         |
| Type Displacement-Sphere         |  | Avg X Prev Meter Factor Deviation:    |  | CMF Variance                                     | -0.0049 -0.0005       |
| Serial No. 23MM                  |  | Enabled? N Passed? Y Prod Dep? N      |  | Liquid Properties at Metering Conditions for CMF |                       |
| Elasticity 3.0E7 1/psi           |  | Prev X Factor Count Sought: 1         |  | Normal Op. Pressure                              | 40.0 psig             |
| Pipe Gc 1.86E-5 1°F              |  | Prev X Factor Count Used: 0           |  | Eq. Vapor Pressure                               | 0.0 psig              |
| Certified                        |  | Cut Off History? N Cutoff Date:       |  | CPL 1.0002                                       |                       |
|                                  |  | Prev Meter Factor Deviation:          |  |                                                  |                       |
|                                  |  | Enabled? N Passed? Y Prod Dep? N      |  |                                                  |                       |
|                                  |  | Proving Mode: Volumetric              |  |                                                  |                       |
|                                  |  | Density Mode: Manual                  |  |                                                  |                       |
|                                  |  | Calc. Method: Avg. Meter Factor       |  |                                                  |                       |
|                                  |  | Proving Method: PIU                   |  |                                                  |                       |
|                                  |  | Passes Per Run 1                      |  |                                                  |                       |

| Run            | TEMPERATURE |             | PRESSURE    |             | PULSES<br>N       | Run Accepted ? |     | IMF            | Flowrate<br>bbl/hr |
|----------------|-------------|-------------|-------------|-------------|-------------------|----------------|-----|----------------|--------------------|
|                | Tp          | Tm          | Pp          | Pm          |                   |                |     |                |                    |
| 1              | 83.7        | 83.7        | 41.0        | 41.0        | 12005.744         | 1              | Yes | 0.99015        | 14.352             |
| 2              | 83.4        | 83.4        | 41.0        | 41.0        | 12003.768         | 2              | Yes | 0.99031        | 14.432             |
| 3              | 83.2        | 83.2        | 41.0        | 41.0        | 12003.099         | 3              | Yes | 0.99036        | 14.400             |
| 4              | 81.5        | 81.5        | 41.0        | 41.0        | 12002.141         | 4              | Yes | 0.99041        | 14.481             |
| 5              | 82.3        | 82.3        | 41.0        | 41.0        | 12004.398         | 5              | Yes | 0.99023        | 14.415             |
| <b>Average</b> | <b>82.8</b> | <b>82.8</b> | <b>41.0</b> | <b>41.0</b> | <b>12003.8300</b> |                |     | <b>0.99029</b> | <b>14.416</b>      |

**(1) GSVp:  $BPV * [CTSp * CPSP * CTLp * CPLp = CCFp]$**

|            |             |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <b>BPV</b> | <b>CTSp</b> | <b>CPSp</b> | <b>CTLp</b> | <b>CPLp</b> | <b>CCFp</b> | <b>GSVp</b> |
| 1.18820    | 1.00042     | 1.00003     | 0.98813     | 1.00025     | 0.98882     | 1.17492     |

**(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]**

| <i>N</i> (avg) | <i>NKF</i> | <i>IVm</i> | <i>CTLm</i> | <i>CPLm</i> | <i>CCFm</i> | <i>ISVm</i> |
|----------------|------------|------------|-------------|-------------|-------------|-------------|
| 12003.8300     | 10000.0000 | 1.20038    | 0.98813     | 1.00025     | 0.98838     | 1.18643     |

**(3) Proving Factors:**

|      |     |               |        |
|------|-----|---------------|--------|
| >>>> | (1) | GSVp ÷ ISVm = | 0.9903 |
|      | (2) | MF * CPL =    | 0.9905 |
|      | (3) | 1 + MF =      | 1.0098 |
|      | (4) | NKF ÷ MF =    | 10098  |
|      | (5) | KF + CPL =    | 10096  |

|     |                      |         |
|-----|----------------------|---------|
| MF  | Trans. Serial No.    |         |
| CMF | Flow Calib Factor    |         |
| MA  | Density Calib Factor |         |
| KF  | Frequency Set Point  |         |
| CKF | Flowrate Set Point   |         |
|     | Zero Verified        | Zeroed  |
|     | As Found             | As Left |

**Repeatability:** 0.026 %  
**Uncertainty:** 0.014 %

Technician: C2

**Witness:**

Copyright 2009, Flow Corp., Inc.  
FLOWERFLOWER1877000

01/10/2017 9:07 Page: 1  
Revision: 1  
Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.36 T24N R8W

|                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br>68425694 WPX 133H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No.<br>Model No.     | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 43.2 °API<br>Obs. Temp 91.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.5 °API HYC Y                                                                                                                                                                                                                                                                                                                                                            | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1492212263 1492213240<br>Date 04/14/2017 04/14/2017<br>Time 11:24 11:40<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.5 °API 40.5 °API<br>Avg Prvr Temp 94.5 96.2<br>Avg Prvr Press 32.0 31.0<br>Repeatability 0.045 % 0.017 %<br>CMF 0.9982 0.9955<br>CMF Variance 0.0018 -0.0027 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/PF<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 12 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 38.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                                 |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 96.7        | 96.7 | 31.0     | 39.0 | 11946.449  | 1              | Yes | 0.99526 | 20.902   |
| 2       | 96.1        | 96.1 | 31.0     | 39.0 | 11945.746  | 2              | Yes | 0.99530 | 20.671   |
| 3       | 96.0        | 96.0 | 31.0     | 39.0 | 11946.286  | 3              | Yes | 0.99525 | 20.812   |
| 4       | 96.1        | 96.1 | 31.0     | 39.0 | 11944.250  | 4              | Yes | 0.99542 | 20.759   |
| 5       | 96.1        | 96.1 | 31.0     | 39.0 | 11944.327  | 5              | Yes | 0.99542 | 20.765   |
| Average | 96.2        | 96.2 | 31.0     | 39.0 | 11945.4116 |                |     | 0.99533 | 20.782   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00067 | 1.00003 | 0.98162 | 1.00019 | 0.98249 | 1.16739 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11945.4116 | 10000.0000 | 1.19454 | 0.98162 | 1.00024 | 0.98186 | 1.17287 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9953 MF  
 (2) MF \* CPL = 0.9955 CMF  
 (3) 1 ÷ MF = 1.0047 MA  
 (4) NKF ÷ MF = 10047 KF  
 (5) KF + CPL = 10045 CKF

Repeatability: 0.017 %  
 Uncertainty: 0.009 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:   
 PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.36 T24N R8W

| <b>Meter Data</b><br>68425694 WPX 133H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No.<br>Model No.    | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 43.2 °API<br>Obs. Temp 91.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.5 °API HYC Y                                                                                                                                                                                                                                                                                                                                                            | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Current</u></th> </tr> <tr> <td>Task ID 1489615798</td> <td>1492212263</td> </tr> <tr> <td>Date 03/15/2017</td> <td>04/14/2017</td> </tr> <tr> <td>Time 10:09</td> <td>11:24</td> </tr> <tr> <td>Product Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate 21 bbl/hr</td> <td>42 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> </tr> <tr> <td>Base Density 41.3°API</td> <td>40.5 °API</td> </tr> <tr> <td>Avg Pvr Temp 93.2</td> <td>94.5</td> </tr> <tr> <td>Avg Pvr Press 38.0</td> <td>32.0</td> </tr> <tr> <td>Repeatability 0.026 %</td> <td>0.045 %</td> </tr> <tr> <td>CMF 0.9964</td> <td>0.9982</td> </tr> <tr> <td>CMF Variance -0.0025</td> <td>0.0018</td> </tr> </table> | <u>Previous</u> | <u>Current</u> | Task ID 1489615798 | 1492212263 | Date 03/15/2017 | 04/14/2017 | Time 10:09 | 11:24 | Product Crude | Crude | Flowrate 21 bbl/hr | 42 bbl/hr | Totalizer |  | Throughput |  | Base Density 41.3°API | 40.5 °API | Avg Pvr Temp 93.2 | 94.5 | Avg Pvr Press 38.0 | 32.0 | Repeatability 0.026 % | 0.045 % | CMF 0.9964 | 0.9982 | CMF Variance -0.0025 | 0.0018 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|--------------------|------------|-----------------|------------|------------|-------|---------------|-------|--------------------|-----------|-----------|--|------------|--|-----------------------|-----------|-------------------|------|--------------------|------|-----------------------|---------|------------|--------|----------------------|--------|
| <u>Previous</u>                                                                                                                                                                                      | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Task ID 1489615798                                                                                                                                                                                   | 1492212263                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Date 03/15/2017                                                                                                                                                                                      | 04/14/2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Time 10:09                                                                                                                                                                                           | 11:24                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Product Crude                                                                                                                                                                                        | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Flowrate 21 bbl/hr                                                                                                                                                                                   | 42 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Totalizer                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Throughput                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Base Density 41.3°API                                                                                                                                                                                | 40.5 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Avg Pvr Temp 93.2                                                                                                                                                                                    | 94.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Avg Pvr Press 38.0                                                                                                                                                                                   | 32.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| Repeatability 0.026 %                                                                                                                                                                                | 0.045 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| CMF 0.9964                                                                                                                                                                                           | 0.9982                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| CMF Variance -0.0025                                                                                                                                                                                 | 0.0018                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 12 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 39.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |                |                    |            |                 |            |            |       |               |       |                    |           |           |  |            |  |                       |           |                   |      |                    |      |                       |         |            |        |                      |        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |         |                    |
| 1       | 89.2        | 89.2 | 32.0     | 40.0 | 11914.086  | 1 Yes          | 0.99782 | 41.591             |
| 2       | 94.1        | 94.1 | 32.0     | 40.0 | 11913.281  | 2 Yes          | 0.99798 | 41.564             |
| 3       | 95.6        | 95.6 | 32.0     | 40.0 | 11913.962  | 3 Yes          | 0.99794 | 41.560             |
| 4       | 96.5        | 96.5 | 32.0     | 40.0 | 11910.250  | 4 Yes          | 0.99827 | 41.589             |
| 5       | 96.9        | 96.9 | 32.0     | 40.0 | 11914.470  | 5 Yes          | 0.99793 | 41.541             |
| Average | 94.5        | 94.5 | 32.0     | 40.0 | 11913.2098 |                | 0.99799 | 41.569             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00064 | 1.00003 | 0.98249 | 1.00020 | 0.98334 | 1.16840 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11913.2098 | 10000.0000 | 1.19132 | 0.98249 | 1.00025 | 0.98274 | 1.17076 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9980 MF  
 (2) MF \* CPL = 0.9982 CMF  
 (3) 1 + MF = 1.0020 MA  
 (4) NKF ÷ MF = 10020 KF  
 (5) KF ÷ CPL = 10018 CKF

Repeatability: 0.045 %  
 Uncertainty: 0.024 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:   
**PROVE**

Witness:

Customer:  
Operator:  
Location:  
Federal ID: SHL SEC.25M T24N R8W NMPM

| Meter Data                                                                                                                                                                                                   | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67455818 WPX 131H</b><br><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14504523<br>Model No.             | Name Crude<br>Batch No.<br>Obs. Gravity 43.5 °API<br>Obs. Temp 96.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.4 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                              | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1492220293 1492221131<br>Date 04/14/2017 04/14/2017<br>Time 13:38 13:52<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 40.4 °API 40.4 °API<br><br>Avg Prvr Temp 75.8 67.5<br>Avg Prvr Press 32.0 32.0<br>Repeatability 0.013 % 0.021 %<br>CMF 1.0034 1.0056<br>CMF Variance -0.0035 0.0022 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 6<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br><br>Normal Op. Pressure 37.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                          |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |         |                    |
| 1       | 69.1        | 69.1 | 32.0     | 39.0 | 11820.840  | 1 Yes          | 1.00534 | 20.984             |
| 2       | 68.1        | 68.1 | 32.0     | 39.0 | 11820.516  | 2 Yes          | 1.00534 | 20.937             |
| 3       | 67.5        | 67.5 | 32.0     | 39.0 | 11817.950  | 3 Yes          | 1.00555 | 20.945             |
| 4       | 66.2        | 66.2 | 32.0     | 39.0 | 11819.909  | 4 Yes          | 1.00536 | 20.944             |
| 5       | 66.3        | 66.3 | 32.0     | 39.0 | 11817.806  | 5 Yes          | 1.00554 | 20.942             |
| Average | 67.5        | 67.5 | 32.0     | 39.0 | 11819.4042 |                | 1.00543 | 20.951             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00014 | 1.00003 | 0.99621 | 1.00018 | 0.99656 | 1.18411 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11819.4042 | 10000.0000 | 1.18194 | 0.99621 | 1.00022 | 0.99643 | 1.17772 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0054 MF  
 (2) MF \* CPL = 1.0056 CMF  
 (3) 1 ÷ MF = 0.9946 MA  
 (4) NKF ÷ MF = 9946.3 KF  
 (5) KF ÷ CPL = 9944.3 CKF

Repeatability: 0.021 %  
 Uncertainty: 0.011 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:

PROVE

Witness:

Customer:  
Operator:  
Location:  
Federal ID: SHL SEC.25M T24N R8W NMPM

| Meter Data                                                                                                                                                                                                   | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67455818 WPX 131H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14504523<br>Model No.                 | Name Crude<br>Batch No.<br>Obs. Gravity 43.5 °API<br>Obs. Temp 96.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 40.4 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                              | <div style="display: flex; justify-content: space-between;"> <span>Previous</span> <span>Current</span> </div> Task ID 1489623501 1492220293<br>Date 03/15/2017 04/14/2017<br>Time 12:18 13:38<br>Product Crude Crude<br>Flowrate 21 bbl/hr 42 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 41.4°API 40.4 °API<br><br>Avg Pvr Temp 60.8 75.8<br>Avg Pvr Press 37.0 32.0<br>Repeatability 0.041 % 0.013 %<br>CMF 1.0069 1.0034<br>CMF Variance 0.0029 -0.0035 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br><br>Normal Op. Pressure 37.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                         |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |         |                    |
| 1       | 82.0        | 82.0 | 32.0     | 39.0 | 11848.849  | 1 Yes          | 1.00320 | 41.778             |
| 2       | 77.2        | 77.2 | 32.0     | 39.0 | 11848.802  | 2 Yes          | 1.00312 | 41.803             |
| 3       | 74.9        | 74.9 | 32.0     | 39.0 | 11846.775  | 3 Yes          | 1.00325 | 41.804             |
| 4       | 73.1        | 73.1 | 32.0     | 39.0 | 11846.499  | 4 Yes          | 1.00323 | 41.783             |
| 5       | 71.9        | 71.9 | 32.0     | 39.0 | 11846.004  | 5 Yes          | 1.00325 | 41.783             |
| Average | 75.8        | 75.8 | 32.0     | 39.0 | 11847.3858 |                | 1.00321 | 41.790             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00029 | 1.00003 | 0.99201 | 1.00018 | 0.99251 | 1.17930 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11847.3858 | 10000.0000 | 1.18474 | 0.99201 | 1.00023 | 0.99224 | 1.17555 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0032 MF  
 (2) MF \* CPL = 1.0034 CMF  
 (3) 1 ÷ MF = 0.9968 MA  
 (4) NKF + MF = 9968.1 KF  
 (5) KF + CPL = 9966.1 CKF

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Repeatability: 0.013 %  
 Uncertainty: 0.007 %

Technician:   
 PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.36 T24N R8W

| Meter Data                                                                                                                                                                                            | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67455819 WPX 143H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14505452<br>Model No.          | Name Crude<br>Batch No.<br>Obs. Gravity 44.4 °API<br>Obs. Temp 94.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.4 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                  | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1492216011 1492217190<br>Date 04/14/2017 04/14/2017<br>Time 12:26 12:46<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 41.4 °API 41.4 °API<br>Avg Prvr Temp 100.9 100.0<br>Avg Prvr Press 32.0 32.0<br>Repeatability 0.031 % 0.020 %<br>CMF 1.0039 1.0074<br>CMF Variance -0.0042 0.0035 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 39.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                            |

| Run     | TEMPERATURE |       | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|-------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm    | Pp       | Pm   | N          |                |         |                    |
| 1       | 100.1       | 100.1 | 32.0     | 40.0 | 11804.826  | 1 Yes          | 1.00728 | 20.964             |
| 2       | 99.8        | 99.8  | 32.0     | 40.0 | 11804.806  | 2 Yes          | 1.00725 | 20.956             |
| 3       | 100.0       | 100.0 | 32.0     | 40.0 | 11806.853  | 3 Yes          | 1.00708 | 20.960             |
| 4       | 100.0       | 100.0 | 32.0     | 40.0 | 11804.767  | 4 Yes          | 1.00725 | 20.983             |
| 5       | 100.1       | 100.1 | 32.0     | 40.0 | 11807.095  | 5 Yes          | 1.00709 | 20.982             |
| Average | 100.0       | 100.0 | 32.0     | 40.0 | 11805.6694 |                | 1.00719 | 20.969             |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00074 | 1.00003 | 0.97946 | 1.00020 | 0.98041 | 1.16492 |

(2) ISVm: [N(avg) + NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11805.6694 | 10000.0000 | 1.18057 | 0.97946 | 1.00026 | 0.97971 | 1.15662 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0072 MF  
 (2) MF \* CPL = 1.0074 CMF  
 (3) 1 ÷ MF = 0.9929 MA  
 (4) NKF ÷ MF = 9928.5 KF  
 (5) KF ÷ CPL = 9926.5 CKF

Repeatability: 0.020 %  
 Uncertainty: 0.011 %

|                                                                                                                                          |                   |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:  
 PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.36 T24N R8W

| Meter Data                                                                                                                                                                                           | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67455819 WPX 143H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14505452<br>Model No.         | Name Crude<br>Batch No.<br>Obs. Gravity 44.4 °API<br>Obs. Temp 94.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.4 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                  | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1489619851 1492216011<br>Date 03/15/2017 04/14/2017<br>Time 11:17 12:26<br>Product Crude Crude<br>Flowrate 21 bbl/hr 42 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 42.8°API 41.4 °API<br>Avg Prvr Temp 91.4 100.9<br>Avg Prvr Press 36.0 32.0<br>Repeatability 0.016 % 0.031 %<br>CMF 1.0081 1.0039<br>CMF Variance 0.0036 -0.0042 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 39.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                                          |

| Run     | TEMPERATURE |       | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate |
|---------|-------------|-------|----------|------|------------|----------------|---------|----------|
|         | Tp          | Tm    | Pp       | Pm   | N          |                |         | bbl/hr   |
| 1       | 100.5       | 100.5 | 32.0     | 40.0 | 11849.586  | 1 Yes          | 1.00347 | 41.830   |
| 2       | 101.0       | 101.0 | 32.0     | 40.0 | 11848.684  | 2 Yes          | 1.00356 | 41.767   |
| 3       | 101.0       | 101.0 | 32.0     | 40.0 | 11847.740  | 3 Yes          | 1.00364 | 41.810   |
| 4       | 100.9       | 100.9 | 32.0     | 40.0 | 11846.293  | 4 Yes          | 1.00376 | 41.791   |
| 5       | 100.8       | 100.8 | 32.0     | 40.0 | 11845.970  | 5 Yes          | 1.00378 | 41.760   |
| Average | 100.9       | 100.9 | 32.0     | 40.0 | 11847.6546 |                | 1.00364 | 41.792   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00076 | 1.00003 | 0.97900 | 1.00021 | 0.97998 | 1.16441 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11847.6546 | 10000.0000 | 1.18477 | 0.97900 | 1.00026 | 0.97925 | 1.16019 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0036 MF  
 (2) MF \* CPL = 1.0039 CMF  
 (3) 1 + MF = 0.9964 MA  
 (4) NKF + MF = 9964.1 KF  
 (5) KF + CPL = 9961.1 CKF

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Repeatability: 0.031 %  
 Uncertainty: 0.017 %

Technician:   
 PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.24H T23N R8W

| Meter Data                                                                                                                                                                                                    | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67421809 WPX 153H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14497222<br>Model No.                  | Name Crude<br>Batch No.<br>Obs. Gravity 41.3 °API<br>Obs. Temp 90.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 38.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                              | <div style="display: flex; justify-content: space-between;"> <span>Previous</span> <span>Current</span> </div> Task ID 1492114573 1492115937<br>Date 04/13/2017 04/13/2017<br>Time 8:16 8:38<br>Product Crude Crude<br>Flowrate 42 bbl/hr 25 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 38.8 °API 38.8 °API<br><br>Avg Pvr Temp 89.7 92.9<br>Avg Pvr Press 32.0 32.0<br>Repeatability 0.048 % 0.043 %<br>CMF 1.0042 1.0057<br>CMF Variance -0.0033 0.0015 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/PF<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 8 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 38.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                            |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |         | bbl/hr   |
| 1       | 92.7        | 92.7 | 32.0     | 40.0 | 11822.767  | 1 Yes          | 1.00560 | 25.032   |
| 2       | 93.0        | 93.0 | 32.0     | 40.0 | 11824.629  | 2 Yes          | 1.00544 | 25.132   |
| 3       | 92.6        | 92.6 | 32.0     | 40.0 | 11826.142  | 3 Yes          | 1.00532 | 25.113   |
| 4       | 93.0        | 93.0 | 32.0     | 40.0 | 11821.004  | 4 Yes          | 1.00575 | 25.091   |
| 5       | 93.1        | 93.1 | 32.0     | 40.0 | 11822.816  | 5 Yes          | 1.00561 | 25.130   |
| Average | 92.9        | 92.9 | 32.0     | 40.0 | 11823.4716 |                | 1.00554 | 25.100   |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00061 | 1.00003 | 0.98363 | 1.00019 | 0.98445 | 1.16972 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11823.4716 | 10000.0000 | 1.18235 | 0.98363 | 1.00024 | 0.98387 | 1.16328 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0055 MF  
 (2) MF \* CPL = 1.0057 CMF  
 (3) 1 ÷ MF = 0.9945 MA  
 (4) NKF ÷ MF = 9945.3 KF  
 (5) KF ÷ CPL = 9943.3 CKF

Repeatability: 0.043 %  
 Uncertainty: 0.023 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:   
 PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC.24H T23N R8W

| Meter Data                                                                                                                                                                                   | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67421809 WPX 153H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14497222<br>Model No. | Name Crude<br>Batch No.<br>Obs. Gravity 41.3 °API<br>Obs. Temp 90.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 38.8 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                         | <div style="display: flex; justify-content: space-between;"> <span>Previous</span> <span>Current</span> </div> Task ID 1489093880 1492114573<br>Date 03/09/2017 04/13/2017<br>Time 8:11 8:16<br>Product Crude Crude<br>Flowrate 25 bbl/hr 42 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 38.9°API 38.8 °API<br><br>Avg Pvr Temp 80.7 89.7<br>Avg Pvr Press 40.0 32.0<br>Repeatability 0.040 % 0.048 %<br>CMF 1.0075 1.0042<br>CMF Variance 0.0012 -0.0033 |
| Prover Data                                                                                                                                                                                  | Tolerances                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified           | Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 8 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Liquid Properties at Metering Conditions for CMF                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Normal Op. Pressure 38.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                                                      |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate<br>bbl/hr |
|---------|-------------|------|----------|------|------------|----------------|---------|--------------------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |         |                    |
| 1       | 84.3        | 84.3 | 32.0     | 40.0 | 11843.083  | 1 Yes          | 1.00372 | 41.831             |
| 2       | 88.7        | 88.7 | 32.0     | 40.0 | 11841.463  | 2 Yes          | 1.00392 | 41.833             |
| 3       | 91.3        | 91.3 | 32.0     | 40.0 | 11839.136  | 3 Yes          | 1.00419 | 41.868             |
| 4       | 91.9        | 91.9 | 32.0     | 40.0 | 11839.850  | 4 Yes          | 1.00413 | 41.792             |
| 5       | 92.1        | 92.1 | 32.0     | 40.0 | 11839.167  | 5 Yes          | 1.00420 | 41.834             |
| Average | 89.7        | 89.7 | 32.0     | 40.0 | 11840.5398 |                | 1.00403 | 41.832             |

(1) GSVp: BPV \* [CTSp \* CPSP \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSP    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00055 | 1.00003 | 0.98523 | 1.00019 | 0.98599 | 1.17155 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11840.5398 | 10000.0000 | 1.18405 | 0.98523 | 1.00024 | 0.98547 | 1.16685 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0040 MF  
 (2) MF \* CPL = 1.0042 CMF  
 (3) 1 + MF = 0.9960 MA  
 (4) NKF + MF = 9960.2 KF  
 (5) KF + CPL = 9958.2 CKF

Repeatability: 0.048 %  
 Uncertainty: 0.026 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:   
 PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SHL SEC.14 T23N R8W NMPM

| Meter Data                                                                                                                                                                                                   | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>78448843 WPX 151H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14503340<br>Model No.                 | Name Crude<br>Batch No.<br>Obs. Gravity 39.6 °API<br>Obs. Temp 91.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 37.1 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                              | <div style="display: flex; justify-content: space-between;"> <div>Previous</div> <div>Current</div> </div> Task ID 1489097798 1492119688<br>Date 03/09/2017 04/13/2017<br>Time 9:16 9:39<br>Product Crude Crude<br>Flowrate 21 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 41.6°API 37.1 °API<br><br>Avg Pvr Temp 89.8 95.7<br>Avg Pvr Press 38.0 38.0<br>Repeatability 0.037 % 0.034 %<br>CMF 1.0024 1.0022<br>CMF Variance -0.0002 -0.0002 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.053 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 6 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 49.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0003                                                                                                                                                                                                                                                                                                                        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|---------|----------|
|         | TP          | Tm   | Pp       | Pm   | N          |                |         | bb/hr    |
| 1       | 94.9        | 94.9 | 38.0     | 52.0 | 11868.046  | 1 Yes          | 1.00178 | 20.827   |
| 2       | 95.4        | 95.4 | 38.0     | 52.0 | 11865.139  | 2 Yes          | 1.00204 | 20.864   |
| 3       | 95.3        | 95.3 | 38.0     | 52.0 | 11869.106  | 3 Yes          | 1.00170 | 20.871   |
| 4       | 96.3        | 96.3 | 38.0     | 52.0 | 11866.735  | 4 Yes          | 1.00191 | 20.869   |
| 5       | 96.6        | 96.6 | 38.0     | 52.0 | 11865.714  | 5 Yes          | 1.00199 | 20.866   |
| Average | 95.7        | 95.7 | 38.0     | 52.0 | 11866.9480 |                | 1.00188 | 20.860   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00066 | 1.00003 | 0.98259 | 1.00022 | 0.98348 | 1.16857 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11866.9480 | 10000.0000 | 1.18669 | 0.98259 | 1.00030 | 0.98288 | 1.16637 |

(3) Proving Factors:

>>>> (1) GSVp + ISVm = 1.0019 MF  
 (2) MF \* CPL = 1.0022 CMF  
 (3) 1 ÷ MF = 0.9981 MA  
 (4) NKF ÷ MF = 9981.0 KF  
 (5) KF ÷ CPL = 9978.0 CKF

Repeatability: 0.034 %  
 Uncertainty: 0.018 %

|                                                                                                                                              |                   |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Trans. Serial No.<br>Flow Calib Factor<br>Density Calib Factor<br><br>Frequency Set Point<br>Flowrate Set Point<br>Zero Verified<br>As Found | Zeroed<br>As Left |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|

Technician:   
**PROVE**

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SHL SEC.16 T23N R8W NMPM

| Meter Data                                                                                                                                                                                                   | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>78448842 WPX 147H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14503370<br>Model No.                 | Name Crude<br>Batch No.<br>Obs. Gravity 39.6 °API<br>Obs. Temp 92.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 37.0 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                              | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1489101032 1482123134<br>Date 03/09/2017 04/13/2017<br>Time 10:10 10:38<br>Product Crude Crude<br>Flowrate 21 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 38.8°API 37.0 °API<br><br>Avg Prvr Temp 73.8 81.9<br>Avg Prvr Press 34.0 32.0<br>Repeatability 0.047 % 0.043 %<br>CMF 1.0008 0.9999<br>CMF Variance 0.0001 -0.0009 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.052 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 6 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br><br>Normal Op. Pressure 35.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                         |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 84.9        | 84.9 | 32.0     | 36.0 | 11893.931  | 1              | Yes | 0.99947 | 20.800   |
| 2       | 82.9        | 82.9 | 32.0     | 36.0 | 11891.367  | 2              | Yes | 0.99964 | 20.815   |
| 3       | 81.7        | 81.7 | 32.0     | 36.0 | 11887.950  | 3              | Yes | 0.99990 | 20.827   |
| 4       | 80.4        | 80.4 | 32.0     | 36.0 | 11888.978  | 4              | Yes | 0.99980 | 20.806   |
| 5       | 79.8        | 79.8 | 32.0     | 36.0 | 11888.200  | 5              | Yes | 0.99985 | 20.825   |
| Average | 81.9        | 81.9 | 32.0     | 36.0 | 11890.0852 |                |     | 0.99973 | 20.815   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00041 | 1.00003 | 0.98935 | 1.00018 | 0.98996 | 1.17627 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11890.0852 | 10000.0000 | 1.18901 | 0.98935 | 1.00020 | 0.98955 | 1.17658 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 0.9997 MF  
 (2) MF \* CPL = 0.9999 CMF  
 (3) 1 ÷ MF = 1.0003 MA  
 (4) NKF ÷ MF = 10003 KF  
 (5) KF ÷ CPL = 10001 CKF

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Repeatability: 0.043 %  
 Uncertainty: 0.023 %

Technician:                       
**PROVE**

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SHL SEC.17H T23N R7W NMPM

|                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Meter Data</b><br><b>78448840 WPX 163H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14497246<br>Model No. CMF 100M | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 45.5 °API<br>Obs. Temp 103.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.7 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                      | <b>Proving Data</b><br><div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1489109180 1492204222<br>Date 03/09/2017 04/14/2017<br>Time 12:26 9:10<br>Product Crude Crude<br>Flowrate 37 bbl/hr 38 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 41.7°API 41.7 °API<br><br>Avg Pvr Temp 98.5 104.7<br>Avg Pvr Press 38.0 31.0<br>Repeatability 0.025 % 0.040 %<br>CMF 1.0008 1.0010<br>CMF Variance 0.0002 0.0002 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/F<br><br>Certified                   | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 37.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                                 |

| Run     | TEMPERATURE |       | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|-------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm    | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 103.9       | 103.9 | 31.0     | 38.0 | 11884.509  | 1              | Yes | 1.00059 | 37.520   |
| 2       | 103.9       | 103.9 | 31.0     | 38.0 | 11883.459  | 2              | Yes | 1.00068 | 37.466   |
| 3       | 104.9       | 104.9 | 31.0     | 38.0 | 11880.071  | 3              | Yes | 1.00099 | 37.498   |
| 4       | 105.6       | 105.6 | 31.0     | 38.0 | 11881.394  | 4              | Yes | 1.00088 | 37.565   |
| 5       | 105.2       | 105.2 | 31.0     | 38.0 | 11881.454  | 5              | Yes | 1.00087 | 37.477   |
| Average | 104.7       | 104.7 | 31.0     | 38.0 | 11882.1774 |                |     | 1.00080 | 37.505   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00083 | 1.00003 | 0.97696 | 1.00020 | 0.97800 | 1.16206 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11882.1774 | 10000.0000 | 1.18822 | 0.97696 | 1.00025 | 0.97720 | 1.16113 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0008 MF  
 (2) MF \* CPL = 1.0010 CMF  
 (3) 1 + MF = 0.9992 MA  
 (4) NKF ÷ MF = 9992.0 KF  
 (5) KF ÷ CPL = 9990.0 CKF

Repeatability: 0.040 %  
 Uncertainty: 0.021 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:  
 PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SHL SEC.4 T23N R8W NMPM

| <b>Meter Data</b><br>67420186 WPX 283H<br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14494841<br>Model No. | <b>Product Data</b><br>Name Crude<br>Batch No.<br>Obs. Gravity 38.4 °API<br>Obs. Temp 64.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 38.1 °API HYC Y                                                                                                                                                                                                                                                                                                                                                           | <b>Proving Data</b><br><table style="width:100%;"> <tr> <th></th> <th style="text-align: center;"><u>Previous</u></th> <th style="text-align: center;"><u>Current</u></th> </tr> <tr> <td>Task ID</td> <td>1493165060</td> <td>1493166222</td> </tr> <tr> <td>Date</td> <td>04/25/2017</td> <td>04/25/2017</td> </tr> <tr> <td>Time</td> <td>12:04</td> <td>12:23</td> </tr> <tr> <td>Product</td> <td>Crude</td> <td>Crude</td> </tr> <tr> <td>Flowrate</td> <td>42 bbl/hr</td> <td>31 bbl/hr</td> </tr> <tr> <td>Totalizer</td> <td></td> <td></td> </tr> <tr> <td>Throughput</td> <td></td> <td></td> </tr> <tr> <td>Base Density</td> <td>38.1 °API</td> <td>38.1 °API</td> </tr> <tr> <td>Avg Prvr Temp</td> <td>61.9</td> <td>62.6</td> </tr> <tr> <td>Avg Prvr Press</td> <td>32.0</td> <td>32.0</td> </tr> <tr> <td>Repeatability</td> <td>0.027 %</td> <td>0.050 %</td> </tr> <tr> <td>CMF</td> <td>1.0043</td> <td>1.0046</td> </tr> <tr> <td>CMF Variance</td> <td>-0.0001</td> <td>0.0003</td> </tr> </table> |  | <u>Previous</u> | <u>Current</u> | Task ID | 1493165060 | 1493166222 | Date | 04/25/2017 | 04/25/2017 | Time | 12:04 | 12:23 | Product | Crude | Crude | Flowrate | 42 bbl/hr | 31 bbl/hr | Totalizer |  |  | Throughput |  |  | Base Density | 38.1 °API | 38.1 °API | Avg Prvr Temp | 61.9 | 62.6 | Avg Prvr Press | 32.0 | 32.0 | Repeatability | 0.027 % | 0.050 % | CMF | 1.0043 | 1.0046 | CMF Variance | -0.0001 | 0.0003 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------|----------------|---------|------------|------------|------|------------|------------|------|-------|-------|---------|-------|-------|----------|-----------|-----------|-----------|--|--|------------|--|--|--------------|-----------|-----------|---------------|------|------|----------------|------|------|---------------|---------|---------|-----|--------|--------|--------------|---------|--------|
|                                                                                                                                                                                                            | <u>Previous</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <u>Current</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Task ID                                                                                                                                                                                                    | 1493165060                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 1493166222                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Date                                                                                                                                                                                                       | 04/25/2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 04/25/2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Time                                                                                                                                                                                                       | 12:04                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 12:23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Product                                                                                                                                                                                                    | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Crude                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Flowrate                                                                                                                                                                                                   | 42 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 31 bbl/hr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Totalizer                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Throughput                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Base Density                                                                                                                                                                                               | 38.1 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 38.1 °API                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Avg Prvr Temp                                                                                                                                                                                              | 61.9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 62.6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Avg Prvr Press                                                                                                                                                                                             | 32.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 32.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| Repeatability                                                                                                                                                                                              | 0.027 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0.050 %                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| CMF                                                                                                                                                                                                        | 1.0043                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1.0046                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| CMF Variance                                                                                                                                                                                               | -0.0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0.0003                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br>Certified      | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 39.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                 |                |         |            |            |      |            |            |      |       |       |         |       |       |          |           |           |           |  |  |            |  |  |              |           |           |               |      |      |                |      |      |               |         |         |     |        |        |              |         |        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 61.8        | 61.8 | 32.0     | 40.0 | 11832.908  | 1              | Yes | 1.00417 | 31.502   |
| 2       | 62.4        | 62.4 | 32.0     | 40.0 | 11829.941  | 2              | Yes | 1.00443 | 31.360   |
| 3       | 62.4        | 62.4 | 32.0     | 40.0 | 11827.086  | 3              | Yes | 1.00467 | 31.376   |
| 4       | 62.9        | 62.9 | 32.0     | 40.0 | 11832.183  | 4              | Yes | 1.00425 | 31.323   |
| 5       | 63.7        | 63.7 | 32.0     | 40.0 | 11827.844  | 5              | Yes | 1.00464 | 31.364   |
| Average | 62.6        | 62.6 | 32.0     | 40.0 | 11829.9924 |                |     | 1.00443 | 31.385   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00005 | 1.00003 | 0.99872 | 1.00017 | 0.99897 | 1.18698 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11829.9924 | 10000.0000 | 1.18300 | 0.99872 | 1.00021 | 0.99893 | 1.18173 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0044 MF  
 (2) MF \* CPL = 1.0046 CMF  
 (3) 1 ÷ MF = 0.9956 MA  
 (4) NKF ÷ MF = 9956.2 KF  
 (5) KF ÷ CPL = 9954.2 CKF

Repeatability: 0.050 %  
 Uncertainty: 0.027 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:

PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SHL SEC.4 T23N R8W NMPM

| Meter Data                                                                                                                                                                                                    | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67420186 WPX 283H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No. 14494841<br>Model No.                  | Name Crude<br>Batch No.<br>Obs. Gravity 38.4 °API<br>Obs. Temp 64.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 38.1 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                              | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1489706029 1493165060<br>Date 03/16/2017 04/25/2017<br>Time 11:13 12:04<br>Product Crude Crude<br>Flowrate 31 bbl/hr 42 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 38.4°API 38.1 °API<br><br>Avg Pvr Temp 88.8 61.9<br>Avg Pvr Press 38.0 32.0<br>Repeatability 0.033 % 0.027 %<br>CMF 1.0044 1.0043<br>CMF Variance 0.0009 -0.0001 |
| <b>Prover Data</b><br><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br><br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br><br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br><br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br><br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br><br>Normal Op. Pressure 39.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                       |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 62.8        | 62.8 | 32.0     | 40.0 | 11834.208  | 1              | Yes | 1.00408 | 41.847   |
| 2       | 61.8        | 61.8 | 32.0     | 40.0 | 11831.584  | 2              | Yes | 1.00428 | 41.865   |
| 3       | 61.3        | 61.3 | 32.0     | 40.0 | 11832.106  | 3              | Yes | 1.00423 | 41.859   |
| 4       | 61.6        | 61.6 | 32.0     | 40.0 | 11834.831  | 4              | Yes | 1.00401 | 41.865   |
| 5       | 62.0        | 62.0 | 32.0     | 40.0 | 11834.106  | 5              | Yes | 1.00408 | 41.864   |
| Average | 61.9        | 61.9 | 32.0     | 40.0 | 11833.3670 |                |     | 1.00414 | 41.860   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00004 | 1.00003 | 0.99907 | 1.00017 | 0.99931 | 1.18738 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11833.3670 | 10000.0000 | 1.18334 | 0.99907 | 1.00021 | 0.99928 | 1.18249 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0041 MF  
 (2) MF \* CPL = 1.0043 CMF  
 (3) 1 ÷ MF = 0.9959 MA  
 (4) NKF ÷ MF = 9959.2 KF  
 (5) KF ÷ CPL = 9957.2 CKF

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Repeatability: 0.027 %  
 Uncertainty: 0.014 %

Technician:   
 PROVE

Witness:

Copyright 2009, Flow-Cal, Inc.  
 PROVER PROVER 8.7.0.0

04/25/2017 12:22 Page: 1  
 Revision: 1

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEC. 04 T23N R8W NMPM

| Meter Data                                                                                                                                                                                            | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67455820 WPX 150H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No.<br>Model No.                   | Name Crude<br>Batch No.<br>Obs. Gravity 43.5 °API<br>Obs. Temp 87.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.1 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                  | <div style="display: flex; justify-content: space-between;"> <span><u>Previous</u></span> <span><u>Current</u></span> </div> Task ID 1493085418 1493086614<br>Date 04/24/2017 04/24/2017<br>Time 13:58 14:16<br>Product Crude Crude<br>Flowrate 42 bbl/hr 21 bbl/hr<br>Totalizer<br>Throughput<br>Base Density 41.1 °API 41.1 °API<br>Avg Pvr Temp 84.0 86.6<br>Avg Pvr Press 32.0 32.0<br>Repeatability 0.045 % 0.025 %<br>CMF 1.0035 1.0042<br>CMF Variance -0.0005 0.0007 |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1/°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 38.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                        |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bbl/hr   |
| 1       | 82.8        | 82.8 | 32.0     | 39.0 | 11837.543  | 1              | Yes | 1.00417 | 20.929   |
| 2       | 85.0        | 85.0 | 32.0     | 39.0 | 11839.325  | 2              | Yes | 1.00405 | 20.909   |
| 3       | 87.8        | 87.8 | 32.0     | 39.0 | 11841.539  | 3              | Yes | 1.00393 | 20.900   |
| 4       | 88.7        | 88.7 | 32.0     | 39.0 | 11841.677  | 4              | Yes | 1.00392 | 20.919   |
| 5       | 88.9        | 88.9 | 32.0     | 39.0 | 11839.726  | 5              | Yes | 1.00411 | 20.990   |
| Average | 86.6        | 86.6 | 32.0     | 39.0 | 11839.9620 |                |     | 1.00404 | 20.929   |

(1) GSVp: BPV \* [CTSp \* CPSp \* CTLp \* CPLp = CCFp]

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00049 | 1.00003 | 0.98642 | 1.00019 | 0.98712 | 1.17290 |

(2) ISVm: [N(avg) ÷ NKF = IVm] \* [CTLm \* CPLm = CCFm]

|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11839.9620 | 10000.0000 | 1.18400 | 0.98642 | 1.00024 | 0.98666 | 1.16821 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0040 MF  
 (2) MF \* CPL = 1.0042 CMF  
 (3) 1 ÷ MF = 0.9960 MA  
 (4) NKF ÷ MF = 9960.2 KF  
 (5) KF ÷ CPL = 9958.2 CKF

Repeatability: 0.025 %  
 Uncertainty: 0.013 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:   
 PROVE

Witness:

Customer: WPX -  
 Operator:  
 Location:  
 Federal ID: SEG. 04 T23N R8W NMPM

| Meter Data                                                                                                                                                                                           | Product Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Proving Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>67455820 WPX 150H</b><br>Factor Tracked Composite MF(CMF)<br>Temp Compensated No<br>NKF 10000.0000 N/bbl<br>Manufacturer Micro Motion<br>Size 2.00 in<br>Serial No.<br>Model No.                  | Name Crude<br>Batch No.<br>Obs. Gravity 43.5 °API<br>Obs. Temp 87.0 °F<br>Obs. Press 0.0 psi<br>API Table Table A - Crude Oil (2004)<br>Base Density 41.1 °API HYC Y                                                                                                                                                                                                                                                                                                                                                                                  | <div style="display: flex; justify-content: space-between;"> <div> <b>Previous</b><br/>           Task ID 1489632518<br/>           Date 03/15/2017<br/>           Time 14:48<br/>           Product Crude<br/>           Flowrate 21 bbl/hr<br/>           Totalizer<br/>           Throughput<br/>           Base Density 39.6°API         </div> <div> <b>Current</b><br/>           1493085418<br/>           04/24/2017<br/>           13:56<br/>           Crude<br/>           42 bbl/hr<br/> <br/>           41.1 °API         </div> </div> |
| <b>Prover Data</b><br>BPV 1.18820 bbl<br>I.D. 7.981 in<br>W.T. 0.322 in<br>Manufacturer<br>Type Displacement-Sphere<br>Serial No. 23MM<br>Elasticity 3.0E7 1/psi<br>Pipe Gc 1.86E-5 1°F<br>Certified | <b>Tolerances</b><br>Tolerance Type: Repeatability<br>Maximum Deviation: 0.050 %<br>Enabled? Y Passed? Y Min # of Runs: 5<br>Criteria: 5 out of 5 consecutive runs<br>Avg X Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Prev X Factor Count Sought: 1<br>Prev X Factor Count Used: 0<br>Cut Off History? N Cutoff Date:<br>Prev Meter Factor Deviation:<br>Enabled? N Passed? Y Prod Dep? N<br>Proving Mode: Volumetric<br>Density Mode: Manual<br>Calc. Method: Avg. Meter Factor<br>Proving Method: PIU<br>Passes Per Run 1 | Avg Pvr Temp 96.7 84.0<br>Avg Pvr Press 38.0 32.0<br>Repeatability 0.024 % 0.045 %<br>CMF 1.0040 1.0035<br>CMF Variance 0.0012 -0.0005                                                                                                                                                                                                                                                                                                                                                                                                               |
|                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Liquid Properties at Metering Conditions for CMF</b><br>Normal Op. Pressure 38.0 psig<br>Eq. Vapor Pressure 0.0 psig<br>CPL 1.0002                                                                                                                                                                                                                                                                                                                                                                                                                |

| Run     | TEMPERATURE |      | PRESSURE |      | PULSES     | Run Accepted ? |     | IMF     | Flowrate |
|---------|-------------|------|----------|------|------------|----------------|-----|---------|----------|
|         | Tp          | Tm   | Pp       | Pm   | N          |                |     |         | bb/hr    |
| 1       | 81.3        | 81.3 | 32.0     | 39.0 | 11847.857  | 1              | Yes | 1.00327 | 41.814   |
| 2       | 84.3        | 84.3 | 32.0     | 39.0 | 11849.588  | 2              | Yes | 1.00317 | 41.832   |
| 3       | 85.0        | 85.0 | 32.0     | 39.0 | 11850.690  | 3              | Yes | 1.00309 | 41.764   |
| 4       | 85.4        | 85.4 | 32.0     | 39.0 | 11846.348  | 4              | Yes | 1.00348 | 41.783   |
| 5       | 84.1        | 84.1 | 32.0     | 39.0 | 11845.284  | 5              | Yes | 1.00354 | 41.824   |
| Average | 84.0        | 84.0 | 32.0     | 39.0 | 11847.9534 |                |     | 1.00331 | 41.803   |

(1) GSVp:  $BPV * [CTSp * CPSp * CTLp * CPLp = CCFp]$

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| BPV     | CTSp    | CPSp    | CTLp    | CPLp    | CCFp    | GSVp    |
| 1.18820 | 1.00045 | 1.00003 | 0.98775 | 1.00019 | 0.98841 | 1.17443 |

(2) ISVm:  $[N(avg) \div NKF = IVm] * [CTLm * CPLm = CCFm]$


|            |            |         |         |         |         |         |
|------------|------------|---------|---------|---------|---------|---------|
| N(avg)     | NKF        | IVm     | CTLm    | CPLm    | CCFm    | ISVm    |
| 11847.9534 | 10000.0000 | 1.18480 | 0.98775 | 1.00023 | 0.98798 | 1.17056 |

(3) Proving Factors:

>>>> (1) GSVp ÷ ISVm = 1.0033 MF  
 (2) MF \* CPL = 1.0035 CMF  
 (3) 1 ÷ MF = 0.9967 MA  
 (4) NKF ÷ MF = 9967.1 KF  
 (5) KF ÷ CPL = 9965.1 CKF

Repeatability: 0.045 %  
 Uncertainty: 0.024 %

|                      |         |
|----------------------|---------|
| Trans. Serial No.    |         |
| Flow Calib Factor    |         |
| Density Calib Factor |         |
| Frequency Set Point  |         |
| Flowrate Set Point   |         |
| Zero Verified        | Zeroed  |
| As Found             | As Left |

Technician:   
 PROVE

Witness: