

MAR Oil & Gas Corp.
P.O. Box 5155
Santa Fe, NM 87502
Ph. 505.989.1977
Fax 505.989.1987

facsimile transmittal

To: David K. Brooks Fax: 476-3462
From: Leon A. Romero Date: 3/21/2002
Re: Case 12733 Pages:
CC:
X Urgent ☐ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

Mr. Brooks: Attached is field report and test for T&A, for the DD 24 Federal #1, Eddy
County, NM. API # is 30-015-24496. Sundry has been submitted to the BLM. It is our long
term intent to utilize the wellbore.
Should you have any questions, I can be reached at 505.989.1977.

Thank you,

Leon Romero

BEFORE EXAMINER STOCNER

OIL CONSERVATION DIVISION

OCD EXHIBIT NO. 124
CASE NO. 12811

MAR Oil & Gas
DD 24 Feb 1

3/15/02

Load Rig to location too windy to rig up

1/8/02

Rig up P.d. Nipple down WH, no tubing in hole. Nipple
up BOP. TIM w/ 6 1/4 Bit, 7" scraper & 2 3/8 tubing to
4700'. Logs 4000-4078' & 4600-4678. TOM lay bit & scraper
down. TIM w/ 7" CIBP to 3953'. Set, start out of hole.

1/9/02

Finish TOM. Test CIBP to 1000# - holding cap w/ 25'
cement. Notify BUM - Tim Amos of intent to test
casing in A.M. (CAN lose 10% in 30 min.)

2/9/02

Miru kill truck. Test casing to 530# hold for 30
minutes. (see chart) RDMO Pulling Unit, tubing & BOP.

