

---

**From:** Randy Howard <rhoward@nearburg.com> on behalf of Randy Howard  
**Date:** Friday, April 24, 2015 10:52 AM  
**To:** Brent Sawyer  
**Subject:** Fwd: SRO UNIT WELLS 1-6-15.xlsx  
**Attachments:** SRO UNIT WELLS 1-6-15.xlsx

Sent from my MOTOROLA ATRIX™ HD on AT&T

----- Original Message -----

**Subject:** SRO UNIT WELLS 1-6-15.xlsx  
**From:** Randy Howard <rhoward@nearburg.com>  
**To:** Brett Gilson <bgilson@nearburg.com>, Aaron Myers <AMyers@concho.com>  
**CC:** John Turro <jturro@nearburg.com>

We enjoyed visiting with you two this morning. Thanks again for coming by our office.

Attached is the spreadsheet we discussed this morning. I have added the 43H & 44H wells pursuant to our discussion. Note that we have well information on wells in red only and that we are not in pay on wells that are highlighted in yellow.

Hope this helps.

Thank you,

Randy Howard  
Land Manager  
Nearburg Producing Company  
432-818-2914 (direct line)  
432-599-0382 (cell)

SRO UNIT WELLS											
T.O.	INT PD NEX	WELL NO.	A/K/A	SEC, TSH, RNG	SPACING UNIT	total acs	in unit	(320/6424.280592) x (unit acs/total acs)	% LESS DEV/LEG	NEX ORRI	DIFFERENCE
	0.00321724	1H		S:4, T:26S, R:28E	N/2N/2 SEC 4-26S-28E	160	160	0.0041509	0.7750675	0.0032172	0.0000000
	0.00057089	2H		S:32, T:25S, R:28E	S/2S/2 SEC 32-25S-28E	160	40	0.0010377	0.5501349	0.0005709	0.0000000
	0.0020791	3H		S:18, T:26S, R:28E	N/2N/2 SEC 18-26S-28E	159.72	80	0.0020791	1.0000000	0.0020791	0.0000000
	0.00103773	4H	105H	S:16, T:26S, R:28E	N/2N/2 SEC 16-26S-28E	160	40	0.0010377	1.0000000	0.0010377	0.0000000
	0.00114178	5H	103H	S:8, T:26S, R:28E	S/2S/2 SEC 8-26S-28E	160	80	0.0020755	0.5501349	0.0011418	0.0000000
	0.00114178	6H		S:5, T:26S, R:28E	N/2N/2 SEC 5-26S-28E	160	80	0.0020755	0.5501349	0.0011418	0.0000000
	0.00114386	7H	104H	S:7, T:26S, R:28E	S/2S/2 SEC 7-26S-28E	159.71	80	0.0020792	0.5501349	0.0011439	0.0000000
	0.00207546	8H	111H	S:2, T:26S, R:28E	S/2S/2 SEC 2-26S-28E	160	80	0.0020755	1.0000000	0.0020755	0.0000000
	0.00415092	9H		S:33, T:25S, R:28E	W/2W/2 SEC 33-25S-28E	160	160	0.0041509	0.5501349	0.0022836	0.0018674
0.0041509	0.0041509	10H		S:3, T:26S, R:28E	W/2W/2 SEC 3 & W/2NW/4 SEC 10-26S-28E	240	240	0.0041509	1.0000000	0.0041509	0.0000000
0.0020755	0.0020755	11H		S:34, T:25S, R:28E	W/2W/2 SEC 34-25S-28E	160	80	0.0020755	1.0000000	0.0020755	0.0000000
	n/a	12H		S:32, T:25S, R:28E	E/2E/2 SEC 32-25S-28E	160	160	0.0041509	0.5501349	0.0022836	
	0.00415092	13H		S:15, T:26S, R:28E	N/2N/2 SEC 15-26S-28E	160	160	0.0041509	1.0000000	0.0041509	0.0000000
	0.00415092	14H		S:10, T:26S, R:28E	S/2S/2 SEC 10-26S-28E	160	160	0.0041509	1.0000000	0.0041509	0.0000000
	0.00415092	15H	102H	S:17, T:26S, R:28E	N/2N/2 SEC 17-26S-28E	160	160	0.0041509	1.0000000	0.0041509	0.0000000
	0.00362319	16H		S:20, T:26S, R:28E	W/2W/2 SEC 20-26S-28E	160	160	0.0041509	1.0000000	0.0041509	-0.0005277
	0.00415092	17H		S:9, T:26S, R:28E	N/2N/2 SEC 9-26S-28E	160	160	0.0041509	1.0000000	0.0041509	0.0000000
	0.00415092	18H		S:17, T:26S, R:28E	E/2E/2 SEC 17 & 20-26S-28E	320	320	0.0041509	1.0000000	0.0041509	0.0000000
	n/a	020H		S:3, T:26S, R:28E	E/2E/2 SEC 3 & E/2NE/4 SEC 10-26S-28E	240	240	0.0041509	1.0000000	0.0041509	
	0.0041509	31H		S:4, T:26S, R:28E	SW/4NE/4,W/2SE/4 SEC 4 & W/2E/2 SEC 9-26S-28E	280	280	0.0041509	1.0000000	0.0041509	0.0000000
	n/a	043H		S:17, T:26S, R:28E	W/2W/2 SEC 17 & 20	280	280				
	n/a	044H		S:17, T:26S, R:28E	E/2W/2 SEC 17 & 20	280	280				
	n/a	046H		S:5, T:26S, R:28E	W/2W/2 SEC 5-26S-28E	160	160	0.0041509	0.5501349	0.0022836	
	n/a	048H		S:7, T:26S, R:28E	W/2E/2 SEC 7 & W/2E/2 SEC 18-26S-28E	320	320	0.0041509	0.7750675	0.0032172	
	n/a	053H		S:16, T:26S, R:28E	E/2E/2 SEC 16-26S-28E	160	160	0.0041509	1.0000000	0.0041509	
	n/a	58H		S:2, T:26S, R:28E	E/2W/2 SEC 2-26S-28E	160	160	0.0041509	1.0000000	0.0041509	
	n/a	59H		S:2, T:26S, R:28E	W/2W/2 SEC 2-26S-28E	160	160	0.0041509	1.0000000	0.0041509	
	n/a	061H		S:15, T:26S, R:28E	W/2E/2 SEC 15-26S-28E	160	160	0.0041509	1.0000000	0.0041509	
	n/a	062H		S:15, T:26S, R:28E	E/2W/2 SEC 15-26S-28E	160	160	0.0041509	1.0000000	0.0041509	
	n/a	63H		S:10, T:26S, R:28E	SW/4NW/4,W/2SW/4 SEC 10 & W/2W/2 SEC 15-26S-28E (stacked)	280	280	0.0041509	1.0000000	0.0041509	
	n/a	64H		S:10, T:26S, R:28E	SW/4NW/4,W/2SW/4 SEC 10 & W/2W/2 SEC 15-26S-28E (stacked)	280	280	0.0041509	1.0000000	0.0041509	
	no payment				1/6/15 - CORRECTED WELL DESC FOR 10H & 16H						
											well info (nothing since 1/1/14)

---

**From:** Randy Howard <rhoward@nearburg.com> on behalf of Randy Howard  
**Sent:** Friday, April 24, 2015 2:08 PM  
**To:** Brent Sawyer; Aaron Myers  
**Cc:** John Turro  
**Subject:** WELL INFORMATION REQUIREMENTS  
**Attachments:** 0569\_001.pdf

In light of this morning's meeting, I have attached our most updated Well Information Requirements. Please let me know if you have any questions or comments.

Thank you,  
Randy Howard  
Land Manager  
Nearburg Producing Company  
432-818-2914 (direct line)  
432-599-0382 (cell)

## WELL INFORMATION REQUIREMENTS

Well Name:  
Footage Location:

County/State:  
Operator:

Operator agrees to furnish to Nearburg Exploration Company, L.L.C. and Nearburg Producing Company the information requested herein, to reasonably observe the requests made herein by Nearburg, and to allow Nearburg the rights and privileges set forth below.

A. DRILLING AND MUDLOGGER REPORTS:

Copies of any and all daily drilling and mudlogger reports containing current depth and status, general summary, deviation surveys, mud properties, daily and cumulative costs, background gas and drilling break intervals in which a show is present with a description of show and the lithology containing the show. Daily well and mudlogger reports should be e-mailed daily by 10:30 a.m. CST and, if requested, a weekly recap mailed/faxed to the following:

**NEARBURG EXPLORATION COMPANY, L.L.C.**

Drilling Reports  
3300 N. "A" Street, Building 2, Suite 120  
Midland, Texas 79705  
Attn: daily reports [dailyreport@nearburg.com](mailto:dailyreport@nearburg.com)  
FAX: (432) 687-4130

**NEARBURG EXPLORATION COMPANY, L.L.C.**

Mudlogs and Electric Logs  
3300 N. "A" Street, Building 2, Suite 120  
Midland, Texas 79705  
Attn: daily reports [dailyreport@nearburg.com](mailto:dailyreport@nearburg.com)  
FAX: (432) 686-7806

B. HARD COPY WELL DATA

The following listed data should be mailed as follows:

**NEARBURG EXPLORATION COMPANY, L.L.C.**

3300 N. "A" Street, Building 2, Suite 120  
Midland, Texas 79705  
Attn: As designated below

**NEARBURG PRODUCING COMPANY**

P. O. Box 823085  
Dallas, Texas 75382-3085  
Attn: As designated below

- |  | <u>MIDLAND</u>        | <u>DALLAS</u>       |
|--|-----------------------|---------------------|
| 1. Copy of survey plats, permit to drill, and other regulatory forms and letters filed with any governmental agencies.                             | Tim Green (1)         | 0                   |
| 2. Copy of the drilling and completion procedures 48 hours prior to commencement of operation.   | Matt Lee (1)          | Michael Griffin (1) |
| 3. Copies of the final mud log.  | Bill Elton (2)        | Michael Griffin (1) |
| 4. Copies of the field prints<br>Of all logs run in the well.  | Bill Elton (1)        | Michael Griffin (1) |
| Put LAS & PDS Print Files (including repeat section) on Interact. Notify Bill Elton @ <a href="mailto:belton@nearburg.com">belton@nearburg.com</a> |                       |                     |
| 5. Copies of the final composite prints of all logs run in well.   |                       | Michael Griffin (1) |
| 6. Copy of well log customer diskette<br>3 1/2" LAS format or CD.  |                       | Michael Griffin (1) |
| 7. One initial and final copy of any DST, coring, sample analysis, formation fluid analysis, or test reports on the well.                          | Bill Elton (1)        | Michael Griffin (1) |
| 8. Upon request, well history at completion of the well.   | Kimberly Crandell (1) | Michael Griffin (1) |

Page -2-  
Well Information Requirements

	<u>MIDLAND</u>	<u>DALLAS</u>
9. Copy of the bit record and mud recap.	Matt Lee (1)	0
10. One copy of Operator's State Production Report (monthly)	Rue Landon (1)	0
11. One sample cut of all samples, if any, collected by mudlog crew	Bill Elton (1)	0
12. One (1) completed slabbed section of any whole core ("chips" from those portions removed for special analysis).	Bill Elton (1)	0
13. One (1) copy each of all title opinions, governmental OCD examiner and commission hearing orders and curative instruments covering the spacing unit for the well should be sent to:		
<b>NEARBURG EXPLORATION COMPANY, L.L.C.</b> 3300 N. "A", Building 2, Suite 120 Midland, Texas 79705 Attn: Land Department	<b>NEARBURG PRODUCING COMPANY</b> P. O. Box 823085 Dallas, Texas 75382-3085 Attn: Land Administration	

C. NOTIFICATION:

- Nearburg should receive 24-hour notice of the following events: spudding, wireline logging, open hole testing, coring, or plugging of the well. Notification should be by phone to one of the following persons, in the order indicated:

<u>NAME</u>	<u>OFFICE</u>	<u>HOME</u>	<u>CELL</u>
Bill Elton (Geology)	(432) 818-2920	(432) 697-9923	(432) 528-9749
Tim Speer (Engineering)	(432) 818-2930	(432) 694-6749	(432) 528-8036
Randy Howard (Land)	(432) 818-2914	(432) 697-4118	(432) 599-0382

- If you anticipate a major decision (plugging, casing point, etc.) that involves Nearburg over a weekend or holiday, please notify Bill Elton, Tim Speer or Randy Howard by phone (in the order listed) no later than the day prior to such weekend of holiday.
- SLB InterACT – Request access for Bill Elton and Tim Speer

D. ACCESS TO LOCATION

Nearburg Producing Company and Nearburg Exploration Company, L.L.C., its employees, consultants, or agents, shall have full and free access to the drilling location to include the derrick floor AND mudlogging unit at all times, without notice, and all well operation and information obtained or conducted during the drilling, completing or producing life of any well to which Nearburg is entitled to receive such well information.

E. SPECIAL REQUIREMENTS FOR ADDITIONAL WELL INFORMATION

Nearburg Producing Company and Nearburg Exploration Company, L.L.C. reserve the right to run a velocity survey, acoustic surveys, or other well bore logs or tests including the Schlumberger hi-res density and FMI for spot ELAN analysis and DST(s) to its satisfaction if not run by the operator, or in the case where operator runs same, operator shall furnish to Nearburg all such information or surveys. In addition, Nearburg may require operator to run a two-man mudlogging unit.

F. GEOLOGIC PROGNOSIS, DRILLING PLAN, COMPLETION PLAN

Prior to any operation, Operator shall furnish to Nearburg, a geologic prognosis, drilling plan and well completion plan specifying in reasonable detail the procedure of work for the proposed operation, including, but not limited to, anticipated tops of formations and anticipated formations to be DST, along with type of logs and other tests anticipated to be run in the operation in the geologic prog, surface, bottom hole or end of lateral locations, as applicable, anticipated hole size, type and amount of bits to be used, use of downhole motors and/or steering devices to be used, directional plan and copies of directional surveys while drilling, types of drilling fluid, along with mud weights, water loss and other components of the drilling fluid, casing design in the drilling plan, and casing design, details of perf locations, frac design, including locations and stages, along with amounts and types of fluid and proppant to be used in the completion plan. Such prognosis/plan shall be sent to Nearburg not later than 48 hours prior to commencement of any such operation, preferably along with, or shortly after, a proposal is sent to Nearburg which requires a timely election.

G. PRODUCTION DATA

Email the daily production for the first 90 days to [dailyreport@nearburg.com](mailto:dailyreport@nearburg.com). This should include all production data, specifically including, but not limited to, flow rates, gas mcfd, oil bopd, water bwpd, ngl's, choke size, FTP, FCP, and method of production.

In the event that any of the requirements herein are unacceptable to Operator, Operator should contact Randy Howard at the numbers and/or address specified above.