

BOPCO, L.P.
201 MAIN ST.
FORT WORTH, TEXAS 76102-3131
817/390-8400

June 31, 2016

RECEIVED OGD

2016 JUL -5 P 2:49

FEDERAL EXPRESS

Bureau of Land Management
Carlsbad District Office
620 E. Green St.
Carlsbad, New Mexico 88220
Attn: Mr. Ed Fernandez

New Mexico State Land Office
Commissioner of Public Lands
310 Old Santa Fe Trail
Santa Fe, New Mexico 87501
Attention: Mr. Pete Martinez

New Mexico Oil Conservation Division
1220 St. Francis
Santa Fe, New Mexico 87505
Attention: Mr. William Jones

Re: Commercial Determination
PLU CVX JV BS #030H (3-25-31)
Poker Lake Unit (Bone Spring 2 Shale)
Eddy County, New Mexico

Gentlemen:

Please find attached hereto one (1) copy of Bass' commercial determination worksheets and exhibits which indicate that the subject well is a commercial producer in the Bone Spring 2 Shale. Should you be in agreement that the Bone Spring 2 Shale is commercial, please signify by executing one (1) copy of this letter in the space provided below and returning same to the undersigned at your earliest convenience.

Thank you and should you have any questions or comments in regard to the attached commercial determination, please do not hesitate to contact the undersigned.

Very truly yours,



R. Travis Mears

Bureau of Land Management

New Mexico State Land Office

New Mexico Oil Conservation Division

By: _____

By: _____

By: _____

Its: _____

Its: _____

Its: _____

Date: _____

Date: _____

Date: _____

ECONOMIC PROJECTION

Date: 6/29/2016

Lior: 1004640

3:18:28PM

Project Name: 7-1-2015 NSAI Review For BOPCO, LP

As Of Date: 05/01/2014

Lease Name: 1004640/PLU CVX JV BS/030H/2ND

Partner: All cases

Discount Rate (%): 5.00

Reserv Cat: Proved Producing

Case Type: LEASE CASE

1004640/PLU CVX JV BS/030H/2ND

Field: PLU-CHK

Archive Set: BOPCO 1/2016

Operator: BOPCO

Cum Oil (Mbbbl): 0.00

Reservoir: Bone Spring 2 Sand

Cum Gas (MMcf): 0.00

Co., State: EDDY, NM

Risk: 0.000 Inherited/ 0.000 Compounded Sales

Year	Gross Wet Production		Gross Dry Gas & NGL		Sales		
	Oil (Mbbbl)	Wet Gas (MMcf)	Dry Gas (MMcf)	NGL (Mgal)	Oil (Mbbbl)	Gas (MMcf)	NGL (Mgal)
2014	17.143	29.207	17.670	104.269	16.222	16.721	98.665
2015	102.163	249.170	150.748	886.458	96.672	142.646	838.815
2016	44.109	94.607	57.237	337.745	41.739	54.161	319.593
2017	29.811	70.952	42.926	253.298	28.209	40.619	239.685
2018	22.705	54.467	32.952	194.446	21.485	31.181	183.996
2019	18.469	44.601	26.984	159.225	17.477	25.533	150.668
2020	15.676	38.071	23.033	135.915	14.834	21.795	128.610
2021	13.595	33.179	20.073	118.450	12.864	18.995	112.084
2022	12.056	29.551	17.879	105.498	11.408	16.918	99.828
2023	10.849	26.696	16.151	95.305	10.266	15.283	90.183

Rem	99.560	245.728	148.666	877.233	94.209	140.675	830.085
Total	386.138	916.229	554.319	3,267.844	365.384	524.526	3,092.211
Ult	386.138	916.229					

Year	Average Price			Net Revenue			
	Oil (\$/bbl)	Gas (\$/Mcf)	NGL (\$/gal)	Oil (M\$)	Gas (M\$)	NGL (M\$)	Total (M\$)
2014	65.03	3.42	0.59	1,054.94	57.19	58.62	1,170.75
2015	45.46	2.29	0.41	4,394.93	326.63	347.49	5,069.05
2016	40.44	2.06	0.43	1,687.93	111.44	136.95	1,936.32
2017	47.66	2.63	0.49	1,344.49	107.00	116.26	1,567.74
2018	48.31	2.58	0.49	1,038.02	80.57	90.58	1,209.17
2019	49.08	2.57	0.50	857.71	65.57	74.60	997.88
2020	49.93	2.63	0.50	740.71	57.23	63.95	861.88
2021	50.76	2.74	0.51	653.05	52.11	56.68	761.84
2022	51.46	2.88	0.51	587.01	48.69	50.48	686.17
2023	52.21	3.02	0.51	535.97	46.16	45.60	627.72
Rem	52.99	3.63	0.51	4,991.86	511.14	419.73	5,922.73
Total	48.95	2.79	0.47	17,886.61	1,463.72	1,460.94	20,811.27

Year	Expenditures				Future Net Revenue			
	Total Sev Taxes (M\$)	Total Adv Taxes (M\$)	Net Investments (M\$)	Total Net Opcosts (M\$)	Annual (M\$)	Cumulative (M\$)	Disc. Ann. CF 5.00 % (M\$)	Cum. Disc. CF 5.00 % (M\$)
2014	79.34	3.51	8,517.68	28.14	-7,457.91	-7,457.91	-7,486.64	-7,486.64
2015	337.54	15.21	0.00	445.67	4,270.64	-3,187.28	4,058.79	-3,427.85
2016	128.52	5.81	0.00	315.06	1,486.93	-1,700.34	1,336.53	-2,091.31
2017	103.82	4.70	250.00	260.19	949.03	-751.31	812.73	-1,278.58
2018	79.99	3.63	0.00	237.53	888.01	136.71	725.32	-553.26
2019	66.02	2.99	0.00	229.12	699.75	836.46	544.23	-9.04
2020	57.06	2.59	0.00	223.52	578.72	1,415.18	428.59	419.56
2021	50.44	2.29	0.00	219.28	489.83	1,905.01	345.44	765.00
2022	45.48	2.06	0.00	216.12	422.51	2,327.52	283.76	1,048.76
2023	41.66	1.88	0.00	213.61	370.57	2,698.09	237.02	1,285.78
Rem	394.51	17.77	0.00	4,351.30	1,159.16	1,159.16	775.85	775.85
Total	1,384.38	62.43	8,767.68	6,739.53	3,857.25	3,857.25	2,061.63	2,061.63

Major Phase: Gas
 Perfs: 0
 Initial Rate: 35,069.00 Mcf/month
 Abandonment: 304.17 Mcf/month
 Initial Decline: 97.00 % year b = 1.200
 Bez Ratio: 0.53 bbl/Mcf
 End Ratio: 0.41 bbl/Mcf
 Forecast Start: 01/01/2015

Working Int: 1.00000000
 Revenue Int: 0.94625426
 Disc. Initial Invest. (m\$): 8,733.458
 Internal ROR (%): 13.11
 ROInvestment (disc/undisc): 1.24 / 1.44
 Years to Payout: 4.50
 Abandonment Date: 11/14/2045


Present Worth Profile (M\$)

5.00%:	2,061.63
9.00%:	923.03
10.00%:	677.80
12.00%:	228.31
15.00%:	-357.10
20.00%:	-1,147.72
30.00%:	-2,274.40
40.00%:	-3,046.65
50.00%:	-3,616.55
60.00%:	-4,058.95

Initial 1st Rev. 2nd Rev.
 Working Interest: 1.00000000 0.00000000 0.00000000
 Revenue Interest: 0.94625426 0.00000000 0.00000000
 Rev. Date:

1004640/PLU CVA JV BS/030H/2ND
Oper: BOPCO
Major Phase: Gas

Field: PLU-CHA
EDDY, NM
ECL Date: 11/14/2045



Proj Gas Cum: 0.00 MMcf
Gas Rem: 916.23 MMcf
Gas EUR: 916.23 MMcf

Proj Oil Cum: 0.00 Mbbl
Oil Rem: 386.14 Mbbl
Oil EUR: 386.14 Mbbl

WORKSHEET FOR COMMERCIAL DETERMINATION AND PARTICIPATING AREA IN FEDERAL UNITS

WELL DATA

WELL	PLU CVX JV BIG SINKS #030H (3-25-31)			FORMATION	BONE SPRING		
LOCATION	UNIT	330	FEET FROM	NORTH	LINE &	1940 FEET FROM WEST LINE	
SECTION	3	TOWNSHIP	25S	RANGE	31E	COUNTY	Eddy, NEW MEXICO
SPUD DATE	6/13/2014		COMPLETION DATE	8/1/2014		INITIAL PRODUCTION	8/14/2014
PERFORATIONS	10641-19942						
BHL:	331' FSL & 1983' EWL SEC 10 T25S R31E						

STIMULATION:

ACID

FRACTURE

See Attached

POTENTIAL (11/18/2014): 646 BOPD, 1152 MCFPD, 834 BWPD

(Attach Copy of C-105: Attach Copy of Wellbore Sketch of Completed Well.)

VOLUMETRIC CALCULATION

	SANDS PERFORATED	POTENTIALLY PRODUCTIVE
Area (A) proration unit size, acres	160	
Porosity (Φ), %	8.0%	
Water saturation (Sw), %	48%	
Net Thickness (H), ft.	302.33	
Temperature (T), Fahrenheit	151	
Bottom Hole pressure (P), psia	4,894	
Recovery factor (RF), %	12%	
Recoverable oil: MBO *(See eq. below)	996.5	

*Sometimes unable to match performance due to volumetric uncertainty or low recovery efficiency of shale gas wells.

Formula = $((7758 \text{ rb/ac-ft}) \cdot (\text{por}) \cdot (1-S_w) / (\text{Boi rbo/stb})(RF)(A) \cdot (h)) / 1000 \text{ bo/Mbo}$ Boi = 1.88 rb/stb

Continued

PERFORMANCE DATA

(If sufficient history exists, attach plot of oil production rate v time.)

CUMULATIVE PRODUCTION TO	5/31/2016	140,043	BBL Oil	317,741	MCF Gas
INITIAL RATE (qi)	575 BOPD				
ECONOMIC LIMIT (q _e)	6 BOPD				
HYPERBOLIC DECLINE RATE; dy	n = 1.2; d = 95%/yr				
REMAINING MBO (Q) =	246				
ULTIMATE RECOVERABLE MBO	388				

(Attach plat showing proration unit and participating area.)

ECONOMIC

GROSS WELL COST \$3,407,072 (to the depth of formation completed)

COMPLETION COST \$5,110,607

GROSS TOTAL COST \$8,517,679

YEAR	GROSS OIL MBO	BFIT NET INCOME (\$M)	OPERATING COST (\$M) INCL SEV. & AD VAL TAX	5% NET BFIT DISCOUNTED CASH FLOW
ZERO				
1	17.143	1170.8	111.0	-7486.6
2	102.163	5069.3	798.4	4058.8
3	44.109	1938.3	448.3	1336.5
4	29.811	1567.7	366.8	812.7
5	22.705	1209.2	319.4	725.3
6	18.469	997.9	296.6	544.2
7	15.676	861.9	281.7	428.6
8	13.595	761.8	270.6	345.4
9	12.056	686.2	262.3	283.8
10	10.849	627.7	255.8	237.0
REMAINDER	90.163	6922.7	3739.7	775.9
TOTAL	376.739	20811.5	7150.6	2061.6

WELL IS COMMERCIAL

Form 3160-9
August 2007

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

NM OIL CONSERVATION
ARTESIA DISTRICT
OCD Artesia 8/26/15

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND RECEIVED

5. Lease Serial No. 16L-NM 031384
6. NMNM030457

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other		6. If Indian, Allottee or Tribe Name	
b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr. Other		7. Unit or CA Agreement Name and No. NMNM71016X	
2. Name of Operator BOPCO LP		8. Lease Name and Well No. POKER LAKE UNIT CVX JV BS 030H	
3. Address P O BOX 2760 MIDLAND, TX 79702		9. API Well No. 30-015-42496	
3a. Phone No. (include area code) Ph: 432-221-7379		10. Field and Pool, or Exploratory PADUCA; BONE SPRING	
4. Location of Well (Report location clearly and in accordance with Federal requirements)* At surface Sec 3 T25S R31E Mer NMP At top prod interval reported below NENW Lot 03 330FNL 1940FWL At total depth Sec 10 T25S R31E Mer NMP SESU 331FSL 1983FWL		11. Sec. T, R, M, or Block and Survey or Area Sec 3 T25S R31E Mer NMP	
14. Date Spudded 07/11/2014		15. Date T.D. Reached 08/13/2014	
16. Date Completed ☐ D & A ☒ Ready to Prod. 11/16/2014		17. Elevations (DF, KB, RT, GL)* 3452 GL	
18. Total Depth: MD 20111 TVD 10378		19. Plug Back T.D.: MD TVD	
20. Depth Bridge Plug Set: MD TVD		21. Type Electric & Other Mechanical Logs Run (Submit copy of each) GR/RCBL	
22. Was well cored? ☒ No ☐ Yes (Submit analysis)		Was DST run? ☒ No ☐ Yes (Submit analysis)	
Directional Survey? ☐ No ☒ Yes (Submit analysis)			

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17.500	13.375 H40	48.0	0	841		550	165	0	
12.250	9.625 J55	40.0	0	4308		1630	518	0	
8.750	7.000 HCP110	28.0	0	9542	5000	1040	338	4200	
6.125	4.500 HCP110	11.6	9513	20111		1075	236	9513	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875	9494							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
APND BONE SPRING SNO	10028	20111	10641 TO 19942	0.420	384	OPEN
B)						
C)						
D)						

26. Perforation Record

Depth Interval	Amount and Type of Material
10641 TO 19942	FRAC INTERVAL USING TOTAL 66512 BBLs FLUID; 5995313# PROPANT ACROSS 16 STAGES

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
11/18/2014	11/18/2014	24	→	649.0	1152.0	834.0	41.7		FLOW FROM WELL
Choke Size	Thg. Press. Flow	Crg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
20/64	SI	1280	→	649	1152	834	1775	POW	

28a. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
11/18/2014	11/18/2014	24	→	649.0	1152.0	834.0	41.7		FLOW FROM WELL
Choke Size	Thg. Press. Flow	Crg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
20/64	SI	1280	→	649	1152	834	1775	POW	

28b. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
11/18/2014	11/18/2014	24	→	649.0	1152.0	834.0	41.7		FLOW FROM WELL
Choke Size	Thg. Press. Flow	Crg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
20/64	SI	1280	→	649	1152	834	1775	POW	

ACCEPTED FOR RECORD
FEB 11 2015
BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #286397 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

28b. Production - Interval C:

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Curr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Pwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D:

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Curr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Pwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
BELL CANYON	4418	5152	SANDSTONE	RUSTLER	470
CHERRY CANYON	5152	6596	SANDSTONE	SALADO/T. SALT	878
BRUSHY CANYON	6596	8278	SANDSTONE	B. SALT	4114
BONE SPRING	8278		SANDSTONE/LIMESTONE	BELL CANYON	4418
				CHERRY CANYON	5152
				BRUSHY CANYON	6596
				1ST BONE SPRING SND	9280
				2ND BONE SPRING SND	10055

32. Additional remarks (include plugging procedure):

CONFIDENTIAL COMPLETION

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7. Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #286397 Verified by the BLM Well Information System.
For BOPCO LP, sent to the Carlsbad
Committed to AFMSS for processing by DEBORAH HAM on 01/30/2015 ()

Name (please print) TRACIE J CHERRY

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 12/29/2014

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL **

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone (505) 293-8101 Fax (505) 293-0720

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone (505) 746-1255 Fax (505) 746-0720

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone (505) 534-0178 Fax (505) 534-0170

DISTRICT IV
1225 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-5450 Fax (505) 476-5458

NM OIL CONSERVATION
ARTESIA DISTRICT

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
1225 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form O-102

Revised August 1, 2011

Submit one copy to appropriate District Office

WELL LOCATION AND ACREAGE DEDICATION PLAT

☒ AMENDED REPORT
As Drilled

API Number 30-015-42496		Pool Code 96644 <i>96641</i>	Pool Name Paduca; Bone Spring
Property Code 313213	Property Name Poker Lake Unit CVX JV BS		Well Number 030H
GRID No. 260737	Operator Name BOPCO, L.P.		Elevation 3452

Surface Location

UL or Lot No.	Section	Township	Range	Lot Idn	FEET from the	North/NORTH LINE	FEET from the	East/WEST LINE	County
LOT 3	3	25 S	31 E		330	NORTH	1940	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or Lot No.	Section	Township	Range	Lot Idn	FEET from the	North/NORTH LINE	FEET from the	East/WEST LINE	County
N	10	25 S	31 E		331	SOUTH	1983	WEST	EDDY

Dedicated Acres 320	Joint or Infill	Consolidation Code	Order No.
-------------------------------	-----------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

SURFACE LOCATION
Lat - N 32°09'56.78"
Long - W 103°46'02.69"
NADSPCE - N 424489.2
E 675116.4
(NAD-27)

BOTTOM HOLE LOCATION
Lat - N 32°08'18.50"
Long - W 103°48'02.98"
NADSPCE - N 414557.8
E 675145.9
(NAD-27)

N: 424820.8
E: 673181.3
(NAD-27)

N: 424810.2
E: 678431.1
(NAD-27)

N: 414249.1
E: 678478.8
(NAD-27)

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or is a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: *Tracie J Cherry* Date: _____
Printed Name: **Tracie J Cherry**
Email Address: **tjcherry@basspet.com**

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

DECEMBER 30, 2013
Date Surveyed: _____
Signature: _____
Professional Surveyor
7977
Certificate No. 7977
Bureau of Land Management

0' 500' 1000' 1500' 2000'
SCALE: 1" = 1000'
WO Num.: 29907



Downhole Profile - Vertical Wells

BOPCO, L.P. - West Texas


Well Name: **POKER LAKE UNIT CVX JV BS #030H (03-25-31)**

Well ID: **30-015-42496**


Field:

Sect: 3 Town: 25S Rng: 31E County: Eddy State: New Mexico

Surface Location: 330° FNL & 1940° FWL, Sec 3, T25S-R31E



Surface Location: 330' FNL & 1940' FWL, Sec 3, T25S-R31E



Field	Amount (sacks)	Class	Dens (lb/gal)	Yield (ft ³ /sack)
Lead	240	C	11.90	2.25
Liner Cement, 8/19/2014				
String: Liner 20,111.60ftKB Cement Evaluation Results: 50 bbls of good cement back to surface Stage Number 1 Stage Top (ftKB) 9,513.0 Stage Bottom (ftKB) 20,111.0 Vol Cement Ret (bbl) 50.0 Top Measurement Method Volume Calculations				
Fluid	Amount (sacks)	Class	Dens (lb/gal)	Yield (ft ³ /sack)
Lead	1,075	H	14.50	1.23



Schematic - Vertical Production

BOPCO, L.P. - West Texas

Well Name: POKER LAKE UNIT CVX JV BS #030H (03-25-31)

Well ID: 30-015-42496

Field:

Sect: 3 Town: 25S Rng: 31E Eddy Co., State: New Mexico

Blk: Survey:

Most Recent Job

Job Category	Primary Job Type	Secondary Job Type	Job Start Date	Job End Date
Maintenance	Sub Pump		3/13/2015	3/20/2015

