


Skelly Unit No. 11
Well History

- 10/2/54 Completed well to a TD of 11,963'. Produced the Pennsylvania open hole, 11,878-11,963', at 5410 MCFPD and 221 bbls. distillate.
- 4/16/58 Treated Penn open hole with 1000 gals. mud acid. Before: 17 MCFPD. After: 339 MCFPD. Shut zone in due to an offset with a greater deliverability in the Penn.
- 6/10/60 Plugged back Pennsylvania. Set CIBP @ 11,850'. Perfed Penn @ 11,810-822 with 4 spf and treated with 500 gals. mud acid. No shows. Retreated with 1000 gals. 15% NE acid. Slight show of gas. Set CIBP @ 7330'. Perfed Abo zone @ 7234-7252' with 3 spf. Treated perfs with 500 gals. 7 1/2% acid. Swabbed dry. Retreated with 500 gals. 15% acid. Slight show of gas. Additionally perfed the Abo at 7277-7293' with 3 spf. Pumped 2000 gals. 15% acid over Abo perfs. No shows. Shut well in.
- 11/13/62 Ran hydraulic casing puller. Cut 5 1/2" csg. at 4825', retrieved 4825'. Set CIBP @ 7200' and dumped 2 sxs. cmt. on top. Spotted 50 sx. cmt. plug @ 4700-4850'. Set cmt. retainer @ 3590'. Pumped 67 sxs. below retainer and 8 sxs. on top of retainer, PBTD 3574'. Perfed Grayburg-San Andres @ 3358-3493', 4 spf, selectively. Treated with 40,000 gal. oil and 40,000# 20-40 sand. Flowed 118 BOPD and 510 MCFPD. Perfed 7 Rivers @ 2217-2330', 4 spf, selectively. Treated with 20,000 gals. oil and 40,000# 20/40 sand, and 500 gals. 15% acid. Installed PE and pumped 120 BOPD, 15 BWPD, and 106 MCFPD.
- 5/5/80 Acidized Fren-7 Rivers with 5000 gals. 15% acid. Pumped 23 BOPD, 9 BWPD, and 9 MCFPD.
- 12/4/82 Acidized Fren-7 Rivers with 6000 gals. 15% NEFE acid. Pumped 78 BOPD and 158 BWPD.

BDB/ly

BEFORE EXAMINER STOGNER	
OIL CONSERVATION DIVISION	
GETY	EXHIBIT NO. 3
CASE NO. 8043	

Getty Oil Company
 Skelly Unit No. 11
 Unit Letter I
 Sec. 21, T-17-S, R-31-E
 Eddy County, NM



Getty Oil Company
 Skelly Unit No. 11
 Unit Letter I
 Sec. 21, T-17-S, R-31-E
 Eddy County, NM

