

OIL CONSERVATION DIVISION

CASE NO.
14294

EXHIBIT
7

Submit To Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised June 10, 2003

WELL API NO.
30-015-27220

5. Indicate Type of Lease
STATE ☐ FEE ☒

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER _____

b. Type of Completion:
NEW ☐ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF.
WELL OVER BACK RESVR. x OTHER Re-Entry

2. Name of Operator

Yeso Energy, Inc.

3. Address of Operator

P.O. Box 2248 Roswell, NM 88202-2248 505-622-7355 505-626-4292 (Cellular)

4. Well Location

Unit Letter B 479 Feet From The North Line and 1814 Feet From The East Line

Section 20 Township 24 South Range 25 East NMPM Eddy County

10. Date Spudded 5-15-2003 11. Date T.D. Reached 6-15-2003 12. Date Compl. (Ready to Prod.) 6-30-2003 13. Elevations (DF& RKB, RT, GR, etc.) 4137.9' GR 14. Elev. Casinghead 4135.7'

15. Total Depth 2865' 16. Plug Back T.D. 2865' 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By 0-2865' Rotary Tools Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name
Delaware

20. Was Directional Survey Made
No, Submitted w/ original file

21. Type Electric and Other Logs Run
None

22. Was Well Cored
No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	48#	435'	17 1/2"	475 Sx.	0
8 5/8"	32#	2700'	12 1/4"	2120 Sx.	0
5 1/2"	17#	5806'	7 7/8"	1650 Sx.	0

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8"	2601'	2605'

26. Perforation record (interval, size, and number)

2696'—2714', 0.42" EHD, 80 Holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
2696'—2714' 2000 gal 7.5% NEFE

28. PRODUCTION

Date First Production 6-30-2003		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing			Well Status (Prod. or Shut-in) Shut In waiting on pipeline rt/way & connection.		
Date of Test 6-30-2003	Hours Tested 24 Hours	Choke Size 32/64"	Prod'n For Test Period	Oil - Bbl 1 bbl	Gas - MCF 485	Water - Bbl. 15	Gas - Oil Ratio 485000: 1
Tubing Pressure 60 psi	Casing Pressure Pkr	Calculated 24-Hour Rate	Oil - Bbl. 1	Gas - MCF 485	Water - Bbl. 15	Oil Gravity - API - (Corr.) 41	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Shut In.

30. List Attachments

Gas Analysis

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of

Signature

E-mail Address leeconinc@aol.com

Printed Name

Gene Lee

Title

Agent

Date

7-15-2003

Case 14294
Yeso Energy, Inc.
OCD Exhibit 7

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers 1565	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinbry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand 2558	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from to feet.

No. 3, from to feet.

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
			See Original

From	To	Thickness In Feet	Lithology