


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Aug. 12, 2010
BY: MWM
WELL: 23H
STATE: New Mexico

Location: 2310' FNL & 990' FEL, Sec 23H, T13S, R31ECM
SPUD: 12/57 COMP: 12/57
CURRENT STATUS: NM State P&A, 5/05
Original Well Name: Gulf State #1

KB = 4419'
GL =
API = 30-005-00822



Oil Conservation Division
Case No. _____
Exhibit No. 32

PBTD - 3095'
TD - 3106'

8/12/2010

RQU #23H


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Nov. 30, 2007
BY: GSA
WELL: 23L
STATE: New Mexico

Location: 1980' FSL & 660' FWL, Sec 23L, T13S, R31ECM
SPUD: 6/55 COMP: 6/55
CURRENT STATUS: P&A Injector (02-76)
Original Well Name: Chaves State "BM" A #3

KB = 4417'
GL =
API = 30-005-00826



PBTD - 3048'
TD - 3048'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Aug. 11, 2010
BY: MWM
WELL: 23N
STATE: New Mexico

Location: 660' FSL & 1980' FWL, Sec 23N, T13S, R31ECM
SPUD: 9/55 COMP: 9/55
CURRENT STATUS: P&A'd Injector (02-76)
Original Well Name: Chaves State BM A #6

KB = 4313'
GL =
API = 30-005-00829



8/12/2010

RQU #23N


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 4, 2007
BY: GSA
WELL: 23P
STATE: New Mexico

Location: 660' FSL & 990' FEL, Sec 23P, T13S, R31ECM
SPUD: 9/55 COMP: 9/55
CURRENT STATUS: P&A Injector (02-76)
Original Well Name: Chaves State BM #1

KB = 4408'
GL =
API = 30-005-00833



PBTD - 3075'
TD - 3075'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: State "Z"
COUNTY: Chaves

DATE: Jan. 10, 2008
BY: GSA
WELL: 1
STATE: New Mexico

Location: 2310' FNL & 2310' FEL, Sec 24G, T13S, R31ECM
SPUD: 10/57 COMP: 10/57
CURRENT STATUS: P&A (11-57)
Original Well Name: State "Z" #1

KB = 4401'
GL =
API = 30-005-00842



PBTD - 3069'
TD - 3069'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 7, 2007
BY: GSA
WELL: 24J
STATE: New Mexico

Location: 1650' FSL & 2310' FEL, Sec 24J, T13S, R31ECM
 SPUD: 1/56 COMP: 1/56
 CURRENT STATUS: P&A Injector (1-76)
 Original Well Name: Chaves State "A" #2

KB = 4,397'
 GL =
 API = 30-005-00847



PBTD - 3067'
 TD - 3067'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Chaves State A
COUNTY: Chaves

DATE: Jan. 10, 2008
BY: GSA
WELL: 3
STATE: New Mexico

Location: 1650' FSL & 990' FEL, Sec 24I, T13S, R31ECM
SPUD: 12/56 COMP: 1/57
CURRENT STATUS: P&A (3-57)
Original Well Name: Chaves State A #3

KB = 4389'
GL =
API = 30-005-00848



PBTD - 3071'
TD - 3071'

6/12/2008

Chaves State A #3.xls

CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Yates
COUNTY: Chaves

DATE: Jan. 10, 2008
BY: GSA
WELL: 1
STATE: New Mexico

Location: 1971' FSL & 660' FEL, Sec 24I, T13S, R31ECM

SPUD: 10/48 COMP: 10/48


CURRENT STATUS: D&A (11-48)

Original Well Name: Yates #1

KB = 4401'

GL =

API = 30-005-00845




CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 7, 2007
BY: GSA
WELL: 24L
STATE: New Mexico

Location: 1980' FSL & 660' FWL, Sec 24L, T13S, R31ECM
 SPUD: 2/56 COMP: 2/56
 CURRENT STATUS: P&A Injector (2-76)
 Original Well Name: Chaves State "AH" #A-1

KB = 4414'
GL = 4404'
API = 30-005-00843



PBTD - 3072'
 TD - 3072'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 7, 2007
BY: GSA
WELL: 24N
STATE: New Mexico

Location: 660' FSL & 1980' FWL, Sec 24N, T13S, R31ECM
SPUD: 11/55 COMP: 11/55
CURRENT STATUS: P&A Injector (1-76)
Original Well Name: State W #2

KB = 4416'
GL = 4407'
API = 30-005-00840



PBTD - 3066'
TD - 3066'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 14, 2007
BY: GSA
WELL: 24P
STATE: New Mexico

Location: 330' FSL & 990' FEL, Sec 24P, T13S, R31ECM
SPUD: 10/56 COMP: 10/56
CURRENT STATUS: P&A Injector (1-76)
Original Well Name: Chaves State A #1

KB = 4404'
GL = 4393'
API = 30-005-00846




CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Nov. 25, 2008
BY: GSA
WELL: 56
STATE: New Mexico

Location: 1980' FNL & 1980' FWL, Sec 25F, T13S, R31ECM
 SPUD: 12/55 COMP: 12/55
 CURRENT STATUS: P&A Injector (11-08)
 Original Well Name: W. M. Tulk #6

KB = 4384'
GL =
API = 30-005-00856




CELERO ENERGY

FIELD:	Caprock	DATE:	Dec. 16, 2008
LEASE/UNIT:	Rock Queen	BY:	GSA
COUNTY:	Chaves	WELL:	58
		STATE:	New Mexico

Location: 1980' FNL & 660' FEL, Sec 25H, T13S, R31ECM
 SPUD: 1/56 COMP: 1/56
 CURRENT STATUS: P&A'd Injector (12-08)
 Original Well Name: W. M. Tulk #8

KB = 4392'
GL =
API = 30-005-00858



Filled casing with 10 sx cement plug at the surface.
 Spotted 100 sx cement plug from 350' to surface.
8-5/8" 24# @ 297'
cmt'd. w/ 175 sx (circ 30 sx)
 Top of 4 1/2" casing @ 235' +/- 6 joints +/- of 4 1/2" casing was fished at the beginning of the plugging operation.

Perforated holes @ 1530' and pumped 50 sx cement (TOC @ 772').

Perforated holes @ 2300' and pumped 60 sx and then 120 sx cement (TOC @ 2190').

TOC @ 2670' (calc)

Spotted 60 sx cmt plug @ 2950'. Tagged TOC @ 2913'.

4-1/2" 9.5# @ 3058'
cmt'd. w/ 75 sx (DNC)
Top of Queen @ 3058':
Queen Open Hole: 3058' - 3076' (1-56)

PBTD - 3076'
 TD - 3076'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Oct. 22, 2008
BY: JEA
WELL: 60
STATE: New Mexico

Location: 1980' FSL & 1980' FEL, Sec 25J, T13S, R31ECM
 SPUD: 06/55 COMP: 06/55
 CURRENT STATUS: P&A'd Injector (09-08)
 Original Well Name: W. M. Tulk #3-J

KB = 4376'
GL = 4367'
API = 30-005-00853



PBTD - 3055'
 TD - 3055'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 28, 2007
BY: GSA
WELL: 36
STATE: New Mexico

Location: 660' FNL & 1980' FEL, Sec 26B, T13S, R31ECM
SPUD: 8/55 COMP: 8/55
CURRENT STATUS: P&A Injector (01-76)
Original Well Name: Chaves State "BM" #1

KB = 4413'
GL =
API = 30-005-00870



PBSD - 3070'
TD - 3070'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 28, 2007
BY: GSA
WELL: 38
STATE: New Mexico

Location: 660' FNL & 660' FWL, Sec 26D, T13S, R31ECM
SPUD: 3/55 COMP: 3/55
CURRENT STATUS: P&A Injector (11-00)
Original Well Name: State #8

KB = 4425'
GL =
API = 30-005-00880



10 sx cmt surface plug from 50' to surface

8-5/8" 24# @ 260' cmt'd w/ 100 sx. TOC @ surface (calc).

Perf 4 shot @ 310'. Squeezed cmt perfs w/ 75 sx class "C" cmt. Tag TOC @ 200'.

Perf 4 shot @ 1450'. Squeezed cmt perfs w/ 75 sx class "C" cmt. Tag TOC @ 1380'.

TOC @ 2353' (calc)

CIBP @ 2950' w/ 25 sx cmt cap. Tag TOC @ 2720'.

5-1/2" 14# @ 3034'
cmt'd. w/ 100 sx (DNC)

Top of Queen @ 3034':

Queen Open Hole: 3034' - 3051' (3-55)

PBTD - 3051'
TD - 3051'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 21, 2007
BY: GSA
WELL: 27B
STATE: New Mexico

Location: 330' FNL & 1650' FEL, Sec 27B, T13S, R31ECM
 SPUD: 7/55 COMP: 7/55
 CURRENT STATUS: P&A Injector (02-76)
 Original Well Name: Malco Federal #3

KB = 4422'
GL = 4413'
API = 30-005-00885



10 sx cmt surface plug

35 sx cmt plug set @ 257' - 357'

10-3/4" 32.30# @ 317' cmt'd w/ 140 sx. TOC @ surface (calc).

Shot and pulled 7" csg @ 632'
 Shot csg @ 694' but unable to pull.

35 sx cmt plug set @ 572' - 682'

TOC @ 2294' (calc)

50 sx cmt plug set @ 2818' - 3079' (TD)

Top of Queen @ 3034':
Queen: 3045' - 3050' (6 SPF) (10-55)

7" 17# & 25# @ 3079'
 cmt'd. w/ 100 sx (DNC)

PBTD -
 TD - 3079'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 26, 2007
BY: GSA
WELL: 27F
STATE: New Mexico

Location: 1650' FNL & 2310' FWL, Sec 27F, T13S, R31ECM
 SPUD: 8/55 COMP: 8/55
 CURRENT STATUS: P&A Injector (03-76)
 Original Well Name: Las Cruces #2


KB = 4428'
GL = 4419'
API = 30-005-00892



10 sx surface plug

8-5/8" 32# @ 296' cmt'd. w/ 200 sx. TOC @ surface (calc).

30 sx cmt plug @ 234' - 336'




9.5 #/gal
Br/gel

Shot and pulled 5-1/2" csg from 1368'

20 sx cmt plug @ 1318' - 1418'

TOC @ 1666' (calc)



9.5 #/gal
Br/gel mud

25 sx plug @ 2593' - 2838' when 1st plug would not hold the mud column.
 25 sx cmt plug @ 2836' - 3045' (TD)

5-1/2" 14# @ 3028'
 cmt'd. w/ 200 sx (DNC)

Top of Queen @ 3020':

Queen Open Hole: 3028' - 3045'

PBTD - 3045'
 TD - 3045'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 26, 2007
BY: GSA
WELL: 27H
STATE: New Mexico

Location: 1980' FNL & 330' FEL, Sec 27H, T13S, R31ECM
SPUD: 5/55 COMP: 5/55
CURRENT STATUS: P&A Injector (03-76)
Original Well Name: Malco Federal #2

KB = 4411'
GL =
API = 30-005-00884



10 sx surface plug

8-5/8" 32# @ 306' cmt'd. w/ 140 sx. TOC @ surface (calc).

30 sx cmt plug @ 246' - 348'

Shot and pulled 5-1/2" csg from 1261'. Also shot csg @ 1303' and pipe not free.

20 sx cmt plug @ 1211' - 1311'

TOC @ 2364' (circ)

BTM plug required 8-25 sx plug setting attempts to obtain plug from 2995' to 2692'.
Left 12 jts H-40 2-3/8" tbgs in hole during cementing.

Spotted 4 BBLS SN at T.D. to obtain plug.

5-1/2" 15.5&17# @ 3045'
cmt'd. w/ 100 sx (DNC)

Top of Queen @ 3019':

Queen: 3024' - 3028' (6 SPF) (5-55)

PBTD - 3046'
TD - 3046'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Rock Queen
COUNTY: Chaves

DATE: Dec. 26, 2007
BY: GSA
WELL: 27J
STATE: New Mexico

Location: 1980' FSL & 1980' FEL, Sec 27J, T13S, R31ECM
SPUD: 11/55 COMP: 11/55
CURRENT STATUS: P&A Injector (08-80)
Original Well Name: Federal Hinkle #3

KB = 4417'
GL =
API = 30-005-00889



8-5/8" 24# @ 292' cmt'd. w/ 200 sx. TOC @ surface (calc).

14' of open hole

Shot and pulled 5-1/2" csg from 306'. Pumped in 75 sx cmt. Tagged top plug @ 90'. Press up to 1700 psi. Ran 2-3/8" tbg to 90' and spotted 10 sx cmt to surface.

TOC @ 2339' (calc)

Spotted 25 sx cmt plug @ 2970'. Tagged cmt @ 2715'

5-1/2" 14# @ 3020'
cmt'd. w/ 100 sx (DNC)
Top of Queen @ 3023':
Queen Open Hole: 3020' - 3028' (11-55)

PBTD - 3028'
TD - 3028'


CELERO ENERGY

FIELD: Caprock
LEASE/UNIT: Drickey Queen Sand Unit
COUNTY: Chaves

DATE: Jan. 4, 2008
BY: GSA
WELL: 35F
STATE: New Mexico

Location: 1980' FNL & 1980' FWL, Sec 35F, T13S, R31ECM
 SPUD: 3/55 COMP: 3/55
 CURRENT STATUS: P&A Injector (11-73)
 Original Well Name: N.M. State "I" A/c 1 #1

KB = 4410'
GL = 4400'
API = 30-005-00921



PBTD - 3055'
 TD - 3055'