

CAMPBELL, CARR, BERGE
& SHERIDAN, P.A.
LAWYERS

MICHAEL B. CAMPBELL
WILLIAM F. CARR
BRADFORD C. BERGE
MARK F. SHERIDAN

MICHAEL H. FELDEWERT
TANYA M. TRUJILLO
NANCY A. RATH

JACK M. CAMPBELL
OF COUNSEL

JEFFERSON PLACE
SUITE I - 110 NORTH GUADALUPE
POST OFFICE BOX 2208
SANTA FE, NEW MEXICO 87504-2208
TELEPHONE: (505) 988-4421
TELECOPIER: (505) 983-6043

March 8, 1995

HAND-DELIVERED

RECEIVED

MAR 8 1995

Michael E. Stogner
Hearing Examiner
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
2040 South Pacheco
Santa Fe, New Mexico 87505

Oil Conservation Division


Re: Case No. 11161:
Application of Yates Petroleum Corporation for a Cooperative Pressure
Maintenance Project in Portions of Sections 14 and 23, both in Township 20
South, Range 24 East, N.M.P.M., Eddy County, New Mexico

Dear Mr. Stogner:

Pursuant to your request of February 17, 1995, I am enclosing copies of amended
attachments to the Yates Petroleum Corporation Form C-108 filed in the above referenced
case.

If you need anything further from Yates to proceed with your consideration of this
application, please advise.

Very truly yours,



WILLIAM F. CARR
ATTORNEY FOR YATES PETROLEUM CORPORATION

WFC:mlh
Enclosures

DAGGER DRAW SOUTH - PRESSURE MAINTENANCE PILOT						
Form C-109						
Well Data						
LEASE NAME & LOCATION	CASING, TUBING & PACKER DATA	INJECTION FORMATION	INJECTION INTERVAL PERFORATIONS	1 - NEXT HIGHER OIL/GAS ZONE		OTHER PERFORATED INTERVALS
				2 - NEXT LOWER OIL/GAS ZONE		
Hill View AHE Federal Com #2 Unit G Sec 23-20S-24E 1650' FNL & 1780' FEL (Originally Morrow Gas Test)	13-3/8" @ 454' w/660 sx (circulated) 17-1/2" hole 9-5/8" @ 1202' w/1601 sx (circulated) 12-1/4" hole 7" @ 9700' w/1641 sx TOC @ 700' (Temp survey) 8-3/4" hole 3-1/2" tubing @ 7530' (plastic coated) 7" Nickel-plated packer @ 7530'	Canyon Dagger Draw South (Upper Penn)	7576' - 7581' 7625' - 7629' 7696' - 7711' 7713' - 7740' 7744' - 7751' 7762' - 7772' 7776' - 7779' 7782' - 7786' 7789' - 7794'	1 - Wolfcamp 2 - Strawn		9224' - 9243' squeezed w/60 sx 9297' - 9306' Class H Cement Cement Retainer @ 9145' 9436' - 9464' squeezed w/50 sx Class H Cement Cement Retainer @ 9430'
Hill View AHE Federal Com #6 Unit B Sec 23-20S-24E 660' FNL & 1980' FEL (Originally Oil Well)	20" @ 40' w/Redimix 26" hole 9-5/8" @ 1225' w/1100 sx (circulated) 14-3/4" hole 7" @ 8130' w/1650 sx (circulated) 8-3/4" hole 3-1/2" tubing @ 7500' (plastic coated) 7" Nickel-plated packer @ 7500'	Canyon Dagger Draw South (Upper Penn)	7566' - 7588' 7630' - 7650' 7662' - 7698' 7712' - 7799'	1 - Wolfcamp 2 - Strawn		None
Saguaro AGS Federal Com #8 Unit O Sec 14-20S-24E 660' FSL & 1980' FEL (Originally Oil Well)	20" @ 40' w/Redimix 26" hole 9-5/8" @ 1088' w/1100 sx (circulated) 14-3/4" hole 7" @ 8120' w/2130 sx (circulated) 8-3/4" hole 3-1/2" tubing @ 7590' (plastic coated) 7" Nickel-plated packer @ 7590'	Canyon Dagger Draw South (Upper Penn)	7624' - 7650' 7672' - 7696' 7704' - 7722' 7740' - 7748'	1 - Wolfcamp 2 - Strawn		None

Hillview AHE Fed Com #2
G 23-20S-24E
1650' FNL & 1780' FEL

