

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in **TRIPPLICATE** to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING
DRILLING OPERATIONS

REPORT ON RESULT OF TEST
OF CASING SHUT-OFF

REPORT ON
REPAIRING WELL

REPORT ON RESULT
OF PLUGGING WELL

REPORT ON RECOMPLETION
OPERATION

REPORT ON
(Other)

June 1, 1953

Roswell, New Mexico

Following is a report on the work done and the results obtained under the heading indicated above at the

LEGHART OIL COMPANY

State 1-7727

(Company or Operator)

(Address)

(Contractor)

Well No. 1

In the Township of _____, County of _____, State of _____

T 19S, R 29E, N 36PM

Sanjo Gino

Prod.

Qty

The Dates of this work were as follows:

May 16, 1953

Notice of intention to do the work was (was not) submitted on Form C-102 on _____

Page 1,

and approval of the proposed plan (was) (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

May 16, 1953 - Placed 40 sacks cement in hole and filled to the surface with mud. Placed 7" sledge on casing, with a 1" - 1/2" marker. ~~Work done by Denton.~~

Witnessed by _____

(Name)

(Signature)

Approved:

OIL CONSERVATION COMMISSION

L. A. Johnson

(Name)

I hereby certify that the information herein above is true to the best of my knowledge.

Name _____
Position _____

Secretary-Treasurer

Representing _____

LEGHART OIL COMPANY

Box 700, Roswell, N. M.

(Title)

(Date)

(Date)

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPPLICATE to the District Office, Oil Conservation Commission, before the work specified hereon is begun. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until so advised. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION
TO CHANGE PLANS

NOTICE OF INTENTION
TO PLUG WELL

NOTICE OF INTENTION
TO SQUEEZE

NOTICE OF INTENTION
TO GUN PERFORATE

NOTICE OF INTENTION TO
TEMPORARILY ABANDON WELL

NOTICE OF INTENTION
TO FILL BACK

NOTICE OF INTENTION
TO CHANGE

NOTICE OF INTENTION
TO OTHER

NOTICE OF INTENTION
TO DRILL DEEPER

NOTICE OF INTENTION
TO SET LINER

NOTICE OF INTENTION
TO SUCCEED NORTH

NOTICE OF INTENTION
TO OTHER

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Roswell, New Mexico

May 1, 1953

Gentlemen:

Following is a Notice of Intention to do extra work as described below at the

LEONARD OIL COMPANY

(Company or Operator)

Well No. 1

NE 1/4 SE

1/4 of Sec

100

R

T9E

SAN JAC

ADAMS LIND

(County or Subdivision)

Eddy

(County)

FULL DETAILS OF PROPOSED PLAN OF WORK FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS

Propose to cement back to 2070 with 5 sacks cement; fill hole with mud to 251 and cement to surface, placing a 4" marker made from 1" pipe; leaving the casing in the hole.

Approved
Except as follows:

19

LEONARD OIL COMPANY

(Company or Operator)

By

Lawrence L. Nelson

Position

Secretary-Treasurer

Send Communications to: Roswell, New Mexico

Approved

OIL CONSERVATION COMMISSION

By

[Signature]

Title

Name

LEONARD OIL COMPANY

Address


Box 703, Roswell, New Mexico

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or to proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.



AREA 640 ACRES
LOCATE WELL CORRECTLY

Leonard Oil Company

State B-7717

Company or Operator

Lessee

Well No. 1

NE 1/4 Sec. 2

of Sec. 2

T. 19 South

R. 29 East, N. M. P. M., Turkey Track

Field.

Eddy

County.

Well is 3300 feet south of the North line and 660 feet west of the East line of Sec. 2

If State land the oil and gas lease is No. B-7717

Assignment No.

If patented land the owner is

Address

If Government land the permittee is

Address

The Lessee is

Address

Reworking

May 1

19 52

Reworking

was completed

Aug. 6,

19 52

Name of drilling contractor. Roach & Shepard

Address

Artesia, New Mexico

Elevation above sea level at top of casing 3367 feet.

The information given is to be kept confidential until

19

Slight

OIL SANDS OR ZONES

No. 1, from Show of Oil 1590 to 1605

No. 4, from

3976 to 3996 Show of Oil & Gas

No. 2, from Show of Oil 1795 to 1810

No. 5, from

to

No. 3, from Show of Oil 2270 to 2275

No. 6, from

to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 2875 to 2890

feet. Slight Show of Water

No. 2, from 2977 to 3002

feet. 12 Gal. Water per Hour

No. 3, from 4077 to 4096

feet. 1 Bbl. Water per Hour

No. 4, from to

feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED TO	PURPOSE
2-5/8"	24#		S.H.	303	Tex. Pat.			Surface
7"	20#		S.H.	2647				)
7"	17#		S.H.	500				) Production
5-1/2"	17#		S.H.	840				)

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10"	8-5/8"	303'	50	Halliburton		
8-5/8"	7-5/8"	3975'	130	Denton		

PLUGS AND ADAPTERS

Heavy plug Material

Length

Depth Set

Adapters Material

Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED TO	PURPOSE
2-5/8"	24#		S.H.	303	Tax. Pat.			Surface
7"	20#		S.H.	2647				)
7"	17#		S.H.	500				) Production
5-1/2"	17#		S.H.	840				)

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10"	8-5/8"	303'	50	Halliburton		
8" & 6"	7" & 5 1/2"	3975'	130	Denton		

PLUGS AND ADAPTERS

Heaving plug Material Length _____ Depth Set _____
 Adapters Material Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Sand-Frac	Dowell	May 19, 1952		
		Sand-Frac	Dowell	May 27, 1952		

Results of shooting or chemical treatment: No increase first treatment. Increased from 5 BOPD to 11 BOPD and 19 BOPD.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.
 Cable tools were used from 0- feet to 4016 feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing _____, 19____
 The production of the first 24 hours was 30 barrels of fluid of which 33-1/3 % was oil, %
 emulsion; 66-2/3 % water; and % sediment. Gravity, lb.
 If gas well, cu. ft. per 24 hours. Gallons gasoline per 1,000 cu. ft. of gas
 Rock pressure, lbs. per sq. in.

EMPLOYEES

Burrows Driller Irman Driller
 Gray Driller Pyatt Driller
 Richardson

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 6th Roswell, New Mexico August 6, 1952
 day of August 1952 Name Robert J. Leonard
 Position President
 Representing Leonard Oil Company
 Company or Operator.
 My Commission expires October 30, 1955. Address Box 708 - Roswell, New Mexico

Ex 1 - page 4

FROM	TO	THICKNESS IN FEET	FORMATION
See WELL RECORD (Form C-105) filed April 3, 1948, giving complete log.			

See WELL RECORD (Form C-105) filed April 3, 1948, giving complete log.

EX 1 - page 6 Form C-102

NEW MEXICO OIL CONSERVATION COMMISSION

MISCELLANEOUS REPORTS ON WELLS

AUG 1952

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PILLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

August 6, 1952
Date

Roswell, New Mexico
Place

Following is a report on the work done and the results obtained under the heading noted above at the

Leonard Oil Company
Company or Operator
B-7717
Lease
Well No. 1
In the
T. 19 South R. 19 East N. M. P. M.
Turkey Track Pool Eddy County

The dates of this work were as follows: May 13, 1952

Notice of intention to do the work was (was not) submitted on Form C-102 on May 16, 1952
and approval of the proposed plan was (was not) obtained (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

May 13, 1952: Waited 7 1/2 hours, found top of cement at 3848'. Drilled out to 3938' and tested with bailer for 3 hours. No water entered. Shut off considered satisfactory. Drilling ahead.

Witnessed by _____ Name _____ Company _____ Title _____

APPROVED:
OIL CONSERVATION COMMISSION
[Signature]
Name _____
Title _____
Date AUG 1 1952

I hereby swear or affirm that the information given above is true and correct
Name *[Signature]*
Position President
Representing Leonard Oil Company
Company or Operator
Address Box 703 - Roswell, New Mexico

NEW MEXICO OFFICE OF THE ATTORNEY GENERAL
SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission. The plan must be submitted before the work specified is to begin. A copy will be returned to the sender on which will be given the Commission's approval, modification, or rejection. If modification is considered advisable, or the rejection by the Commission or agent, of the plan submitted, all changes approved should be followed and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of matter by checking below:

NOTICE OF INTENTION TO TEST CASING
SHUT-OFF

NOTICE OF PETITION FOR WRIT OF HABEAS CORPUS

NOTICE OF INTENTION TO CHANGE PLANS

NOTICE OF INTENTION TO FILE OR
OTHERWISE ALTER CASING

NOTICE OF INTENTION TO REPAIR WELL

SUPPORT OF POLYMERIZATION TO PLUG AND GO

NOTICE OF INTENTION TO DEEPEN WELLS

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work, as described below, on the

Leominster Oil Company
Company or Operator

2000-2001

WILLIAM S. HARRIS, JR. IN MEMORIAM

of Sec. 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 9

FULL DETAILS OF PROPOSED DUTY OF CARE WORK

FOLLOW INSTRUCTIONS IN THE RULES AND EXPLANATIONS OF THE COMMISSION

1. *Chlorophyll a* and *b*: mg/g of FW. mg/g of FW = $\frac{\text{mg of Chlorophyll}}{\text{g of FW}} \times 1000$
 2. *Chlorophyll a*: mg/g of FW. mg/g of FW = $\frac{\text{mg of Chlorophyll}}{\text{g of FW}} \times 1000$
 3. *Chlorophyll b*: mg/g of FW. mg/g of FW = $\frac{\text{mg of Chlorophyll}}{\text{g of FW}} \times 1000$

3987 total "

Approved
except at follows:

Emmett B. White

BY *R. A. Schumacher*
Title _____

$$X_{\text{eff}}^{\text{eff}} = \frac{1}{\frac{1}{X_{\text{eff}}} + \frac{1}{X_{\text{eff}}^{\text{eff}}}}$$

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING
SHUT-OFF

NOTICE OF INTENTION TO CHANGE PLANS

NOTICE OF INTENTION TO REPAIR WELL

NOTICE OF INTENTION TO DEEPEN WELL

NOTICE OF INTENTION TO SHOOT OR
CHEMICALLY TREAT WELL

NOTICE OF INTENTION TO PULL OR
OTHERWISE ALTER CASING

NOTICE OF INTENTION TO PLUG WELL

NOTICE OF INTENTION TO HYDRATE

Roswell, New Mexico

May 19, 1952

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Leonard Oil Company
Company or Operator

State 1-7717
Loc 4

Well No 1

in Roswell

of Sec. 2, T. 19 South, R. 19 East, N. M. P. M. Turkey Creek
Lilly County.

Field.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Will plug back to 2600' with hydramite, and will then hydrate.

Approved...
except at follows:

OIL CONSERVATION COMMISSION

By *L. A. Sanborn*

Title

LEONARD OIL COMPANY

Company or Operator

By *Emmett D. White*

Executive Vice President
Field communications regarding well to

Name Leonard Oil Company

Address Roswell, New Mexico

Roswell, New Mexico

1952

REQUEST FOR (OIL)-(GAS) ALLOWABLE

It is necessary that this form be submitted by the operator before an initial allowable will be assigned to any completed oil or gas well. Form C-110 (Certificate of Compliance and Authorization to Transport Oil) will not be approved until Form C-101 is filed with the Commission. Form C-101 is to be submitted in triplicate to the office to which Form C-101 was sent. Two copies will be retained there and the other submitted to the Proration Office, Hobbs, New Mexico. The allowable will be assigned effective 7:00 a.m. on date of completion, provided completion report is filed during month of completion. The completion date shall be that date in the case of an oil well when oil is delivered into the stock tanks. Gas must be reported on 15.025 D.B. at 60° Fahrenheit.

Roswell, New Mexico
Place

August 6, 1952
Date

WE ARE HEREBY REQUESTING AN ALLOWABLE FOR A WELL KNOWN AS:

Leonard Oil Company
Company or Operator

State B-7717 Well No. 1 In NE 1-4 SE 1-4

Section 2, T. 19S, R. 29E, N.M.P.M. ~~East Turkey~~ ^{Truck} Pool Eddy County

Please indicate location: Elevation 3367 ~~xxxxxx~~ ^{Rework} May 1, 1952 Completed Aug. 6, 1952

Total Depth	4016	P.B.	4000
Top Oil Gas Pay	3976	Top Water Pay	
Initial Production Test: Pump		Flow	5 BOPD
Based on	9618. Oil in	hrs.	mins.
Method of Test	(Pitot, gauge, prover, meter run)		
Size of choke in inches			
Tubing (Size)	6" 3/4" 2 1/2" 2" 1 1/2" 1 1/4" 1 1/8" 1 1/16" 3/4" 3/8" 3/16" 1/8" 1/16" 1/32"		
Pressures: Tubing	Casing		
Gas/Oil Ratio	GRAVITY		
Casing Perforations:			

Unit letter: I	Acid Record:	Show of Oil, Gas and water
Casing & Cementing Record	Gals to	S
Size Feet Sax	Gals to	S
8-5/8" 302 50	Gals to	S
7" 3437) 130	Shooting Record:	S
5-1/2" 840)	QTS to	S
	QTS to	S
	QTS to	S
Natural Production Test:	Pumping 5 BOPD	Flowing
Test after xxxx or xxxx sand-frac	Pumping 11 BOPD	Flowing

Please indicate below formation tops (in conformance with geographical section of state):

Southeastern New Mexico

Northwestern New Mexico

- F. Anhy
- F. Salt ~~255~~ 272
- B. Salt 1055
- F. Yates
- F. 7 Rivers
- F. Green
- F. Grayburg
- F. San Andres
- F. ~~xxxx~~ 3825
- F. Drinkard
- F. Tubbs
- F. Abo
- F. Penn
- F. MISS

- F. Devonian
- F. Silurian
- F. Montoya
- F. Simpson
- F. McKee
- F. Ellenburger
- F. Gr. Wash
- F. Granite
- F.
- F.
- F.
- F.
- F.
- F.

- F. Ojo Alamo
- F. K. Island-Island
- F. Farmington
- F. Pictured Cliffs
- F. Chief House
- F. Menefee
- F. Point Lookout
- F. Mancos
- F. Dakota
- F. Morrison
- F. Penn
- F.
- F.
- F.
- F.

OIL CONSERVATION COMMISSION
STATE OF NEW MEXICO

CERTIFICATE of COMPLIANCE and AUTHORIZATION to TRANSPORT OIL

Company or Operator Leonard Oil Company Lease B-7717
Address Box 703 - Roswell, New Mexico Roswell, New Mexico
(Local or Field Office) (Principal Place of Business)
Unit 1 Wells No. 1 Sec. 2 T 19S R 29E Field Turkey Track County Eddy
660' West of East Line, 3450' South
Kind of Lease State Location of Tanks of North Line of Sec. 2-19S-29E.
Company
Transporter New Mexico Asphalt & Refining Address of Transporter Artesia, New Mexico
(Local or Field Office)
Artesia, New Mexico Percent of oil to be transported 100% Other transporters author-
(Principal Place of Business) ized to transport oil from this unit are None %
REMARKS:

New Well

The undersigned certifies that the rules and regulations of the Oil Conservation Commission have been complied with except as noted above and that gathering agent is authorized to transport the percentages of oil produced from the above described property and that this authorization will be valid until further notice to the transporter named herein or until cancelled by the Oil Conservation Commission of New Mexico.

Executed this the 6th day of August, 1952

LEONARD OIL COMPANY
(Company or Operator)

By _____
Title President

State of New Mexico)
County of Chaves) ss.

Before me, the undersigned authority, on this day personally appeared Robert J. Leonard known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states that he is authorized to make this report and has knowledge of the facts stated herein and that said report is true and correct.

Subscribed and sworn to before me, this the 6th day of August, 1952.
Commission Expires: Oct. 30, 1955.

Notary Public in and for Chaves County, New Mexico

Approved: AUG 11 1952 195

OIL CONSERVATION COMMISSION

By _____

(See Instructions on Reverse Side)

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

Ex 1- page 11

MISCELLANEOUS REPORTS ON WELLS

MAY 1952

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS

REPORT ON REPAIRING WELL

REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL

REPORT ON PULLING OR OTHERWISE ALTERING CASING

REPORT ON RESULT OF TEST OF CASING SHUT-OFF

REPORT ON DEEPENING WELL

REPORT ON RESULT OF PLUGGING OF WELL

Roswell, New Mexico

May 17, 1952

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Leonard Oil Company

State R-7717

Well No. 1

in the

Company or Operator

Lease

Section

of Sec. 4

T. 19 South

R. 19 East

N. M. P. M.

Turkey Track

Field,

Day

County.

The dates of this work were as follows: May 14, 1952Notice of intention to do the work was ~~was not~~ submitted on Form C-102 on May 14, 1952and approval of the proposed plan was ~~was not~~ obtained. (Cross out incorrect words.)**DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED**

May 13, 1952: United 7 1/2 hours, found top of cement at 3345'. Drilled on to 3350' and tested with bailer for 1 hour. No water entered. Shut-off considered satisfactory. Drilling ahead.

Witnessed by _____

Name

Company

Title

Subscribed and sworn to before me this _____

I hereby swear or affirm that the information given above is true and correct.

17th day of May, 1952Name Emmett D. WhitePosition Executive Vice PresidentRepresenting Leonard Oil Company
Company or OperatorMy Commission expires Oct. 30, 1955Address Box 702 - Roswell, New Mexico

Remarks:

R. A. Shannon

Name

OIL CONSERVATION

MAY 1952

Title

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission at the place specified before the work specified is to begin. A copy will be returned to the sender on which will be a statement of approval or rejection. When approval is given, the work should be followed and work should not begin until approval is obtained. See instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

- | | |
|---|--|
| ☐ NOTICE OF INTENTION TO TEST CASING
SHUT OFF | ☐ NOTICE OF INTENTION TO TEST OR
CHIEF A TEST WELL |
| ☐ NOTICE OF INTENTION TO CHANGE PLANS | ☐ NOTICE OF INTENTION TO TEST OR
CHIEF A TEST WELL |
| ☐ NOTICE OF INTENTION TO REPAIR WELL | ☐ NOTICE OF INTENTION TO REPAIR WELL |
| ☐ NOTICE OF INTENTION TO REPAIR WELL | |

RECEIVED MAY 1, 1937

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as indicated below:

Company: Oil Company Location: Well No. 1 in County
Name of Operator: John Doe
of Section 1 T. 12 S. R. 12 E. N. M. 12 E. S. 12 E. Field

FULL DETAILS OF PROPOSED PLAN, COPY OF
FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION.

Will run 1" casing in well No. 1; casing will be set in well. If casing is set, the well will be abandoned and the well will be plugged.

Respectfully,
John Doe, Operator

MAY 1, 1937

Approved
except at follow:

By

Comm. F. Wick
Commissioner

OIL CONSERVATION COMMISSION
By *R. A. Hanson*
Title

Name: John Doe
Address: Well No. 1
Field: County

NEW MEXICO OIL CONSERVATION COMMISSION

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING
OPERATIONS

REPORT ON REPAIRING WELL

REPORT ON RESULT OF SHOOTING OR
CHEMICAL TREATMENT OF WELL

REPORT ON SETTING OR OTHER WORK
ATTACHING CASING

REPORT ON RESULT OF TEST OF CASING
SHUT-OFF

REPORT ON DEEPENING WELL

REPORT ON RESULT OF PLUGGING OF WELL

August 6, 1952
Date

Roswell, New Mexico
Place

Following is a report on the work done and the results obtained under the heading noted above at the

Leonard Oil Company

5-7717
Lease

Well No. 2

at the

NE 1/4 Sec. 4

of Sec. 4

T. 19 South

R. 1 East

N. M. P. M.

Turkey track

Pool

County

County

The dates of this work were as follows:

Notice of intention to do the work was (was not) submitted on Form C-102 on

May 17,

1952.

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

May 19, 1952: Sand-Frac by Powell - No increase in oil.

May 27, 1952: Sand-Frac by Powell - Initial production 5 BOPD. Increased to 11 BOPD & 12 BOPD.

Witnessed by:

Name

Company

Title

APPROVED:

OIL CONSERVATION COMMISSION

I hereby swear or affirm that the information given above is true and correct.

Name

Position

Representing

Address

Robert J. Powell

President

Leonard Oil Company

Box 700 - Roswell, New Mexico


Signature

Date

Date

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Leonard Oil Company

Company of Operator

State B-7717

Lease

Well No. 1 Data NE 1/4 Sec. 2 T. 19S

R. 29E N. M. P. M. Turkey Track Field Eddy County

Well is 3300 feet south of the North line and 600 feet west of the East line of Sec. 2

If State land the oil and gas lease is No. B 7717 Assignment No.

If patented land the owner is Address

If Government land the permittee is Address

The Lessee is Address

Drilling commenced 2-17-49 Drilling was completed 4-3-49

Name of drilling contractor, Roach & Shepard Address

Elevation above sea level at top of casing 3367 feet

The information given is to be kept on file for future use

OIL SANDS OR ZONES

No. 1, from show oil 2270 to 2275 No. 1, from 3976 to 3986 show oil & gas

No. 2, from slight show gas 1590 to 1606 No. 2, from

No. 3, from show oil 1795 to 1810 No. 3, from

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation at which water passes in hole

No. 1, from

No. 2, from 2875 to 2980

No. 2, from 2977 to 3007

No. 1, from 4077 to 4096

slight show water

12 gal. water per hour

1,661 gal. per hour

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MARK	AMOUNT	K. N. CO. NO.	DATE SET	DATE REMOVED	DATE REINSTALLED	DATE REMOVED
8 1/2	24		S.H.	303	Tex Pat				

MUDGING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WATER SEAL	NO. OF CEMENT	NO. OF CEMENT	MUD GRAVITY	AMOUNT	DATE SET
10	8 1/2	303	50	Halliburton			

Heaving plug Material

NONE

Adapters--Material

Size

521-15A

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	NONE					

Results of shooting or chemical treatment

NONE

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing Dry and abandoned 4-3-48

The production of the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

E. J. Shepard

Driller

C. F. Galloway

Driller

C. A. Pyatt

Driller

N. L. Pernnell

Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this _____ 5 _____

day of _____ April _____ 1948

Edna Mae Bear

Notary Public

My Commission expires _____ 5-21-49 _____

Roswell, New Mexico April 3, 1948

Name *Emmett A. White*

Position Secretary Treasurer

Representing Leonard Oil Company
Company or Operator

Address Roswell, New Mexico

FROM	TO	THICKNESS IN FEET	FORMATION
0	235	235	Red beds
235	272	37	Broken anhydrite
272	1055	783	Salt
1055	1335	280	Anhydrite
1335	1465	130	Anhydrite and red rock
1465	1590	125	Anhydrite
1590	1605	15	Sandy anhydrite
1605	1640	35	Anhydrite
1640	1670	30	Anhydrite and sand
1670	1705	35	Anhydrite
1705	1715	10	Lime
1715	1820	105	Anhydrite
1820	1867	47	Lime
1867	1886	19	Lime and anhydrite
1886	1910	24	Lime
1910	1927	17	Lime and red rock
1927	1993	68	Lime
1993	2225	232	Anhydrite
2225	2263	38	Red sand
2263	2287	24	Gray Sandy lime
2287	2350	63	Gray lime
2350	2522	172	White lime
2522	2548	26	Sandy shale
2548	2580	32	Lime
2580	2600	20	Brown lime
2600	2744	144	Lime
2744	2833	89	Brown lime
2833	2854	21	Sandy lime
2854	2875	21	Lime
2875	2892	17	Brown lime
2892	2912	20	Gray lime SO-SW
2912	2934	22	Lime
2934	2947	13	Sandy lime
2947	2977	30	Gray lime
2977	3002	25	Sandy lime, increase in H ₂ O
3002	3032	30	Sandy lime
3032	3121	89	Lime
3121	3129	8	Brown lime
3129	3135	6	Gray sandy lime
3135	3138	3	Sand
3138	3149	11	Sandy lime
3149	3164	15	Lime
3164	3173	9	Gray lime
3173	3302	129	Lime
3302	3327	25	Brown lime
3327	3418	91	Lime
3418	3460	42	Sandy lime
3460	3523	63	Lime
3523	3534	9	Sandy lime
3534	3547	13	Sand
3547	3572	25	Sandy lime
3572	3670	98	Brown lime
3670	3680	10	Gray lime
3680	3720	40	Lime
3720	3729	9	Lime (Black)
3729	3763	39	Sandy lime
3768	3793	25	Sand
3793	3834	41	Black lime
3834	3856	22	Lime
3856	3893	37	Sandy shale
3893	3918	25	Sandy lime
3918	4012	94	Gray sand (SGG 3976-3986)
4012	4035	23	Sand
4035	4040	5	Sandy lime
4040	4048	8	Lime
4048	4055	7	Gray lime
4055	4060	5	Sand
4060	4077	17	Lime
4077	4098	21	Sand
4098	4112	14	Sandy lime

Ex 1 - page 16

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL	NOTICE OF INTENTION TO PLUG WELL	X
NOTICE OF INTENTION TO DEEPEN WELL		

Roswell, New Mexico

April 3, 1948

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Leonard Oil Company

State B-7717

Well No. 1

in NE 1/4 SE 1/4

Company or Operator

Lease

of Sec. 2

T. Eddy

19 S. R.

29 E., N. M. P. M.

Turkey Track

Field,

County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Total Depth: 4112'

Cement	4112 - 4000	Cement	2975 - 2950
Mud	4000 - 3975	Mud	2950 - 2280
Cement	3975 - 3950	Cement	2280 - 2250
Mud	3950 - 3840	Mud	2250 - 1605
Cement	3840 - 3800	Cement	1605 - 1595
Mud	3800 - 3190	Mud	1595 - 1060
Cement	3190 - 3150	Cement	1060 - 1055
Mud	3150 - 2975	Mud	1055 - to surface

Cement four inch marker, five feet high in top of pipe.

303' of 8 1/4" pipe cemented to surface will remain in hole.

Approved May 7, 1948
except as follows:

OIL CONSERVATION COMMISSION,

By

Title

Justus Newman
Acting Supervisor

LEONARD OIL COMPANY

Company or Operator

By

Position

Name

Address

Secretary - Treasurer

Send communications regarding well to

Leonard Oil Company

P. O. Box 872

Roswell, New Mexico

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	☒	REPORT ON REPAIRING WELL	☐
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL	☐	REPORT ON PILLING OR OTHERWISE ALTERING CASING	☐
REPORT ON RESULT OF TEST OF CASING SHUT OFF	☐	REPORT ON DUTYING WELL	☐
REPORT ON RESULT OF PLUGGING OF WELL	☐		

Roswell, New Mexico - February 17, 1948

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Leonard Oil Company N. Mex. R-7717 Well No. 1 in the
Company or Operator Lease
NE 1/4 SE 1/4 of Sec. 2, T. 19 South, R. 19 East, N. M. P. M.
Turkey Track Field, Eddy County.

The dates of this work were as follows:

Notice of intention to do the work was ~~xxxxxx~~ submitted on Form C-102 on February 11, 1948
and approval of the proposed plan ~~was not~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Well Cased - 2/17/48

Drilling Contractors: Roach & Shepard
Artesia, N. Mex.

Witnessed by

Name

Company

Title

Subscribed and sworn to before me this 18

I hereby swear or affirm that the information given above is true and correct.

day of February, 1948

Name *Samuel R. Hark*

Isaac Rice
Notary Public

Position Secretary - Treasurer

Residence Leonard Oil Company

Address P.O. Box 87, Artesia, N. M.

My Commission expires 11-14-51

Remarks:

L. L. Hark

NEW MEXICO OIL CONSERVATION COMMISSION

San & Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of the notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Boswell, New Mexico

February 1, 1936

P.O.

P.O.

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Leon Oil Company - State 6-7717

Well No. 1

in Section 1

Company or Operator

Lessee

of Sec. 2, T. 19S

R. 12E

N. M., P. M., Turkey Track Field, Eddy

County.

N

The well is 1920 feet (N.) (Sd) of the South line and 150 feet (W.) of the East line of Section 1.

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. 7717 Assignment No.

If patented land the owner is


Address

If government land the permittee is

Address

The lessee is Leon Oil & Refining Company

Address Boswell, N. M.



AREA 640 ACRES

LOCAL WELL CORRECTLY

We propose to drill well with drilling equipment as follows:

Cable 1 1/2 in.

The cost of a bond for this well in accordance with Rule 39 of the General Rules and Regulations of the Commission is as follows: \$2,500.00

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Length	Land or Cemented	Sacks Cement
8 1/8"	8 1/8"	26	2d.	175 ft.	Cemented	10
6 1/2"	6 1/2"	26	2d.	100 ft.	Cemented	10

If changes in the above plan become advisable we will notify you before commencing drilling. We estimate that the first productive oil or gas sand should occur at a depth of about 175 feet.

Additional information:

Approved

, 19

Sincerely yours,

except as follows:

LEONARD OIL COMPANY

By

Position

Send communications regarding well to

Name LEONARD OIL COMPANY

Address P. O. Box 212, Boswell, New Mexico

OIL CONSERVATION COMMISSION.

By

Title

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

Ex - 1000000

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Roswell, New Mexico

February 1, 1938

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Leonard Oil Company - State B-7747

Well No. 1

in Section 2

Company or Operator

Lease

of Sec. 2, T. 19S

R. 2E

N. M., P. M., Turkey Track Field, Eddy

County.

The well is 1920 feet (N.) (S.) of the South line and 150 feet (W.) of the East line of Section 2.

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. 7747 Assignment No.

If patented land the owner is


Address

If government land the permittee is

Address

The lessee is Leonard Oil & Refining Company

Address El Paso, Texas



36 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows:

Casing 10 1/2"

The state of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Amount \$1000

We propose to use the following strings of casing and to land or cement them as indicated

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Land or Cemented	Sacks Cement
	8 5/8"	24	S.H.	17'	Cemented	10
	7"	20	N.	11'	Cemented	10

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 1175 feet.

Additional information:

Approved

, 19

except as follows:

Sincerely yours,

LEONARD OIL COMPANY

By

Position

Secretary

Send communications regarding well to

Name Leonard Oil Company

Address P. O. Box 572, Roswell, N. M.

OIL CONSERVATION COMMISSION,

By

Title

County. Eddy
Company. Leonard Oil Company
State-B
1900' FSL, (60' FSL)
2 190 298

NEW MEXICO

Sec 2 190-198 Rec298
Turkey Track
3367

5-12-48

8 5/8" 300
7" 3164

GEOLOGICAL DATA

COMPLETION DATA

3367

DETAILED

4117' 1100'

T/Salt 275'
B/Salt 1055'
T/Granite line 2900'
Show gas 1900-1700'
Slight show oil 2270', 70'
sandy blue
Slight show oil 2270'
Slight show oil 3270'

2-37-48

5-12-48

REPORT