

PLUGGING PROCEDURE

Lobo Production Co.
Hatch #1
C-14-29N-15W
30-045-24985

Presumed downhole conditions and equipment
See attached schematic

Pull all production equipment and nipple up BOP


1. Go in hole with tbg. and set a plug from PBTD of 4650 ft. to 3918 ft. WOC & tag cement.
2. Load hole with 8.4 lb. 40 visc. Mud and test casing.
3. Pull tbg. To 1243 ft. & spot a plug from 1243 ft. to 1093 ft.
4. Pull tbg. To 322 ft. & circulate cement to the surface.
7. Top off csg. with cement and set a dry hole marker.
8. Restore location .

OPERATOR LOBO PRODUCTION CO.		PROPERTY NAME HATCH		WELL NO. 1
DATE 7-26-95	LOCATION ULSTR) C-14-29N-15W		FOOTAGE 660 FNL & 1980 FWL	
API NO. 30-045-24985		POOL GALLUP		

Tops <table style="width: 100%;"> <tr><td style="width: 60%;">CLIFF HOUSE</td><td style="text-align: right;">1143'</td></tr> <tr><td>POINT LOOKOUT</td><td style="text-align: right;">2761'</td></tr> <tr><td>MANCOS</td><td style="text-align: right;">3020'</td></tr> <tr><td>GALLUP</td><td style="text-align: right;">3968'</td></tr> <tr><td>GREENHORN</td><td style="text-align: right;">4810'</td></tr> <tr><td>DAKOTA</td><td style="text-align: right;">4930'</td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table> CASING RECORD: 8 5/8 23# 272' 12 1/4 hole 290 sxs, Class B calc. Top Surface 4 1/2 10.5 4699' 7 7/8 hole DV TOOL 3278' 1 st. STAGE 300 SXS. 50/50 Poz 2% gel 10 # salt 2 nd. STAGE 900 SXS. CIRC. to pit Perfs 4263' - 4469' PBTD 4650'	CLIFF HOUSE	1143'	POINT LOOKOUT	2761'	MANCOS	3020'	GALLUP	3968'	GREENHORN	4810'	DAKOTA	4930'															
CLIFF HOUSE	1143'																										
POINT LOOKOUT	2761'																										
MANCOS	3020'																										
GALLUP	3968'																										
GREENHORN	4810'																										
DAKOTA	4930'																										

FRUITLAND QUADRANGLE
NEW MEXICO—SAN JUAN CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

4357 IV SE
(YOUNGS LAKE)



VICINITY MAP

R.E. LAURITSEN DRILLING

Showing Well Location in 660 FNL +
198 FNL
of Sec. 14, T29N, R15W, N.M.P.M.,
San Juan County, New Mexico.

Scale: 1"=2000'

20



21