


INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATOR LEASE
 3 1980 FNL 542 FWL 7 19S 29E
 WELL NO. FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., NM

Schematic



Tabular Data

Surface Casing

Size 8-5/8" @ 432' cemented with 400 ex. Set @ 432'.

TOC surface feet determined by circulation

Hole size 12-1/4"

Intermediate Casing

Size " Cemented with ex.

TOC feet determined by

Hole size

Long string

Size 4-1/2" Cemented with 1250 ex. Set @ 3599'

TOC feet determined by

Hole size 7-7/8"

Total depth 3607'

Injection interval

2142' feet to 3554' feet
 (perforated or open-hole, indicate which)

Tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 2042' feet
 (brand and model)
 (or describe any other casing-tubing seal).


Other Data

- Name of the injection formation Queen/Grayburg
- Name of field or pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (mud or cement or bridge plug(s) used)
CIBP @ 2700', Perfs 2730'-74'
CIBP @ 3423', Perfs 3523'-27', 3548'-54'
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc.		Conoco 7 State		
OPERATOR		LEASE		
5	2180 FNL 1740 FWL	7	19S	28E
WELL NO.	FOOTAGE LOCATION	SECTION	TOWNSHIP	RANGE
Eddy Co., NM				

Schematic



Tubular Data

Surface Casing

Size 8-5/8" Cemented with 800 ex. Set @ 372'
 TOC surface feet determined by calc w/50% eff.
 Hole size 12-1/4"

Intermediate Casing

Size Cemented with ex.
 TOC feet determined by
 Hole size

Long string

Size 4-1/2" Cemented with 850 ex. Set @ 2571'
 TOC surface feet determined by circulation
 Hole size 7-7/8"
 Total depth 2575' PB 2531'

Injection interval

2054 feet to 2179 feet
 (perforated or open-hole, indicate which)

Tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 1938 feet
 (brand and model)
 (or describe any other casing-tubing seal).


Other Data

- Name of the injection formation Grayburg
- Name of field or pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (mudcake of cement or bridge plug(s) used)
2038-50' Squeezed w/500 sx.
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
Overlying: Queen
Underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATOR LEASE
 6 660 FNL 1740 FWL 7 19S 29E
 WELL NO. PORTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., NM

Schematic



Tubular Data

Surface Casing

Size 8-5/8" " Cemented with 400 ex. Set @ 385'
 TOC surface feet determined by circulation
 Hole size 12-1/4"

Intermediate Casing

Size _____ " Cemented with _____ ex.
 TOC _____ feet determined by _____
 Hole size _____

Long string

Size 4-1/2" " Cemented with 884 ex. Set @ 2548'
 TOC surface feet determined by circulation
 Hole size 7-7/8"

Total depth 2549' PBTD 2509'

Injection Interval

2165 feet to 2238 feet
 (perforated or open-hole, indicate which)

Tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 2065' feet
 (brand and model)
 (or describe any other casing-tubing seal).

Other Data

- Name of the injection formation Queen/Grayburg
- Name of field or pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (mud or cement or bridge plug(s) used)
NO
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATOR LEASE
 7 7 19S 29E
 WELL NO. FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., NM

Schematic

Tabular Data

Surface Casing

Size 8-5/8 " Cemented with 300 ex. Set @ 399'
 TOC surface feet determined by circulation
 Hole size 12-1/4"

Intermediate Casing

Size _____ " Cemented with _____ ex.
 TOC _____ feet determined by _____
 Hole size _____

Long string

Size 4-1/2 " Cemented with 1000 ex. Set @ 2568'
 TOC surface feet determined by circulation
 Hole size 7-7/8"
 Total depth 2576'

Injection interval

2069 feet to 2187 feet
 (perforated or open-hole, indicate which)

8-5/8" @ 399'

2-3/8" tbg &
pkr @ 1969'

2069'-2107'

2137'-87'

4-1/2" @ 2568'

TD @ 2576'

tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 1969' feet
 (brand and model)
 (or describe any other casing-tubing seal).

Other Data

- Name of the injection formation Queen/Grayburg
- Name of field or pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (packs of cement or bridge plug(s) used)
NO
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres