


INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATOR LEASE
 2 L, 1980 FSL 541 FWL 7 19S 28E
 WELL NO. FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., New Mexico

Schematic



Tubular Data

Surface Casing

Size 8-5/8" Cemented with 300 ex. @ 450'
 TOC _____ feet determined by _____
 Hole size 12-1/4"

Intermediate Casing

Size _____" Cemented with _____ ex.
 TOC _____ feet determined by _____
 Hole size _____

Long string

Size 4-1/2" Cemented with 1110 ex. @ 3792'
 TOC _____ feet determined by _____
 Hole size 7-7/8"
 Total depth 3801'

Injection interval

1804 feet to 2216 feet
 (perforated) or open-hole, indicate which)

Tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 1704 feet
 (brand and model)
 (or describe any other casing-tubing seal).


Other Data

- Name of the injection formation Grayburg/Queen
- Name of Field or Pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (packs of cement or bridge plug(s) used)
1854-68 sqzd w/318 sx, 1942-46, 68-78 sqzd w/267 sx
2010-54 sqzd w/110 sx.
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATOR LEASE
 3 1980 FNL 542 FWL 7 19S 29E
 WELL NO. FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., NM

Schematic



Tubular Data

Surface Casing

Size 8-5/8" @ 432' cemented with 400 ex. Set @ 432'.
 TOC surface feet determined by circulation
 Hole size 12-1/4"

Intermediate Casing

Size " Cemented with ex.
 TOC feet determined by
 Hole size

Long string

Size 4-1/2" Cemented with 1250 ex. Set @ 3599'
 TOC feet determined by
 Hole size 7-7/8"
 Total depth 3607'

Injection interval

2142' feet to 3554' feet
 (perforated or open-hole, indicate which)

Tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 2042' feet
 (brand and model)
 (or describe any other casing-tubing seal).


Other Data

- Name of the injection formation Queen/Grayburg
- Name of field or pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (backs of cement or bridge plug(s) used)
CIBP @ 2700', Perfs 2730'-74'
CIBP @ 3423', Perfs 3523'-27', 3548'-54'
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc.		Conoco 7 State	
OPERATOR		LEASE	
4	D, 660 FNL 540 FWL	7	19S 28E
WELL NO.	FOOTAGE LOCATION	SECTION	TOWNSHIP RANGE
Eddy Co., New Mexico			

Schematic



Tubular Data

Surface Casing

Size 8-5/8 " Cemented with 400 ex. @ 384'TOC surface feet determined by circ.Hole size 12-1/4"

Intermediate Casing

Size _____ " Cemented with _____ ex.

TOC _____ feet determined by _____

Hole size _____

Long string

Size 4-1/2 " Cemented with 875 ex. @ 2587'TOC surface feet determined by circHole size 7-7/8"Total depth 2587' PBTD 2547'

Injection interval

2163 feet to 2240 feet
(perforated) or open-hole, indicate which)Tubing size 2-3/8" lined with plastic set in a
(material)AD-1 PC packer at 2063 feet
(brand and model)

(or describe any other casing-tubing seal).

Other Data

1. Name of the injection formation Grayburg/Queen2. Name of field or pool (if applicable) E. Millman3. Is this a new well drilled for injection? ☐ Yes ☒ No

If no, for what purpose was the well originally drilled? _____

oil producer

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (backs of cement or bridge plug(s) used) _____

5. Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area. _____


underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATOR LEASE
 5 2180 FNL 1740 FWL 7 19S 28E
 WELL NO. FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., NM

Schematic

Tabular Data



Surface Casing

Size 8-5/8" Cemented with 800 ex. Set @ 372'

TOC surface feet determined by calc w/50% eff.

Hole size 12-1/4"

Intermediate Casing

Size _____ Cemented with _____ ex.

TOC _____ feet determined by _____

Hole size _____

Long string

Size 4-1/2" Cemented with 850 ex. Set @ 2571'

TOC surface feet determined by circulation

Hole size 7-7/8"

Total depth 2575' PB 2531'

Injection interval

2054 feet to 2179 feet
 (perforated or open-hole, indicate which)

Tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 1938 feet
 (brand and model)
 (or describe any other casing-tubing seal).

Other Data

- Name of the injection formation Grayburg
- Name of field or pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (mud or cement or bridge plug(s) used) 2038-50' Squeezed w/500 sx.
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
Overlying: Queen
Underlying: San Andres

SDX Resources, Inc. Conoco 7 State
 OPERATION LEASE
 6 660 FNL 1740 FWL 7 19S 29E
 WELL NO. FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., NM

Schematic

Tubular Data

Surface Casing

Size 8-5/8" " Cemented with 400 ex. Set @ 385'TOC surface feet determined by circulationHole size 12-1/4"

Intermediate Casing

Size _____ " Cemented with _____ ex.

TOC _____ feet determined by _____

Hole size _____

Long string

Size 4-1/2 " Cemented with 884 ex. Set @ 2548'TOC surface feet determined by circulationHole size 7-7/8"Total depth 2549' PBD 2509'

Injection interval

2165 feet to 2238 feet
(perforated or open-hole, indicate which)

8-5/8" @ 385'

2-3/8" tbg &
pkr @ 2065'

2165'-86'

2214'-38'

PBD @ 2509'

4-1/2" @ 2548'

TD @ 2549'

Tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 2065' feet
 (brand and model)

(or describe any other casing-tubing seal).

Other Data

- Name of the injection formation Queen/Grayburg
- Name of Field or Pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (backs of cement or bridge plug(s) used)
NO
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATOR LEASE
 7 7 19S 29E
 WELL NO. FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., NM

Schematic

Tabular Data

Surface Casing

Size 8-5/8 " Cemented with 300 ex. Set @ 399'
 TOC surface feet determined by circulation
 Hole size 12-1/4"

Intermediate Casing

Size _____ " Cemented with _____ ex.
 TOC _____ feet determined by _____
 Hole size _____

Long string

Size 4-1/2 " Cemented with 1000 ex. Set @ 2568'
 TOC surface feet determined by circulation
 Hole size 7-7/8"
 Total depth 2576'

Injection interval

2069 feet to 2187 feet
 (perforated or open-hole, indicate which)

8-5/8" @ 399'

2-3/8" tbg &
pkr @ 1969'

2069'-2107'

2137'-87

4-1/2" @ 2568'

TD @ 2576'

Tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 1969' feet
 (brand and model)
 (or describe any other casing-tubing seal).


Other Data

- Name of the injection formation Queen/Grayburg
- Name of field or pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (backs of cement or bridge plug(s) used)
NO
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATOR LEASE
 8 B, 660 FNL 1880 FEL 7 19S 28E
 WELL NO. FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., New Mexico

Schematic



Tabular Data

Surface Casing

Size 8-5/8" Cemented with 400 sx. @ 379'
 TOC surface feet determined by circ 150 sx.
 Hole size 12-1/4"

Intermediate Casing

Size _____" Cemented with _____ sx.
 TOC _____ feet determined by _____
 Hole size _____

Long string

Size 4-1/2" Cemented with 950 sx. @ 2549'
 TOC surface feet determined by circ
 Hole size 7-7/8"
 Total depth 2550' PBTD 2526'

Injection interval

2199 feet to 2508 feet
 (perforated or open-hole, indicate which)

Tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 2099 feet
 (brand and model)
 (or describe any other casing-tubing seal).


Other Data

- Name of the injection formation Grayburg/Queen
- Name of Field or Pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled?
oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (backs of cement or bridge plug(s) used)
2110-20 sqzd w/125 sx
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATOR LEASE
 9 A, 660 FNL 660 FEL 7 19S 28E
 WELL NO. FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., New Mexico

Schematic



Tubular Data

Surface Casing

Size 8-5/8" Cemented with 300 ex. @ 370'

TOC _____ feet determined by _____

Hole size 12-1/4"

Intermediate Casing

Size _____" Cemented with _____ ex.

TOC _____ feet determined by _____

Hole size _____

Long string

Size 4-1/2" Cemented with 1000 ex. @ 2449'

TOC _____ feet determined by _____

Hole size 7-7/8"

Total depth 2461' PBTD 2230'

Injection interval

2115 feet to 2260 feet
 (perforated) or open-hole, indicate which)

Tubing size 2-3/8" lined with plastic set in a
 (material)

AD-1 PC packer at 2015 feet
 (brand and model)

(or describe any other casing-tubing seal).

Other Data

1. Name of the injection formation Grayburg/Queen

2. Name of Field or Pool (if applicable) E. Millman

3. Is this a new well drilled for injection? ☐ Yes ☒ No

If no, for what purpose was the well originally drilled? _____

oil producer

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (backs of cement or bridge plug(s) used) _____

2076-2125 sqzd w/200 sx.


5. Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area. _____

underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATION LEASE
 11 H, 1980 FNL 560 FEL 7 19S 28E
 WELL NO. PORTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., New Mexico

Schematic



Tubular Data

Surface Casing

Size 8-5/8" Cemented with 185 ex. @ 369'

TOC surface feet determined by circ

Hole size 12-1/4"

Intermediate Casing

Size " Cemented with ex.

TOC feet determined by

Hole size

Long string

Size 4-1/2" Cemented with 575 ex. @ 2505'

TOC surface feet determined by circ.

Hole size 7-7/8"

Total depth 2505 PBTD 2150'

Injection interval

1886 feet to 2291 feet
 (perforated or open-hole, indicate which)

Tubing size 2-3/8" lined with plastic (material) set in a
 AD-1 PC packer at 1786 feet
 (brand and model)
 (or describe any other casing-tubing seal).


Other Data

- Name of the injection formation Grayburg/Queen
- Name of field or pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled?
oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (blocks of cement or bridge plug(s) used)
2158-68 sqzd w/200 sx.
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 OPERATOR LEASE
 12 K, 1880 FSL 1980 FWL 7 19S 28E
 WELL NO. FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., New Mexico

Schematic



Tabular Data

Surface Casing

Size 8-5/8 " Cemented with 275 ex. @ 378'
 TOC surface feet determined by circ 50 sx
 Hole size 12-1/4"

Intermediate Casing

Size _____ " Cemented with _____ ex.
 TOC _____ feet determined by _____
 Hole size _____

Long string

Size 4-1/2 " Cemented with 930 ex. @ 2800'
 TOC surface feet determined by circ 60 sx
 Hole size 7-7/8"

Total depth 2800' PBDT 2625' CIBP

Injection interval

2102 feet to 2590 feet
 (perforated or open-hole, indicate which)

Tubing size 2-3/8" lined with plastic set in a
 (material)
AD-1 PC packer at 2002 feet
 (brand and model)
 (or describe any other casing-tubing seal).


Other Data

- Name of the injection formation Grayburg/Queen
- Name of Field or Pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (backs of cement or bridge plug(s) used)
1993-2101 sqzd w/150 sx, 2638-96 w/CIBP @ 2625'
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres

INJECTION WELL DATA SHEET

SDX Resources, Inc. Conoco 7 State
 WELL NO. 13 J, 1980 FSL 1980 FEL 7 19S 28E
 FOOTAGE LOCATION SECTION TOWNSHIP RANGE
 Eddy Co., New Mexico

Schematic



Tabular Data

Surface Casing

Size 8-5/8 " Cemented with 250 ex. @ 354'
 TOC surface feet determined by circ
 Hole size 11 "

Intermediate Casing

Size _____ " Cemented with _____ ex.
 TOC _____ feet determined by _____
 Hole size _____ "

Long string

Size 5-1/2 " Cemented with 675 ex. @ 2765'
 TOC _____ feet determined by _____
 Hole size 7-7/8 "
 Total depth 2771' PBTD 2680'

Injection interval

2224 feet to 2642 feet
 (perforated or open-hole, indicate which)

Tubing size 2-3/8 " lined with plastic (material) set in a
AD-1 PC packer at 2124 feet
 (brand and model)
 (or describe any other casing-tubing seal).

Other Data

- Name of the injection formation Grayburg/Queen
- Name of Field or Pool (if applicable) E. Millman
- Is this a new well drilled for injection? ☐ Yes ☒ No
 If no, for what purpose was the well originally drilled? oil producer
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (blocks of cement or bridge plug(s) used) 1202-1307 sqzd w/250 sx.
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
underlying: San Andres