FORM	C-101

NEW	EXICO	OIL CONSERVATION	COM

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

SSIO

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

			swell, New Me		<u>Sept 11,19</u>	37
anta Fe, Ne	WATION CO W Mexico.	MMISSION,			200	
entlemen:						
					well to be known as	
vo State	es Oil C	o., J.W.Morr	1S Leas	W	ell Noinin	STAS DE
sec2]	1, T1	8 <u>5 r. 38</u> E	, N. M. P.M	lobbs	Field, Lea	County
	N.				S line and 1	
XXI					on 21	
TE C					ion lines. Cross out wr	
- A					, Assignment No	
						
			-			
					-	
		1. X \			pany D. D. D	
ARE	A 640 ACRES VELL CORREC	Address 13	OI Tower Peti	COLEUM BL	dg, Pallas Tex	· ·
LOCATE V	VELL CORREC	CTLY We propose t	to drill well with drill	ing equipment	as follows:	
R	otary To	<u>ols top to</u>	bottom.			
as follows:	. Appli	ed for.			SEP 1 3 19	376-111
	to use the fol	llowing strings of ca	asing and to land or	cement them a	1111111	
	to use the fol Size of Casing	llowing strings of ca	New or Second Hand	cement them a Depth	1111111	Sucks Cement
'e propose t	Size of		1		Landed or	
e propose t	Size of Casing	Weight Per Foot	New or Second Hand	Depth 250	Landed or Cemented	Cement
7e propose t Size of Hole	Size of Casing 12 ¹ / ₂ " 7"	Weight Per Foot 42 24	New or Second Hand SH New Seamles:	Depth 250 5 4100	Landed or Cemented	150 400
7e propose t Size of Hole	Size of Casing 12 ¹ / ₂ " 7" the above pl	Weight Per Foot 42 24 an become advisable	New or Second Hand SH New Seamles:	Depth 250 5 4100 before cementi	Landed or Cemented Cemented Cemented ng or landing casing.	150 400
Ve propose t Size of Hole changes in hat the first	Size of Casing 1227 77 the above pl productive o	Weight Per Foot 42 24 an become advisable il or gas sand should	New or Second Hand SH New Seamles: we will notify you I d occur at a depth of	Depth 250 5 4100 before cementi about 422	ng or landing casing.	Sucks Cement 150 400 We estimate
Ve propose t Size of Hole	Size of Casing 122" 7" the above pl productive o formation:	Weight Per Foot 42 24 an become advisable il or gas sand should ocation made	New or Second Hand SH New Seamless we will notify you I d occur at a depth of 200ft north	Depth 250 5 4100 Defore cementi about 422 100 ft and east	Landed or Cemented Cemented Cemented Cemented ng or landing casing.	Suckey Cement 150 400 We estimate
changes in at the first	Size of Casing $12\frac{1}{2}$ " 7" the above pl productive o formation: L	Weight Per Foot 42 24 an become advisable il or gas sand should ocation made	New or Second Hand SH New Seamless we will notify you I d occur at a depth of 200ft north to railway a	Depth 250 5 4100 before cementi about 422 100 ft and /east and highw	Indicated: Landed or Cemented Cemented Cemented ng or landing casing. of the SW co rey right of w	Suckey Cement 150 400 We estimate
changes in at the first	Size of Casing $12\frac{1}{2}$ " 7" the above pl productive of formation: L he 40 ac he north	Weight Per Foot 42 24 an become advisable il or gas sand should occation made ere tract due and east pr	New or Second Hand SH New Seamless we will notify you I d occur at a depth of 200ft north to railway a cohibiting a	Depth 250 5 4100 before cementi about 422 100 ft and /east and highw longer 1	Landed or Cemented Cemented Cemented Cemented ng or landing casing. of the SW co yay right of w	Sucke Cement 150 400 We estimate
changes in at the first dditional int of t to t	Size of Casing 12 ¹ / ₂ " 7" the above pl productive o formation: L he 40 ac he north SEP 1	Weight Per Foot 42 24 an become advisable il or gas sand should ocation made	New or Second Hand SH New Seamless we will notify you I d occur at a depth of 200ft north to railway a cohibiting a	Depth 250 5 4100 before cementi about 422 100 ft and /east and highw longer 1	Landed or Cemented Cemented Cemented Cemented ng or landing casing. of the SW co yay right of w	Sucke Cement 150 400 We estimate
changes in at the first dditional int of t to t	Size of Casing 12 ¹ / ₂ " 7" the above pl productive o formation: L he 40 ac he north SEP 1	Weight Per Foot 42 24 an become advisable il or gas sand should occation made ere tract due and east pr	New or Second Hand SH New Seamless we will notify you h d occur at a depth of 200ft north to railway a ohibiting a 19 Sincerely	Depth 250 5 4100 before cementi about 422 100 ft and /east and highw longer 1 yours, States 0	Landed or Cemented Ce	Successful Cement 150 400 We estimate
changes in at the first dditional int of t to t	Size of Casing 12 ¹ / ₂ " 7" the above pl productive o formation: L he 40 ac he north SEP 1	Weight Per Foot 42 24 an become advisable il or gas sand should occation made ere tract due and east pr	New or Second Hand SH New Seamless we will notify you h d occur at a depth of 200ft north to railway a ohibiting a 19 Sincerely	Depth 250 5 4100 before cementi about 422 100 ft and longer 1 yours, States 0	Landed or Cemented Ce	Sucke Cement 150 400 We estimate
changes in at the first dditional int of t to t	Size of Casing 12 ¹ / ₂ " 7" the above pl productive o formation: L he 40 ac he north SEP 1	Weight Per Foot 42 24 an become advisable il or gas sand should occation made ere tract due and east pr	New or Second Hand SH New Seamless we will notify you h d occur at a depth of 200ft north to railway a ohibiting a 19 Sincerely	Depth 250 5 4100 before cementi about 422 100 ft and /east and highw longer 1 yours, States 0	Landed or Cemented Ce	Silver Cement 150 400 We estimate
changes in at the first	Size of Casing 12 ¹ / ₂ " 7" the above pl productive o formation: L he 40 ac he north SEP 1	Weight Per Foot 42 24 an become advisable il or gas sand should occation made ere tract due and east pr	New or Second Hand SH New Seamles: we will notify you I d occur at a depth of 200ft north to railway a chibiting a 19Sincerely By	Depth 250 5 4100 before cementi about 422 100 ft and longer 1 yours, States 0	Landed or Cemented Ce	Sucke Cement 150 400 We estimate
changes in at the first dditional int of t to t	Size of Casing 12 ¹ / ₂ " 7" the above pl productive o formation: L he 40 ac he north SEP 1	Weight Per Foot 42 24 an become advisable il or gas sand should occation made ere tract due and east pr	New or Second Hand SH New Seamles: we will notify you I d occur at a depth of 200ft north to railway a cohibiting a 19Sincerely By Position	Depth 250 5 4100 5 4100 5 4100 5 4100 5 4100 5 4100 5 4100 7 422 100 ft and /east and highw longer 1 7 yours, 5 tates 0 7 Co Co Agent	Landed or Cemented Ce	Sucks Cement 150 400 We estimate
e propose t Size of Hole changes in at the first iditional int of t to t oproved ccept as foll OIL C	Size of Casing 12 ¹ / ₂ " 7" the above pl productive o formation: L he 40 ac he north SEP 1 hows:	Weight Per Foot 42 24 an become advisable il or gas sand should occation made ere tract due and east pr	New or Second Hand SH New Seamles we will notify you I d occur at a depth of 200ft north to railway a cohibiting a 19Sincerely By Position Send cor	Depth 250 5 4100 5 4100 5 4100 5 4100 5 4100 5 4100 5 4100 7 422 100 ft and /east and highw longer 1 7 yours, 5 tates 0 7 Co Co Agent	Landed or Cemented Ce	Successful Cement 150 400 We estimate

FORM C-101

NEW EXICO OIL CONSERVATION COM SSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

	Roswell, New Mex.	Sept	11,1937
OIL CONSERVATION COMMISS Santa Fe, New Mexico. Gentlemen:		- -	Date
You are hereby notified that i	t is our intention to commence the drilling of a w	ell to be kno	own as
Two States Oil Co.,	J.W.Morris we	11 No. 1	in EXTERTSIER
of Sec. 21, T, 188	., R. 38E , N. M. P.M., Hobbs	Field,	LeaCounty.
N.	The well is 200 feet (N.) (X) of the	linlin	e and 1220 feet
	(W.) of the line of Section	n 21	
I III	(Give location from section or other legal subdivision	on lines. Cros	ss out wrong directions.)
	If state land the oil and gas lease is No		- ,
A A A	If patented land the owner is J.W.Morris		
	Address Capitan Mew Mex.		
	If government land the permittee is		
	Address		
	The lessee is States 011 Comp	any	
0	Address 1301 Tower Petroleum Bld	g.Dalla	s Tex.
AREA 640 ACRES LOCATE WELL CORRECTLY	We propose to drill well with drilling equipment a	as follows:	
Rotary Tools	top to bottom.		

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Applied for.

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landen og Sacks
	12 ± *	42	SH	250	Cemented 150
	7 #	24	New Seamless	4100	Comented 400

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about_4220 _feet. Additional information:

Location made 200ft north and/east of the SW corner of the 40 acre tract due to railway and highway right of ways to the north and east prohibiting a longer location.

Approved	Sincerely yours,
except as follows:	Two States Oil Company Company or Operator By Herman Correct
	Position Agent
OUT CONSTRUCTION COMMISSION	Send communication regarding well to
OIL CONSERVATION COMMISSION,	Name Hermon R. Crile
By	
Title	Address

FORM C-101

NEW EXICO OIL CONSERVATION COM SSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

	Roswell, New Mex.	Sept	11,1937
OIL CONSERVATION COMMISS Santa Fe, New Mexico. Gentlemen:			Date
You are hereby notified that i	t is our intention to commence the drilling of	a well to be kn	lown as
Two States Oil Co.,	J.W.Morris	Well No.	in KELLETTSESE
Company or Operator of Sec, T	, R. 38E , N. M. P.M., HODDS	Field	, Lea County.
N .	The well is 200 feet (N.) (35) of the	<u>S</u> 111	ne and 1220 feet
	(W.) of the <u>B</u> line of <u>Sec</u> (Give location from section or other legal subdi If state land the oil and gas lease is No. If patented land the owner is <u>J.W.MOTT</u>	ivision lines. Cro , Assig 18	nment No
	Address Capitan Mew Mex. If government land the permittee is Address The lessee is Two States Oil C Address 1301 Tower Petroleum	ompany	· · · · · · · · · · · · · · · · · · ·
AREA 640 ACRES LOCATE WELL CORRECTLY	We propose to drill well with drilling equipme		
Rotary Tools	top to bottom.		· · · · · · · · · · · · · · · · · · ·

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: **Applied for.**

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Sacks Cemented Cement
	121"	42	SH	250	Cemented SFP150
	7*	24	New Seamles	5 4100	Cemented 400 1937
			"à		

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about <u>4220</u> feet. Additional information: 100 ft.

ional information: Location made 200ft north and east of the SW corner of the 40 acre tract due to railway and highway right of ways to the north and east prohibiting a longer location.

Approved 19, 19	Sincerely yours,
except as follows:	Two States 011 Company
	By HErman Scribe
	Position Agent
	Send communication regarding well to
OIL CONSERVATION COMMISSION,	Name Hermon R. Crile
By	

Address _

SHurd & Crile, Roswell New Mez

Title	
TITTE	<u> </u>

JEIVED

AFFIDAVIT OF PUBLICATION

State of New Mexico, County of Lea

I E J KURRE -publisher

Of the Hobbs Daily News-Sun, a daily newspaper published at Hobbs, New Mexico, do solemnly swear that the clipping attached hereto was published once a week in the regular and entire issue of said paper, and not in a supplement thereof for a

period of _____

ONE ISSUE weeks

beginning with the issue dated____

Sept. 23, 1937

and ending with the issue dated____

_, 193____ P.iblisher.

Sworn and subscriped to before me

_ day of____ this

Notary Public. My commission expires_____ 12-17, 1940

(Seal)

Run Sept. 2 NOTICE FOR PUBLICATION STATE OF. NEW MAXICO OIL CONSERVATION COM-MISSION

Pursuant to Chapter 72, Ses-tion Laws of 1935, State of New Mexico, by which Act the Oil Conservation Commission of New Mexico was created, investing said Commission with the inrisdiction and authority over all matters relating to the conservation of oil and this in this State and of the enforcement of all provisioins of said Act, notice is hereby given that a public

hearing will be held at the Cap-itol, Santa Fe, New Mexico, on the 5th day of October, 1937, at 9:00 A. M., for the purpose of considering the following: Case No. 2.

The Application of the Two States Oil Company to have a closer spacing than is at a closer spacing that is at present provided by the rules of the Commission, up-on the SE of the SE, Sec-

tion 21, township 18 South, Range 38 East, N. M. P. M., which said location is 1220 Ft. from the East line of said Sec. 21, and 20 Ft. from the South line of said Sec. 21. The reason for such location being due to the right-of-way of the T. & N. M. Railroad, and State Highway No. 18.

Any person having any interest in the subject of the said hearing shail be entitled to be heard.

Given under the seal of said Commission at Santa Fe, New Mexico, on September 16, 1937. OIL CONSERVATION

COMMISSION

(Seal) (Signed) by CLYDE TINGLEY, Governor.

(Signed) by FRANK WORDEN, Commissioner of Public Lands. (Signed) by G. D. MACY, State Geologist.

