

SCHLUMBERGER WELL SURVEYING CORPORATION DALLAS, TEXAS			
		Electrical Log	
COUNTY FIELD or LOCATION WELL COMPANY	Lee Wildcat T.G.P. State #1 Neville G. Penrose Inc.	COMPANY NEVILLE G. PENROSE, INC. WELL T.G.P. STATE #1 FIELD WILDCAT LOCATION SEC. 34-16S-33E COUNTY LEA STATE NEW MEXICO	Other Surveys IL ML Location of Well 1980' f S/L 660' f E/L Elevation: D.F.: 4191 K.B.: or G.L.: FILING No.
	RUN No. 10-2-57 Date 11837 First Reading 4650 Last Reading 7187 Feet Measured 4650 Csg. Schlum. 4650 Csg. Driller 4650 Depth Reached 11840 Bottom Driller 11842 Depth Datum KB 12.5' Abv. GL Mud Nat. Chem Dens. Visc. 10.8 56 Mud Resist. 1.0 @ 74 F @ F @ F @ F @ F @ F Res. BHT .5 @ 148 F @ F @ F @ F @ F @ F Rmf 65 @ 80 F @ F @ F @ F @ F @ F Rmc 1.2 @ 76 F @ F @ F @ F @ F @ F pH 10.5 @ F @ F @ F @ F @ F @ F Wtr. Loss 8.4 CC 30 min CC 30 min CC 30 min CC 30 min CC 30 min Bit Size 7 7/8" to 11704; 7 3/4" to TD Spcgs.—AM 16" Normal AO 32" LS AO 18" Lat. Opr. Rig Time 2 Hrs. Truck No. 1758-Hobbs Recorded By Winkler Witness Anderson		
	REMARKS		
	THIS IS NOT A COMPLETE REPRODUCTION OF THE ORIGINAL LOG.		

Reproduced By
West Texas Electrical Log Service

Dallas 2, Texas

REFERENCE W7633C

COMPLETION RECORD

SPUD DATE _____

COMP DATE _____

DST RECORD _____

CASING RECORD _____

PERFORATING RECORD _____

ACID FRAC SHOT

OIL CONS.

BEFORE THE
DESIGN

• BOSTON, Feb.

[illegible][illegible]

RUN 2 GR: 888 - 410 - 0040.0
Log: 300 TC: Speed 2000

THE UNIVERSITY OF CHICAGO PRESS

THE ORIGINAL LOG

Reproduced By

West Texas Electrical Log Service

Dallas 2, Texas

REFERENCE K7216A

COMPLETION RECORD

COMPLETION RECORD	
SPUD DATE	
COMP DATE	
DST RECORD	
CASING RECORD	
PERFORMING RECORD	

SCHLUMBERGER WELL SURVEYING CORPORATION REGISTERED, TEXAS		<i>Electrical Log</i>	
COUNTY <u>Lea</u> FIELD or LOCATION <u>Kennitz</u> WELL <u>State A #1</u> COMPANY <u>Forest Oil Co.</u>	COMPANY <u>FOREST OIL CORP.</u>	Other Surveys GR ML	
	WELL <u>STATE A # 11</u>	Location of Well <u>660' f N&E/L</u>	
	FIELD <u>KENNITZ</u>		
	LOCATION <u>SEC. 26-16S-33E</u>		
	COUNTY <u>LEA</u>	Elevation: D.F.: <u>4184</u> K.B.: or G.L.:	
STATE <u>NEW MEXICO</u>	FILING No.		

RUN No.	1	2	3				
Date	<u>11-7-57</u>	<u>12-25-57</u>	<u>1-14-58</u>				
First Reading	<u>4524</u>	<u>10813</u>	<u>11589</u>				
Last Reading	<u>345</u>	<u>4525</u>	<u>10813</u>				
Feet Measured	<u>4179</u>	<u>4525</u>	<u>776</u>				
Csg. Schlum.	<u>345</u>	<u>4525</u>	<u>776</u>				
Csg. Driller	<u>342</u>	<u>4525</u>	<u>4525</u>				
Depth Reached	<u>4527</u>	<u>10816</u>	<u>11589</u>				
Bottom Driller	<u>4520</u>	<u>10812</u>	<u>11592</u>				
Depth Datum	<u>KB 12' Abv. GL</u>	<u>GL</u>	<u>KB 12' Abv. GL</u>				
Mud Nat.	<u>Salt</u>	<u>Chem.</u>	<u>Chem.</u>				
Dens. Visc.	<u>10.8 34</u>	<u>9.2 146</u>	<u>10.1 48</u>				
Mud Resist.	<u>0.8 @ 100'</u>	<u>3.7 @ 136'</u>	<u>4.2 @ 138'</u>				
Res. BHT	<u>0.4 @ 100'</u>	<u>3.7 @ 136'</u>	<u>4.2 @ 138'</u>				
Rmf	<u>0.37 @ 100'</u>	<u>3.3 @ 136'</u>	<u>3.4 @ 138'</u>				
Rmc	<u>@ 100'</u>	<u>@ 136'</u>	<u>9.5 @ 138'</u>				
pH	<u>@ 100'</u>	<u>@ 136'</u>	<u>@ 138'</u>				
Wtr. Loss	<u>25 CC 30 min.</u>	<u>10 CC 30 min.</u>	<u>CC 30 min.</u>				
Bit Size	<u>12 1/4"</u>	<u>7 7/8"</u>	<u>7 7/8"</u>				
Spchs.—AM	<u>10" Normal</u>	<u>10" Normal</u>	<u>10" Normal</u>				
AO	<u>32" LS</u>	<u>32" LS</u>	<u>32" LS</u>				
AO	<u>18" Lateral</u>	<u>18" Lateral</u>	<u>18" Lateral</u>				
Op. Rig Time	<u>2 Hrs.</u>	<u>2 Hrs.</u>	<u>2 1/2 Hrs.</u>				
Truck No.	<u>1-59-Hobbs</u>	<u>1760-Hobbs</u>	<u>1758-Hobbs</u>				
Recorded By	<u>Dowe</u>	<u>Bilson</u>	<u>Roush</u>				
Witness	<u>Bowman</u>	<u>Nail</u>	<u>Nail</u>				

FOLD HERE

REMARKS GR: B40 - 430 - 100 - 400
LOG: sens. 300; TCI: Speed 5000'/Hr.

THIS IS NOT A COMPLETE REPRODUCTION OF
THE ORIGINAL LOG.

Reproduced By
West Texas Electrical Log Service

Forest Oil Corp.

REFERENCE W7829A

16. COMPLETION RECORD

SPUD DATE _____

COMP DATE _____

DST RECORD _____

CASING RECORD _____

PERFORATING RECORD _____

ACID, FRAC SHOT _____

BEFORE THE
OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

SCHLUMBERGER WELL SURVEYING CORPORATION
HOUSTON, TEXAS

SCHLUMBERGER

Electrical Log

COUNTY

LEA

FIELD or LOCATION

KENNITZ WOLF CAMP

WELL

PHILLIPS STATE #1

COMPANY

TENNESSEE GAS TRANSMISSION

COMPANY **TENNESSEE GAS TRANSMISSION CO.**

WELL **PHILLIPS STATE #1**

FIELD **KENNITZ WOLF CAMP**

LOCATION **SEC. 25-16S-33E**

COUNTY **LEA**

STATE **NEW MEXICO**

Other Surveys
IES GRN ML MLL

Location of Well
1660' ± 5/L

Elevation: D.F. **4161**
K.B. **4162**
or G.L. **4148**

FILING No. _____

RUN No.	1								
Date	8-20-57								
First Reading	10919								
Last Reading	4558								
Feet Measured	6361								
Csg. Schlum.	4558								
Csg. Driller	4558								
Depth Reached	10922								
Bottom Driller	10922								
Depth Datum	KB 14.20' Abv. GL								
Mud Nat.	Chem.								
Dens. Visc.	9.2 52								
Mud Resist.	1.05 @ 35'								
Res. BHT	.75 @ 140'								
Rmf	.25 @ 85'								
Rmc	.18 @ 85'								
pH	8.5 @								
Wtr. Loss	8.5 CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.
Bit Size	7 7/8"								
Spchs.—AM	10" Ngr.								
AO	32" LS								
AO	19' Lat.								
Opr. Rig Time	2 Hrs.								
Truck No.	1762-Hobbs								
Recorded By	Maloney								
Witness	Snell								

REMARKS

GR: 888 - 410 - 00 - 400
LOG: sens. 300; TC2; speed 1800 & 3600'/Hr.

THIS IS NOT A COMPLETE REPRODUCTION OF
THE ORIGINAL LOG.

Reproduced By
West Texas Electrical Log Service
Dallas 2, Texas

REFERENCE W7526B

COMPLETION RECORD

SPUD DATE

COMP DATE

DST RECORD

CASING RECORD

CASE

PERFORATING RECORD

Reproduced By
West Texas Electrical Log Service
 Dallas 2, Texas

REFERENCE No W 6751 -E

SCHLUMBERGER WELL SURVEYING CORPORATION HOUSTON, TEXAS																																																																																																																																											
 <i>Electrical Log</i>																																																																																																																																											
COUNTY LEA FIELD or LOCATION WELL SEAMAN UNIT #1	COMPANY SINCLAIR OIL AND GAS COMPANY							Location of Well 510' f SL 660' f EL ES (GRN-ML)																																																																																																																																			
	WELL SEAMAN UNIT #1							 Elevation: D.F.: K.B.: or G.L.: 4159																																																																																																																																			
	FIELD WILDCAT																																																																																																																																										
	LOCATION SEC. 13-16S-33E																																																																																																																																										
COUNTY LEA							FILING No.																																																																																																																																				
STATE NEW MEXICO																																																																																																																																											
<table border="1"> <thead> <tr> <th>RUN No.</th> <th>1</th> <th>2</th> <th>3</th> <th>4</th> </tr> </thead> <tbody> <tr> <td>Date</td> <td>4-26-56</td> <td>6-30-56</td> <td>7-24-56</td> <td>9-16-56</td> </tr> <tr> <td>First Reading</td> <td>4571</td> <td>1384</td> <td>2938</td> <td>4788</td> </tr> <tr> <td>Last Reading</td> <td>339</td> <td>4574</td> <td>1384</td> <td>2938</td> </tr> <tr> <td>Feet Measured</td> <td>4232</td> <td>6810</td> <td>1554</td> <td>1850</td> </tr> <tr> <td>Csg. Schlum.</td> <td>339</td> <td>4574</td> <td></td> <td>4578</td> </tr> <tr> <td>Csg. Driller</td> <td>342</td> <td>4570</td> <td>4570</td> <td>4570</td> </tr> <tr> <td>Depth Reached</td> <td>4570</td> <td>1387</td> <td>2841</td> <td>4791</td> </tr> <tr> <td>Bottom Driller</td> <td>4570</td> <td>1371</td> <td>2949</td> <td>4797</td> </tr> <tr> <td>Depth Datum</td> <td colspan="4">GL 13.5 Below R</td> </tr> <tr> <td>Mud Nat.</td> <td>Salt-Gel</td> <td>Chem</td> <td>Gel-Chem</td> <td>Chemical</td> </tr> <tr> <td>Density</td> <td>10.5</td> <td>9.1</td> <td>10</td> <td>10.3</td> </tr> <tr> <td>Viscosity</td> <td>47</td> <td>64</td> <td>56</td> <td>280</td> </tr> <tr> <td>Resist.</td> <td>05 @ 88 F</td> <td>1.8 @ 85 F</td> <td>2 @ 83 F</td> <td>2.4 @ 72 F</td> </tr> <tr> <td>Res. BHT</td> <td>04 @ 100 F</td> <td>1.6 @ 131 F</td> <td>@</td> <td>1.96 @ 178 F</td> </tr> <tr> <td>pH</td> <td>5.5 @</td> <td>9.5 @</td> <td>8 @</td> <td>7.5 @</td> </tr> <tr> <td>Wtr. Loss</td> <td>13.2 CC 30 min</td> <td>2 CC 30 min</td> <td>7.6 CC 30 min</td> <td>6 CC 30 min</td> </tr> <tr> <td>Max. Temp. F</td> <td>100</td> <td>131</td> <td>149</td> <td>175</td> </tr> <tr> <td>Bit Size</td> <td>12 1/4"</td> <td>9 5/8"</td> <td>8 3/4"</td> <td>8 3/4"</td> </tr> <tr> <td>Spchs.-AM</td> <td>10"</td> <td>10"</td> <td>10"</td> <td>10"</td> </tr> <tr> <td>AO</td> <td>32" LS</td> <td>32" LS</td> <td>32" LS</td> <td>32" LS</td> </tr> <tr> <td>AO</td> <td>19'</td> <td>19'</td> <td>19'</td> <td>19'</td> </tr> <tr> <td>Op. Rig Time</td> <td>Hr.</td> <td>4 Hrs</td> <td>1 1/2 Hrs</td> <td>2 Hrs</td> </tr> <tr> <td>Truck No.</td> <td>762-Hall</td> <td>1760</td> <td>1762</td> <td>1758</td> </tr> <tr> <td>Recorded By</td> <td>Mahoney</td> <td>Howe</td> <td>Reinders</td> <td>Maxwell</td> </tr> <tr> <td>Witnessed By</td> <td>Albright</td> <td>Son</td> <td>Albright</td> <td>Albright</td> </tr> </tbody> </table>										RUN No.	1	2	3	4	Date	4-26-56	6-30-56	7-24-56	9-16-56	First Reading	4571	1384	2938	4788	Last Reading	339	4574	1384	2938	Feet Measured	4232	6810	1554	1850	Csg. Schlum.	339	4574		4578	Csg. Driller	342	4570	4570	4570	Depth Reached	4570	1387	2841	4791	Bottom Driller	4570	1371	2949	4797	Depth Datum	GL 13.5 Below R				Mud Nat.	Salt-Gel	Chem	Gel-Chem	Chemical	Density	10.5	9.1	10	10.3	Viscosity	47	64	56	280	Resist.	05 @ 88 F	1.8 @ 85 F	2 @ 83 F	2.4 @ 72 F	Res. BHT	04 @ 100 F	1.6 @ 131 F	@	1.96 @ 178 F	pH	5.5 @	9.5 @	8 @	7.5 @	Wtr. Loss	13.2 CC 30 min	2 CC 30 min	7.6 CC 30 min	6 CC 30 min	Max. Temp. F	100	131	149	175	Bit Size	12 1/4"	9 5/8"	8 3/4"	8 3/4"	Spchs.-AM	10"	10"	10"	10"	AO	32" LS	32" LS	32" LS	32" LS	AO	19'	19'	19'	19'	Op. Rig Time	Hr.	4 Hrs	1 1/2 Hrs	2 Hrs	Truck No.	762-Hall	1760	1762	1758	Recorded By	Mahoney	Howe	Reinders	Maxwell	Witnessed By	Albright	Son	Albright	Albright
RUN No.	1	2	3	4																																																																																																																																							
Date	4-26-56	6-30-56	7-24-56	9-16-56																																																																																																																																							
First Reading	4571	1384	2938	4788																																																																																																																																							
Last Reading	339	4574	1384	2938																																																																																																																																							
Feet Measured	4232	6810	1554	1850																																																																																																																																							
Csg. Schlum.	339	4574		4578																																																																																																																																							
Csg. Driller	342	4570	4570	4570																																																																																																																																							
Depth Reached	4570	1387	2841	4791																																																																																																																																							
Bottom Driller	4570	1371	2949	4797																																																																																																																																							
Depth Datum	GL 13.5 Below R																																																																																																																																										
Mud Nat.	Salt-Gel	Chem	Gel-Chem	Chemical																																																																																																																																							
Density	10.5	9.1	10	10.3																																																																																																																																							
Viscosity	47	64	56	280																																																																																																																																							
Resist.	05 @ 88 F	1.8 @ 85 F	2 @ 83 F	2.4 @ 72 F																																																																																																																																							
Res. BHT	04 @ 100 F	1.6 @ 131 F	@	1.96 @ 178 F																																																																																																																																							
pH	5.5 @	9.5 @	8 @	7.5 @																																																																																																																																							
Wtr. Loss	13.2 CC 30 min	2 CC 30 min	7.6 CC 30 min	6 CC 30 min																																																																																																																																							
Max. Temp. F	100	131	149	175																																																																																																																																							
Bit Size	12 1/4"	9 5/8"	8 3/4"	8 3/4"																																																																																																																																							
Spchs.-AM	10"	10"	10"	10"																																																																																																																																							
AO	32" LS	32" LS	32" LS	32" LS																																																																																																																																							
AO	19'	19'	19'	19'																																																																																																																																							
Op. Rig Time	Hr.	4 Hrs	1 1/2 Hrs	2 Hrs																																																																																																																																							
Truck No.	762-Hall	1760	1762	1758																																																																																																																																							
Recorded By	Mahoney	Howe	Reinders	Maxwell																																																																																																																																							
Witnessed By	Albright	Son	Albright	Albright																																																																																																																																							
Run 1 GR: B25 - 155 - 100(20.0) Log: sens. 140; TC2/1; speed 2000' & 4000'																																																																																																																																											
Run 2 GR: B25 - 180 - 100(20.0) Log: sens. 140; TC1; speed 2000' & 4000'																																																																																																																																											
Run 3 GR: B40 - 9 - 100(20.0) Log: sens. 150; TC2/1; speed 2000' & 4000'																																																																																																																																											
Run 4 GR: B10 70 - 100(20.0) Log: sens. 150; TC1; speed 2000' & 4000'																																																																																																																																											

COMPLETION RECORD	
SPUD DATE	
COMP DATE	
DST RECORD	
BEFORE THE COMMISSION COUNTY OF NEW MEXICO EXHIBIT NO.	
CASING RECORD	
PERFORATING RECORD	

3-F

SCHLUMBERGER WELL SURVEYING CORPORATION HOUSTON, TEXAS																																																																																																																																																																																																																																																																			
 <i>Induction - Electrical Log</i>																																																																																																																																																																																																																																																																			
COUNTY <u>Lea</u> FIELD or LOCATION <u>Kemnitz Wolfcamp</u> WELL <u>State Lea E #1</u> COMPANY <u>Pure Oil Co.</u>		COMPANY <u>PURE OIL CO.</u>				Other Surveys ML																																																																																																																																																																																																																																																													
		WELL <u>STATE LEA E #1</u>				Location of Well 1980' f N&E/L																																																																																																																																																																																																																																																													
		FIELD <u>KEMNITZ-WOLFCAMP</u>																																																																																																																																																																																																																																																																	
		LOCATION <u>SEC. 21-16S-34E</u>																																																																																																																																																																																																																																																																	
		COUNTY <u>LEA</u>				Elevation: D.F.: 4118 K.B.: 4119 SCF: 4107																																																																																																																																																																																																																																																													
		STATE <u>NEW MEXICO</u>				FILING No. _____																																																																																																																																																																																																																																																													
<table border="1"> <thead> <tr> <th>RUN No.</th> <th>1</th> <th>2</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>Date</td> <td>9-26-57</td> <td>10-20-57</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>First Reading</td> <td>10798</td> <td>11580</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Last Reading</td> <td>4528</td> <td>10798</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Feet Measured</td> <td>6270</td> <td>782</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Csg. Schium.</td> <td>4528</td> <td>4528</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Csg. Driller</td> <td>4527</td> <td>4527</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Depth Reached</td> <td>10804</td> <td>11586</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Bottom Driller</td> <td>10796</td> <td>11581</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Depth Datum</td> <td>SCF 11' Below RT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Mud Nat.</td> <td>Chem.</td> <td>Chem.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Dens. Visc.</td> <td>9.1 140</td> <td>12.9 58</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Mud Resist.</td> <td>36 @ 83</td> <td>2.4 @ 58</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Res. BHT</td> <td>55 @ 145</td> <td>1.0 @ 145</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Rmf</td> <td>48 @ 148</td> <td>1.75 @ 58</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Rmc</td> <td>@</td> <td>@</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>pH</td> <td>8 @</td> <td>8 @</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Wtr. Loss</td> <td>10 CC 30 min.</td> <td>8 CC 30 min.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Bit Size</td> <td>7 7/8" to 10694</td> <td>7 3/4" to TD - 7 3/4"</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Spchs. - AM</td> <td>16" Nor.</td> <td>16"</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>IND.</td> <td>40"</td> <td>40"</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Opr. Rig Time</td> <td>3 Hrs.</td> <td>2 Hrs.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Truck No.</td> <td>1759-Hobbs</td> <td>1759-Hobbs</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Recorded By</td> <td>Howe</td> <td>Geisel</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Witness</td> <td>Fish</td> <td>Staton</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										RUN No.	1	2								Date	9-26-57	10-20-57								First Reading	10798	11580								Last Reading	4528	10798								Feet Measured	6270	782								Csg. Schium.	4528	4528								Csg. Driller	4527	4527								Depth Reached	10804	11586								Bottom Driller	10796	11581								Depth Datum	SCF 11' Below RT									Mud Nat.	Chem.	Chem.								Dens. Visc.	9.1 140	12.9 58								Mud Resist.	36 @ 83	2.4 @ 58								Res. BHT	55 @ 145	1.0 @ 145								Rmf	48 @ 148	1.75 @ 58								Rmc	@	@								pH	8 @	8 @								Wtr. Loss	10 CC 30 min.	8 CC 30 min.								Bit Size	7 7/8" to 10694	7 3/4" to TD - 7 3/4"								Spchs. - AM	16" Nor.	16"								IND.	40"	40"								Opr. Rig Time	3 Hrs.	2 Hrs.								Truck No.	1759-Hobbs	1759-Hobbs								Recorded By	Howe	Geisel								Witness	Fish	Staton							
RUN No.	1	2																																																																																																																																																																																																																																																																	
Date	9-26-57	10-20-57																																																																																																																																																																																																																																																																	
First Reading	10798	11580																																																																																																																																																																																																																																																																	
Last Reading	4528	10798																																																																																																																																																																																																																																																																	
Feet Measured	6270	782																																																																																																																																																																																																																																																																	
Csg. Schium.	4528	4528																																																																																																																																																																																																																																																																	
Csg. Driller	4527	4527																																																																																																																																																																																																																																																																	
Depth Reached	10804	11586																																																																																																																																																																																																																																																																	
Bottom Driller	10796	11581																																																																																																																																																																																																																																																																	
Depth Datum	SCF 11' Below RT																																																																																																																																																																																																																																																																		
Mud Nat.	Chem.	Chem.																																																																																																																																																																																																																																																																	
Dens. Visc.	9.1 140	12.9 58																																																																																																																																																																																																																																																																	
Mud Resist.	36 @ 83	2.4 @ 58																																																																																																																																																																																																																																																																	
Res. BHT	55 @ 145	1.0 @ 145																																																																																																																																																																																																																																																																	
Rmf	48 @ 148	1.75 @ 58																																																																																																																																																																																																																																																																	
Rmc	@	@																																																																																																																																																																																																																																																																	
pH	8 @	8 @																																																																																																																																																																																																																																																																	
Wtr. Loss	10 CC 30 min.	8 CC 30 min.																																																																																																																																																																																																																																																																	
Bit Size	7 7/8" to 10694	7 3/4" to TD - 7 3/4"																																																																																																																																																																																																																																																																	
Spchs. - AM	16" Nor.	16"																																																																																																																																																																																																																																																																	
IND.	40"	40"																																																																																																																																																																																																																																																																	
Opr. Rig Time	3 Hrs.	2 Hrs.																																																																																																																																																																																																																																																																	
Truck No.	1759-Hobbs	1759-Hobbs																																																																																																																																																																																																																																																																	
Recorded By	Howe	Geisel																																																																																																																																																																																																																																																																	
Witness	Fish	Staton																																																																																																																																																																																																																																																																	

REMARKS

Cartridge No. IRH - A - 29C SC 1 1/2" USED
 Barrel No. IRP - B - 30
 Sonde No. IRS - C - 32

THIS IS NOT A COMPLETE REPRODUCTION

Reproduced By
West Texas Electrical Log Service

Dallas 2, Texas

REFERENCE **W7682D**

COMPLETION RECORD

SPUD DATE _____

COMP DATE _____

DST RECORD _____

CASING RECORD _____

PERFORATING RECORD _____

BEFORE THE
 ACID FRAC SHOT OIL CONSERVATION COMMISSION
 SANTA FE, NEW MEXICO