

Oct 25 3 37 PM '65

2-165-32

Case 1409

NOTE: 7" csg detail from bottom up:
 4102' of 26# S-95
 3235' of 23# S-95
 1416' of 23# N-60 LTC
 589' of 23# N-80 Hydril X-line
 3946' of 23# N-60 Buttress thd
 10' of 26# N-80 Buttress thd
 (cut joint)

2-7/8" OD 6.50# N-80 Hydril "GC" tbg
to 10,005' & 2-3/8" OD 4.70# BUE & RT
N-80 tbg from 10,005' to bottom of
tail pipe @ 13,360'. 2-3/8" tbg guide
at 13,216'. Tail pipe is bull plugged
on bottom. Tbg set w/13,000# tension

1" 1.80# EU 10 RT N-80 Kobe tbg w/2 1/2"
x 1-7/16" x 1-7/16" Kobe pump acsy
set in SN @ 7908.

-2 1/2" Otis Wire line retrievable SN
set @ 7908'.

Baker parallel string anchor @ 9857'.

Baker Model "D" pkr @ 13,219" w/anchor
seal assy thru pkr & Baker Model C-1
tbg seal receptacle @ 13,217"

2nd Garrett Type "B" CV @ 13,276°
(open - far up to close).

Devonian producing from 6 1/2" open
hole interval 13,368-13,395'

TD #13,295

CRK:ptg. 10-25-65

OIL CONSERVATION COMMISSION

P. O. BOX 871

SANTA FE, NEW MEXICO

April 28, 1958

**Mr. William Kastler
Gulf Oil Corporation
P.O. Box 669
Roswell, New Mexico**

Dear Mr. Kastler:

We enclose two copies of Orders R-1161, R-1164 and R-1166 issued April 22, 1958, by the Oil Conservation Commission in Cases 1411, 1409 and 1410, respectively, which were heard on April 9th at Santa Fe before an examiner.

Very truly yours,

**A. L. Porter, Jr.
Secretary - Director**

**bp
Encls.**

C
O
P
Y

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Date 4-11-58

CASE NO. 1409

HEARING DATE 7-8-58

My recommendations for an order in the above numbered case(s) are as follows:

1. Approve for twin string oil-oil dual with usual order.
2. Wellcamp completion is Undesignated.
3. Deroman is in Anderson Ranch-Deroman pool.

Wm. H. By
Examiner

Staff Member