

Attached is a plat which shows the development of the West Dollarhide Drinkard Pool and the proposed Unit boundary. The proposed injection wells are indicated on this plat and are tabulated below:

COMPANY	LEASE	WELL #	LOCATION	
			UNIT	SEC-T-R
Texaco, Inc.	Paul Stephens	2	D	19-24-38
Texaco, Inc.	E. M. Byers	1	L	19-24-38
Texaco, Inc.	United Royalty "A"	3	F	19-24-38
Texaco, Inc.	United Royalty "A"	5	N	19-24-38
Sinclair Oil & Gas Company	McClure Fed.	21	B	19-24-38
Sinclair Oil & Gas Company	McClure Fed.	19	J	19-24-38
Sinclair Oil & Gas Company	McClure Fed.	18	P	19-24-38
Ralph Lowe	F. Hair	1	F	30-24-38
Sinclair Oil & Gas Company	L. E. Vance	1	N	30-24-38
Sinclair Oil & Gas Company	McClure Fed.	1	P	30-24-38
Sinclair Oil & Gas Company	McClure Fed.	5	J	30-24-38
Sinclair Oil & Gas Company	McClure Fed.	8	H	30-24-38
Sinclair Oil & Gas Company	McClure Fed.	16	B	30-24-38
Skelly Oil Company	Mexico "K"	1	P	29-24-38
Skelly Oil Company	Mexico "K"	4	N	29-24-38
Skelly Oil Company	Mexico "K"	6	L	29-24-38
Skelly Oil Company	Mexico "K"	9	J	29-24-38
Skelly Oil Company	Mexico "K"	13	F	29-24-38
Skelly Oil Company	Mexico "K"	15	D	29-24-38
* Gulf Oil Corporation	Ramsay "D"	2	N	28-24-38
* Gulf Oil Corporation	Leonard "I"	2	F	33-24-38
Gulf Oil Corporation	Leonard "G"	11	D	33-24-38
Gulf Oil Corporation	Leonard "G"	14	L	33-24-38
* Gulf Oil Corporation	Leonard "G"	15	N	33-24-38
Skelly Oil Company	Mexico "J"	7	L	32-24-38
Skelly Oil Company	Mexico "J"	9	J	32-24-38
Skelly Oil Company	Mexico "J"	16	P	32-24-38
Skelly Oil Company	Mexico "J"	20	N	32-24-38
Pan American	State "Y"	11	H	32-24-38
Pan American	State "Y"	8	F	32-24-38
Pan American	State "Y"	10	B	32-24-38
Pan American	State "Y"	6	D	32-24-38
Texaco, Inc.	J. B. McGhee	6	J	31-24-38
Texaco, Inc.	J. B. McGhee	7	P	31-24-38
Elliott Production	Elliott "H"	7	B	31-24-38
Elliott and Hall	Elliott "R"	1	H	31-24-38
Sunshine Royalty	Elliott Fed.	1	F	31-24-38
Skelly Oil Company	Mexico "L"	15	D	5-25-38
Skelly Oil Company	Mexico "L"	17	B	5-25-38
Skelly Oil Company	Mexico "L"	18	H	5-25-38
Skelly Oil Company	Mexico "L"	20	F	5-25-38
* Gulf Oil Corporation	Leonard "G"	12	F	4-25-38
Gulf Oil Corporation	Leonard "G"	19	D	4-25-38

*Conversion of these four wells will be temporarily delayed until lease line agreements are made.

BEFORE EXAMINER UTZ
OIL CONSERVATION COMMISSION
EXHIBIT NO. _____
CASE NO. _____


SKELLY OIL CO.
EXHIBIT NO. B
DOCKET OR
CASE NO. 4134
DATE 5/21/69

R-37-C

R-38-E

T
24
S

T
25
S




BEFORE EXAMINER UTZ
OIL CONSERVATION DIVISION
EXHIBIT NO. _____
CASE NO. _____

R-38-E

W. Dollarhide
Drinkard Unit

W. Dollarhide
Queen Unit



LEA COUNTY, NEW MEXICO

Legend

-  Dual-Upper Zone (blue) Queen producing oil well-Operator, lease & well numbers shown
-  Lower zone (red) West Dollarhide Drinkard Unit producing oil well
-  Dual-Upper zone (blue) Queen producing oil well-Operator, lease and well number shown
-  Lower zone (red) West Dollarhide Drinkard Unit proposed water injection well
-  West Dollarhide Drinkard Unit - producing oil well
-  West Dollarhide Drinkard Unit - Water Injection well
-  West Dollarhide Queen Sand Unit - producing oil well
-  West Dollarhide Queen Sand Unit - Water injection well

WELL COMPLETION DATA
DOLLARHIDE TUBB-DRINKARD
PROPOSED UNIT
LEA COUNTY, NEW MEXICO

BEFORE EXAMINER UTZ
OIL CONSERVATION COMMISSION
EXHIBIT NO. _____
CASE NO. _____

EXHIBIT NO. D
DOCKET OR
CASE NO. 5434

OPERATOR Well No. LOCATION Sec.. Township, Range ELEVATION TOTAL DEPTH D.F.(Feet) Size(Inches) Casing Program Depth(Ft) Cement (Sacks) PRODUCING DATE INTERVAL (Feet) REMARKS: 5-27-69

Elliott and Elliott Federal "H" #2	#6	990 FNL & 330 FEL 31-24S-38E	3157	6514	13 3/8 9 5/8 7	215 3002 6411	200 2050 400	(Circ.) (Circ.)	OH	6411-6514	
#7		2310 FNL & 1650 FEL 31-24S-38E	3135	6850	13 3/8 9 5/8 7	209 3023 6410	225 750 500		OH	6410-6850	
		480 FNL & 1650 FEL 31-24S-38E	3136	6521	10 3/4 7 5/8 5 1/2	208 3020 6400	150 450 400	(Circ.)	OH	6400-6521	Convert to WIW
Elliott and Hall Elliott "R" #1		2310 FNL & 330 FEL 31-24S-38E	3138	6488	16 10 3/4 7	161 3009 6325	125 2500 400	(Circ.)	OH	6325-6488	Convert to WIW
Elliott "S" #2		990 FNL & 2310 FWL 31-24S-38E	3115	6750	13 3/8 8 5/8 5 1/2	221 3016 6750	140 750 480	(Circ.) (Circ.)		Perf 6448-6730	
Gulf Leonard "H" NCT G #10		631 FEL & 667 FNL 4-25S-38E	3171	6890	10 3/4 7	301 6252	150 1350		OH	6252-6890	
#11		990 FNL & 990 FWL 33-24S-38E	3193	8170 PB 6960	13 3/8 9 5/8 7	327 2903 6959	350 850 750			Perf 6555-6896	Convert to WIW
#12		1980 FNL & 630 FEL 4-25S-38E	3167	6840	10 3/4 7	299 6309	300 1010		OH	6309-6840	Convert to WIW
#13		1980 FSL & 630 FEL 33-24S-38E	3183	6850	10 3/4 7	306 6300	275 1171		OH	6300-6850	

WELL COMPLETION DATA
DOLLARHIDE TUBB-DRINKARD
PROPOSED UNIT
LEA COUNTY, NEW MEXICO

OPERATOR Well No.	LOCATION Sec., Township, Range	ELEVATION TOTAL DEPTH		CASING PROGRAM			PRODUCING		REMARKS:
		D.F.(Feet)	(Feet)	Size(Inches)	Depth(Ft)	Cement (Sacks)	INTERVAL (Feet)		
Gulf Leonard "H" NCT G #14	1980 FSL & 660 FWL 33-24S-38E	3181	6870	8 5/8 5 1/2	308 6869	275 1236		Perf 6490-6860	Convert to WIW
	#15 560 FSL & 781 FEL 33-24S-38E	3172	6850	9 5/8 7	295 6250	275 810		OH 6250-6850	Convert to WIW
	#19 990 FNL & 330 FWL 4-25S-38E	3165	6870	9 5/8 7	413 6389	275 1125		OH 6389-6870	Convert to WIW
	#20 1650 FNL & 660 FWL 4-25S-38E	3160	6860	9 5/8 7	350 6349	275 2035		OH 6349-6860	
	#21 2310 FNL & 330 FWL 33-24S-38E	3193	6900	9 5/8 7	335 6349	275 1265		OH 6349-6900	
Ramsey NCT D #1	#23 330 FSL & 660 FWL 33-24S-38E	3173	6869	8 5/8 5 1/2	267 6869	250 1065		Perf 6464-6830	
	#1 660 FSL & 660 FWL 28-24S-38E	3224	8222 PB 6890	9 5/8 7 5/8	300 6399	300 820		OH 6399-6890	
	#2 660 FSL & 779 FEL 28-24S-38E	3201	8277 PB 7340	13 3/8 9 5/8 7	310 2999 8080	335 1595 387		Perf 6650-6832	Convert to WIW
Leonard "H" NCT H #2	#3 330 FSL & 330 FWL 20-24S-38E	3190	6799	8 5/8 5 1/2	258 6799	225 2200		Perf 6484-6788	
	660 FNL & 660 FEL 33-24S-38E	3205	6878	9 5/8 7	312 6399	250 3826		OH 6399-6878	
Leonard NCT I #2	629 FEL & 1980 FNL 33-24S-38E	3198	6900	10 3/4 7	320 6279	225 1225		OH 6279-6900	Convert to WIW

WELL COMPLETION DATA
DOLLARHIDE TUBB-DRINKARD
PROPOSED UNIT
LEA COUNTY, NEW MEXICO

OPERATOR	Well No.	LOCATION		ELEVATION		TOTAL DEPTH		CASING PROGRAM			PRODUCING	
		Sec., Township, Range		D.F. (Feet)	(Feet)	Size (Inches)	Depth (ft)	Cement	(Sacks)		INTERVAL (Feet)	REMARKS:
Ralph Lowe	#1	1980 FNL & 1980 FWL 30-24S-38E		3124	6626	10 3/4	340	200				
							3650	1700				
							6545	325			OH 6545-6626	Convert to WIW
#2		535 FNL & 2310 FWL 30-24S-38E		3156	6910	10 3/4	325	300				
							3240	1700				
							6910	600			Perf 6614-6710	
Pan American	State "Y" #2	1980 FNL & 660 FWL 32-24S-38E		3168	8920 PB 6879	13 3/8	323	375	(Circ.)			
							3139	350				
							7003	658			Perf 6041-6846	
#3		660 FNL & 660 FEL 32-24S-38E		3213	8100 PB 7040	13 3/8	316	375	(Circ.)			
							3135	360				
							8053	575			Perf 6580-6989	
#5		1980 FNL & 1980 FEL 32-24S-38E		3209	7956 PB 7096	13 3/8	318	290	(Circ.)			
							3145	350				
							7203	783			Perf 6175-6916	
#6		660 FNL & 660 FWL 32-24S-38E		3176	7020 PB 6932	13 3/8	300	290	(Circ.)			
							3149	350				
							7020	236			Perf 6446-6760	Convert to WIW
#8		2310 FNL & 1980 FWL 32-24S-38E		3182	6912	13 3/8	302	250	(Circ.)			
							3144	350	(Circ.)			
							6641	236			Perf 6155-6566 OH 6641-6912	Convert to WIW
#9		990 FNL & 1980 FWL 32-24S-38E		3192	6922 PB 6600	13 3/8	313	290				
							3150	350				
							6627	236			Perf 6108-6580	
#10		660 FNL & 1980 FEL 32-24S-38E		3220	6950	13 3/8	309	290	(Circ.)			
							3150	350				
							6715	236			Perf 6180-6690 OH 6715-6950	Convert to WIW

WELL COMPLETION DATA
DOLLARHIDE TUBB-DRINKARD
PROPOSED UNIT
LEA COUNTY, NEW MEXICO

OPERATOR Well No.	LOCATION		ELEVATION		TOTAL DEPTH		CASING PROGRAM			PRODUCING	
	Sec., Township, Range		D.F. (Feet)		(Feet)		Size(Inches)	Depth(Ft)	Cement (Sacks)	INTERVAL (Feet)	REMARKS:
Pan American State "Y" #11	2310 FNL & 660 FWL 32-24S-38E		3197	6927			13 3/8	318	290	Perf 6169-6602 OH 6682-6927	Convert to WIW
							9 5/8	3150	290		
							5 1/2	6682	236		
Sinclair State 263 #3	330 FNL & 330 FEL 6-25S-38E		3116	6840			13 3/8	307	325	Perf 6382-6805	
							8 5/8	3149	1475		
							5 1/2	6840	578		
Mc Clure #1	330 FSL & 990 FEL 30-24S-38E		3141	6800			13 3/8	285	300	Perf 6395-6470 OH 6529-6800	Convert to WIW
							8 5/8	3200	750		
							5 1/2	6529	600		
#2	2310 FNL & 1980 FEL 30-24S-38E		3141	6850			13	293	300	Perf 6510-6610 OH 6699-6850	
							8 5/8	3174	1600		
							5 1/2	6699	700		
#4	330 FSL & 1980 FEL 30-24S-38E		3125	6960			13 3/8	301	300	Perf 6396-6730	
							8 5/8	3131	1500		
							5 1/2	6959	450		
#5	1650 FSL & 1980 FEL 30-24S-38E		3136	6850			13 3/8	308	300	Perf 6459-6810	Convert to WIW
							8 5/8	3156	1650		
							5 1/2	6849	550		
#6	1650 FSL & 660 FEL 30-24S-38E		3175	6885			13 3/8	257	280	Perf 6503-6586 OH 6638-6885	
							8 5/8	3064	1500		
							5 1/2	6638	590		
#8	2310 FNL & 660 FEL 30-24S-38E		3178	6875			13 3/8	283	275	Perf 6555-6866	Convert to WIW
							8 5/8	3149	1813		
							5 1/2	6874	580		

WELL COMPLETION DATA
DOLLARHIDE TUBE-DRINKARD
PROPOSED UNIT
LEA COUNTY, NEW MEXICO

OPERATOR Well No.	LOCATION Sec., Township, Range	ELEVATION TOTAL DEPTH		CASING PROGRAM			PRODUCING		REMARKS:
		D.F. (Feet)	(Feet)	Size(Inches)	Depth(Ft)	Cement (Sacks)	INTERVAL (Feet)		
Sinclair Mc Clure #14	990 FNL & 990 FEL 30-24S-38E	3184	6900	13 3/8	305	275	Perf 6623-6865		
				8 5/8	3200	1600			
				5 1/2	6900	440			
#16	990 FNL & 1650 FEL 30-24S-38E	3173	6900	13 3/8	305	300	Perf 6604-6704	Convert to WIW	
				8 5/8	3210	1700			
				5 1/2	6899	500			
#17	330 FSL & 1980 FEL 19-24S-38E	3157	6900	8 5/8	3225	2100	Perf 6624-6722		
				5 1/2	6900	525			
#18	330 FSL & 990 FEL 19-24S-38E	3181	6900	9 5/8	3325	1500	Perf 6675-6738	Convert to WIW	
				5 1 1/2	6900	550			
#19	1650 FSL & 1980 FEL 19-24S-38E	3180	6900	8 5/8	3254	800	Perf 6670-6723	Convert to WIW Drk-Qn Dual Model D 6600'	
				5 1/2	6899	525			
#20	2310 FNL & 2310 FEL 19-24S-38E	3180	6900	8 5/8	3224	1000	Perf 6662-6896	Drk-Qn Dual Model D 6550'	
				5 1/2	6899	525			
#21	990 FNL & 2310 FEL 19-24S-38E	3181	6900	8 5/8	3234	1000	Perf 6666-6724	Convert to WIW	
				5 1/2	6900	550			
Vance #1	330 FSL & 2310 FWL 30-24S-38E	3109	6525	13 3/8	340	320	Perf 6415-6480	Convert to WIW	
				8 5/8	3099	1000			
				5 1/2	6524	650			
#2	1980 FSL & 2310 FWL 30-24S-38E	3110	7000 PB 6808	13 3/8	304	300	Perf 6470-6710		
				8 5/8	3163	2900			
				5 1/2	6837	450			
Skelly Mexico "J" #7	2310 FSL & 510 FWL 32-24S-37E	3154	6850	13 3/8	250	250	Perf 6086-6768	Convert to WIW	
				8 5/8	3150	1600			
				5 1/2	6850	450			

Page No. 5

WELL COMPLETION DATA
DOLLARHIDE TUBB-DRINKARD
PROPOSED UNIT
LEA COUNTY, NEW MEXICO

OPERATOR Well No.	LOCATION		ELEVATION		TOTAL DEPTH		CASING PROGRAM			PRODUCING	
	Sec., Township, Range		D.F. (Feet)		(Feet)		Size (Inches)	Depth (Ft)	Cement (Sacks)	INTERVAL (Feet)	REMARKS:
Skelly Mexico "J" #9	1980 FSL & 1980 FEL 32-24S-38E		3195		6902		13 3/8 9 5/8 5 1/2	250 3150 6902	250 1800 450		(Circ.) Perf 6137-6850 Convert to WIW
	1980 FSL & 1980 FWL 32-24S-38E		3177		6878		13 3/8 9 5/8 5 1/2	250 3150 6878	250 1800 450		(Circ.) Perf 6120-6840 Convert to WIW
	510 FEL & 2130 FSL 32-24S-38E		3193		6915		8 5/8 5 1/2	3150 6610	1800 450		(Circ.) Perf 6174-6572 OH 6610-6915 Convert to WIW
	510 FEL & 810 FSL 32-24S-38E		3180		6900		8 5/8 5 1/2	3150 6565	2000 450		(Circ.) Perf 6121-6516 OH 6565-6900 Convert to WIW
	2130 FEL & 510 FSL 32-24S-38E		3166		6900		8 5/8 5 1/2	3150 6500	2000 450		(Circ.) Perf 6057-6468 OH 6500-6900 Convert to WIW
Mexico "K" # 1	660 FSL & 1830 FWL 32-24S-38E		3157		6890		8 5/8 5 1/2	3150 6490	2000 450		(Circ.) Perf 6050-6461 OH 6490-6890 Convert to WIW
	660 FSL & 660 FWL 32-24S-38E		3147		6860		8 5/8 5 1/2	3150 6460	2000 450		(Circ.) Perf 6049-6436 OH 6460-6860 Convert to WIW
	660 FEL & 660 FSL 29-24S-38E		3219		9177 PB 6960		13 5/8 9 5/8 5 1/2	300 3250 8221	300 1800 700		(Circ.) (Circ.) Perf 6333-6940 Convert to WIW
	660 FSL & 660 FWL 29-24S-38E		3181		6900		13 3/8 9 5/8 5 1/2	250 3150 6900	250 1600 450		(Circ.) Perf 6410-6878 Convert to WIW
	660 FSL & 1980 FWL 29-24S-38E		3217		6938		8 5/8 5 1/2	1280 6850	400 450		(Circ.) Perf 6256-6833 OH 6850-6938 Convert to WIW
# 5	1980 FEL & 660 FSL 29-24S-38E		3216		6940		13 3/8 9 5/8 5 1/2	250 3150 6940	250 1800 450		(Circ.) Perf 6298-6933 Convert to WIW

WELL COMPLETION DATA
DOLLARHIDE TUBB-DRINKARD
PROPOSED UNIT
LEA COUNTY, NEW MEXICO

OPERATOR Well No.	LOCATION Sec., Township, Range	ELEVATION TOTAL DEPTH		CASING PROGRAM			PRODUCING	
		D.F. (Feet)	(Feet)	Size(Inches)	Depth(FT)	Cement (Sacks)	INTERVAL (Feet)	REMARKS:
Skelly Mexico "K" #6	1980 FSL & 660 FWL 29-24S-38E	3186	6905	13 3/8	250	250	(Circ.) Perf 6521-6774 OH 6790-6905	Convert to WIW
				9 5/8	3150	1800		
				5 1/2	6790	450		
#8	2060 FSL & 1980 FWL 29-24S-38E	3220	6940	8 5/8	3150	1800	(Circ.) Perf 6610-6720 OH 6740-6940	
				5 1/2	6740	450		
#9	1980 FEL & 1980 FSL 29-24S-38E	3221	6935	8 5/8	3150	2000	(Circ.) Perf 6417-6588 OH 6636-6935	Convert to WIW
				5 1/2	6636	450		
#10	660 FEL & 1980 FSL 29-24S-38E	3219	6930	8 5/8	3150	1900	(Circ.) Perf 6467-6590 OH 6640-6930	
				5 1/2	6640	450		
#12	1980 FNL & 660 FWL 29-24S-38E	3200	6910	8 5/8	3150	2000	(Circ.) Perf 6628-6722 OH 6830-6910	
				5 1/2	6830	450		
#13	1980 FNL & 1980 FWL 29-24S-38E	3235	6970	8 5/8	3150	2000	(Circ.) Perf 6720-6760 OH 6850-6970	Convert to WIW
				5 1/2	6850	450		
#14	1980 FNL & 1980 FEL 29-24S-38E	3223	6960 PB 6840	8 5/8	3150	2000	(Circ.) Perf 6740-6760	
				5 1/2	6870	200		
#15	990 FNL & 330 FWL 29-24S-38E	3212	6950	8 5/8	3150	2000	(Circ.) Perf 6656-6727 OH 6810-6950	Convert to WIW
				5 1/2	6810	450		
Mexico "L" #14	516 FNL & 1830 FWL 5-25S-38E	3144	6860	8 5/8	3150	800	(Circ.) Perf 6078-6433 OH 6460-6860	
				5 1/2	6460	450		
#15	666 FNL & 660 FWL 5-25S-38E	3130	6850	8 5/8	3153	2000	(Circ.) Perf 6043-6190 OH 6300-6850	Convert to WIW
				5 1/2	6300	450		
#16	510 FNL & 810 FEL	3170	6890	8 5/8	3150	2000	(Circ.) Perf 6065-6500 OH 6540-6890	
				5 1/2	6540	450		
#17	810 FNL & 2130 FEL 5-25S-38E	3159	6880	8 5/8	3150	2000	(Circ.) Perf 6048-6460 OH 6480-6880	Convert to WIW
				5 1/2	6480	450		

WELL COMPLETION DATA
DOLLARHIDE TUBB-DRINKARD
PROPOSED UNIT
LEA COUNTY, NEW MEXICO

OPERATOR Well No.	LOCATION Sec., Township, Range	ELEVATION TOTAL DEPTH		CASING PROGRAM		PRODUCING	
		D.F. (Feet)	(Feet)	Size (Inches)	Depth (Feet)	Cement (Sacks)	INTERVAL (Feet)
Skelly Mexico "L" #18	1656 FNL & 990 FEL 5-25S-38E	3171	6880	8 5/8 5 1/2	3150 6420	2000 450	Perf 6109-6320 OH 6420-6880
	#19 1656 FNL & 1980 FEL	3159	6870	8 5/8 5 1/2	3150 6385	2000 450	Perf 6085-6293 OH 6385-6870
	#20 1662 FNL & 2130 FWL 5-25S-38E	3143	6870	8 5/8 5 1/2	3150 6375	2000 450	Perf 6067-6234 OH 6375-6870
	#21 1650 FNL & 990 FWL 5-25S-38E	3130	6860	8 5/8 5 1/2	3150 6355	2000 450	Perf 6104-6274 OH 6355-6860
Sunshine Royalty Elliott Fed. #1	1650 FNL & 2310 FWL 31-24S-38E	3114	6574	13 3/8 8 5/8 5 1/2	195 2998 6411	160 450 550	(Circ.) OH 6411-6574
	660 FWL & 1981 FSL 19-24S-38E	3142	6686	13 3/4 9 5/8 5 1/2	324 3675 6686	350 2300 200	(Circ.) Perf 6632-6666
Mc Ghee #1	1980 FSL & 660 FEL 31-24S-38E	3138	8735 PB 7755	13 3/8 9 5/8 5 1/2	320 3498 8705	2200 1162	(Circ.) Perf 6076-6724
	2090 FSL & 1650 FEL 31-24S-38E	3125	6800	13 3/8 8 5/8 5 1/2	321 3780 6642	320 1900 500	(Circ.) Perf 6122-6614 OH 6642-6800
#6	660 FSL & 660 FEL 31-24S-38E	3128	6800	13 3/8 5 1/2	333 6580	300 800	(Circ.) Perf 6112-6544 OH 6580-6800
#7	2312 FSL & 2309 FWL 31-24S-38E	3127	6800	13 3/8 8 5/8 5 1/2	350 3680 6700	400 2100 700	(Circ.) Perf 6273-6608 OH 6700-6880
#8							

WELL COMPLETION DATA
DOLIARHIDE TUBB-DRINKARD
PROPOSED UNIT
LEA COUNTY, NEW MEXICO

OPERATOR Well No.	LOCATION		ELEVATION TOTAL DEPTH		CASING PROGRAM			PRODUCING	
	Sec., Township, Range		D.F. (Feet)	(Feet)	Size (Inches)	Depth (ft)	Cement (Sacks)	INTERVAL (Feet)	REMARKS:
Texaco Penny #6	2323 FSL & 660 FEL 5-25S-38E		3144	6875	13 3/8	330	400		
					8 5/8	3910	2200		
					5 1/2	6450	700	OH 6450-6875	
Royalty Holding #1	1700 FNL & 984 FWL 19-24S-38E		3155	6830	13 3/8	385	400		
				PB 6810	8 5/8	3235	2000		Drk-Qn Dual
					5 1/2	6830	550	Perf 6534-6688	Model D 6500'
Stevens Est. #1	990 FNL & 2305 FWL 19-24S-38E		3174	6815	13 3/8	376	400		
				PB 6805	8 5/8	3253	2000		Model D 6550'
					5 1/2	6815	400	Perf 6660-6744	Drk-Qn Dual
#2	660 FNL & 660 FWL 19-24S-38E		3167	6820	13 3/8	356	400		
				PB 6798	8 5/8	3249	2000		Model D 6550'
					5 1/2	6820	400	Perf 6660-6752	Convert to WIW Drk-Qn Dual
United Royalty "A" #3	2310 FNL & 2310 FWL 19-24S-38E		3186	6875	13 3/8	389	400		
					8 5/8	3245	2000		Convert to WIW Drk-Qn Dual
					5 1/2	6875	400	Perf 6619-6671	Model D 6530'
#4	1980 FSL & 2310 FNL 19-24S-38E		3174	6855	13 3/8	352	400		
					8 5/8	3250	2000		Drk-Qn Dual
					5 1/2	6855	400	Perf 6626-6726	Model D 6540'
#5	660 FSL & 2305 FWL 19-24S-38E		3157	6850	13 3/8	374	400		
					8 5/8	3250	2000		Convert to WIW
					5 1/2	6849	400	Perf 6664-6708	

SKELLY OIL CO.

BEFORE EXAMINER UTZ

OIL CONSERVATION COMMISSION

EXHIBIT NO. _____

DOCKET OR CASE NO. 4134

DATE 5-21-69

WELL DATA CASE NO. _____

DOLLAR WIDE TUBE-DRYING CARD

OPERATOR LEASE AND WELL NUMBER		COMPLETION DATE	OIL PRODUCTION RATE		CUMULATIVE OIL PRODUCTION TO 1 - 1 - 69
			INITIAL	B/D CURRENT Feb. Prod.	
ELLIOTT Federal "R"	2	12-20-52	456	6.9	185,063
	6	9-28-53	240	5.3	132,772
	7	2-3-54	336	6.9	131,693
ELLIOTT & HALL Elliott "R"	1	9-11-52	264	3.7	212,659
	2	11-2-53	168	12.1	104,948
GULF Leonard "G"	10	5-25-53	561	7.0	189,074
	11	8-3-53	458	14.4	193,695
	12	7-23-53	712	7.1	186,640
	13	7-30-53	278	0.0 Gas	169,888
	14	9-16-53	667	15.2	199,268
	15	9-9-53	336	16.8	221,908
	19	7-21-54	232	10.0	133,421
	20	10-14-54	592	-0-	101,723
	21	9-15-54	93	7.8	134,581
	23	3-1-56	144	16.5	124,695
GULF Ramsay NCT-D	1	2-17-53	367	6.8	118,140
	2	5-22-53	168	8.7	91,792
	3	8-5-57	P 19	0.8	36,632
GULF Leonard "H"	2	4-12-53	492	15.0	113,156
	2	5-29-53	220	13.0	100,523
RALPH LOWE Hair	1	3-6-53	P 117	1.3	40,863
	2	6-12-58	P 105	1.3	28,116
PAN AMERICAN State "Y"	2	12-24-52	156	8.8	270,648
	3	4-2-53	99	10.1	252,019
	5	5-27-53	124	10.1	241,617
	6	7-23-53	207	9.4	231,619
	8	1-7-54	124	12.9	251,291
	9	2-13-54	131	6.1	220,132
	10	3-24-54	104	5.4	205,230
	11	5-2-54	133	6.8	220,324
SINCLAIR State 263 Mc Clure	3	6-28-54	120	3.4	58,346
	1	4-2-53	335	7.5	169,654
	2	6-13-53	288	13.1	200,824
	4	8-1-53	384	7.5	146,216
	5	9-24-53	320	4.9	165,839
	6	2-16-54	338	9.8	160,830
	8	6-17-54	432	7.5	139,546
	14	6-24-55	134	5.8	122,695
	16	4-8-56	230	4.9	144,060
	17	5-30-56	135	8.2	172,361
	18	8-4-56	169	12.9	140,085
	19	11-15-56	141	14.9	126,800
	20	1-26-57	348	6.0	134,838
	21	4-1-57	156	8.2	134,059

SUPPLEMENTAL

WELL DATA

DOLLARHIDE TUBB-DRINKARD

OPERATION LEASE AND WELL NUMBER		COMPLETION DATE	OIL PRODUCTION RATE		CUMULATIVE OIL PRODUCTION TO 1 - 1 - 69
			INITIAL	B/D CURRENT Feb. Prod.	
SINCLAIR Vance	1	5-4-53	68	2.2	49,140
	2	7-18-53	228	5.8	89,493
SKELLY Mexico "J"	7	4-2-53	211	13.6	262,686
	9	11-23-53	777	19.4	276,241
	10	9-19-53	912	19.4	270,955
	15	12-9-53	211	14.6	240,928
	16	12-10-53	346	22.3	284,112
	19	4-21-54	352	18.5	249,307
	20	5-19-54	225	11.6	222,435
	21	5-15-54	365	11.7	205,378
	1	12-1-51	139	7.0	143,268
	2	5-13-53	720	6.0	174,593
	4	10-24-53	412	9.0	201,740
	5	9-9-53	309	9.0	185,379
	6	11-11-53	305	9.0	205,932
	8	12-7-53	257	9.0	160,048
	9	12-9-53	247	9.0	136,809
	10	12-24-53	P 94	8.0	88,983
	12	3-22-54	133	8.0	150,903
	13	3-8-54	640	9.0	166,335
	14	7-11-54	208	9.0	102,721
	15	5-22-56	396	9.0	131,270
	14	12-11-53	270	8.7	195,983
	15	12-7-53	197	4.9	135,554
	16	4-5-54	204	9.8	173,124
Mexico "L"	17	4-11-54	268	15.5	201,226
	18	5-24-54	244	7.8	170,873
	19	5-21-54	205	7.8	172,126
	20	11-3-54	238	4.9	143,318
	21	11-26-54	211	4.9	133,548
SUNSHINE ROYALTY Elliott Fed	1	12-6-53	408	4.5	72,993
TEXACO Byers	1	10-5-53	P 38	SI	8,286
Mc Gee	1	9-24-52	69	6.0	129,586
	6	6-29-53	196	6.0	100,737
	7	11-10-53	139	5.3	88,212
	8	4-26-54	P 44	2.3	35,533
Penny	6	6-22-55	36	-0-	28,010
Royalty Holding	1	10-17-57	184	6.1	49,642
Stephens	1	8-15-57	180	15.5	137,698
	2	12-22-57	131	5.3	45,284
United Royalty "A"	3	5-3-57	71	5.1	57,766
	4	6-30-57	90	8.4	97,219
	5	11-18-57	114	8.4	60,959

LMB/bh

May, 19, 1969

PROPOSED DOLLARHIDE DRINKARD UNIT

ELLIOTT & ELLIOTT, INC.
Federal "H" Well No. 7
480' FNL & 1650' FEL, Section 31, T 24 S, R 38 E
Lea County, New Mexico

Elevation: 3136 D.F.

Top Cement @ 2990'

Top Tubb 5976'

10 3/4" Csg. Set @ 208'
Cmt. W/150 Sks. Circ.

7 5/8" Csg. Set @ 3020'
W/450 Sks. Circ.

2 3/8" Tubing, Internally
Coated

Double Grip Packer
@ approx. 6350'

5 1/2" Csg. Set @ 6400'
W/400 Sks.

6400'

6521' Openhole

T.D. 6521'

BEFORE EXAMINER UTZ
OIL CONSERVATION COMMISSION
EXHIBIT NO. _____
CASE NO. _____

Top Drinkard 6306'

SKELLY OIL CO.


EXHIBIT NO. F

DOCKET OR
CASE NO. 4134

DATE 5/21/69


PROPOSED DOLLARHIDE DRINKARD UNIT

ELLIOTT AND HALL
ELLIOTT "R" WELL NO. 1
2310' FNL & 330' FEL, Section 31-24S-38E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

GULF OIL CORPORATION
LEONARD "G" WELL NO. 11
990' FNL & 990' FWL, Section 33-24 S- 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

GULF OIL CORPORATION
LEONARD "G" WELL NO. 12
1980' FNL & 630' FEL, Section 4, T 25 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

GULF OIL CORPORATION
LEONARD "G" WELL NO. 14
1980' FSL & 660' FWL, Section 33, T 24 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

GULF OIL CORPORATION
LEONARD "G" WELL NO. 15
560' FSL & 781' FEL, Section 33, T 24 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

GULF OIL CORPORATION
LEONARD "G" WELL NO. 19
990' FNL & 330' FWL, Section 4, T 25 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

GULF OIL CORPORATION
LEONARD "I" WELL NO. 2
629' FEL & 1980' FNL, Section 33, T 24 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

GULF OIL CORPORATION
W. A. RAMSAY "D" WELL NO. 2
660' FSL & 779' FEL, Section 28, T 24 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

RALPH LOWE
F. HAIR WELL NO. 1
1980' FNL & 1980' FWL, Section 30, T 24 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

PAN AMERICAN PETROLEUM CORPORATION
 STATE "Y" WELL NO. 6
 660' FNL & 660' FWL, Section 32, T 24 S, R 38 E
 Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

PAN AMERICAN PETROLEUM CORPORATION
 STATE "Y" WELL NO. 8
 2310' FNL & 1980' FWL, Section 32, T 24 S, R 38 E
 Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

PAN AMERICAN PETROLEUM CORPORATION
 STATE "Y" WELL NO. 10
 660' FNL & 1980' FEL, Section 32, T 24 S, R 38 E
 Lea County, New Mexico




PROPOSED DOLLANHIDE DRINKARD UNIT

PAN AMERICAN PETROLEUM CORPORATION
 STATE "Y" WELL NO. 11
 2310' FNL & 680' FEL, Section 32, T 24 S, R 38 E
 Lea County, New Mexico




PROPOSED DOLLARWIDE DRINKARD UNIT

SINCLAIR OIL CORPORATION
J. H. MC CLURE WELL NO. 1
330' FSL & 990' FEL, Section 30, T 24 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

SINCLAIR OIL CORPORATION
J. H. MC CLURE WELL NO. 5
1650' FSL & 1980' FEL, Section 30- T 24 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

SINCLAIR OIL CORPORATION
J.H. Mc CLURE WELL NO. 8
2310' FNL & 660' FEL, Section 30, T 24 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLANHIDE DRINKARD UNIT

SINCLAIR OIL CORPORATION
J. H. MC CLURE WELL NO. 16
990' FNL & 1850' FEL, Section 30, T 24 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARWIDE DRINKARD UNIT

SINCLAIR OIL CORPORATION
J. H. MC CLURE WELL NO. 18
330' FSL & 990' FEL, Section 19, T 24 S, R 38 E
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

SINCLAIR OIL CORPORATION
J. H. MC CLURE WELL NO. 19
1650' FSL & 1930' FEL, Section 19, T 24 S, R 38 E.
Lea County, New Mexico




PROPOSED DOLLARHIDE DRINKARD UNIT

SINCLAIR OIL CORPORATION
J. H. MC CLURE WELL NO. 21
990' FNL & 2310' FNL, SECTION 19- T 24 S, R 38 E
LEA COUNTY, NEW MEXICO




PROPOSED DOLLARIDE DRINKARD UNIT

SINCLAIR OIL CORPORATION
L. E. VANCE WELL NO. 1
330' FSL & 2310' FWL, SECTION 30, T 24 S, R 38 E
LEA COUNTY, NEW MEXICO




PROPOSED DOLLARHIDE BRINKARD UNIT

SKELLY OIL COMPANY
MEXICO "J" WELL NO. 7
2310' FSL & 510' FWL. SECTION 32, T 24 S R 38 E
LEA COUNTY, NEW MEXICO



PROPOSED DOLLARWIDE DRINKARD UNIT


SKELLY OIL COMPANY
MEXICO "J" WELL NO. 9
1980' FSL & 1980' FEL, SECTION 32, T 24 S, R 38 E
LEA COUNTY, NEW MEXICO



ILLEGIBLE

PROPOSED DOLLARWIDE DRINKARD UNIT


SKELLY OIL COMPANY
MEXICO "J" WELL NO. 16
510' FEL & 810' FSL. SECTION 32, T 24 S, R 38 E
LEA COUNTY, NEW MEXICO



ILLEGIBLE

PROPOSED DOLLARHIDE DRINKARD UNIT


ARIEL OIL COMPANY
MEXICO "J" WELL NO. 20
880' PSL & 1830' FWL, SECTION 32, T 24 S. R 38 E
LEA COUNTY, NEW MEXICO



ILLEGIBLE

PROPOSED DOLLARHIDE DRINKARD UNIT


SKELLY OIL COMPANY
MEXICO "K" WELL NO. 1
880' FRL & 880' FSL, SECTION 29, T 24 S, R 38 E
LEA COUNTY, NEW MEXICO



ILLEGIBLE

PROPOSED FORMER DRINKARD UNIT


SKULLY OIL COMPANY
MEXICO "R" WELL NO. 4
680' FSL & 1980' FWL, SECTION 29, T 24 S, R 38 E
LEA COUNTY, NEW MEXICO



ILLEGIBLE

PROPOSED DOLLARIDE DRINKARD UNIT


SKELLY OIL COMPANY
MEXICO "K" WELL NO. 6
1980' FSL & 660' FWL, SECTION 29, T 24 S R 38 E
LEA COUNTY, NEW MEXICO



ILLEGIBLE

PROPOSED DALLMAN DRINKARD UNIT


SKINNY OIL COMPANY
MEXICO "K" WELL NO. 9
1986' PBL & 1989' PSL, SECTION 29, T 24 S R 38 E
LEA COUNTY, NEW MEXICO



ILLEGIBLE

PROPOSED DOLLAHIDE DRAINAGE UNIT


SHREVE OIL COMPANY
MEXICO "X" WELL NO. 13
1980' FNL & 1980' FWL. SECTION 29, T 24 S, R 38 E
LEA COUNTY, NEW MEXICO



ILLEGIBLE

PROPOSED DOLLARIDE DRINKARD UNIT


SKELLY OIL COMPANY
MEXICO "K" WELL NO. 15
990' PAL & 330' PAL, SECTION 29, T 24 S, R 38 E
LEA COUNTY, NEW MEXICO



ILLEGIBLE

PROPOSED HOLLYHIDE DRINKARD UNIT


SKELLY OIL COMPANY
MEXICO "L" WELL NO. 15
888' FWL & 880' FWL, SECTION 5, T 25 S, R 38 E
LEA COUNTY, NEW MEXICO



ILLEGIBLE

PROPOSED DOLLANIDE DRINKARD UNIT

SKIRLEY OIL COMPANY
MEXICO "L" WELL NO. 17.
810' FNL & 2310' FEL, SECTION 5, T 25 S, R 38 E
LEA COUNTY, NEW MEXICO




ILLEGIBLE

PROPOSED DOLANVILLE DRINKARD UNIT

SHERMAN OIL COMPANY
MEXICO 1 1/2" WELL NO. 18
1050' PNL & 950' TEL. SECTION 5, T 25 S R 38 E
LEA COUNTY, NEW MEXICO

Elevation: 3171 D.F.




ILLEGIBLE

PROPOSED DOLLARWIDE DRINKARD UNIT

SHELLY OIL COMPANY
MEXICO "L" WELL NO. 20
1882' PNL & 2130' PNL, SECTION 5, T 25 S, R 38 E
LEA COUNTY, NEW MEXICO

Elevation: 3143' D. F.




ILLEGIBLE

PROPOSED DOLLATHIDE DRINKARD UNIT

SUNSHINE ROYALTY
ELLIOTT FEDERAL WELL NO. 1
1850' FNL & 2310' FNL SECTION 31- T 24 S. R 38 E
LEA COUNTY, NEW MEXICO


Elevation: 3114'DF



ILLEGIBLE

PROPOSED COMPLETION DRILLING UNIT


TEXACO, INC.
A. M. EVERETT HALL NO. 1
880' PSL & 1981' PSL. SECTION 10- T 24 S R 33 E.
LEA COUNTY, NEW MEXICO



ILLEGIBLE

DRINKARD DRILLING UNIT

TAMACO, INC.
J. B. Mc Gee Well No. 6
2090' FSL & 1350' FHL SECTION 31- T 24 S, R 38 E
LEA COUNTY, NEW MEXICO




ILLEGIBLE

PROPOSED SULPHATE WATER-BEARING UNIT

TEXACO, INC.
J. B. MC GEE WELL NO. 7
340' PSL & 660' FEL, SECTION 31, T 24 S, R 38 E
LEA COUNTY, NEW MEXICO


Elevation: 3128 D.F.



ILLEGIBLE

PROPOSED WATERFLOOD CONTROL UNIT


TENACO INC.
STEWENS MIST. WELL NO. 2
330' PAL & 880' PAL, SECTION 19, T 24 S, R 34 E.
LEA COUNTY, NEW MEXICO



ILLEGIBLE


PROPOSED DOLLARIDE DRINKARD UNIT

TECHCO, INC.
UNITED ROYALTY "A" WELL NO. 3
2310' T&L & 2310' T&L, SECTION 19, T 24 S R 36 E
DEA-COUNTY, NEW MEXICO



ILLEGIBLE

1. 10000, 100.
 EXTEND ROYALTY "A" WELL NO. 5
 100' FSL & 2505' FSL, SECTION 19, T 24 S. R 32 E
 LRA COUNTY, NEW MEXICO



ILLEGIBLE

015 -
(Post) -> HED -
FILE -

L. C. CASE, P. E.

CONSULTANT, OIL FIELD WATER PROBLEMS

208 SUNSET DRIVE

TULSA, OKLAHOMA 74114

LUTHER 3-9307

February 2, 1968

Davis & Love
Mr. V.E. Fletcher, District Superintendent
Skelly Oil Company
Hobbs, New Mexico

Subject: Water Analysis
Dollarhide Tubb-Drinkard

Dear Sir:

Your subject letter of January 29 and the water samples were received. The requested tests were as follows.

Sample no. -	1	2
Description-	Jal Water System Supply Water, taken from 6" main valve. Sec. 32-24s-38e. Drinkard outlet near plant site.	Mexico "K" Lease Taken from gunbarrel Sec. 29-24s-38e Dollarhide Drinkard.
Milli-		
grams		
per		
liter		
Sodium, Na	1,683	62,088
Calcium, Ca	649	11,058
Magnesium, Mg	240	3,689
Sulfate, SO ₄	2,050	940
Chloride, Cl	2,400	125,250
Bicarbonate, HCO ₃	915	177
Carbonate, CO ₃	nil	nil
Total Solids	7,937	203,202
Sp.Gr. at 60°F	1.006	1.142
Dissolved iron, Fe	nil	11.0 mg/l before filter 1.2 " after "
Hydrogen sulfide, H ₂ S	Much	Not present

SKELLY OIL CO.

Definition of Water Character (Palmer Values)

EXHIBIT NO. <i>H</i>	Primary Salinity	58.42	75.94
DOCKET OR	Secondary Salinity	29.62	23.98
CASE NO. <i>4134</i>	Primary Alkalinity	0.00	0.00
	Secondary Alkalinity	11.96	0.08
		100.00%	100.00%

DATE MAY 21 1969

Compatibility Tests: Mixed in % as shown, 24 hrs. standing time:

Mixture-	A	B	C
Sample 1-	25%	50%	75%
Sample 2-	75%	50%	25%
Turbidity, as CaCO ₃ , lbs/l,000 bbl-	1.3	1.1	1.0

R-37-E

R-38-E

SKELLY OIL CO.

EXHIBIT NO. I


DOCKET OR
CASE NO. 4134

DATE 5/21/69

BEFORE EXAMINER UTZ
OIL CONSERVATION COMMISSION
EXHIBIT NO. _____
CASE NO. _____

T
24
S

T
25
S



WEST DOLLARHIDE DRINKARD UNIT

LEA COUNTY, NEW MEXICO

Unit Well No.	Tract Number	Former Operator	Former Lease and Well Number
1	3	Atlantic-Richfield Co.	McClure "B" Well No. 21 <i>B-19-24-38</i>
2	18	Texaco, Inc.	W. L. Stephens Est. Well No. 1 <i>Dual</i>
3	18	Texaco, Inc.	W. L. Stephens Est. Well No. 2 <i>D-19-24-38</i>
4	19	Texaco, Inc.	Royalty Holding Co. Well No. 1 <i>Dual</i>
5	21	Texaco, Inc.	United Royalty "A" Well No. 3 <i>F-19-24-38</i>
6	3	Atlantic-Richfield Co.	McClure "B" Well No. 20 <i>Dual</i>
7	3	Atlantic-Richfield Co.	McClure "B" Well No. 19 <i>J-19-24-38</i>
8	21	Texaco, Inc.	United Royalty "A" Well No. 1 <i>Dual</i>
9	20	Texaco, Inc.	E. M. Byers Well No. 1 <i>L-19-24-38</i>
10	21	Texaco, Inc.	United Royalty "A" Well No. 5 <i>N-19-24-38</i>
11	2	Atlantic-Richfield Co.	McClure "A" Well No. 17
12	3	Atlantic-Richfield Co.	McClure "B" Well No. 18 <i>P-19-24-38</i>
13	11	Gulf Oil Corporation	W. A. Ramsey NCT-D Well No. 3
14	12	Skelly Oil Company	Mexico "K" Well No. 15 <i>D-29-24-38</i>
15	3	Atlantic-Richfield Co.	McClure "B" Well No. 14
16	2	Atlantic-Richfield Co.	McClure "A" Well No. 16 <i>B-30-24-38</i>
17	22	Ralph Lowe	F. Hair Well No. 2
18	22	Ralph Lowe	F. Hair Well No. 1 <i>F-30-24-38</i>
19	2	Atlantic-Richfield Co.	McClure "A" Well No. 2
20	2	Atlantic-Richfield Co.	McClure "A" Well No. 8 <i>H-30-24-38</i>
21	12	Skelly Oil Company	Mexico "K" Well No. 12
22	12	Skelly Oil Company	Mexico "K" Well No. 13 <i>J-29-24-38</i>
23	12	Skelly Oil Company	Mexico "K" Well No. 14
24	12	Skelly Oil Company	Mexico "K" Well No. 10
25	12	Skelly Oil Company	Mexico "K" Well No. 9 <i>J-29-24-38</i>
26	12	Skelly Oil Company	Mexico "K" Well No. 8
27	12	Skelly Oil Company	Mexico "K" Well No. 6 <i>L-29-24-38</i>
28	2	Atlantic-Richfield Co.	McClure "A" Well No. 6
29	2	Atlantic-Richfield Co.	McClure "A" Well No. 5 <i>J-30-24-38</i>
30	23	Atlantic-Richfield Co.	L. E. Vance Well No. 2
31	23	Atlantic-Richfield Co.	L. E. Vance Well No. 1 <i>N-30-24-38</i>
32	2	Atlantic-Richfield Co.	McClure "A" Well No. 4
33	2	Atlantic-Richfield Co.	McClure "A" Well No. 1 <i>P-30-24-38</i>
34	12	Skelly Oil Company	Mexico "K" Well No. 2
35	12	Skelly Oil Company	Mexico "K" Well No. 4 <i>N-29-24-38</i>
36	12	Skelly Oil Company	Mexico "K" Well No. 5
37	12	Skelly Oil Company	Mexico "K" Well No. 1 <i>P-29-24-38</i>
38	11	Gulf Oil Corporation	W. A. Ramsey NCT-D Well No. 1
39	10	Gulf Oil Corporation	W. A. Ramsey NCT-D Well No. 2 <i>J-29-24-38</i>
40	8	Gulf Oil Corporation	H. Leonard NCT-H Well No. 2
41	14	Gulf Oil Corporation	H. Leonard NCT-G Well No. 1 <i>D-33-24-38</i>
42	13	Pan American	State "Y" Well No. 3
43	13	Pan American	State "Y" Well No. 10 <i>B-32-24-38</i>
44	13	Pan American	State "Y" Well No. 9
45	13	Pan American	State "Y" Well No. 6 <i>D-32-24-38</i>
46	5	Elliott Production Co.	Elliott Fed. "H" Well No. 2
47	5	Elliott Production Co.	Elliott Fed. "H" Well No. 7 <i>B-31-24-38</i>
48	7	Elliott Production Co.	Elliott "S" Well No. 2

Opened for production
 for 20 days

Unit Well No.	Tract Number	Former Operator	Former Lease and Well Number
49	4	Sunshine Royalty Co.	Elliott Fed. Well No. 1 F-31-24-38
50	5	Elliott Production Co.	Elliott Fed. "H" Well No. 6
51	6	Elliott Production Co.	Elliott "R" Well No. 1 H-31-24-38
52	13	Pan American	State "Y" Well No. 2
53	13	Pan American	State "Y" Well No. 8 F-32-24-38
54	13	Pan American	State "Y" Well No. 5
55	13	Pan American	State "Y" Well No. 11 H-32-24-38
56	14	Gulf Oil Corporation	H. Leonard NCT-G Well No. 21
57	9	Gulf Oil Corporation	H. Leonard NCT-I Well No. 2 F-33-24-38
58	14	Gulf Oil Corporation	H. Leonard NCT-G Well No. 13
59	14	Gulf Oil Corporation	H. Leonard NCT-G Well No. 14 F-33-24-38
60	15	Skelly Oil Company	Mexico "J" Well No. 15
61	15	Skelly Oil Company	Mexico "J" Well No. 9 J-32-24-38
62	15	Skelly Oil Company	Mexico "J" Well No. 10
63	15	Skelly Oil Company	Mexico "J" Well No. 7 L-32-24-38
64	25	Texaco, Inc.	J. B. McGhee Well No. 1
65	25	Texaco, Inc.	J. B. McGhee Well No. 6 J-31-24-38
66	24	Texaco, Inc.	J. B. McGhee Well No. 8
67	25	Texaco, Inc.	J. B. McGhee Well No. 7 P-31-24-38
68	15	Skelly Oil Company	Mexico "J" Well No. 21
69	15	Skelly Oil Company	Mexico "J" Well No. 20 N-32-24-38
70	15	Skelly Oil Company	Mexico "J" Well No. 19
71	15	Skelly Oil Company	Mexico "J" Well No. 16 P-32-24-38
72	14	Gulf Oil Corporation	H. Leonard NCT-G Well No. 23
73	14	Gulf Oil Corporation	H. Leonard NCT-G Well No. 15 V-33-24-38
74	14	Gulf Oil Corporation	H. Leonard NCT-G Well No. 10
75	14	Gulf Oil Corporation	H. Leonard NCT-G Well No. 19 P-4-25-38
76	16	Skelly Oil Company	Mexico "L" Well No. 16
77	16	Skelly Oil Company	Mexico "L" Well No. 17 B-5-25-38
78	16	Skelly Oil Company	Mexico "L" Well No. 14
79	16	Skelly Oil Company	Mexico "L" Well No. 15 P-5-25-38
80	17	Atlantic-Richfield Co.	Lea State 263 Well No. 3
81	16	Skelly Oil Company	Mexico "L" Well No. 21
82	16	Skelly Oil Company	Mexico "L" Well No. 20 F-5-25-38
83	16	Skelly Oil Company	Mexico "L" Well No. 19
84	16	Skelly Oil Company	Mexico "L" Well No. 18 V-5-25-38
85	14	Gulf Oil Corporation	H. Leonard NCT-G Well No. 20
86	14	Gulf Oil Corporation	H. Leonard NCT-G Well No. 12 F-4-25-38
87	1	Texaco, Inc.	C. E. Penney Well No. 6