

Details of Dual Completion for
Santiago Oil & Gas Company
State 1-30, Well No. 1
Unit B, Section 30, Tsp 12, R34
Wildcat
Lea County, New Mexico

BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION
<i>Santiago</i> EXHIBIT NO. <u>2</u>
CASE NO. <u>1612</u>

7" Casing shoe

~~@ 13,085'~~

13102

TD 13,103'

13 3/8" Set 300 (circulated)

9 5/8" Set 4130' (circulated)

Dual String Production
Packer 10,190'

Perf. from 10,218'-10,236'
& 10,250'-10,258' w/104
shots


2" Tbg. @ 10,225'

Top of Oil String Cement 8200'

Baker Model K Prod Packer
12,875'

Perf. 12,899'-12,924'

2" Tbg. set @ 12,910'



Section 30 T12S R34E


Santiago Oil & Gas Company
State No. 1-30
660/N & 1980/E To be Dual
Offset in Section 19:

Phillips Pet Co. Signal No. 1
660/S & 1903/W Drlg.

LEW G. MCCORMICK and ASSOCIATES
STATE 1-30 LEASES
LEA COUNTY, NEW MEXICO
"EXHIBIT C"

ILLEGIBLE

Samtogo Oil & Gas Company
 State 1-30 Well No. 1
 Unit B. Section 30, Twp 12. R34
 Wildcat
 Lea County, New Mexico



Details of Dual Completion for
Santiago Oil & Gas Company
State 1-30, Well No. 1
Unit B, Section 30, Tsp 12, R34
Wildcat
Lea County, New Mexico

Hydrofracture

13 3/8" Set 300 (circulated)

9 5/8" Set 4130' (circulated)

Dual String Production
Packer 10,190'

Perf. from 10,218'-10,236'
& 10,250'-10,258' w/104
shots

2" Tbg. @ 10,225'

Top of Oil String Cement 8200'

Baker Model K Prod Packer
12,875'

non-report

Perf. 12,899'-12,924'

2" Tbg. set @ 12,910'

7" Casing shoe
@ 13,085

100' = 1" scale

Drawn to scale