

Exhibit "B"

CASING RECORD FOR INJECTION WELLS

	SURFACE CASING				OIL STRING				REMEDIAL WORK, 1959			
	SIZE	WT.	COND.	FT.	SIS.	SIZE	WT.	COND.				
ETZ #C* 1	8 5/8"	28#	New	512'	50	5 1/2"	15.5#	New	100	2932	2932	Clean hole to total depth, 3146' and tested casing to 2500#.
ETZ #E* 2	10"	32#	New	555'	50	7"	24#	New	100	2860	2860	Cleaned hole to total depth 3160' and tested casing to 2500#.
ETZ #E* 3	8 5/8"	28#	New	505'	50	5 1/2"	15.5#	New	100	2800	2800	Cleaned hole to total depth 3085' and tested casing to 2500#.
Leonard 5	8 5/8"	28#	New	515'	50	5 1/2"	15.5#	New	100	2816	2816	Cleaned hole to total depth 3081' and tested casing to 2500#.

Exhibit "B"

CASING RECORD FOR DEFECTION WELLS

	SURFACE CASING				OIL STRING				REMEDIAL WORK, 1959			
	SIZE	WT.	COND.	FT.	SXS.	SIZE	WT.	COND.		FT.	TOP PAY	
ETZ "C" 1	8 5/8"	28#	New	512'	50	5 1/2"	15.5#	New	100	2932	2932	Clean hole to total depth, 3146' and tested casing to 2500 #.
ETZ "E" 2	10"	32#	New	555'	50	7"	21#	New	100	2860	2860	Cleaned hole to total depth 3160' and tested casing to 2500#.
ETZ "E" 3	8 5/8"	28#	New	505'	50	5 1/2"	15.5#	New	100	2800	2800	Cleaned hole to total depth 3085' and tested casing to 2500#.
Leonard 5	8 5/8"	28#	New	515'	50	5 1/2"	15.5#	New	100	2816	2816	Cleaned hole to total depth 3081' and tested casing to 2500#.

LARGE FORMAT
EXHIBIT HAS
BEEN REMOVED
AND IS LOCATED
IN THE NEXT FILE

LARGE FORMAT
EXHIBIT HAS
BEEN REMOVED
AND IS LOCATED
IN THE NEXT FILE