





BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION
Appl EXHIBIT NO. 2
CASE NO. 1646

AMERADA PETROLEUM CORPORATION
OIL - OIL DUAL
IDA WIMBERLEY NO. 9

Case No. 1646
Exhibit No. 2

R-37-E

R-38-E

T
25
SJUSTIS ^{Field} AREA


LEA COUNTY, NEW MEXICO

SCALE: 1" = 2000'

Exhibit No. _____

R-37-E

R-38-E

T
25
S

BEFORE EXAMINER NUTTER

CONSERVATION COMMISSION

CASE NO. 1646

JUSTIS AREA

LEA COUNTY, NEW MEXICO

SCALE: 1" = 2000'

SCHLUMBERGER WELL SURVEYING CORPORATION

HOUSTON, TEXAS



Induction-Electrical Log

COUNTY <u>LEA</u> FIELD or LOCATION <u>UNDESIGNATED</u> WELL <u>IDA WIMBERLY NO. 9</u>	COMPANY <u>AMERADA PETROLEUM CORPORATION</u>	COMPANY <u>AMERADA PETROLEUM</u>	Other Surveys
		CORPORATION	GRL ML
		WELL <u>IDA WIMBERLY NO. 9</u>	Location of Well 1650' From N/L 990' From W/L
		FIELD <u>UNDESIGNATED</u>	
		LOCATION <u>SEC 25-25S-2E</u>	
		COUNTY <u>LEA</u>	Elevation: D.F.: <u>3071</u> K.B.: or G.L.:
		STATE <u>NEW MEXICO</u>	FILING No.

RUN No.	<u>1</u>				
Date	<u>3-3-59</u>				
First Reading	<u>7048</u>				
Last Reading	<u>3274</u>				
Feet Measured	<u>3774</u>				
Csg. Schlum.	<u>3274</u>				
Csg. Driller	<u>3270</u>				
Depth Reached	<u>7054</u>				
Bottom Driller	<u>7048</u>				
Depth Datum	<u>KB 12' ABOVE GL</u>				
Mud Nat.	<u>CHEM</u>				
Dens. Visc.	<u>9.5 38</u>				
Mud Resist.	<u>1.8 @ 75 °F</u>	@ °F	@ °F	@ °F	@ °F
" Res. BHT	<u>1.25 @ 112 °F</u>	@ °F	@ °F	@ °F	@ °F
Rmf	<u>83 @ 112 °F</u>	@ °F	@ °F	@ °F	@ °F
Rmc	<u>1.4 @ 112 °F</u>	@ °F	@ °F	@ °F	@ °F
" pH	<u>@ °F</u>	@ °F	@ °F	@ °F	@ °F
" Wtr. Loss	<u>1.4 CC 30 min.</u>	CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.
Bit Size	<u>8 3/4"</u>				
Spcgs.—AM	<u>16" NORMAL</u>				
MN					
IND.	<u>40" INDUCTION</u>				
Opr. Rig Time	<u>2 HOURS</u>				
Truck No.	<u>2527 HOBBS</u>				
Recorded By	<u>ROUSH</u>				
Witness	<u>MOORE</u>				

BEFORE EXAMINER NUTTER
 OIL CONSERVATION COMMISSION
 EXHIBIT NO. 3
 CASE NO. 16

FOLD HERE