



Case 2103

Diagrammatic Sketch of Mechanical Installation
OIL-OIL DUAL COMPLETION VINSON RAMSAY "B" NO. 3
Justis Tubb-Justis Blinebry Pools

GULF OIL CORPORATION - DOMESTIC PRODUCTION DEPARTMENT





LEASE PLAT

VINSON-RAMSAY (NCT-B)

BEFORE EXAMINER NUTTER
LEA COUNTY, NEW MEXICO

OIL CONSERVATION COMMISSION

-LEGEND-

EXHIBIT NO. 1

CASE NO. 2103

☐ Pertinent Gulf Lease
☒ Pertinent Gulf Well

Case No. 2103
 Exhibit No. 1

Gulf Oil Corporation

October 19, 1960

Safety factor of
1.6 can be set @
7920.

diff across
packer

1/4" pump can
produce 2-300 bpd.
allowable TB 44 BPD

1 1/2" tbg
both zones.
2 1/16 Hydril or
1 1/2" int jt tbg
1 1/2" int jt. 48.95/100
Hydril 119.68/100
will save 8000 in tbg
8-5/8" csg 431.
5/8" csg
1 1/4" bot.

Blinebry Pool

Tubb Pool

Cemented w/350 sax
Cement circulated

BEFORE EXAMINER NUTTER	
OIL CONSERVATION COMMISSION	
EXHIBIT NO.	2
CASE NO.	2103

GOR 740

1894 BHP

Baker Model "D" Prod.
Packer @ 5680'

1-1/2" Integral Joint tbg
w/pin collar @ 5760'
Cemented w/1950 sax
Top cement @ 2055'

Justis Bl 508058
Justis TB 585082

GOR 2070

BHP 2245 est.

Justis Blinebry
Pool perf

5359'

5493'

1-1/2" Integral Joint tbg
w/pin collar @ 5523'

5-1/2" csg @ 5797'

Justis Tubb Pool
Open Hole 5797' - 5830'

T.D. 5830'

drd in May 58
as single compl
in Justis Bl.
deepened to Tubb
in Oct 60

Case No. 2103
Exhibit No. 2

PROPOSED MECHANICAL INSTALLATION
OIL-OIL DUAL COMPLETION
VINSON RAMSAY "B" NO. 6

JUSTIS TUBB AND JUSTIS BLINEBRY POOLS
LEA COUNTY, NEW MEXICO

Gulf Oil Corp.

October 19, 1960

Diagrammatic Sketch of Mechanical Installation
 OIL-OIL DUAL COMPLETION VINSON RAMSAY "B" NO. 6
 Justis Tubb-Justis Blinebry Pools

GULF OIL CORPORATION - DOMESTIC PRODUCTION DEPARTMENT

