

SINCLAIR OIL & GAS COMPANY

DETAIL OF LEASE AUTOMATIC CUSTODY CONTROL UNIT

LEE WHITMAN "A" & "B"

DENTON DEVONIAN & DENTON WOLFCAMP POOLS

LEA COUNTY, NEW MEXICO

Skid Mounted Unit

Automatic 10 psi To Pipeline

Manual

Recirculate

From Surge Tank
Shut
Sealed

NOTES

- T - Connection For Meter Proving By Master Meter
- TB - Temperature Bulb For Meter Externally Mounted
- L - Plug Valve with Leak Test Drain-cock Assembly For Meter Proving
- PT - Pipe Line Proving Tank

BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION
SINCE EXHIBIT NO. 3

Page 20 2129

MODEL 301
700 - 2500 BPD

Ex 3

LEGEND FOR SKID MOUNTED UNIT

DESCRIPTION

ITEM

- 1 Starter
- 2 Beacon Light
- 3 Sampler
- 4 Monitor B.S. & W.
- 5 Low Pressure "Stop" Switch
- 6 High Pressure "Stop" Switch
- 7 Timer "Start" Switch
- 8 Electric Valve, 3 way, 2 position
- 9 Back Pressure Regulator (to maintain 10 psi)
- 10 Pressure Gauge
- 11 Thermometer
- 12 P.D. Meters (Temperature Compensated)
- 13 Strainer
- 14 Centrifugal Pump with Electric Motor

120 gal per mo

[illegible]

CASE NO.

DEVONIAN
WOLFCAMP

Ex