

DEARNLEY-MEIER REPORTING SERVICE, Inc.

PHONE CH 3-6691

ALBUQUERQUE, NEW MEXICO

BEFORE THE  
OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

REGULAR HEARING

November 15, 1961

IN THE MATTER OF:

Southeastern New Mexico nomenclature case  
calling for an order extending certain ex-  
isting pools in Eddy, Lea, and Roosevelt  
Counties, New Mexico

CASE NO.  
2433

BEFORE: Edwin L. Mechem, Governor  
E. S. (Johnny) Walker, Land Commissioner  
A. L. (Pete) Porter, Secretary and Director

TRANSCRIPT OF HEARING

MR. PORTER: We will call Case No. 2433.

MR. WHITFIELD: Southeastern New Mexico nomenclature  
case calling for an order extending certain existing pools in  
Eddy, Lea, and Roosevelt Counties, New Mexico.

E. F. ENGBRECHT,

called as a witness by and on behalf of the Commission, having  
been first duly sworn on oath, was examined and testified as  
follows:

DIRECT EXAMINATION



BY MR. MORRIS:

Q Will the witness please state his name and occupation.

A E. F. Engbrecht, engineer, District 1, New Mexico Oil Conservation Commission.

Q Mr. Engbrecht, in your capacity with the Commission, have you made a study concerning the advisability of extending certain existing pools in Eddy, Lea, and Roosevelt Counties, New Mexico?

A I have.

Q In connection with that study, have you prepared an exhibit marked Exhibit No. 1 in this case?

A I have.

Q Referring to that exhibit, Mr. Engbrecht, what is your recommendation concerning extension of the Pecos-Delaware pool?

A It is recommended that the Pecos boundary be extended as shown in Paragraph A, Exhibit 1, on the basis of one well completed therein.

Q What is your recommendation concerning extension of the Angell-Seven Rivers Pool?

A It is recommended that the proposed extension of the Angell-Seven Rivers Pool as shown in Paragraph B of Exhibit 1 be dismissed.

Q What is your recommendation concerning the extension of the Bell Lake-Devonian Gas Pool?

A It is recommended that the Bell Lake-Devonian Gas Pool

DEARNLEY-MEIER REPORTING SERVICE, Inc.

PHONE CH 3-6691

ALBUQUERQUE, NEW MEXICO



boundary be extended as shown in Paragraph C, Exhibit 1, on the basis of one well completed therein.

Q What is your recommendation concerning extension of the North Benson-Queen Pool?

A It is recommended that the North Benson-Queen Pool boundary be extended as shown in Paragraph D, Exhibit 1, on the basis of one well completed therein.

Q What is your recommendation concerning extension of the Blinebry Pool?

A It is recommended that the Blinebry (oil) Pool boundary be extended as shown in Paragraph E of Exhibit 1 on the basis of one well completed therein.

Q What is your recommendation concerning the extension of the Bluit-Wolfcamp Gas Pool?

A It is recommended that the Bluit-Wolfcamp Gas Pool boundary be extended as shown in Paragraph F, Exhibit 1, on the basis of two wells completed therein.

Q What is your recommendation concerning extension of the Caudill-Permo Penn?

A It is recommended that the Caudill-Permo Penn Pool boundary be extended as shown in Paragraph G, Exhibit 1, on the basis of two wells completed therein.

Q What is your recommendation concerning the extension of the South Crossroads-Devonian Pool?

A It is recommended that the South Crossroads-Devonian

DEARNLEY-MEIER REPORTING SERVICE, Inc.

PHONE CH 3-6691

ALBUQUERQUE, NEW MEXICO



Pool boundary be extended as shown in Paragraph H, Exhibit 1, on the basis of one well completed therein.

Q What is your recommendation concerning the extension of the Drinkard Pool?

A It is recommended that the Drinkard Pool boundary be extended as shown in Paragraph I, Exhibit 1, on the basis of two wells completed therein.

Q What is your recommendation concerning extension of the North Hackberry-Yates Pool?

A It is recommended that the North Hackberry-Yates Pool boundary be extended as shown in Paragraph J of Exhibit 1 on the basis of one well completed therein.

Q What is your recommendation concerning extension of the West Henshaw-Grayburg Pool?

A It is recommended that the West Henshaw-Grayburg Pool boundary be extended as shown in Paragraph K, Exhibit 1, based on one well completed therein.

Q What is your recommendation concerning extension of the Jalmat gas Pool?

A It is recommended that the Jalmat gas Pool boundary be extended as shown in Paragraph L, Exhibit 1, on the basis of one well completed therein.

Q What is your recommendation concerning extension of the Justis Tubb-Drinkard Pool?

A It is recommended that the Justis Tubb Pool boundary

DEARNLEY-MEIER REPORTING SERVICE, Inc.

PHONE CH 3-6691

ALBUQUERQUE, NEW MEXICO



be extended as shown in Paragraph M, Exhibit 1, on the basis of two wells completed therein.

Q What is your recommendation concerning extension of the South Paddock Pool?

A It is recommended that the South Paddock Pool boundary be extended as shown in Paragraph N of Exhibit 1 on the basis of one well completed therein.

Q What is your recommendation concerning extension of the Paduca-Delaware Pool?

A It is recommended that the Paduca-Delaware Pool boundary be extended as shown in Paragraph O, Exhibit 1, on the basis of one well completed therein.

Q What is your recommendation concerning extension of the North Shugart Queen-Grayburg Pool?

A It is recommended that the North Shugart Queen-Grayburg Pool boundary be extended as shown in Paragraph P, Exhibit 1, on the basis of one well completed therein.

Q Mr. Engbrecht, is the extension of the North Shugart-Gray Pool as you have recommended it going to be complicated by the recent case that was taken under advisement consolidating various oil pools in that area?

A I believe that this might be part of that area; maybe it should be dismissed. I will recommend it.

Q Would you, please.

A I recommend that Paragraph P be dismissed for further



study.

Q What is your recommendation concerning the extension of the North Square Lake-Grayburg Pool?

A It is recommended that the North Square Lake Pool boundary be extended as shown in Paragraph Q, Exhibit 1, on the basis of five wells completed therein.

Q What is your recommendation concerning the extension of the Teas (Yates) Pool?

A It is recommended that the Teas (Yates) Pool boundary be extended as shown in Paragraph R, Exhibit 1, on the basis of two wells completed therein.

Q What is your recommendation concerning the extension of the Vacuum-Abo Pool?

A It is recommended that the Vacuum-Abo Pool be extended as shown in Paragraph S, Exhibit 1, on the basis of two wells completed therein.

Q What is your recommendation concerning the Vacuum-Queen Pool?

A It is recommended that the Vacuum-Queen Pool boundary be extended as shown in Paragraph T, Exhibit 1, on the basis of three wells completed therein.

Q Do you have anything further to offer, Mr. Engbrecht?

A Nothing.

MR. MORRIS: If the Commission please, Exhibit 1 in Case 2433 with the exception of Paragraphs B and P is offered

DEARNLEY-MEIER REPORTING SERVICE, Inc.

PHONE CH 3-6691

ALBUQUERQUE, NEW MEXICO



