


R-34-E

R-35-E



Plat Showing
 TEXACO Inc.
 State of New Mexico "R" NCT-4 Lease
 Lea County, New Mexico

Legend


A - Vacuum Abo Pool
 SA - Vacuum Grayburg-San Andres

Offset Operators

The Ohio Oil Company, P. O. Box 2107,
 Hobbs, New Mexico
 Tidewater Oil Company, P. O. Box 547,
 Hobbs, New Mexico
 Forest Oil Corporation, P. O. Box 4486,
 Midland, Texas
 Humble Oil & Refining Co., P. O. Box 2347,
 Hobbs, New Mexico
 N. G. Penrose Inc., Suite 417 Midland
 Tower Bldg., Midland, Texas

R-34-E

R-35-E




Plat Showing
 TEXACO Inc.
 State of New Mexico "R" NCT-4 Lease
 Lea County, New Mexico

Legend

A - Vacuum Abo Pool
 SA - Vacuum Grayburg-San Andres

Offset Operators

The Ohio Oil Company, P. O. Box 2107,
 Hobbs, New Mexico
 Tidewater Oil Company, P. O. Box 547,
 Hobbs, New Mexico
 Forest Oil Corporation, P. O. Box 4486,
 Midland, Texas
 Humble Oil & Refining Co., P. O. Box 2347,
 Hobbs, New Mexico
 N. G. Penrose Inc., Suite 417 Midland
 Tower Bldg., Midland, Texas



DIAGRAMMATIC SKETCH OF DUAL COMPLETION INSTALLATION

Abo (Flowing) ←

→ Drinkard (Pumping)

11-3/4" OD Surface Casing Set at 336'
Cement Circulated
(250 SK)

BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION
EXHIBIT NO. 2
CASE NO. 2488

8-5/8" OD Intermediate Casing Set at
3128'
Cement top 3000'

DRINKARD REEF (OIL)

Top: 7880'

Perforations:	7884-90	7897-7900
	7908-10	7915-20
	7997-01	8008-14
	8030-38	8053-57
	8063-70	8084-87

Bottom: 8132'

ABO REEF (OIL)

Top: 8380'

Perforations:	8573-82	8600-07
	8620-27	8642-46
	8684-89	8709-11
	8734-44	8750-52
		8758-60

Bottom: 8800'

Plug at 8799'

2-7/8" OD Casing set at 8836'

Drilled Total Depth 8843'

Plug at 8803'

2-7/8" OD Casing set at 8832'

COMPANY: TEXACO Inc.

LEASE: State of New Mexico "R" NCT-4 Well No. 1

FIELD: Vacuum Abo

DATE: February 2, 1962

13 3/8" hole

*9 7/8" hole
900 SK*

*case top
of cement 1400'
100' above
anhydrite*

*Est inter seal
41.2°
Est 60R
650:1
Est BHP
1100
psi
sub 90
B024hrs*

*cut 76' cut
1180' cut
top cut inter sweet
39.8°
1050:1*

*BHP 3137 72hrs
-4795 ST
BHP
141 B0
+DWinslow
on #2
1/2 mile
NE*

*perforations
both 3 lines
separated*